dormakaba 🚧

# Mechanical Pushbutton Lock Price Book

Effective Oct. 1, 2017



### General Terms and Conditions of Sale

- 1. ENTIRE AGREEMENT: This Agreement constitutes the entire agreement between KABA ILCO Corp. dba Kaba Access Control ("KABA") and the Purchaser, and contains all of the terms and conditions relating to the sale of the product(s). This agreement supersedes all prior agreements, previous catalog terms and conditions, and other documents unless expressly incorporated herein
- 2. PAYMENT TERMS: Unless otherwise stated, terms are net 30 days from the date of invoice. KABA reserves the right to charge interest at 1.5% per month (18% annually) on any overdue amounts. If KABA discovers that the Purchaser's financial condition does not warrant the above payment terms, then KABA, in its absolute discretion, may demand that the Purchaser pay in advance, pay cash upon delivery, or refuse Purchaser's order. In the latter case, KABA cannot be held liable for any damages of any nature whatsoever for its refusal to deliver goods in whole or in part.
- 3. PRICES: The product price(s) shall be according to KABA's price list in effect at the time of acceptance of the purchase order or according to its authorized quotation in force at the time of acceptance of the applicable purchase order.
- 4. TAXES: The price does not include any amounts for U.S. or International Federal Custom Duties, Canadian, U.S. or International, Federal, Provincial, State, Local Excise, Goods and Services, Sales or Use, or Value added taxes. However, should KABA be obligated to pay any of the foregoing taxes, the Purchaser, upon demand, shall, within fifteen (15) days, reimburse KABA the total amount disbursed in respect thereof.
- MINIMUM ORDER REQUIREMENTS: The minimum order amount for all orders accepted is \$400 USD, excluding the shipping and insurance charges. This
  does not apply to cut keys.
- 6. PRODUCT INFORMATION: Unless expressly stated in this Agreement, all information contained in the product brochures, pamphlets, or information circulars, are for reference purposes only and based on information available at time of publication. KABA reserves the right to make reasonable changes in its products or discontinue certain products from time to time and to deliver the modified products, or to offer replacement product in the event a product has been discontinued without any liability whatsoever. Purchaser shall have the option to purchase any other product in the event of a discontinued product, provided however, Purchaser shall be responsible to pay any price difference.
- 7. INSTALLATION: Unless otherwise expressly stated, the costs and materials required for installation are not included in the prices and/or quotations.
- 8. POINT OF DELIVERY & SHIPPING: Delivery points and terms are FOB KABA warehouses in the Continental USA and Canada for KABA products. Should Purchaser request a shipping method or carrier different than KABA's standard, then the full amount of the shipping cost will be invoiced to the Purchaser. Drop shipments to a third party are subject to a \$25 surcharge, which is invoiced to Purchaser. Kaba will no longer ship to third parties in Canada.
- 9. DELIVERY TERMS: KABA will notify the Purchaser if for any reason, it is unable to deliver the products as scheduled, and Kaba cannot be held liable for any damages of any nature resulting from these delays.
- 10. FORCE MAJEURE: Should a delay in delivery be caused by a Force Majeure event, the time of delivery shall be extended by a reasonable amount of time with regard to all applicable circumstances. Upon mutual agreement, the parties shall set a new date for delivery. Except as to payments due hereunder, neither party shall be liable for failure to perform hereunder for the duration of and to the extent such failure is occasioned by a Force Majeure event, which is defined as follows: war, riots, insurrections, fire, flood, explosions, strikes and other labor or industrial disturbances, inevitable accidents, Government, State, Provincial or Municipal regulations and/or ordinances, an act of God, embargoes, blockades, delay in obtaining materials, legal restrictions, currency regulations, or any cause or condition beyond the reasonable control of the parties. Where such conditions continue for more than three (3) months, either party shall be free to terminate the Agreement. In the case of termination, KABA shall be paid the value proportionate to the Agreement price for the finished product and/or the work-in-progress as of the date of termination and the supportable costs.
- 11. FAILURE TO ACCEPT DELIVERY: If Purchaser fails to accept delivery at the scheduled time, the purchase price shall become due and payable in accordance with the original payment schedule and all risks associated with the product or parts of the product to be delivered, shall be borne by the Purchaser. Purchaser shall be responsible for all storage and handling costs incurred and to be incurred as a result thereof.
- 12. TITLE: Unless otherwise stipulated in this Agreement, ownership of the goods shall remain with KABA until full payment of the sale price has been received. Until complete payment has been received, Purchaser undertakes to warrant and keep the goods free and clear of all liens, other charges or encumbrances.
- 13. RETURN POLICY: Purchaser must obtain a Return Goods Authorization (RGA) number from KABA's Customer Service by calling in North America: (800) 849-8324 or Worldwide: (336) 725-1331, before returning any products whatsoever. The Purchaser must have the product serial number and invoice number pertaining to the original purchase available to give to the Customer Service Agent. KABA will send via Facsimile or email (as indicated by Purchaser) the Return Goods Authorization form, which includes the RGA number along with the "Ship To" address and RGA return instructions. RGAs expire after sixty (60) days from date of issuance. Returns of product by Purchaser are FOB KABA.

### General Terms and Conditions of Sale (continued)

- 14. WARRANTY: Subject to the limitations herein, KABA warrants its new products from the date received by Purchaser from material or workmanship flaws. Specific new product warranties may vary according to products and if different, they are listed in the respective product section of the Access Control catalog or the respective product installation manual. Third party product(s) sold by KABA are warranted only to the extent provided by the original manufacturer's warranty and Purchaser must refer to the original manufacturer's warranty in such case. Refurbished or reconditioned KABA products are warranted for a ninety (90) day period from date of shipment. Failure of the Purchaser to notify KABA within the time limit set in this section shall constitute Purchaser's waiver to have the malfunction or damage remedied. The express warranties as set out herein, are the exclusive warranties given and accepted in lieu of any and all other warranties, expressed or implied, statutory or otherwise, including but not limited to warranty of fitness for a particular purpose and merchantability. To the extent that they cannot be disclaimed, the implied warranties are limited in duration to the life of the express warranty. Incidental and consequential damages are excluded from coverage under this warranty. Some States/jurisdictions do not allow for the disclaimers, limitations and exclusions identified above; as a result, they may not apply to you. This warranty gives you specific rights, and you may also have other legal rights which may vary from State to State, or from one jurisdiction to another. No distributor, dealer, sales representative nor any other person has been authorized to make any affirmation, representation or warranty regarding the product, other than those contained in this limited warranty, and if made, shall not be enforceable against KABA. KABA reserves the right to modify this warranty at any time, it being understood that such modification will not alter the warranty conditions applicable to the p
  - KABA will, at their discretion and at no charge, either repair, exchange or replace the product provided it is returned complete to KABA during the warranty
    period. However, Purchaser is responsible for the labor to remove and reinstall the product(s) from Purchaser's premises.
  - Defective parts, which have been replaced, become the property of KABA who may dispose of them in any manner. Replacement parts become the property
    of the Purchaser upon their delivery.
  - KABA is not liable for any defects in materials, designs, drawings or information provided by the Purchaser, nor for information which is missing and could not be reasonably identified as such, by KABA.
  - · KABA does not warrant the following:
    - (a) Normal wear and tear from use;
    - (b) Printer ribbons, batteries, key cards and other consumable parts used or supplied with the product;
    - (c) Damage of any nature to hardware finishes;
    - (d) Faulty or defective product operation(s) caused by unusual or unforeseeable use or conditions;
    - (e) Improper installation, operation or maintenance of the product;
    - (f) Any product or system in which KABA's product(s) is incorporated;
    - (g) Force Majeure as defined by Section 10 of this Agreement;
    - (h) Repairs or alterations carried out by anyone other than KABA;
- 14.1 VARIANCE: Any claims that the quantity and description of goods delivered and the quantity and description of goods ordered do not conform to this Agreement are waived unless the Purchaser advises KABA's Customer Service department in writing, within fifteen (15) days from the date of receipt of the product(s).
- 14.2 RETURNS FOR CREDIT: In order to return new merchandise, the Purchaser must obtain a Returned Goods Authorization (RGA) number from KABA Customer Service department. There is a twenty-five percent (25%) restocking charge applied to all returns of new product. Custom products cannot be returned for credit for any reason other than product failure. Credit will not be offered for product that is returned incomplete or damaged.
- 15. LIMITATION OF LIABILITY: The total liability of KABA for all claims of any kind, whether in contract, liability or otherwise, arising out of, connected with or resulting from KABA's performance or breach of this Agreement or services furnished hereunder shall in no event exceed the total purchase price expressed in this Agreement. KABA shall not under any circumstances be held liable for loss of profits or revenues, loss of use of product or any other product software, system, or facility, loss of data or information, lack or loss of productivity, interest charges or cost of capital, cost of substitute product, software, systems or services, cost of purchases or replacement power, downtime costs. Incidental, special, consequential damages are excluded from coverage under this warranty.
- 16. ASSIGNMENT: KABA may assign this Agreement in whole or in part, to any parent, subsidiary or affiliated corporation. Subject to the prior written approval of KABA, Purchaser may assign the present Agreement to any parent, subsidiary or affiliated corporation.
- 17. DAMAGES: If Purchaser does not fulfill its obligations or is in default or breach of contract by the terms of this Agreement, KABA may then terminate the Agreement by notice in writing as set out on the face of KABA's acknowledgement. KABA has the right to claim compensation for any loss it incurs as a result of Purchaser's default, in addition to any other rights or recourse in equity and in law.
- 18. APPLICABLE LAW: This Agreement shall be governed by and construed in accordance with the laws of the State of North Carolina, USA.
- 19. TERMINATION: If the Purchaser terminates this Agreement, in whole or in part, by written notice, KABA will, upon receipt of the termination notice, cease the performance of the contract according to the instructions of the Purchaser. In such a case, Purchaser may be invoiced for costs incurred depending on the nature of the product and shall be responsible for payment of same.
- 20. SEVERABILITY: Any term, condition or provision of this Agreement, or any part thereof, which is or may be found to be prohibited or unenforceable in any jurisdiction shall, as regards such jurisdiction and to the extent of such prohibition or unenforceability, be deemed to be severed from this Agreement, and the remaining terms, conditions and provisions of this Agreement shall remain in full force and effect.
- 21. WAIVER: Any act or omission by KABA will not constitute or be deemed to be a waiver of the rights granted to KABA by the terms of this Agreement.


Disclaimer: While reasonable efforts were made to ensure the accuracy of this document at the time of printing, Kaba assumes no liability for any errors or omissions. This information is subject to be revised without notice, and changes may be incorporated in future releases.

# **Table of Contents**

5	<b>How to Order</b> Door Handing Where to Order	22, 23	Simplex 9600 Series
6, 7	Simplex 5000 Series	24	<b>Simplex File Guard</b> FG10 Series F2500 Series F2570 Series F2580 Series
8, 9	Simplex 1000 Series		
10, 11	Simplex L1000 Series	25	Simplex LD450 Series
12, 13	Simplex EE1000 Series	26	Simplex LD470 Series
14	Simplex 8100 Series	27-29	Simplex Accessories
15	Simplex LP1000 Series	30-31	Simplex Features Comparison
16	Simplex 2015 Series		
17	Simplex 3000 Series		
18	Simplex 6200 Series		
19	Simplex 7100 Series	ofe	information about dormakaba's offering xit devices, door closers, or mechanical
20, 21	Simplex 900 Series		sets, visit <b>go.dormakaba.com/DHW-AMER</b> all 800.523.8483.


### How to Order

To order any of the products in this catalog, a part number must be provided. In most situations the part number has to be assembled to specify the desired product, as various options are available.



### **Door Handing**

Some locks also require you to specify door handing. To determine handing, face the door from the exterior (access) side and select the corresponding diagram below.



### Where to Order


Contact your local supplier or call 1.800.849.8324 or 1.336.725.1331

### For More Information

#### www.dormakaba.us

#### The following are registered names and/or trademarks:

Abloy<sup>®</sup>, Adams Rite<sup>®</sup>, Arrow<sup>®</sup>, ASSA<sup>®</sup>, Best<sup>®</sup>, Black & Decker<sup>®</sup>, Cal Royal<sup>®</sup>, Corbin Russwin<sup>®</sup>, Detex<sup>®</sup>, Dorma<sup>®</sup>, Precision<sup>®</sup>, Kaba<sup>®</sup>, Marks<sup>®</sup>, Medeco<sup>®</sup>, Monarch<sup>®</sup>, Precision<sup>®</sup>, Sargent<sup>®</sup>, Schlage<sup>®</sup>, Simplex<sup>®</sup>, Von Duprin<sup>®</sup>, Weiser<sup>®</sup>, Yale<sup>®</sup>



Simplex® 5000 Series

.....

Base Model	Description	Base Price
5021XKWL26D41	Cylindrical Lock with Lever, Key-in-Lever Cylinder	\$571.00
Choose One Option	n from Each Category	
Function Options	Description	Price
1+	Exit Trim (E.T.) (available with lever only)	Add \$100.00
2	Cylindrical Lock	No Charge
3	Cylindrical Lock, Interior Combination Change—D.O.D.	Add \$50.00
4	Cylindrical Lock, Passage	Add \$50.00
5	Cylindrical Lock, Passage, Interior Combination Change—D.O.D.	Add \$100.00
6*	American Steel/Mortise (ASM) (available with lever only)	Add \$120.00
Locking Device Options	Description	Price
0+	Exit Trim (available with E.T. only)	No Charge
1	Cylindrical $\frac{1}{2}$ " (13 mm) throw latch, floating face plate, $2\frac{3}{4}$ " (70 mm) backset (UL listed)	No Charge
2	Cylindrical <sup>1</sup> / <sub>2</sub> " (13 mm) throw latch, floating face plate, 2 <sup>3</sup> / <sub>8</sub> " (60 mm) backset (UL listed)	No Charge
5	Cylindrical ¾" (19 mm) throw latch, beveled face plate, 2¾" (70 mm) backset (UL listed)	No Charge
6	Std Mortise, 1¼" (32 mm) face plate, no deadbolt (non-handed)	No Charge
7	Std Mortise, 11/4" (32 mm) face plate, with deadbolt and lockout (non-handed)	Add \$30.00
8	Std Mortise, $1\frac{1}{4}$ " (32 mm) face plate, no deadbolt with passage (non-handed)	Add \$30.00
Key Override Options	Description	Price
ХК	K-I-L, Kaba Cylinder (Kaba 90 Keyway) included	No Charge
XS	K-I-L, Kaba Cylinder (Schlage "C" Keyway) included	No Charge
В	SFIC, Best and Equivalents (6 or 7-pin length); core not included	No Charge
С	LFIC, Corbin Russwin (6 or 7-pin length); core not included	No Charge
Μ	LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included	No Charge
R	LFIC, Sargent; core not included	No Charge
S	LFIC, Schlage; core not included	No Charge

# Simplex<sup>®</sup> 5000 Series

Lever / Knob Options	Description	Price
WL	Winston Lever	No Charge
WK	Winston Knob (cylindrical locks only)	No Charge
Finish Options	Description	Price
026	Bright Chrome (625)	Add \$25.00
03	Bright Brass (605)	Add \$25.00
04	Satin Brass (606)	Add \$25.00
26D	Satin Chrome (626)	No Charge
676*	Black with Satin Chrome Accents	No Charge
744	Dark Bronze with Brass Accents (simulated 10B/613)	Add \$100.00
* While europlice leat	ult factory for availability	

\* While supplies last - consult factory for availability

#### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware
- Tailpiece for Specified Key Override

#### **Notes**

# + Exit Device Compatibility: dormakaba 9300/F9300 Series Rim Exit Device - call 800-523-8483 for pricing and availability

#### Other Compatible Devices (for the most accurate listing of compatible Exit Devices,

#### visit go.dormakaba.com/Simplex5000

Arrow S1250 Arrow S3883F/S3800 Black & Decker (K-2) QED111/112 Cal Royal 9800 Cal Royal 2200 Corbin Russwin ED5200/5200A Detex 1001 BP1 Detex 10/F10 Series Dorex 8500R/8500F Dorex 9500PR/9500FR Monarch 18R\*\*, F18R\*\* Precision 21/FL21 Sargent 2828 Sargent 3828 Sargent 8810E/8800 Sargent 8888 Von Duprin 22/22F Von Duprin 98/98F Von Duprin 99/99F Von Duprin XP98/99 Yale YME2100/2100 Yale 7100


\*\*(requires special K-Hub Adapter, not supplied by Kaba)

#### Cannot be used with mortise design or vertical rod Exit Devices

# ATTENTION: Compatibility is subject to change if modifications are made by Exit Device manufacturers without Kaba's knowledge

#### Exit Device not included (sold separately)

For mortise applications where additional door support is needed, order a mortise stabilizer for a hollow metal door from the accessories section.



Base Model	Description	Base Price
101126D41	Cylindrical Lock with Knob, No Key Override	\$487.50

#### **Choose One Option from Each Category**

	· · · · · · · · · · · · · · · · · · ·	
Function Options	Description	Price
1	Cylindrical Lock, Combination Entry Only	No Charge
2	Cylindrical Lock, Combination Entry, and Key Override	Add \$70.00
3	Cylindrical Lock, Combination Entry, and Passage	Add \$50.00
4	Cylindrical Lock, Combination Entry, Key Override, and Passage	Add \$120.00
Locking Device Options	Description	Price
1	Cylindrical <sup>1</sup> ⁄ <sub>2</sub> " (13 mm) throw latch, floating face plate 2 <sup>3</sup> ⁄ <sub>4</sub> " (70 mm) backset (UL listed)	No Charge
2	Cylindrical ½" (13 mm) throw latch, floating face plate 2%" (60 mm) backset (UL listed)	No Charge
5	Cylindrical <sup>3</sup> / <sub>4</sub> " (19 mm) throw latch, beveled face plate 2 <sup>3</sup> / <sub>4</sub> " (70 mm) backset (UL listed)	No Charge
Key Override Options	Description	Price
В	SFIC, Best and Equivalents (6 or 7-pin length); core not included	No Charge
С	LFIC, Corbin Russwin (6-pin length); core not included	No Charge
<b>L</b>		

No Charge

No Charge No Charge

С	LFIC, Corbin Russwin (6-pin length); core not included
M <sup>+</sup>	LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included
R	LFIC, Sargent; core not included
S	LFIC, Schlage; core not included

#### dormakaba

# Simplex<sup>®</sup> 1000 Series

Finish Options	Description	Price
026	Bright Chrome (625)	Add \$25.00
03	Bright Brass (605)	Add \$25.00
05	Antique Brass (609)	No Charge
26D	Satin Chrome (626)	No Charge
Lockout Option**	Description	Price
LO	Lockout (available on key override models only)	Add \$100.00

#### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

#### **Notes**


#### <sup>+</sup> Medeco/ASSA/Yale/Abloy (5 and 6-pin length)

5 and 6-pin Medeco/ASSA/Abloy cylinders require a special knob spacer (included in package)

### \*\* Lockout Option

This field can be left blank if no optional features are required

Knob locks are factory-handed for left-hand operation unless otherwise pre-arranged with manufacturing facility (minimum quantity required)



Base Model	Description	Base Price
LL101126D41	Cylindrical Lock with Lever, No Key Override	\$584.50

### **Choose One Option from Each Category**

Handing Options	Description	Price
L	Left Hand or Left Hand Reverse	No Charge
R	Right Hand or Right Hand Reverse	No Charge
Function Options	Description	Price
1	Cylindrical Lock, Combination Entry Only	No Charge
2	Cylindrical Lock, Combination Entry, and Key Override	Add \$70.00
3	Cylindrical Lock, Combination Entry, and Passage	Add \$50.00
4	Cylindrical Lock, Combination Entry, Key Override, and Passage	Add \$120.00
7	Cylindrical Lock, Combination Entry, Key Override, and Privacy (lockout) (requires "6" Locking Device Option) 1 <sup>3</sup> / <sub>4</sub> " (44 mm) door thickness only	Add \$90.00
Locking Device Options	Description	Price
1	Cylindrical ½" (13 mm) throw latch, floating face plate 2¾" (70 mm) backset (UL listed)	No Charge
2	Cylindrical ½" (13 mm) throw latch, floating face plate 2¾" (60 mm) backset (UL listed)	No Charge
5	Cylindrical <sup>3</sup> ⁄4" (19 mm) throw latch, beveled face plate 2 <sup>3</sup> ⁄4" (70 mm) backset (UL listed)	No Charge
6	Cylindrical ¾" (19 mm) throw latch, beveled face plate—(for 1076 only) 2¾" (70 mm) backset (UL listed) 1¾" (44 mm) door thickness only	No Charge

# Simplex<sup>®</sup> L1000 Series

Key Override Options	Description	Price
В	SFIC, Best and Equivalents (6 or 7-pin length); core not included	No Charge
С	LFIC, Corbin Russwin (6-pin length); core not included	No Charge
M <sup>+</sup>	LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included	No Charge
R	LFIC, Sargent; core not included	No Charge
S	LFIC, Schlage; core not included	No Charge
Finish Options	Description	Price
026	Bright Chrome (625)	Add \$25.00
03	Bright Brass (605)	Add \$25.00
05	Antique Brass (609)	No Charge
26D	Satin Chrome (626)	No Charge

### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

#### Notes

#### <sup>+</sup> Medeco/ASSA/Yale/Abloy (5 and 6-pin length)

5 and 6-pin Medeco/ASSA/Abloy cylinders require a special knob spacer (included in package)

Privacy option is available on key override models only. Fits 13/4" (44 mm) doors only

### dormakaba 🚧

dormakaba	Sim EE1000	plex® ) Series
Example		
EE10 1		_ 4 1
E E 1 0 MODEL ACCESS FUNCTION	LOCKING KEY MODEL EGRESS LOCKING KEY FINISH DEVICE OVERRIDE FUNCTION DEVICE OVERRIDE	- 4 1 PACKAGING
Build the model number	er with the desired options	
Base Model	Description	Base Price
1011/101126D41	Cylindrical Lock with Knobs, Entry/Egress (Back-to-Back), No Key Override	\$1055.00
Choose One Option fr	om Each Category	
Access Function Options	Description	Price
1	Cylindrical Lock, Combination Entry Only	No Charge
2	Cylindrical Lock, Combination Entry, and Key Override	Add \$70.00
Locking Device Options	Description	Price
1	Cylindrical ½" (13 mm) throw latch, floating face plate 2¾" (70 mm) backset (UL listed)	No Charge
5	Cylindrical ¾" (19 mm) throw latch, beveled face plate 2¾" (70 mm) backset (UL listed)	No Charge
Key Override Options	Description	Price
В	SFIC, Best and Equivalents (6 or 7-pin length); core not included	No Charge
С	LFIC, Corbin Russwin (6-pin length); core not included	No Charge
M*	LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included	No Charge
R	LFIC, Sargent; core not included	No Charge
S	LFIC, Schlage; core not included	No Charge
Egress Function Options	Description	Price
1	Cylindrical Lock, Combination Entry Only	No Charge
2	Cylindrical Lock, Combination Entry, and Key Override	Add \$70.00
Locking Device Options	Description	Price
1	Cylindrical ½" (13 mm) throw latch, floating face plate 2¾" (70 mm) backset (UL listed)	No Charge
5	Cylindrical ¾" (19 mm) throw latch, beveled face plate 2¾" (70 mm) backset (UL listed)	No Charge

# Simplex<sup>®</sup> EE1000 Series

Key Override Options	Description	Price
В	SFIC, Best and Equivalents (6 or 7-pin length); core not included	No Charge
С	LFIC, Corbin Russwin (6-pin length); core not included	No Charge
M*	LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included	No Charge
R	LFIC, Sargent; core not included	No Charge
S	LFIC, Schlage; core not included	No Charge
Finish Options	Description	Price
026	Bright Chrome (625)	Add \$50.00
03	Bright Brass (605)	Add \$50.00
05	Antique Brass (609)	No Charge
26D	Satin Chrome (626)	No Charge

#### Items Supplied with the Lock


- Installation Manual
- Full-Scale Template
- Required Installation Hardware

#### Notes

#### \* Medeco/ASSA/Yale/Abloy (5 and 6-pin length)

5 and 6-pin Medeco/ASSA/Abloy cylinders require a special knob spacer (included in package)

#### dormakaba 🚧



Base Model	Description	Base Price
LR8146B26D41	Mortise Lock with Lever, Key Override, Passage, Lockout	\$751.50
Choose One Optio	n from Each Category	
Handing Options	Description	Price
L	Left Hand	No Charge
LR	Left Hand Reverse	No Charge
R	Right Hand	No Charge
RR	Right Hand Reverse	No Charge
Function Options	Description	Price
6	Combination Entry, Key Override, Passage, Lockout	No Charge
8	Combination Entry, Key Override, Passage, Lockout, Deadbolt	Add \$30.00
Key Override Options	Description	Price
В	SFIC, Best and Equivalents (6 or 7-pin length); core not included	No Charge
С	LFIC, Corbin Russwin (6-pin length); core not included	No Charge
M*	LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included	No Charge
R	LFIC, Sargent; core not included	No Charge
S	LFIC, Schlage; core not included	No Charge
Finish Options	Description	Price
026	Bright Chrome (625)	Add \$25.00
03	Bright Brass (605)	Add \$25.00
05	Antique Brass (609)	No Charge
26D	Satin Chrome (626)	No Charge

#### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

#### **Notes**

#### \* Medeco/ASSA/Yale/Abloy (5 and 6-pin length)

5 and 6-pin Medeco/ASSA/Abloy cylinders require a special knob spacer (included in package)

Simplex LP1000 Ser	e lies	dormakaba 🞽
Example L L	P 10 10 - 26D-41	
Build the model p	P 1 0 G MODEL FUNCTION KEY OVERRIDE - FINISH umber with the desired options	- 411 PACKAGING
Base Model	Description	Base Price
LLP101026D41 <sup>+</sup>	Exit Trim Lock with Lever, No Key Override	\$659.50
Choose One Opti	on from Each Category	·
Handing Options	Description	Price
L	Left Hand or Left Hand Reverse	No Charge
R	Right Hand or Right Hand Reverse	No Charge
Function Options	Description	Price
10	Combination Entry Only	No Charge
20	Combination Entry and Key Override	Add \$70.00
Key Override Options	Description	Price
В	SFIC, Best and Equivalents (6 or 7-pin length); core not included	No Charge
С	LFIC, Corbin Russwin (6-pin length); core not included	No Charge
M++	LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included	No Charge
R	LFIC, Sargent; core not included	No Charge
S	LFIC, Schlage; core not included	No Charge
Finish Options	Description	Price
026	Bright Chrome (625)	Add \$25.00
03	Bright Brass (605)	Add \$25.00
05	Antique Brass (609)	No Charge
26D	Satin Chrome (626)	No Charge
Items Supplied w	ith the Lock	
<ul> <li>Installation Manual</li> </ul>		

Installation Manual

Full-Scale Template

Required Installation Hardware

**Notes** 

+ Exit Device Compatibility: dorma+kaba 9100 Concealed or 9300 Surface Vertical Rod Exit Device - call 800-523-8483 for pricing and availability.

## Other Compatible Devices (for the most accurate listing of compatible Exit Devices, visit go.dormakaba.com/SimplexLP1000

Black & Decker (K-12) QED111/112 Cal Royal 5000/F5000 Detex Advantex Series 10, 20, 21, 40, 50, 51 Detex 10/F10 Series

Dorex 8500R/8500F Dorex 9500PR/9500FR Monarch XX-R\*, FXX-R, 18-R\*, F-18-R\*, 17-R, F-17-R, XX-V\*, F-XX-V\*, 18-V\*, F-18-V\*, F-XX-V\*, 11-R\*, 11-V\* Von Duprin 22, 88 NL, 98, 99

\*(requires special K-Hub Adapter Kit, not supplied by Kaba)

#### Exit Device not included (sold separately)

ATTENTION: Compatibility is subject to change if modifications are made by Exit Device manufacturers without Kaba's knowledge

#### \*\* Medeco/ASSA/Yale/Abloy (5 and 6-pin length)

5 and 6-pin Medeco/ASSA/Abloy cylinders require a special knob spacer (included in package)



Example	20	15-26D	- 4 1		
	2015 MODEL	-	26D FINISH	-	41 PACKAGING
Build the model number with the desired options					

Base Model	Description	Base Price
201526D41	Combination Entry with Thumbturn Style Knob <sup>+</sup> (clockwise rotation only)	\$455.00

#### **Notes**

Key override orders will consist of all locks on the order being keyed alike, unless there is a specific key cut called out or the locks on the order are requested to be keyed differently

# \* Exit Device Compatibility: for the most accurate listing of compatible Exit Devices, visit go.dormakaba.com/Simplex2015

American Device 6300 Series, 6303 Series

Corbin 21, 22, 25, 26NT, 27K, 29, 29-1/4, 29M2, 29-1/2M2, 29NTM2, 29D20, LA29, 39, 39EL, 39LLD, 390, LA39 Detex Advantex Series 10, 20, 21, 40, 50, 51

Dorex 8500R/8500F

Dorex 9500R/9500FR

Magno Krom LHR only: 500-4, 550-4, 650-4, 1500-4, 1550-4, 1650-4; RHR only: 600-3

Monarch 18RBA, 18RP, 18VP, F18RBA, F18RP, F18VP, FXXRBA, FXXRP, FXXVP, XXRBA, XXRP, XXVP Precision Hardware FL-D103; RHRB only 810-H; RH or LH: 103, R103, D203, H-203, 1103, D1203, H1203 Russwin 365, 3651/4, LT365, 370, 372, LA372, 375, LT375, 377, 382, 384, 385, 388, 572, 572EL, 572ELD, U572, LA572 Sargent 2813, 2804, 6804, 12-6804, 9804RHRB, 12-9804LHRB, 9898E, 9898K

Von Duprin 22 Rim, 22 Rim-F, 88 Rim, 88 Rim-F, 98 Rim, 98 Rim-F, 99 Rim, 99 Rim-F; 2227, 2227-F, 9827, 9827-F, 9847-F, 9847-F, 9927-F, 9947-F; Yale 1500 Series, 7000 Series

• Cannot be used with surface-mounted Exit Devices with counterclockwise rotating hubs, thumb-operated Mortise design Exit Devices, or vertical rod Exit Devices

ATTENTION: Compatibility is subject to change if modifications are made by Exit Device manufacturers without Kaba's knowledge

Exit Device not included (sold separately)

#### Simplex<sup>®</sup> 3000 Series Example 3 0 0 2 6 D 1 4 1 3 0 4 0 1 FUNCTION MODEL FINISH PACKAGING Build the model number with the desired options

Base Model	Description	Base Price
300126D41	Narrow Stile Lock with Thumbturn, Key Override, Passage, Lockout (Drive Assembly Required) <sup>+</sup>	\$293.00

#### **Choose One Option from Each Category**

Function Options	Description	Price
1	Combination Entry, Key Override, Passage, Lockout	No Charge
2	Combination Entry, Key Override, Passage, Lockout, Cylinder Guard	Add \$16.00
Finish Options	Description	Price
26D	Satin Chrome (626)	No Charge
55	Duranodic—Powder Paint (695)	No Charge

#### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

**Notes** 

#### For complete installation, a housing and drive assembly are required

# Adams Rite hardware sold separately (contact IIco Rocky Mount 800.334.1381 for equivalent Adams Rite hardware)

#### **Choose a Drive Assembly**

Model Options	Description	Price
3010-19-41	<sup>31</sup> / <sub>32</sub> " (25 mm) Backset/Handing Right Hand or Right Hand Reverse	\$74.00
3020-19-41	<sup>31</sup> / <sub>32</sub> " (25 mm) Backset/Handing Left Hand or Left Hand Reverse	\$74.00
3030-19-41*	11/8" (29 mm) Backset/Handing Right Hand or Right Hand Reverse	\$74.00
3040-19-41*	11/8" (29 mm) Backset/Handing Left Hand or Left Hand Reverse	\$74.00
* Alas sessementedates a	autivalant 11/" (29 mm) backaat	


\* Also accommodates equivalent 11/2" (38 mm) backset

#### Note

#### Cylinder not included

dormakaba 🕍





Base Model	Description	Base Price
62046041	Cylindrical Lock with Exterior Thumbturn, Internal Knob, 2¾" (70 mm) Backset	\$241.00


#### **Choose One Option from Each Category**

Function Options	Description	Price
02	Cylindrical ½" (13 mm) throw latch, floating face plate, 2 <sup>3</sup> / <sub>8</sub> " (60 mm) backset (UL listed)	No Charge
04	Cylindrical ½" (13 mm) throw latch, floating face plate, 2¾" (70 mm) backset (UL listed)	No Charge
Finish Options	Description	Price
60	Gold Tone—Powder Paint (060) (inside trim/plated Bright Brass)	No Charge
67*	Almond—Powder Paint (067) (inside trim/plated Bright Brass)	No Charge
85	Black—Powder Paint (083) (inside trim/plated Satin Chrome)	No Charge
86	Gray—Powder Paint (086) (inside trim/plated Satin Chrome)	No Charge

#### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

\* While supplies last. Consult factory for availability.



Base Model	Description	Base Price
710826D41	Auxiliary Lock with Thumbturn, Deadbolt, 2%" (60 mm) Backset	\$163.00

#### **Choose One Option from Each Category**

Function Options	Description	Price
2	1" (25 mm) Tubular Deadbolt, flat front face plate 2 <sup>3</sup> ⁄4" (70 mm) backset	No Charge
4	<sup>1</sup> ⁄₂" (13 mm) Deadlocking Latch, flat front face plate Adjustable 2⅔" (60 mm) to 2¾" (70 mm) backset	No Charge
6*	<ul> <li>5%" (16 mm) Rim Deadlocking Latch (for wood doors only)</li> <li>23%" (60 mm) backset (Black or Satin Chrome lock only)**</li> </ul>	No Charge
8	1" (25 mm) Tubular Deadbolt, flat front face plate 2¾" (60 mm) backset	No Charge
Finish Options	Description	Price
26D	Satin Chrome (626)	No Charge
05	Antique Brass (609)	Add \$25.00
03	Bright Brass (605)	Add \$25.00
AW**	Antique White (Powder Paint) (062)	No Charge
AC**	Antique Copper (Powder Paint) (051)	No Charge
GV	Gold Vein (Powder Paint) (060)	No Charge
SV**	Silver Vein (Powder Paint) (061)	No Charge
19*	Black (Powder Paint)	No Charge


#### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

#### **Notes**

- \* 7106 model available in black with black inside trim or satin chrome with black inside trim only. For all other black 7100 Series models, inside trim is satin chrome.
- \*\* While supplies last. Consult factory for availability.

Simplex<sup>®</sup> 900 Series



I	Build the model number	with the desired options

Base Model	Description	Base Price
902000026D41	Auxiliary Lock with Thumbturn, 1" (25 mm) Deadbolt, Fits 1%"–1½" (35 mm–38 mm) thick	\$165.00

### **Choose One Option from This Category**

Model Options	Description	Price
02	1" (25 mm) Deadbolt Latch, 1%"–1½" (35 mm–38 mm) thick	No Charge
04	1" (25 mm) Deadbolt Latch, 1¾"-21/8" (44 mm-54 mm) thick	No Charge
06	1" (25 mm) Deadbolt Latch, 1%"-11/2" (35 mm-38 mm) thick, key override	Add \$58.00
10	1" (25 mm) Deadbolt Latch, 1 <sup>3</sup> / <sub>4</sub> "-2 <sup>1</sup> / <sub>8</sub> " (44 mm-54 mm) thick, key override	Add \$58.00
17	<sup>5</sup> ⁄⁄s" (16 mm) Deadlocking Spring Latch, flat front, 1⅔"–1½" (35 mm–38 mm) thick, latch holdback	Add \$25.00
19	<sup>5</sup> ⁄⁄s" (16 mm) Deadlocking Spring Latch, flat front, 1¾"–2⅓"(44 mm–54 mm) thick, latch holdback	Add \$25.00
20	%" (16 mm) Deadlocking Spring Latch, flat front, 1%"−1½" (35 mm−38 mm) thick, no latch holdback	Add \$25.00
22	%" (16 mm) Deadlocking Spring Latch, flat front, 1¾"–2⅛" (44 mm–54 mm) thick, no latch holdback	Add \$25.00
27 <sup>+</sup>	5⁄s" (16 mm) Deadlocking Spring Latch, flat front, 13⁄s"−11⁄2" (35 mm−38 mm) thick	Add \$114.00
29 <sup>+</sup>	$\frac{5}{8}$ " (16 mm) Deadlocking Spring Latch, flat front, $1\frac{3}{4}$ "– $2\frac{1}{8}$ " (44 mm–54 mm) thick	Add \$114.00
35*	5/8" (16 mm) Deadlocking Spring Latch, flat front, 13/8"-11/2" (35 mm-38 mm) thick, latch holdback, key override	Add \$82.00
38*	5⁄s" (16 mm) Deadlocking Spring Latch, flat front, 1¾"–2⅓" (44 mm–54 mm) thick, latch holdback, key override	Add \$82.00

\* Key override orders will consist of all locks on the order being keyed alike, unless there is a specific key cut called out or the locks on the order are requested to be keyed differently

# Simplex<sup>®</sup> 900 Series

### Choose up to Four Options - Insert 0 if Less than Four Options are required.

Options	Description	Price
1	Substitutes a surface-mounted strike box for metal door frames in place of the standard strike box (part number 74464) (see 900 Series Accessories—Adapter Kit)	Add \$5.00
2	Deletes the key cylinder from key override models. Recessed escutcheon recommended for standard rim cylinder installation. Rim cylinder tailpiece must be reduced in width to accommodate the tail receptacle. Specify the position of the cylinder tailpiece (vertical or horizontal) to mate with the standard size rim cylinder (not supplied).	Less \$21.00
3	Substitutes a 2½" (64 mm) lever in place of the standard inside thumbturn (part number 74437) (cannot be used with option 5)	Add \$32.00
4*	Master Keyed (key override models)	Add \$12.00
5	Adds the panic bar release kit to a spring latch model (part number 74438) (cannot be used with option 3)	Add \$34.00
6	Deletes latch holdback (935 and 938 models)	No Charge
7	Deletes the key cylinder from key override models and changes gear plate to a 100 Series. Recessed escutcheon recommended for standard rim cylinder installation. The rim cylinder tailpiece must be reduced in width to accommodate the tail receptacle. Specify the position of the cylinder tailpiece (vertical or horizontal) to mate with the standard size rim cylinder (not supplied).	Less \$21.00
8	Changes gear plate to accept a horizontal tailpiece	No Charge
Finish Options	Description	Price
26D	Satin Chrome (Powder Paint)	No Charge
04++	Satin Brass (Powder Paint)	No Charge


#### Notes

\* D.O.D. Compliant

++ 04 Finish not available on Model 927/929

\* Key override orders will consist of all locks on the order being keyed alike, unless there is a specific key cut called out or the locks on the order are requested to be keyed differently.

# Simplex<sup>®</sup> 9600 Series



Base Model	Description	Base Price
9662C1026D41	Cabinet Lock, Sheet Metal, End Throw, Clutch Ball Bearing Knob, No Trim Plate, Standard Deadbolt	\$95.50

### **Choose One Option from Each Category**

Function Options	Description	Price
2	Wood Application, 5/8" (16 mm) to 1/8" (27 mm) door thickness	Add \$2.00
6	Sheet Metal, 14 to 20 gauge door thickness	No Charge
7	Sheet Metal, 1/8" (3 mm) door thickness	No Charge
8	Sheet Metal, ¾6" (5 mm) door thickness	No Charge
9	Sheet Metal, 1/4" (6 mm) door thickness	No Charge
Bolt Throw Options	Description	Price
1	Cross Throw	No Charge
2	End Throw	No Charge
3	End Throw with Cross Throw Parts	No Charge
Knob Style	Description	Price
С	Clutch Ball Bearing Knob	No Charge
Trim Plate Options	Description	Price
1	Without Trim Plate	No Charge
2	With Trim Plate (not available on 969 Model)	No Charge
Latch Bolt Options	Description	Price
0	Standard Deadbolt	No Charge
1	Spring Loaded Latch	Add \$6.00
2	Spring Loaded Latch with Key Override (keyed alike)	Add \$14.00
Finish Options	Description	Price
03*	Bright Brass (605)	No Charge
04	Satin Brass (606)	No Charge
26D	Satin Chrome (626)	No Charge
* While supplies last. Cor	nsult factory for availability.	· ·

While supplies last. Consult factory for availability.



#### Cabinet Locks, no options available


Model	Description	Price
C9601-xxx-41	Wood, <sup>5</sup> ⁄/s" (16 mm) to <sup>7</sup> /s" (27 mm), door thickness, end throw, deadbolt, trim plate included, ball bearing clutch knob	\$103.50
C9602-xxx-41	Wood, $\frac{5}{8}$ " (16 mm) to $\frac{7}{8}$ " (27 mm), door thickness, end throw, spring latch, trim plate included, ball bearing clutch knob	\$103.50

Replace xxx above with your preferred finish code.

#### dormakaba 🚧

# Simplex<sup>®</sup> File Guard

FG10, F2500, F2570, F2580 Series



Build the model number with the desired options

Base Model	Description	Length	Base Price
FG12B	Pushbutton Fileguard, 2-Drawer Cabinet	29"	\$164.00
Available in Black	(B) only.		
Models	Description	Length	Price
FG12 - B	Pushbutton, 2-Drawer Cabinet	29"	\$164.00
FG14 - B	Pushbutton, 4-Drawer Cabinet	51¼"	\$171.50
FG15 - B	Pushbutton, 5-Drawer Cabinet	59"	\$174.50
FG16 - B*	Pushbutton, special length (indicate length when ordering)		\$191.50
F25002 <sup>+</sup>	Accessory Pack (provides additional / replacement mounting hardware)		\$18.50
F2502 - B	Padlock, 2-Drawer Cabinet (padlock not included)	29"	\$71.50
F2504 - B	Padlock, 4-Drawer Cabinet (padlock not included)	51¼"	\$77.00
F2505 - B	Padlock, 5-Drawer Cabinet (padlock not included)	59"	\$82.50
F2506 - B*	Padlock, special length (indicate length when ordering)		\$93.50
F25002 <sup>+</sup>	Accessory Pack (provides additional / replacement mounting hardware)		\$18.50
F2572 - B	Self-storing Lock, 2-Drawer Cabinet	29"	\$89.00
F2574 - B	Self-storing Lock, 4-Drawer Cabinet	51¼"	\$96.50
F2575 - B	Self-storing Lock, 5-Drawer Cabinet	59"	\$101.00
F2576 - B <sup>++</sup> ,*	Self-storing Lock, special length (indicate length when ordering)		\$106.50
F25703 <sup>+</sup>	Accessory Pack (provides additional / replacement mounting hardware)		\$18.50
F2582 - B	Key Lock, 2-Drawer Cabinet, specify Schlage "C" or Weiser Keyway	29"	\$89.00
F2584 - B	Key Lock, 4-Drawer Cabinet, specify Schlage "C" or Weiser Keyway	51¼"	\$96.50
F2585 - B	Key Lock, 5-Drawer Cabinet, specify Schlage "C" or Weiser Keyway	59"	\$101.00
F2586 - B*	Key Lock, special length (indicate length when ordering)		\$110.50
F25804 <sup>+</sup>	Accessory Pack (provides additional / replacement mounting hardware)	—	\$18.50

#### Notes

\*Includes: Mounting Hardware: Notch Pins, Clevis Pins, Lock Washers, Screw Nuts, and Screws as required

\* Special Lengths: Available with minimum quantity of 12 per length; Maximum 66", Minimum 17"

To order, specify 6 as a last digit of product number followed by length (inches)

\*\* F2576—Self-storing lock, special length has extended lead time

Simplex <sup>®</sup> LD450 Serie	R minin		dor	-makaba 🚧
Example [	D451-	3 5 -	32D - 41	
LD4 SERIES	MODEL LATCH FUN	3 5 -	32D - FINISH	41 PACKAGING
Build the model ht	Imber with the desire			

Base Model	Description	Base Price
LD4513532D41	Light Duty Pushbutton Lock, 2%" Backset, Latch Holdback, Knob	\$158.50

### **Choose One Option from Each Category**

Model	Description	Price
5	Mechanical Pushbutton Lock	No Charge
Latch Options	Description	Price
1	Tubular Latch Bolt 2 <sup>3</sup> / <sub>8</sub> " (60 mm) backset	No Charge
2	Tubular Latch Bolt 2¾" (70 mm) backset	No Charge
Function	Description	Price
3	Latch Holdback (45 series only)	No Charge
Knob	Description	Price
5	Octagon Knob (45 series only)	No Charge
Finish Options	Description	Price
32D	Satin Stainless (simulated 630 finish)	No Charge
03*	Bright Brass	No Charge
05*	Antique Brass	No Charge

\* While supplies last. Consult factory for availability.


#### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

Internal/External Gaskets

Internal/External Cover Plates

dormakaba



Simplex<sup>®</sup> LD470 Series

Base Model	Description	Base Price
LD4714832D41	Light Duty Pushbutton Lock, 2 <sup>3</sup> / <sub>8</sub> " Backset, Passage, Lever	\$309.50

#### Choose One Option from Each Category

Model	Description	Price
7	Mechanical Pushbutton Lock with Vandal Resistant Clutching Lever	No Charge
Latch Options	Description	Price
1	Tubular Latch Bolt 2%" (60 mm) backset	No Charge
2	Tubular Latch Bolt 2¾" (70 mm) backset	No Charge
Function	Description	Price
4	Passage (47 series only)	No Charge
Lever	Description	Price
8	Flat Lever (47 series only)	No Charge
Finish Options	Description	Price
32D	Satin Stainless (simulated 630 finish)	No Charge
03*	Bright Brass	No Charge
05*	Antique Brass	No Charge

\* While supplies last. Consult factory for availability.

#### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

Internal/External Gaskets

Internal/External Cover Plates

# Simplex<sup>®</sup> Accessories

### Simplex<sup>®</sup> 900 Series

	ltem#	Description	Price				
	800-04-41	Adapter Kit for doors with metal frames. Includes riser plates and surface mounted strike. Finish 04 Satin Brass; packaged one per box. (old #74464/74468)	\$39.00				
	800-26D-41	Adapter Kit for doors with metal frames. Includes riser plates and surface mounted strike. Finish 26D Satin Chrome; packaged one per box. (old #74464/74468)	\$39.00				
( )	805-26D-41	Face Plate Shield. Not for use with key override models. Inhibits unauthorized observation of the combination. Finish 26D Satin Chrome; packaged one per box. (old #24081-000-01)	\$34.00				
	74437-26D-01	Inside Lever Handle (lock not included)	\$39.00				
	74437-04-01	Inside Lever Handle (lock not included)	\$39.00				
	74438-26D-01	Panic Bar Release Kit (lock not included)	\$39.00				
	74438-04-01	Panic Bar Release Kit (lock not included)	\$39.00				
	24095-04-10	Strike Spacers (10 pack)	\$11.50				
	74301-000-01	Metal Template for varying backsets	\$102.00				

# Simplex<sup>®</sup> Accessories

	Item#	Description	Price
	204231-03-41	Wrap Plate, (h)10 ½" (267 mm) x (d)5" (127 mm), Bright Brass (605)	\$73.00
	204231-05-41	Wrap Plate, (h)10 ½" (267 mm) x (d)5" (127 mm), Antique Brass (609)	\$73.00
	204231-26D-41	Wrap Plate, (h)10 ½" (267 mm) x (d)5" (127 mm), Satin Chrome (626)	\$73.00
	204232-03-41	Wrap Plate, (h)15" (381 mm) x (d)5" (127 mm), Bright Brass (605)	\$103.00
	204232-05-41	Wrap Plate, (h)15" (381 mm) x (d)5" (127 mm), Antique Brass (609)	\$103.00
-	204232-26D-41	Wrap Plate, (h)15" (381 mm) x (d)5" (127 mm), Satin Chrome (626)	\$103.00
	201484-03-01	Best Equivalent Small Format Interchangeable Core, Bright Brass (605)	\$66.50
	201484-05-01	Best Equivalent Small Format Interchangeable Core, Antique Brass (609)	\$66.50
	201484-26D-01	Best Equivalent Small Format Interchangeable Core, Satin Chrome (626)	\$66.50
	54843-000-01	Anti-Spy Shield (1000/L1000 models only) (old part number 201600-083-01)	\$47.00
	204022-000-01	Latch Extension Assembly converts to 3 <sup>3</sup> / <sub>4</sub> " (10 cm) backset	\$36.50
ŞŞ	204023-000-01	Latch Extension Assembly converts to 5" (13 cm) backset	\$32.00
ß	54644-000-41	Weather Cover (smoke colored)	\$61.00
	64684-26D-01	Installation Jig (1000/L1000/5000/E5000)	\$421.00
	201821-26D-01	ASA Roller Strike	\$46.00
	201821-05-01	ASA Roller Strike	\$46.00
•	201821-03-01	ASA Roller Strike	\$46.00
	50567701-000-01	Mortise stabilizer for hollow metal door-1¾" only	\$24.00
1166	54720-000-01	Mortise Mounting Bracket for Hollow Metal Doors	\$18.00

### Simplex<sup>®</sup> 1000, L1000, and 5000 Series

# Simplex<sup>®</sup> Accessories

### Simplex<sup>®</sup> Mounts\*—Hardwood product demonstration mount, packaged 1 per box

Omplex			
	Item#	Description	Price
0.4	204083-000-41	8100 Series	\$171.50
000	204086-000-41	EE1000 Series	\$171.50
	204087-000-41	LP1000 Series	\$171.50
20 <del>6</del> 0.	203053-000-41	900 Series—904 and 919 Dual Mount	\$171.50
000	204189-000-41	7100 Series—7108 and 7104 Dual Mount	\$171.50
¢.	204092-000-41	7100 Series—7106 Model only	\$171.50
	204094-000-41	6200 Series	\$171.50
	204096-000-41	2015 Series	\$171.50
0.0	203044-000-41	1000, L1000, 5000, and E-Plex 5x00 Series	\$171.50
	203056-000-41	5010 Series (Exit Trim only)	\$171.50
	204246-000-41	LD Series—450 and 470 Dual Mount	\$171.50
	74378-CH	3000 Series Narrow Stile (includes Adams Rite latch and paddle)	\$749.00

\* Mounts do not include locks

# Strong, Powerful Security Solutions Since 1862.

		5000	1000 EE1000	L1000 8100	2015	3000	6200	7100	LD450 LD470
F	SIMPLEX® Mechanical Pushbutton Locks				I mit ) :				
ACCESS	PIN Access (Single User)	~	~	~	<b>~</b>	~	~	~	~
ACC	Mechanical Key Override	~	~	~		<b>~</b>			
	Cylindrical Latch	~	~	~			~		
s	Mortise (ASM)	~		~					
LOCKING DEVICES	Exit Trim	~		~	~				
NG DE	AR Latch					~			
OCKI	Tubular Latch							~	<ul> <li>✓</li> </ul>
	Tubular Deadbolt							~	
	Auxiliary Latch							~	
	No Wire Installation	~	~	~	<b>~</b>	<ul> <li>✓</li> </ul>	~	~	<ul> <li>✓</li> </ul>
	No Computer Programming	~	~	~	~	~	~	~	~
	No Software Programming	~	~	~	~	<b>v</b>	~	~	<ul> <li>✓</li> </ul>
	Mechanical Key Override	~	~	~		~			
	Interchangeable Core (Best)	~	~	~					
	Removable Core (Large Format)	~	~	~					
s	Removable Mortise Cylinder					~			
TURE	Key-in-Lever	~							
MECHANICAL FEATURES	Non-handed (Field Reversible)	~	~			~	~	~	~
NICA	Vandal Resistant Clutch					~	~	~	~
ECHA	Fits 1 3/8" to 2 1/4" *	~	~	~	~		~	~	~
≥	No Batteries	~	~	~	<b>v</b>	~	~	~	~
	Indoor/Outdoor (Approved)	~	~	~	~	~	~	~	~
	Latch Holdback							~	<ul> <li>✓</li> </ul>
	Passage	~	~	~		~			<ul> <li>✓</li> </ul>
	Lockout/Privacy	~	~	~		~			
	Programmed at Keypad	~	~	~	<b>~</b>	<ul> <li>✓</li> </ul>	~	~	~
	Various Finishes Available	<b>v</b>	<b>v</b>	~		<ul> <li>✓</li> </ul>	<b>v</b>	~	
	3-Year Warranty	~	~	~					
TION	1-Year Warranty				<b>~</b>	<ul> <li>✓</li> </ul>	<b>v</b>	~	~
RRAN IFICA	BHMA Grade 1 Certified	~							
WARRANTY CERTIFICATION	3 Hr UL/ULC Fire Rated Latch	~	~	~			~		
	ADA Compliant Levers	~		~					~

\* 8100 and EE1000 series fit 1 3/4" to 2 1/4" door thickness \* L1076 model fits 1 3/4" door thickness only \* LD series fit 1 3/8" to 2 1/2" door thickness

# A Solution for Every Access Point...and Every Budget.

@	5000	1000 EE1000*	L1000 8100*	2015	3000	6200	7100	LD450 LD470
SIMPLEX®	····· E (c.			C ( 1133)		0		
ACCESS CREDENTIAL								
NUMBER OF ACCESS CODES	SINGLE CODE	SINGLE CODE	SINGLE CODE	SINGLE CODE	SINGLE CODE	SINGLE CODE	SINGLE CODE	SINGLE CODE
LOCKING DEVICE OPTIONS		e Co				e Co		
FEATURES								
OPTIONS	PRIVACY/ LOCKOUT KNOB EXTERIOR/INTERIOR COMBINATION CHANGE	PRIVACY/ DOCKOUT ENTRY/EGRESS PASSAGE INTERIOR COMBINATION CHANGE	PRIVACY/ D LOCKOUT ENTRY/EGRESS PASSAGE INTERIOR COMBINATION CHANGE		PRIVACY/ LOCKOUT PASSAGE INTERIOR COMBINATION CHANGE		LATCH HOLDBACK	LATCH HOLDBACK PASSAGE
CERTIFICATIONS	Compliant BHMA GRADE 1	(U <sub>R</sub> )	UL ADA Compliant			(U <sub>s</sub> )		Compliant
KEY OVERRIDE	SFIC, LFIC K-I-L	SFIC, LFIC	SFIC, LFIC		REPLACEABLE MORTISE CYLINDER			

\* 8100 and EE1000 series fit 1 3/4" to 2 1/4" door thickness

\* L1076 model fits 1 3/4" door thickness only

\* LD series fit 1 3/8" to 2 1/2" door thickness

For more detailed information, please go to www.dormakaba.us

2941 Indiana Ave. Winston-Salem NC 27105 T: 1 800 849 8324

www.dormakaba.us