




EFFECTIVE: APRIL 8, 2019





NOTE: Please contact us for price information on specialty items or options not shown in this price list.

dormakaba USA Inc. reserves the right to make changes in designs and specifications or to make additions or improvements to its products without notice and without incurring any obligation to incorporate them on products previously manufactured.



Contents

Sales Policies	5	W Series Electric Switch Locks	57
Warranty	7	45HW Series Electromechanical Mortise Locks	58
BEST Patented Product Offering	9	47HW Series High Security Electromechanical Mortise Locks	59
BEST Masterkey Code and Masterkey Service Policy	11	8KW/9KW Series Electromechanical Cylindrical Locks	60
Architectural Finishes	13	Electromechanical Lock Accessories	61
BEST Standard & Premium Keys	14	Electric Strike and Strike Accessories	62
BEST Peaks Keys	15	Electromagnetic Locks and Accessories	63
BEST Preferred Patented Keys	16	45HZ Keypad EZ Mortise Locks	65
BEST CORMAX Patented Keys	17	9KZ Keypad EZ Cylindrical Locks	66
B Series Padlocks	18	EXZ Keypad EX Exit Trim	67
BEST Standard & Premium Cores	20	45HG Offline G Series Mortise Locks	68
BEST Peaks Cores	21	9KG Offline G Series Cylindrical Locks	69
BEST Preferred Patented Cores	22	EXG Offline G Series Exit Trim	70
BEST CORMAX Patented Cores	23	45HBV Offline V Series Mortise Locks	71
D Series Service Equipment	24	9KBV Offline V Series Cylindrical Locks	72
KRD Series Key Retaining Devices	26	EXBV Offline V Series Exit Trim	74
QU-I C-SYSTEM Combining Tool Packages	27	45HM IDH MAX Mortise Locks	75
E Series Cylinders	28	9KM IDH MAX Cylindrical Locks	77
5E and 8E Series Utility Cylinders (Cam Locks)	30	Wi-Q Technology Wireless Access Management Software & Accessories	78
Keystone Web	31	BEST 45HQ Wireless Mortise Locks with Wi-Q Technology	79
45H Series Mortise Components	32	BEST 9KQ Wireless Cylindrical Locks with Wi-Q Technology	81
47H Series High Security Mortise Lock	34	BEST EXQ Wireless Exit Trim with Wi-Q Technology	82
48H and 49H Series Mortise Deadlocks	35	BEST Wireless Conversion Kits with Wi-Q Technology	83
40H Series Mortise Components	36	STANLEY ID Express Station	84
40H Strike Packages	37	Electronic Lock Inside Escutcheon Conversion Kits	85
40H Replacement Spindles	38	45HOM Omnilock Wireless Mortise Locks	86
40H Faceplate Kits	38	9KOM Omnilock Wireless Cylindrical Locks	87
40H Visual Indicator	39	OMEM Omnilock Electric Modules	88
J Series Semi-Trailer Kingpin Locks	40	OMWMS Omnilock Wall Mount Systems	89
6K Series Grade 2 Cylindrical Locks - Knobs	41	QASOM Quick Adapter for Pre-2004 Cylindrical Schlage D Lever Locks	90
7K Series Grade 2 Cylindrical Locks - Levers	42	QAXOM Omnilock Wireless Quick Adapter for Exit Devices	91
8K Series Grade 1 Cylindrical Locks - Knobs	43	Access Control System Parts and Accessories	92
9K Series Grade 1 Cylindrical Locks - Levers	45	Non-BEST Chassis for OMEM	93
AK Series Knob Adaptions	47	OMNILOCK Software	94
L Series Cabinet Locks	48	Quoting & Ordering Policies	95
P Series Push Locks	49	Return Policy and Fulfillment Issues	98
S Series Sliding Door Locks	50	Forms	100
SPSL - Secure Patient Safety Lever	51		
SSRL - Secure Seclusion Room / Time Out Room Locks	53		
SEDA - Secure Emergency Door Alarm	54		
T Series Tubular Deadbolts	55		
9KX SHELTER Cylindrical Locks	56		



TERMS AND CONDITIONS OF SALE

The terms and conditions contained herein shall govern the sale of all products located in the price catalog and/or offered for sale by dormakaba USA Inc. ("dormakaba USA"), except for those products as set forth under separate Value Added Reseller Agreements. The acceptance of any order is expressly made conditional upon your assent to these Terms and Conditions of Sale.

PRICES: dormakaba USA reserves the right, in its sole discretion, to change or amend its price list (including, but not limited to, adding or removing Products from the price list), and standard terms and conditions of sale as contained in its catalogs, price list or published sales policies, without incurring any liability whatsoever to its Customer or others. All orders will be filled at the List Price in effect at the time of order placement. All prices are subject to change without notice and are not guaranteed.

TAXES: List prices do not include federal, state or local taxes.

ORDERS: No order for Products shall be deemed to have been accepted by dormakaba USA until written notice of its acceptance is received by the Customer from dormakaba USA via an order acknowledgement. dormakaba USA reserves the right, in its sole discretion, to decline to accept any order. Purchase Orders will bind dormakaba USA only to the extent accepted by dormakaba USA's written confirmation or delivery.

dormakaba USA will attempt to fill orders in the order in which they are received, subject to prior orders. However, dormakaba USA reserves the right to allocate orders or fill an order or orders ahead of prior orders, if, in its judgment, the facts warrant such a change.

Any additional provisions in a Purchase Order, including any pre-printed terms, shall be void and not binding on dormakaba USA, unless expressly accepted by dormakaba USA. For greater certainty, the acceptance by dormakaba USA of a Purchase Order shall not be deemed acceptance of the additional terms of such Purchase Order.

dormakaba USA will accept orders via phone, email, fax or courier. dormakaba USA will send out an order acknowledgement for all orders received via email, phone or fax.

NOTE: Receipt or possession of this price catalog does not grant approval to quote or purchase products. Please contact your dormakaba USA Sales Representative for further details.

KEYING SYSTEM ORDERS: All orders of keying systems specifying delayed fulfillment must be fulfilled within twelve (12) months of the order date. Said request for fulfillment must include complete keying instructions for the order to be acknowledged with an estimated delivery date. Failure to properly request fulfillment of the order within twelve (12) months of the order date will make the order void and nonrefundable.

SPECIAL ORDERS: Any modification to a standard product configuration is considered a special order. No credits will be issued for returned special orders unless authorized by dormakaba USA Customer Service.

INCOMPLETE ORDERS: An incomplete order is one that is not fully specified according to the appropriate nomenclature required for that product. Any incomplete order will not be entered and will be referred to the appropriate dormakaba USA Sales Representative for resolution.

SAMPLES: Please contact your local dormakaba USA Sales Representative for sample requests.

MINIMUM CHARGE: The expense of handling an order necessitates a minimum charge of \$50.00 net per invoice.

CREDIT LIMITS: dormakaba USA's policy is to extend Net 30-day terms/open account combined with a credit line based on financial capacity. For all accounts dormakaba USA requires a Credit Application and Sales Tax Exempt Certificate (if applicable). dormakaba USA evaluates traditional sources of credit information: D&B, trade and bank references, financial information, and business plans. The supply of credit herein shall be at the discretion of dormakaba USA. If available information and/or financial circumstances will not support open accounts terms, dormakaba USA offers Cash in Advance and Credit Card (MasterCard or VISA) terms. dormakaba USA performs periodic reviews of credit lines and terms of payment and may request updated financial information.

dormakaba USA reserves the right to withhold delivery of Product if Customer does not meet dormakaba USA's credit requirements for the amount of Product ordered, or the amount of Product which remains unpaid (whether or not overdue) exceeds the limit established by dormakaba USA for Customer. Customer shall provide, at dormakaba USA's request, an acceptable letter of credit or guarantee or security in a form and amount determined by dormakaba USA.

If Customer shall become overdue on its account or otherwise defaults in any payment to dormakaba USA or if its financial condition shall at any time appear inadequate to warranty further shipment on an open account basis, dormakaba USA shall have the right, without liability, to refuse to accept any or all orders, to cancel any and all orders, to delay shipments, or to require advance payment before accepting or shipping any orders. All orders and all shipments are subject to approval by the dormakaba USA Credit Department.

PAYMENT TERMS: dormakaba USA standard payment terms are 2% 15, net 30 days from date of invoice.

Effective September 28, 2014, a \$45.00 convenience fee will apply to all payments made by Credit Card towards open invoices on your account. You may choose to pay by credit card by reaching out to your Credit Analyst directly in order to process payment. You can avoid paying the \$45.00 convenience fee by enrolling and paying open invoices via Billtrust Invoice Gateway (<https://secure.billtrust.com/stanleymechanical/ig/signin>) with an ACH Payment (bank transfer from checking or savings account) free of charge. Payments by check, or money order should continue to be sent directly to the remit-to address noted on invoices.

dormakaba USA shall be entitled to charge and Customer shall pay interest on overdue invoices at the rate of two percent (2%) per month calculated from the date of the invoice to the date of payment, including any attorney fees incurred by dormakaba USA resulting from the collection of such overdue payment. Customer shall pay all sums owing to dormakaba USA without any deduction or abatement and Customer shall have no right of set-off.

In the event that Customer disputes any portion of the payment due, Customer shall be obligated to pay the balance which is not the subject of dispute.

Without limiting any other rights it may have under these terms of sale and applicable law, all of dormakaba USA's obligations under this Agreement, including obligations of supply, or any Purchase Order, can be suspended or cancelled should Customer be delinquent in making payment for previously shipped Products.

INTERNATIONAL SALES:

International Resellers located outside of the United States of America who place orders are subject to and must pay by (1) Cash in Advance, (2) Confirmed Irrevocable Letter of Credit, (3) Standby Letter of Credit.

All international shipments shall be FCA (Incoterms 2010) from dormakaba USA's facility in Indianapolis, Indiana USA. dormakaba USA shall be deemed to have delivered all Products and related goods when such are put in the custody of a carrier at dormakaba USA's plant or warehouse above, at which time all title and risk of loss or damage shall pass to Customer.

May 2018



TERMS AND CONDITIONS OF SALE (continued)

SHIPPING/FREIGHT: All Products shall be shipped FOB Origin domestic or FCA International (INCOTERMS 2010) from dormakaba USA's facility in Indianapolis, Indiana USA. dormakaba USA shall be deemed to have delivered all Products and related goods when such are put in the custody of a carrier at dormakaba USA's plant or warehouse above, at which time all title, risk of loss or damage shall pass to Customer. All shipments will be made in accordance with the preferred routing, carrier assignments, and operational guidelines of dormakaba USA. Customer shall bear all costs of freight, insurance and associated costs and shall make all arrangements for same.

Single or combined shipments including dormakaba USA lock sets, exit devices, hinges and door closers will be considered for free freight with orders at or above \$5000 net (product combination must be on same purchase order). Orders less than \$5,000 will be shipped freight prepaid with shipping cost added to the invoice, including a nominal freight charge to be determined by dormakaba USA at time of shipping.

Hinge only orders will be considered for free freight with orders at or above \$750 net. Orders less than \$750 will be shipped freight prepaid with shipping cost added to the invoice, including a nominal freight charge to be determined by dormakaba USA at time of shipping.

These freight terms apply only to a single destination within the contiguous United States.

Should a shipment qualify for one of dormakaba USA's free freight programs, the Products shall be shipped FOB Origin domestic (with exception to prepaid freight) or FCA International (INCOTERMS 2010) (with exception to prepaid freight) from dormakaba USA's facility in Indianapolis, Indiana USA.

DELIVERY: Orders shall be acknowledged and given a scheduled delivery date based on estimated manufacturing lead times. Manufacturing lead time will begin once all information is received to process an order. Delivery dates given by dormakaba USA as part of order acknowledgment for accepted orders for Products or related goods will be honored by dormakaba USA on a best effort basis. Shipping dates shown on order acknowledgments are based upon dormakaba USA's estimate and cannot be guaranteed. dormakaba USA will not be liable for any loss or damage resulting from delay in filling orders, including any direct or consequential loss or damage. dormakaba USA reserves the right to make partial shipments unless the order specifies otherwise.

CHANGES/CANCELLATIONS: After orders are entered for manufacturing, changes or cancellations cannot be accepted without dormakaba USA written permission, and may be subject to a change or cancellation charge equivalent to 30% of the purchase price.

Orders for special and/or custom designed goods not immediately saleable to another customer are not changeable, cancelable, or returnable.

RETURNED GOODS: dormakaba USA Customer Service MUST authorize all returns. All goods must be returned in original packaging and be in resalable condition except for warranty returns. Use fax number 888-214-1918 for returned goods authorization only. Only goods with an invoice date of less than one (1) year will be considered for a Return Goods Authorization (RGA). All material returned to dormakaba USA, regardless of the reason, must have a correct RGA number applied to the outside of the shipping carton. A restocking charge of 30% of the purchase price will be applied to the Customer's account except for warranty returns. Transportation charges of returned goods must be prepaid by Customer. All goods must be returned within sixty (60) calendar days of RGA issue date. All goods must be returned in original packaging and be in resalable condition except for warranty returns. Product not returned in salable condition or after sixty (60) days of the RGA issue date is subject to disposal by dormakaba USA with no credit issued.

dormakaba USA cannot authorize the return of discontinued product. Under no circumstances will special order items be accepted for return, unless covered by warranty.

EXPORT REGULATIONS: Customer agrees to conform to, and abide by, the export laws and regulations of the US, including, but not limited to, the Export Administration Act of 1979 as amended and its implementing regulations. Diversion contrary to US laws and regulations is prohibited.

MASTERKEYING: Best Masterkey Code and Masterkey Service Policy can be found at www.bestaccess.com.

LIMITATION OF LIABILITY: EXCEPT AS OTHERWISE REQUIRED BY APPLICABLE LAW, dormakaba USA SHALL HAVE NO LIABILITY FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, INDIRECT, EXEMPLARY, LIQUIDATED OR PUNITIVE DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS, COSTS OF DELAY, ANY FAILURE OF DELIVERY, OR BUSINESS INTERRUPTION, REGARDLESS OF WHETHER THE CLAIM GIVING RISE TO SUCH DAMAGES IS BASED UPON BREACH OF WARRANTY, BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), PRODUCT LIABILITY, OR OTHERWISE, EVEN IF dormakaba USA HAS BEEN ADVISED OF THE POSSIBILITY THEREOF. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT WILL dormakaba USA'S TOTAL AGGREGATE LIABILITY TO CUSTOMER, UNDER ANY LEGAL THEORY, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), PRODUCT LIABILITY, INFRINGEMENT OF OR DAMAGE TO ANY PATENT, COPYRIGHT, TRADEMARK, OR OTHER INTELLECTUAL PROPERTY RIGHTS OF ANY PERSON OR ENTITY, OR OTHERWISE IN RELATION TO THE SALE OF dormakaba USA PRODUCTS TO CUSTOMER, EXCEED THE AGGREGATE OF THE AMOUNT PAID OR PAYABLE TO dormakaba USA BY CUSTOMER FOR THE ORDER GIVING RISE TO THE ALLEGED LIABILITY.

LIMITED WARRANTY: The terms and conditions outlined above are subject to dormakaba USA's Limited Warranty, which is included in the Price Catalog and is incorporated herein by reference. Upon return of a defective product, dormakaba USA shall either repair or replace the product, in its sole discretion, in accordance with our standard warranty.

EXCEPT AS SET FORTH HEREIN, dormakaba USA MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, AND BUYER ACKNOWLEDGES THAT NO REPRESENTATIONS, WARRANTIES, PROMISES OR STATEMENTS HAVE BEEN MADE BY dormakaba USA, WITH RESPECT TO THIS PRODUCT, OR ANY PART OR PORTION THEREOF. IN ADDITION, dormakaba USA MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THIS PRODUCT OR ANY PART OR PORTION THEREOF, FOR ANY PURPOSE, NOR ANY WARRANTY WHICH EXTENDS BEYOND THE DESCRIPTION ON THE FACE HEREOF. dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES SUFFERED BY BUYER OR ANYONE CLAIMING BY, THROUGH OR UNDER BUYER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF, AND THERE ARE NO ORAL OR WRITTEN UNDERTAKINGS OR AGREEMENTS OF ANY TYPE PROVIDED BY dormakaba USA EXCEPT AS EXPRESSLY SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

GOVERNING LAW: These Terms and Conditions of Sale and any subsequent sales agreements between dormakaba USA and Customer shall be construed in accordance with the laws of the State of Indiana. The United Nations Convention on Contracts for the International Sale of Goods shall not apply to this Agreement.

May 2018



LIMITED WARRANTY

What is Covered: dormakaba USA Inc. ("dormakaba USA") warrants that the products manufactured by dormakaba USA, identified below, and sold under its trade names "BEST" are free of defects in materials and workmanship as outlined below. The sole and exclusive liability of dormakaba USA under this warranty is limited to the repair or replacement of any Product or component part covered by the warranty at the sole discretion of dormakaba USA.

Who is Covered: This warranty is extended only to the Seller's distributors of products and the end user who purchases Products for purposes other than resale (collectively, "Purchaser").

Hardware Warranty Period:

The following products warranty term shall be limited lifetime for a period of the useful life of the building in which the product is originally installed:

- 45H/47H Mechanical Mortise Lock
- 48H/49H Mortise Deadlock
- BML83 Series Electronic Strikes and Mags

The following products shall be warranted for ten (10) years from the date of sale:

- 9K Mechanical Cylindrical Lock

The following products shall be warranted for five (5) years from the date of sale:

- 45HW and 47HW Electromechanical Mortise Lock
- BES 2 Series Electronic Strikes and Mags
- BES 0162 Series Electronic Strikes and Mags
- BES 0563 Series Electronic Strikes and Mags

The following products shall be warranted for three (3) years from the date of sale:

- 8K Mechanical Cylindrical Lock
- 8K/9K Electro-mechanical Cylindrical Lock
- 9KZ Keypad EZ Cylindrical Lock
- 9KM IDH Max Cylindrical Lock
- 5K, 6K, and 7KC Cylindrical Locks
- 8T/7T Tubular Locks
- 1E, 5E, 8E Cylinders Locks
- 45HZ Keypad EZ Mortise Lock
- EXZ Keypad
- 45HM IDH Max Mortise Lock
- 1C, 2C, 3C, 5C, 6C Cores
- 1A Keys
- 1AM, 1AX Keys (CORMAX)
- AD433 Key Combinator & Equipment
- 11B, 21B, 41B family Padlocks
- 1W Switch Locks
- S Sliding Door Locks
- 45HG, 9KG, 45HBV, 9KBV Offline Locks
- 45HN, 9KN Electrified Locks
- 45HQ, 9KQ and EXQ locks using Wi-Q(tm) Technology
- AK Series Knob Adaptations
- 5L, 3L, 2P Cabinet Locks
- SPSSL, SSRL, SEDA Secure Patient Safety Lever, Seclusion Room Locks, Emergency Door Alarms
- BES 4 Series Electronic Strikes and Mags
- BES 6 Series Electronic Strikes and Mags

The following products shall be warranted for one (1) year from the date of sale:

- 45HOM, 9KOM, OMEM, OMWMS, QASOM, QAXOM, Portal Gateways, Wireless Access Controllers, Antennas and other products using Wi-Q(tm) Technology not specifically mentioned
- 1CB, 1CK, 1AF Kaba Cores & Keys
- Portal Gateways, Wireless Access Controllers, Antennas and other products using Wi-Q™ Technology not specifically mentioned
- BMLDE Series Electronic Strikes and Mags built-in sounder components

May 2018



LIMITED WARRANTY (continued)

Finishes shall be warranted for three (3) years from the date of sale excluding US10B/613 "Oil Rubbed Bronze" finish.

Wi-Q™ Technology and Offline Software:

- dormakaba USA warrants that all software shall be free from defects in materials and workmanship and will function in substantial accordance to the specifications for a period of one (1) year from the date of installation.
- Specific Limitations: This warranty does not cover any post-sales technical support under the following circumstances:
 - Problems caused by misuse of software or hardware
 - Failure to provide a network connection or site phone line for a modem connection, if deemed necessary by dormakaba USA
 - Technical support for network software products
 - Technical support for software installed on computer hardware or computer operating system that is no longer commercially available for purchase.

Warranty Claims: Any Products believed to be defective as covered by this warranty may not be returned without prior written Returned Materials Authorization (RMA) from dormakaba USA Product Support (855) 365-2407 covering specific items and quantities within thirty (30) days from the discovery of the alleged defect(s). dormakaba USA will inform the purchaser where to ship said Product(s), shipping charges prepaid by you, for examination. In the event such examination reveals a defect covered by this warranty; dormakaba USA will, at its sole option, repair or replace the Product, and return it or its replacement to the purchaser, with charges only for shipping.

Exclusions: This warranty specifically excludes, and dormakaba USA shall not be held responsible for the following:

- a) **COSTS ASSOCIATED WITH INSTALLING, REMOVING OR REINSTALLATION OF THE PRODUCT.**
- b) Damage caused by Product malfunction or failure attributable to acts of God.
- c) Improper use or installation.
- d) Poor or no maintenance.
- e) Work performed by someone other than an Authorized dormakaba USA technician.
- f) Failure to follow dormakaba USA's operating instructions or environmental specifications.
- g) Incorrect application, modification, vandalism, erosion or corrosion, shipping and/or handling, improper storage, accident, misuse, abuse or any other cause not within the control of dormakaba USA.
- h) This warranty is void if any modification is made to the warranted product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk and expense of the party making the modifications.
- i) dormakaba USA shall not be liable for any repairs, replacements, or adjustments to the product or any costs of labor performed by the Purchaser or others without dormakaba USA's prior written approval.
- j) dormakaba USA provides no warranty or guarantee that its cores and/or cylinders will function properly or be mechanically compatible with products not manufactured by dormakaba USA.
- k) The US10B/613 finish is considered to be a living finish that will change over time with use and age and is expressly excluded from this warranty. The finish changes that occur are indicative of normal wear and tear and reflect the essence of a living finish. The finish changes are not considered manufacturing defects and are not covered by this warranty.

Third Party Warranty: Except as otherwise provided above, dormakaba USA makes no warranty, express or implied, with regard to third party hardware or software and expressly disclaims the implied warranties or conditions of merchantability or merchantable quality, fitness for a particular purpose, title, infringement and those arising by statute or otherwise in law. Customer's sole recourse for warranty claims is with the manufacturer of the Product. However, dormakaba USA agrees to pass through any third-party warranty that dormakaba USA receives from the manufacturer of the Products to Purchaser. The extent of any third-party warranty details, terms and conditions, remedies and procedures may be expressly stated on, or packaged with, or otherwise accompanying the Products.

LIMITATION OF WARRANTIES: THIS WARRANTY IS GIVEN EXPRESSLY AND IN PLACE OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. THERE ARE NO UNDERSTANDINGS, AGREEMENTS, REPRESENTATIONS, OR WARRANTIES NOT SPECIFIED HEREIN.

dormakaba USA SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES SUFFERED BY PURCHASER OR ANYONE CLAIMING BY, THROUGH OR UNDER PURCHASER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE.

THIS WARRANTY IS GOVERNED BY THE LAW OF THE STATE OF INDIANA WITHOUT REGARD TO ITS CONFLICTS OF LAW PRINCIPLES. dormakaba USA AND PURCHASER AGREE THAT THE UNITED NATIONS CONVENTION ON CONTRACTS FOR THE INTERNATIONAL SALE OF GOODS SHALL NOT APPLY TO SALE OF THE PRODUCTS COVERED BY THIS WARRANTY.

FOR WARRANTY ON THE SHELTER 9KX PRODUCTS AND ACCESSORIES, PLEASE SEE SEPARATE SHELTER 9KX SERIES PRODUCT AND ACCESSORIES WARRANTY AT WWW.BESTSHELTERLOCKDOWN.COM

May 2018



BEST PATENTED PRODUCT ORDERING & LICENSE

SALE OF BEST PATENTED PRODUCT: In accordance with the dormakaba USA Inc. ("dormakaba USA") Masterkey Code and Masterkey Service Policy, only Authorized Distributors meeting certain necessary qualifications and standards shall be selected by dormakaba USA to sell Best Patented Product. Selection shall be at the sole discretion of dormakaba USA and shall be evidenced in writing via the Distributor Agreement or its select addendums.

STOCKING OF BEST PATENTED PRODUCT: Furthermore, dormakaba USA may authorize only select Authorized Distributors to purchase and stock Best Patented Product and have access to Best Patented Masterkey Codes by entering into a Best Patented Masterkey System Distributor Agreement Addendum (the "Authorized Stocking Distributor"). As a condition to the Authorized Stocking Distributor's continued access to Best Patented Masterkey Codes, it must comply at all times with the Best Patented Key Systems Security Procedure.

SECURITY AUTHORIZATION FORM: It is a responsibility of the Authorized Distributor to ensure that Best Patented Product does not end up in the possession of unauthorized individuals or entities. The Authorized Distributor must ensure that the End User completes a Best Patented Masterkey System Security Authorization Form (the "Security Authorization Form"). The Security Authorization Form designates those individuals within the End User's organization that are authorized to place orders with the Authorized Distributor for Best Patented Product. The Security Authorization Form must be completed and signed by the End User.

It is the Authorized Distributor's full responsibility to validate the End User's signature as identified on the Security Authorization Form prior to accepting any orders for Best Patented Product.

In certain circumstances the Authorized Distributor selling and/or stocking the Best Patented Product will not contract directly with the End User. In these circumstances, the Authorized Distributor is required to work with its reseller to ultimately ensure that the End User submits a signed Security Authorization Form to dormakaba USA.

For those Distributors who have been authorized by dormakaba USA to stock Best Patented Product, it is their responsibility to ensure that they have a completed Security Authorization Form on file for each End User that places an order with the Authorized Stocking Distributor for Best Patented product and that the Authorized Stocking Distributor authenticates the signature of each Best Patented Product order utilizing the Security Authorization Form.

dormakaba USA shall have the right to audit all Security Authorization Forms maintained by the Authorized Distributors for completeness, accuracy and compliance with this Policy.

BEST CORMAX™ PATENTED KEYING SYSTEM-PATENT LICENSE:

1. The Best Cormax keying system being offered for sale under this price catalog is protected by valid and enforceable patents issued by the United States Patent and Trademark Office pursuant to United States Federal Law (including U.S. Patent Nos. 7,681,425 and 5,615,566 (also designated as US RE 39,364) (collectively, the "Best Patents"). The rights to the Best Patents belong to dormakaba USA Inc. ("dormakaba USA"). The Best Cormax keying system is comprised of two main components, a core and one or more keys. The combination of the Best Cormax core and key(s) is protected by the Best Patents. The Best Cormax keys, key blanks, and cores contain registered trademarks belonging to dormakaba USA. **dormakaba USA considers its patent and trademark rights to be valuable intellectual property assets that are important in protecting security and maintaining key control of its products. Accordingly, it is in dormakaba USA's best interest and, more importantly, it is in the best interest of its end users, that the Best Cormax system be managed in a manner that guards against unauthorized key duplication, which compromises the security of the Best Cormax system.** As a condition of purchase of a Best Cormax system from dormakaba USA or one of its authorized distributors, the following limitations on the express and implied contractual and intellectual property rights with respect to the Best Cormax system and the Best Patents shall apply:

- a. All Best Cormax systems shall be sold with a limited license to practice the Best Patents by combining and using (i) the Best Cormax core that is purchased with the Best Cormax system with (ii) the Best Cormax key(s) and/or key blanks(s) that are purchased with the Best Cormax system.
- b. This license is conditioned upon the purchase of a Best Cormax core and key (or core and key blank) combination only from dormakaba USA or one of its authorized distributors. Only dormakaba USA and its authorized distributors are authorized to sell the core and key(s)/blank(s) that comprise the Best Cormax system. All other sales of those items, individually or together, including either finished Best Cormax keys or unfinished key blanks suitable for finishing into Best Cormax keys, by any party other than dormakaba USA or one of its authorized distributors, for purposes of making the patented core and key combination, are not authorized sales and are excluded from this license.
- c. In the event that an end user sells a Best Cormax core, either standing alone or in connection with a sale of the structure or building in which it is installed, to a third party, the end user shall be required to notify the third-party purchaser of the terms and conditions and limitations of this license, which equally apply to the third party purchaser.
- d. dormakaba USA does not grant under the license, the right to sell any Best Cormax keys or key blanks to a third party, except in

May 2018



BEST PATENTED PRODUCT ORDERING & LICENSE (continued)

connection with a sale of the corresponding Best Cormax core in a manner that complies with the terms, conditions, and limitations of this license.

e. Best Cormax keys and/or key blanks will be shipped by dormakaba USA or one of its authorized distributors directly and only to employees, as designated in the Security Authorization Form.

f. In order to maintain the integrity of the Best Cormax system, the Best Cormax key or key blank should not be altered at any time to operate any core/cylinder for which such key or key blank was not originally intended.

g. In the event that any of the procedures outlined herein are not strictly followed with respect to the handling of Best Cormax keys and key blanks, dormakaba USA may require following good faith discussions, the prompt return via UPS/AOD or equivalent, of all Best Cormax keys and/or blanks. Those items, in like new condition, shall be repurchased by dormakaba USA at the original sale price less a restocking fee.

h. Should any terms of this license be found to be invalid, by operation of law or otherwise, all other provisions herein shall remain in full force and effect.

May 2018



BEST MASTERKEY CODE AND MASTERKEY SERVICE POLICY

I. DISTRIBUTOR MASTERKEY SERVICES

All dormakaba USA Inc. ("dormakaba USA") Authorized Distributors, Aftermarket Wholesalers, and Locksmiths ("Authorized Distributors") can create, modify or extend masterkey codes for the benefit of their end user customers ("End Users") for Best non-patented masterkey systems; provided, however, the services must be performed in line with industry standards. With the express written permission of dormakaba USA, select Authorized Distributors can create, modify or extend masterkey codes for the benefit of End Users for a Best Patented Masterkey System (pursuant to the terms and conditions of Section C below). Authorized Distributor's failure to comply with the terms of this policy could result in dormakaba USA's termination of its Distributor Agreement as well as dormakaba USA's pursuit of any remedies available at law.

A. END USER INFORMATION AND CODE RELEASE:

All masterkey codes (both patented and non-patented) previously generated by dormakaba USA are available for distribution to End Users (and/or their designated Authorized Distributor, if applicable) via the End User Web Portal at <http://masterkeycodeportal.bestaccess.com/Login.aspx>. For a hard copy of the End User Information and Code Release Form, please contact your dormakaba USA End User Consultant. End user codes will be distributed solely to those Authorized Distributors (a) identified by the End User on a fully executed End User Information and Code Release Form received by Best, and (b) for the release of Best Patented Masterkey Codes, the Authorized Distributor is authorized by dormakaba USA to receive and process Best Patented Masterkey Codes (as more fully described in Section C below.) No exceptions will be made to this policy.

B. BEST NON-PATENTED MASTERKEY SYSTEM

As of September 4, 2012, dormakaba USA no longer requires a Security Authorization Form to be signed by the End User prior to dormakaba USA and/or its Authorized Distributor accepting core and key orders for non-patented keying systems. All valid End User communications for orders related to non-patented keying systems will be fulfilled at the End User's liability.

C. BEST PATENTED MASTERKEY SYSTEM

The Best Patented Masterkey System provides a higher level of protection against unauthorized key duplication and crossovers and, in order to maintain the quality of a Best Patented Masterkey System, the following terms and conditions of this policy shall apply to any and all Authorized Distributors with access to Best Patented Masterkey Systems. For the purpose of this policy, "Best Patented Product" shall mean the Best Cormax (including cores and keys), as well as any and all future product dormakaba USA designates as patented product for the purpose of this policy. "Best Patented Masterkey Systems" and "Best Patented Masterkey Codes" shall mean the respective masterkey system or codes of any Best Patented Masterkey Product.

Sale of Best Patented Product: As further described in this Section C, only those Authorized Distributors meeting certain necessary qualifications and standards shall be selected by dormakaba USA to sell Best Patented Product. Selection shall be at the sole discretion of dormakaba USA and shall be evidenced

in writing via the Distributor Agreement or its select addendums.

Best Patented Security Authorization Form: It is a responsibility of the Authorized Distributor to ensure that Best Patented Product does not end up in the possession of unauthorized individuals or entities. The Authorized Distributor must ensure that the End User completes a Best Patented Masterkey System Security Authorization Form (the "Security Authorization Form") as outlined in this Section C. The Security Authorization Form designates those individuals within the End User's organization that are authorized to place orders with the Authorized Distributor for Best Patented Product. The Security Authorization Form must be completed and signed by the End User.

It is the Authorized Distributor's full responsibility to validate the End User's signature as identified on the Security Authorization Form prior to accepting any orders for Best Patented Product.

In certain circumstances the Authorized Distributor selling the Best Patented Product will not contract directly with the End User. In these circumstances, the Authorized Distributor is required to work with its reseller to ultimately ensure that the End User submits a signed Security Authorization Form to dormakaba USA.

dormakaba USA shall have the right to audit all Security Authorization Forms maintained by the Authorized Distributors for completeness, accuracy and compliance with this Policy.

Sale of Combined Best Patented Product through

Distributor: dormakaba USA may authorize select Authorized Distributor to purchase and resell to an End User Best Patented Product that has been combined by dormakaba USA Personnel. In this instance, a Security Authorization Form must be completed and signed by the End User and provided by the Authorized Distributor to dormakaba USA with each Best Patented Product order.

Stocking of Best Patented Product: dormakaba USA may authorize select Authorized Distributors to purchase and stock Best Patented Product and have access to Best Patented Masterkey Codes by entering into a Best Patented Masterkey System Distributor Agreement Addendum (the "Authorized Stocking Distributor") As a condition to the Authorized Stocking Distributor's continued access to Best Patented Masterkey Codes, it must comply at all times with the Best Patented Key Systems Security Procedure. In addition, it is the responsibility of the Authorized Stocking Distributor to ensure that they have a completed Security Authorization Form on file for each End User that places an order with the Authorized Stocking Distributor for Best Patented product and that the Authorized Stocking Distributor authenticates the signature of each Best Patented Product order utilizing the Security Authorization Form.

May 2018



STANLEY MASTERKEY CODE AND MASTERKEY SERVICE POLICY (continued)

Best Patented Masterkey Code Generation: To assist in reducing the possibility of duplication within a keying system and ensure security, all Best Patented Masterkey Codes must be created, modified and/or extended by Best's masterkey personnel and/or an Authorized Stocking Distributor. The unauthorized duplication or release of Best Patented Masterkey Codes to non-authorized people or organizations, including, but not limited to, unauthorized distributors, wholesalers, private locksmiths, other lock manufacturers, architects, or contractors, is a violation of this policy as well as the infringement of patent rights and other intellectual property rights of dormakaba USA. In addition to any other recourse available under law, the unauthorized release of Best Patented Masterkey Codes by any Authorized Stocking Distributor shall result in immediate termination.

Best Patented Masterkey System Exclusive Keyways: Upon request from an End User to release Best Patented Masterkey Codes previously generated by dormakaba USA that are on an exclusive keyway, dormakaba USA will send a notification to the End User reminding them that their patented codes are on an exclusive keyway. dormakaba USA will provide a copy of this notice to the Authorized Stocking Distributor. To assist in reducing the possibility of duplication within an End User exclusive keying system and ensure security, all exclusive Best Patented Masterkey Codes must be created, modified and/or extended and recorded in dormakaba USA's BESTCode masterkey code management tool.

Should dormakaba USA approve an Authorized Stocking Distributor to establish a Best Patented Masterkey System on an exclusive keyway, the Authorized Stocking Distributor shall be required to sign a Best Patented Masterkey System Exclusive Keyway Addendum. To assist in reducing the possibility of duplication within a Distributor exclusive keying system and ensure security, all exclusive Best Patented Masterkey Codes must be created, modified and/or extended and recorded in dormakaba USA's BESTCode masterkey code management tool.

Copies of Best Patented Masterkey Codes: dormakaba USA shall have a right to a copy of all Best Patented Masterkey Codes that have been originated, modified, extended or otherwise maintained by the Authorized Stocking Distributor in the dormakaba USA BESTCode system in order for dormakaba USA to be able to provide continued support either directly, or indirectly, to the End User.

II. BEST MASTERKEY SERVICES

A. BEST MASTERKEY SERVICES PROVIDED TO DISTRIBUTOR: dormakaba USA, upon request and at its sole discretion, may provide select masterkey services to an Authorized Distributor for both non-patented masterkey systems and Best Patented Masterkey Systems. In order for an Authorized Distributor to place an order for the extension of, or modification to, a masterkey system previously created or maintained by dormakaba USA, the

End User must have selected that Authorized Distributor as its authorized designee in the End User Information & Code Release Form received by dormakaba USA. Complete keying instructions must be given before a Best order can be properly acknowledged with an estimated delivery date. dormakaba USA reserves the right to charge for the service of a customized masterkey security solution with the purchase of a Best product. A masterkey service charge will be assessed for each order for cylinders or cores for use in non-Best manufactured locks for which Best has an equivalent product. Best Patented Masterkey System products shall not be provided without the associated masterkey services being provided by dormakaba USA. All Masterkey Services provided by dormakaba USA shall be subject to the terms and conditions of the Best Masterkey Service Order Acknowledgment which shall be provided upon acceptance of the order for Masterkey Services.

B. BEST BESTCODE:

dormakaba USA may, in its sole discretion, make available its BESTCode masterkey code management tool to select Authorized Distributors that meet certain training and certification requirements. If offered, BESTCode will be made available for an annual subscription fee as outlined in the Best pricing catalog. All codes made available to Authorized Distributors in the BESTCode system shall be subject to the BESTCode User License Agreement and will be provided in accordance with this Policy. The BESTCode masterkey code management tool is not available for use with Stanley Commercial Hardware products.

III. FORMS

For a copy of the following forms please contact the dormakaba USA End User Consultant.

- End User Information and Code Release Agreement
- Best Patented Masterkey System Distributor Agreement Addendum (Exhibit B)
- Best Patented Masterkey System Security Authorization Form
- Best Patented Key Systems Security Procedure
- Best Patented Masterkey System Exclusive Keyway Addendum
- Best Patented Masterkey System End User Specific Distributor Agreement Addendum (Exhibit D)

dormakaba USA reserves the right to change, modify or update this Policy at any time, in its sole discretion.

May 2018



Architectural Finishes

BHMA No.	U.S. No.	Description
605	3	Bright brass, clear coated
606	4	Satin brass, clear coated
611	9	Bright bronze, clear coated
612	10	Satin bronze, clear coated
613	10B	Oxidized satin bronze, oil rubbed
618	14	Bright nickel plated, clear coated
619	15	Satin nickel plated, clear coated
622	19	Flat black, coated
625	26	Bright chromium plated
626	26D	Satin chromium plated
627	27	Satin aluminum, clear coated
628	28	Satin aluminum, clear anodized
629	32	Bright stainless steel
630	32D	Satin stainless steel
690	20	Dark bronze coated



BEST Standard & Premium Keys

How To Order


1A	1	A	1		
Key Shape (Bow)	Key Type	Keyway	Cut Code	Key Stamp	Options
1A – Standard 1AP – Premium 2A – Large round 3A – Large rectangular 4A – Access bow 9A – Blockout blade	0 – Blockout blade 1 – Operating or blank 2 – Control 3 – Master 4 – Submaster 5 – Grandmaster 9 – Extractor key	Designate specific keyway (A, E, etc.) or multiple keyways if ordering a multi-milled key.	1 – Blank 2 – Cut	KS473 x KS800 (1A only) KS112 – "U.S. Gov't do not duplicate" KS567 – Premium Specify KS#. Price for most custom design stamps available upon request.	B* – Long blade (1A only) H* – No hole (2A only) N* – Long nose (1A only) NKW – No keyway designation (standard on 1AP) P* – Plastic insert (4A only) S* – Key serialization

*Indicates extra cost option; see below.

If keys are cut, you must specify keymark and number of each marking.

DESCRIPTION	PREMIUM	STANDARD
1A SERIES		
Blanks	5.60	3.20
Operating-cut	14.30	10.10
Control, Master, SM or GM-cut	19.00	11.20
2A, 3A & 4A SERIES		
Blanks	N/A	5.50
Operating-cut	N/A	11.30
Control, Master SM or GM-cut	N/A	6.30
9A SERIES		
Blockout blades	16.70	11.90
Extractor key (9A9)	16.70	11.90

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Double milling	Specific Keyways	3.40
Triple milling		5.40
Quadruple milling		8.20
Five milled		13.00
Long blade (1A only)	B	3.40
No hole (2A only)	H	2.20
Long nose (1A only)	N	6.50
Key serialization / key	S	2.20




1A
Standard

1AP
Premium

1A
Long Blade (B)*

1A
Long Nose (N)*



2A

3A

4A*



9A0
Blockout Blade

9A9
Extractor Key



BEST Peaks® Keys

How To Order

1AK	1	B1	1	7	150	
Key Shape (Bow)	Key Type	Keyway	Cut Code	Pin Size	Key Series	Options
1AK – BEST Peaks 9AK – Blockout blade	0 – Blockout blade 1 – Operating 2 – Control 3 – Master 4 – Submaster 5 – Grandmaster 9 – Extractor key	B1 B2 B3 B4 B5 B6 B7 B8 B9 B10	1 – Blank 2 – Cut	6 – 6-pin (140 & 150 series) 7 – 7-pin (150 series only) 140 Series = 1CK cores 150 Series = 1CB cores	150 140	CS* – Custom stamp for key bow (Note 1)

*Indicates extra cost option; see below.

If keys are cut, you must specify keymark and number of each marking.

DESCRIPTION	PATENTED
1AK SERIES	
Blanks	9.30
Operating-cut	22.00
Control, Master, SM or GM-cut	25.00

EXTRA COST OPTIONS*	
List price add-on per key blank (Note 2)	1.80

NOTE 1: One-time die stamping charge will be required. Pricing for special stamps and graphics are available upon request.

NOTE 2: Minimum 200 Keys Per Order



BEST Preferred Patented Keys

How To Order

1AF	1	1P	1	7	
Key Shape (Bow)	Key Type	Keyway	Cut Code	Pin Size	Options
1AF – Preferred Patented 9AF – Preferred Blockout Blade	0 – Blockout blade 1 – Operating 2 – Control 3 – Master 4 – Submaster 5 – Grandmaster 9 – Extractor key	1P 2P 7P 8P 9P 10P	1 – Blank 2 – Cut	7 – 7-pin (150 series 1CF cores only)	CS* – Custom stamp for key bow (Note 1)

*Indicates extra cost option; see below.

If keys are cut, you must specify keymark and number of each marking.

DESCRIPTION	PATENTED
1AF SERIES	
PATENTED blanks	9.60
Operating-cut	22.00
Control, Master, SM or GM-cut	26.00
9AF SERIES	
Blockout blade & extractor key set	80.00

EXTRA COST OPTIONS*	
List price add-on per key blank (Note 2)	1.80

NOTE 1: One-time die stamping charge will be required. Pricing for special stamps and graphics are available upon request.

NOTE 2: Minimum 200 Keys Per Order



BEST CORMAX™ Patented Keys

How To Order - M Series

1AM	1	MM	2	1	KS716	
Key Shape (Bow)	Key Type	Keyway	Level	Cut Code	Key Stamp	Options
1AM – M series key 2AM – Large round 3AM – Large rectangular 4AM – Access bow 9AM – Blockout blade	0 – Blockout blade 1 – Operating or blank 2 – Control 3 – Master 4 – Submaster 5 – Grandmaster 9 – Extractor key	MJ MK ML MM	1 – Non-exclusive 2 – Two-digit zip code exclusive 3 – One digit zip code exclusive 4 – National exclusive	1 – Blank 2 – Cut	KS716 - 1AM Front KS717 - 1AM Front KS800 - 1AM Back	B* – Long blade (1AM series only) H* – No hole (2AM series only) N* – Long nose (1AM series only) S* – Key serialization

*Indicates extra cost option; see below.

Designate multiple keyways if ordering a multi-milled key.

If keys are cut, you must specify keymark and number of each marking.

**Must specify keyway when ordering blockout blades

How To Order - X Series

1AX	1	X1	X	1	KS699	
Key Shape (Bow)	Key Type	Keyway	Level	Cut Code	Key Stamp	Options
1AX – X series key 9AX – Blockout blade	0 – Blockout blade 1 – Operating or blank 2 – Control 3 – Master 4 – Submaster 5 – Grandmaster 9 – Extractor key	X1..X32, etc.	W - Non-exclusive X - Two-digit zip code exclusive Y - One digit zip code exclusive Z - National exclusive	1 – Blank 2 – Cut	KS699 - 1AX Back	S* – Key serialization

*Indicates extra cost option; see below.

Designate multiple keyways if ordering a multi-milled key.

If keys are cut, you must specify keymark and number of each marking.

**Must specify keyway when ordering blockout blades

DESCRIPTION	PATENTED
1AM SERIES	
Blanks	6.10
Operating-cut	13.20
Control, Master, SM or GM-cut	14.50
1AX SERIES	
Blanks	6.10
Operating-cut	13.20
Control, Master, SM or GM-cut	14.50
2AM, 3AM & 4AM SERIES	
Blanks	6.30
Operating-cut	11.70
Control, Master SM or GM-cut	18.00
9AM & 9AX SERIES	
Blockout Blades	14.50
Extractor key (9AM9 or 9AX9)	14.50

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Double milling	Specific Keyways	3.40
Quadruple milling		8.20
Long blade (1AM only)	B	3.40
No hole (2AM only)	H	2.20
Long nose (1AM only)	N	6.50
Key serialization / key	S	2.20

NOTES:

1: M Series key ways are backward compatible with STANDARD key ways of the same letter.

2: X Series key ways are NOT backward compatible.

3: Please contact factory for information regarding all security levels for the M and X Series. Levels 2, 3 and 4 require Masterkey Department authorization.

4: Match key keyways level to core key way level.

5: 3AM keys are available with M series keyways only



B Series Padlocks

How To Order

41B	7	2	L			
Shackle Diameter	Core Housing	Shackle Height	Function	Chain Option	Special Stamp No.	Options
11B – Brass 1/4" dia. 21B – Brass 5/16" dia. 41B – Brass 3/8" dia.	7 – 7-pin housing; accepts all BEST cores	Steel shackle 2 – 3/4" 21 – 1" w/ shroud (21B only) 22 – 1 1/2" 72 – 2" 82 – 4" Bronze shackle 0 – 3/4" 20 – 1 1/2" 70 – 2" 80 – 4"	T – Key retained L – Non-key retained	M – Case drilled for clevis only M1* – Bronze chain M5* – Galvanized steel chain M/CR* – Clevis Only	Blank – Best logo PS1010 – Safety first (11B & 21B) Specify PS# or describe stamp. Price for special stamps available upon request.	F3 – Frangible shackle (11B720 only) O* – Lockout/tagout S* – Car seal (41B only) ZZ* – Double lockout (11B only) XSPL* – Cut resistant shackle (21B & 41B only) WC* – Weather cover (21B & 41B only) SH – Shrouded padlock w/cut resistant shackle (21B only) 606* – Satin Brass finish (brass only)

*Indicates extra cost; see the last page of B Series.

Must specify keymark and number of keys or designate L/C for less core.

SHACKLE HEIGHT	SHACKLE CODE		COMPLETE WITH COMBINATED CORE			LESS CORE
	BRONZE	STEEL	PATENTED**	PREMIUM	STANDARD	
11B SERIES						
3/4"	0	2	142.00	142.00	130.00	60.00
1-1/2"	20	22	142.00	142.00	130.00	60.00
2"	70	72	145.00	145.00	133.00	63.00
4"	80	82	153.00	153.00	141.00	71.00
21B SERIES						
3/4"	0	2	143.00	143.00	131.00	61.00
1-1/2"	20	22	143.00	143.00	131.00	61.00
2"	70	72	146.00	146.00	134.00	64.00
4"	80	82	154.00	154.00	142.00	72.00
41B SERIES						
3/4"	0	2	145.00	145.00	133.00	63.00
1-1/2"	20	22	145.00	145.00	133.00	63.00
2"	70	72	148.00	148.00	136.00	66.00
4"	80	82	156.00	156.00	144.00	74.00
21B Series with Shroud*						
1"	N/A	21	199.00	199.00	187.00	117.00

*Pricing includes stainless steel shroud and cut-resistant shackle. Must include "SH" option when ordering

**Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

NOTE: 626 finish is standard on brass padlock series.

B Series Padlocks (continued)

DESCRIPTION	CATALOG NUMBER	COMPLETE WITH COMBINATED CORE			LESS CORE
		PATENTED	PREMIUM	STANDARD	
CABLE PADLOCKS					
Jacketed – 24" cable	21JB7-24T	164.00	164.00	152.00	82.00
Jacketed – 36" cable	21JB7-36T	174.00	174.00	162.00	92.00
Jacketed – 48" cable	21JB7-48T	181.00	181.00	169.00	99.00
Extra cable per ft. or fraction thereof jacketed	Add-On	8.80	8.80	8.80	8.80

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Bronze chain	M1	11.00
Galvanized steel chain	M5	19.00
Lockout / tagout	O	15.00
Padlock weather covers (21B-41B only)	WC	7.30
Cut resistant shackle	XSPL	26.00
Car seal slot (41B only)	S	21.00
Satin Brass Finish	606	21.00
Double lockout safety (11B only)	ZZ	25.00
Clevis Only	M/CR	6.00

ACCESSORIES	CATALOG NUMBER	PRICE
Frangible shackle kit*	11B20FK	200.00
Frangible shackle only	11B20FF	11.00

REPAIRS	SERIES	PRICE
Includes all new parts, even a shackle, if necessary, but not a core or a new chain	11B	41.00
	21B	41.00
	41B	41.00

NOTE: Chain options are not available on cable padlocks, weather covers, or padlocks with shroud.


*Includes: padlock disassembly tool, three shackles and springs.



M1



M5





BEST Standard & Premium Cores

How To Order

1C	7	A	1		606
Core Type	Core Size	Keyway	Combining Code	Options	Finish
1C – Standard 1CD – Drill resistant 1CDP – Drill resistant Premium 1CP – Premium 2C** – Core for 8L mailbox 3C – Core for 8E cylinder 5C** – High security 6C – Core for 4S cylinders 6CP – Premium core for 4S cylinder	5 – 5-pin (1C only) 6 – 6-pin (1C only) 7 – 7-pin	Designate specific keyway (A, E, etc.)	1 – Uncombined 2 – Combined (B, W, P options)	B* – Pick & drill resistant (1CD only) K* – Key trap (1C only) P* – Pick resistant T* – Key retained (6C & 6CP only) W* – Wear resistant	605 606 611 612 613 625 626 690


*Indicates extra cost option; see below. **Requires long blade key.
If combined, you must specify keymark and number of keys.
5C Core is only compatible with a high security cylinder - 1EJ & 1EK

DESCRIPTION	COMBINING CODE	PREMIUM	STANDARD
1C & 1CP SERIES			
Uncombined	1	50.00	44.00
Combined	2	82.00	70.00
1CD & 1CDP SERIES			
Uncombined	1	70.00	64.00
Combined	2	102.00	90.00
2C & 3C SERIES			
Uncombined	1	N/A	47.00
Combined	2	N/A	72.00
5C SERIES			
Uncombined	1	N/A	64.00
Combined	2	N/A	84.00
6C & 6CP SERIES			
Uncombined	1	55.00	47.00
Combined	2	88.00	72.00


EXTRA COST OPTIONS*	OPTION CODE		ADD-ON
Pick &/or drill resistant	B,P	N/A	20.00
Key trap	K	N/A	9.10
Key retained	T	N/A	9.10
Wear resistant	W	N/A	9.10

PART DESCRIPTION	PART NO.	QUANTITY PER PKG.	PRICE PER PKG.
Standard pin segments	A0, A1 etc.	100	9.80
Spool pin segments (Note 1)	A6, A7, etc.	100	12.00
Stainless steel segments	A0, A1, etc.	100	51.00
Core caps (500 per pkg.)	21C	500	16.00
Core springs (500 per pkg.)	22S	500	38.00


NOTE: Standard spool pin segments are available in the following sizes: A6; A7; A8; A9; B8; B10; C3; C4; C5; C6; D6; D8; E3; E4; E5; F6; F7; & F8. (B6 spool pin segments should not be used with 5C core.




1C – 7-pin



2C
(Requires long blade key)




3C



5C
(Requires long blade key)



6C



6CP



BEST Peaks® Cores

How To Order

1CB	7	B1	1	626	
Core Type	Core Size	Keyway	Combining Code	Finish	Style
1CB – 150 Series 1CK – 140 Series	6 – 6-pin (140 & 150 series) 7 – 7-pin (150 series only)	B1 B6 B2 B7 B3 B10	1 – Uncombined 2 – Combined	626 – Simulated 606 – Simulated	3840 - BEST I/C 6 pin 140 series See the list below for other options.

*If combined, you must specify keymark and number of keys.

1CB SERIES PEAKS CORES

SERIES STYLE	DESCRIPTION	COMBINED	UNCOMBINED
INTERCHANGEABLE CORE			
3856	BEST I/C 6-pin brass 150 Series	100.00	60.00
3857	BEST I/C 7-pin brass 150 Series	100.00	60.00

1CK SERIES PEAKS CORES

SERIES STYLE	DESCRIPTION	COMBINED	UNCOMBINED
INTERCHANGEABLE CORE			
3840	BEST I/C 6-pin brass 140 Series	122.00	77.00
CONVENTIONAL CYLINDERS (KIK = Key in Knob)			
3404	Corbin Russwin CK4200 grade, 1 knob & UT5200 unit lock	122.00	77.00
3406	Arrow, LSDA, Schlage "06" kit includes 2 security bushings, 3 faced tailpieces	122.00	77.00
3408	Sargent 7, 8 & 9 line knob	122.00	77.00
3410	Sargent Kit for 6,10, 65 line and 2000 exit device line; includes security bushing and 2 fixed tailpieces (Use A and E bottom pins only)	122.00	77.00
3454	Yale 5300 grade 2 & 5400 grade 1 knob	122.00	77.00
3455	Corbin Russwin CL3900 & Yale 5400LN grade 1 lever	122.00	77.00
3476	Sargent 7600 Integra Lock	122.00	77.00
3495	Falcon, Sargent & Weiser cyl. kit for small dia. plug faces; 3 fixed & 3 lost motion tailpiece (Use J or K bottom pins only)	122.00	77.00
3499*	Peaks Universal "99" cyl. kit includes 3 fixed & 3 lost motion tailpieces (Use J or K bottom pins only)	122.00	77.00

*The 3499 universal cylinder should be used for all Key in Knob applications except Falcon, Sargent, Weiser Locks and specialty applications listed above. Refer to the BEST Peaks Technical Manual for various KIK Tailpiece Configurations.

REMOVABLE CORE			
6140	6-pin Corbin Russwin R/C	136.00	86.00
6240-6	6-pin Yale R/C	136.00	86.00
6240-7	6-pin for 7-pin housing Yale R/C	136.00	86.00
6340	6-pin Medeco R/C	136.00	86.00
6440	6-pin Schlage R/C	141.00	96.00
6540	6-pin Sargent R/C	136.00	86.00



BEST Preferred Patented Cores

How To Order

1CF	7	1P	1			626
Core Type	Core Size	Keyway	Combining Code	Style	Options	Finish
1CF - 150 Series Patented 3CF - Core for 8E Cylinder 150 Series 6CF - Core for 4S Cylinders 150 Series	7 - 7-pin (150 series only)	1P 2P 7P 8P 9P 10P	1 - Uncombined 2 - Combined	See list below for style op- tions	(150 Series only) B* - Pick & drill resistant (1CDF only) K* - Key trap P* - Pick resistant T* - Key retained (6CF only) W* - Wear resistant D* - Drill Resistant	626 - Simulated 606 - Simulated 612 - Simulated 613 - Simulated

*Indicates extra cost option; see below

If combined, you must specify keymark and number of keys.

1CF, 1CDF, 3CF AND 6CF PREFERRED PATENTED CORES

DESCRIPTION	COMBINED	UNCOMBINED
INTERCHANGEABLE CORE		
1CF - BEST Preferred I/C 7-pin brass 150 series	102.00	70.00
1CDF - BEST Preferred drill resistant I/C 7-pin brass 150 series	122.00	92.00
3CF - BEST Preferred I/C for 8E cylinder 7-pin brass 150 series	120.00	75.00
6CF - BEST Preferred I/C for 4S cylinder 7-pin brass 150 series	120.00	75.00

*The 3499 universal cylinder should be used for all Key in Knob applications except Falcon, Sargent, Weiser Locks and specialty applications listed above. Refer to the BEST Peaks Technical Manual for various KIK Tailpiece Configurations.

EXTRA COST OPTIONS	OPTION CODE	ADD-ON
Pick and/or drill resistant	B, D, P	20.00
Key Trap	K	9.10
Key Retained	T	9.10
Wear Resistant	W	9.10



BEST CORMAX™ Patented Cores

How To Order - M Series

1CM	7	MJ	3	1		626
Core Type	Core Size	Keyway	Level	Combining Code	Options	Finish
1CM – CORMAX Core M Series 1CDM – CORMAX Drill resistant 5CM** – CORMAX for High security 6CM – CORMAX Core for 4S cylinder	6 – 6-pin 7 – 7-pin	MJ MK ML MM	1 – Non-exclusive 2 – Two-digit zip code exclusive 3 – One digit zip code exclusive 4 – National exclusive	1 – Uncombined 2 – Combined	B* – Pick & drill resistant (1CDM combined core only) K* – Key trap (1CM only) P* – Pick resistant T* – Key retained (6CM only) W* – Wear resistant	605 606 611 612 613 625 626 690

How To Order - X Series

1CX	7	X1	W	1		626
Core Type	Core Size	Keyway	Level	Combining Code	Options	Finish
1CX – CORMAX Core X Series 1CDX – CORMAX Drill resistant 6CX - CORMAX Core for 4S cylinder	6 – 6-pin 7 – 7-pin	X1..X32, etc.	W – Non-exclusive X – Two-digit zip code exclusive Y – One digit zip code exclusive Z – National exclusive	1 – Uncombined 2 – Combined (B Option)	B* – Pick & drill resistant (1CDX combined core only) P* – Pick resistant W* – Wear resistant	605 606 611 612 613 625 626 690

*Indicates extra cost option; see below

If combined, you must specify keymark and number of keys. **Only compatible with high security mortise cylinder - 1EJ & 1EK

DESCRIPTION	COMBINATING CODE	CORMAX
1CM / 1CX SERIES		
Uncombined	1	60.00
Combined	2	82.00
1CDM / 1CDX SERIES		
Uncombined	1	80.00
Combined	2	102.00
5CM SERIES		
Uncombined	1	73.00
Combined	2	91.00
6CM SERIES		
Uncombined	1	63.00
Combined	2	83.00
6CX SERIES		
Uncombined	1	63.00
Combined	2	83.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Pick &/or drill resistant	P & B	20.00
Key trap	K	9.10
Key retained	T	9.10
Wear resistant	W	9.10

NOTES

- 1: M Series key ways are backward compatible with Standard key ways of the same letter.
- 2: X Series key ways are NOT backward compatible.
- 3: Please contact factory for information regarding all security levels for the M and X Series. Levels 2, 3 and 4 require Masterkey Department authorization.
- 4: Match key keyways level to core key way level.

PART DESCRIPTION	PART NO.	QUANTITY PER PKG.	PRICE PER PKG.
Standard pin segments	A0, A1 etc.	100	9.80
Spool pin segments (Note 1)	A6, A7, etc.	100	12.00
Stainless steel segments	A0, A1, etc.	100	51.00
Core caps (500 per pkg.)	21C	500	16.00
Core springs (500 per pkg.)	22S	500	38.00

NOTE: Standard spool pin segments are available in the following sizes: A6; A7; A8; A9; B8; B10; C3; C4; C5; C6; D6; D8; E3; E4; E5; F6; F7; & F8. (B6 spool pin segments should not be used with 5C core.



D Series Service Equipment

The security items in this series are available only to registered BEST Masterkey System owners. The restriction is for the purpose of avoiding proliferation of equipment that could be used to compromise the security of such systems.

DESCRIPTION	CATALOG NO.	PRICE
AD SERIES - KEY EQUIPMENT		
Key combinator (Standard & CORMAX)	AD433*	5507.00
Key combinator—Premium	AD433P*	6323.00
Key carriage (Standard & CORMAX M Series keyways)	AD434	858.00
Key carriage—Premium	AD434P	714.00
Key combinator system conversion	Call to Order	710.00
Key cut indicator (in CD431 Kit)	AD501*	40.00
Key calibrator (mechanical)	AD502	882.00
Key calibrator (digital)	AD502D	2265.00
Key stamping plate (55 standard keys)	AD504A	1949.00
BD SERIES - PADLOCK EQUIPMENT		
Assembly kit complete	BD640	462.00
Tweezers—6" (in BD640 Kit)	BD641	28.00
Shackle plug tool (in BD640 Kit)	BD642	332.00
Holding plate (in BD640 Kit)	BD643	108.00
Rivet flaring tool	BD650	279.00
Storage hook (41B & 61B)	BD651	20.00
Padlock disassembly tool (11B, 21B, 41B)	BD654	195.00
Lockout	BD655	24.00
Lockout ties (pkg. of 50)	BD656A	37.00
Lockout name tag	BD657	7.50
Lockout / tagout	BD658	7.50
Corrosion free lubricant - 2 oz Squeeze Bottle	BD670	40.00
Corrosion free lubricant - 28.74 oz Refill	BD680	91.00
CD SERIES - CORE EQUIPMENT		
Combining kit complete	CD431*	1096.00
Combining bin	CD433	440.00
Stamping plate—face only (87 cores)	CD504B	1949.00
Stamping plate—side only (50 cores)	CD504C	1949.00
Core capping / decapping press	CD517	2960.00
Graphite gun	CD535	35.00
Graphite—1 lb. container	CD535A	60.00
Capping / decapping block for 1C 150 (in CD431 Kit)	CD540	222.00
Hand capping pin for use with capping block (in CD431 Kit)	CD547	29.00
Ejector pin (in CD431 Kit)	CD548	20.00
Tweezers—3" (in CD431 Kit)	CD549	6.50
Combining bin kit	CD435	2209.00
DD SERIES - COMBINATING EQUIPMENT		
Letter dies—1/16" or 3/32"	DD502	279.00
Number dies—1/16" or 3/32"	DD503	97.00
Core / key marking block (1 core & key)	DD513	222.00
Core / key marking plate (5 cores & 10 keys)	DD514	571.00
Magnetic strip (2 ea. in DD514)	DD514A	5.40
Combining hammer with plastic head	DD550	134.00
Plastic heads (for DD550)	DD551	40.00

*Specify A2, A3 or A4 keying system

DESCRIPTION	CATALOG NO.	PRICE
ED SERIES - CYLINDER EQUIPMENT		
Mortise cylinder wrench	ED211	50.00
Mortise cylinder assembly tool	ED212	87.00
Thread repair die 1E cylinder	ED221	608.00
Cylinder cam testing tool	ED222	52.00
3E Cylinder hole tap	ED224	524.00
1E Cylinder hole tap	ED225	524.00
Eurocylinder wrench	ED801	180.00
5E Combining kit complete (Note 1)	5ED250	1173.00
5E Thread tap—3/4" x 24	5ED253	236.00
5E Capping block (in 5ED250 Kit)	5ED261	344.00
5E Cap depressor (in 5ED250 Kit)	5ED262	94.00
KA SERIES - DOOR ADAPTOR KITS		
Mortise to cylindrical 1" faceplate	62KA2A	100.00
Mortise to cylindrical 1-1/8" faceplate	83KA2A	102.00
Wrap-around 2-3/8" backset (160)	62KA2B	100.00
Wrap-around 2-3/4" backset (161)	83KA2B	102.00
KD SERIES - CYLINDRICAL/TUBULAR EQUIPMENT		
9K Throughbolt drill jig	KD303	9.10
Boring jig kit complete (Note 3)	KD304A	1310.00
Drill bit—2-1/8"	KD308	440.00
Faceplate marking chisel (160)	KD312	120.00
Faceplate marking chisel (161) 1-1/8"	KD315	120.00
8K Spanner wrench	KD316	9.10
9K Spanner wrench	KD317	9.10
Drill bit—1" x 9"	KD318	97.00
Strike plate locating pin	KD325	40.00
Return spring loading tool	KD340	82.00
KNOB ADAPTATION CUT-OFF FIXTURES FOR:		
Schlage D Series	KD352S	227.00
Yale #5400	KD351Y	227.00

NOTES:

1: Specify A2, A3 or A4 keying system.

2: Specify door thickness (630 finish only).

3: KD304A includes a boring jig and a 3/8" adapter chuck. (The boring jig and 3/8" adaptor chuck are not sold separately).



D Series Service Equipment (continued)

The security items in this series are available only to registered BEST Masterkey System owners. The restriction is for the purpose of avoiding proliferation of equipment that could be used to compromise the security of such systems.

DESCRIPTION	CATALOG NO.	PRICE
140 SERIES BOTTOM PINS		
A2 Bottom pins (except for 6140, 6440, & 6540 RC, and KIK cylinders)	A2A0 thru A2A9	20.00
A2 Bottom pins for 6140 & 6540 RC, and KIK cylinders	A2J0 thru A2J9	20.00
A4 Bottom pins (except for 6140, 6440, & 6540 RC, and KIK cylinders)	A4E0 thru A4E5	20.00
A4 Bottom pins for 6140 & 6540 RC, and KIK cylinders	A4K0 thru A4K5	20.00
A2 Bottom pins for 6440 removable cores	A2X0 thru A2X9	20.00
140 SERIES TOP PINS		
A2 Top pins for all products (except 6440 removable core)	Use BEST top pins (see page 20)	N/A
A4 Top pins for all products (except 6440 removable core)	Use BEST top pins (see page 20)	N/A
A2 Top pins for 6440 removable core	A2W2 thru A2W19	20.00
PATENT TOP & BOTTOM PINS		
Patent top pins for all IC and RC cylinders	PT1	56.00
Patent top pins for KIK cylinders	PT2	56.00
Patent bottom pins (except for 6140, 6440, & 6540 RC, and KIK cylinders)	PB1	56.00
Patent bottom pins for 6140 & 6540 RC, and KIK cylinders	PB2	56.00
TIMING PINS		
Timing pin for 6340 and 6540 RC cylinders	TP6312	57.00
SEGMENT SPRINGS		
Springs for all products except Schlage 6440 RC	SS4220	77.00
Springs for Schlage 6440 RC	SS4010	77.00
SPRING SLIDE COVERS		
Spring cover for all KIK cylinders and 6440 RC	SC2000	57.00
Spring cover for 6140 & 6240 RC, mortise, and rim cylinders	SC2005	57.00
Spring cover for 6340 and 6540 RC cylinders	SC2001	57.00
Caps for 3840 IC core	Use BEST 21C caps (see page 20)	N/A
CAPPING TOOLS		
Staking fixture for KIK, mortise, and rim cylinders	CD4000	581.00
Staking fixture for IC, and all RC cylinders (except 6440 RC)	CD6840	581.00
Staking tool for KIK, and all RC cylinders (except 6440 RC)	CD4001	273.00
Staking fixture for 6440 RC cylinder	CD6440	292.00
Staking tool for 6440 RC cylinder	CD6401	273.00
Plug follower	LT370	48.00
140 & 150 key gage for both A2 and A4	AD4050	75.00
PIN KITS		
Peaks universal A2 pin kit complete (Manufactured by KABA)	CD5012	1480.00
Peaks universal A4 pin kit complete (Manufactured by KABA)	CD5004	1480.00
Peaks Schlage 6440 RC A2 pin kit complete (Manufactured by KABA)	CD5002	1480.00
AD SERIES - KEY EQUIPMENT (You must purchase directly from Best)		
Key combinator – Peaks® 6-pin	AD436*	6705.00
Key combinator – Peaks® 7-pin	AD437*	6705.00
Key carriage – Peaks® 6-pin	AD436K	1112.00
Key carriage – Peaks® 7-pin	AD437K	1112.00
CAPPING TOOLS (You must purchase directly from Best)		
140 Series IC Capper/Decapper press	CD517P	2914.00
140 IC Capping block only (order CD540 for 150 IC)	CD540P	218.00
140 & 150 Key cut indicator (Peaks equipment)	AD4050	75.00
140 & 150 IC Capping tool (for use with capping block)	CD547	29.00

All 140 Series keys and 150 Series keys using B3 through B6 keyways require a key milling machine.

*Specify A2 or A4 keying system.



KRD Series Key Retaining Devices

How To Order

KRD-2	UL-KRD-2	S
Device type	Part number	Option

DESCRIPTION	CATALOG NUMBER	PRICE
BEST core models		
KRD-2 BEST Core Model	UL-KRD-2	488.00
KRD-2H Hybrid (Sargent/BEST Model)	UL-KRD-2H SAR/BEST	559.00
KRD-2H Hybrid (BEST/Schlage FSIC Model)	UL-KRD-2H BEST/SCH	559.00
KRD-3 BEST Core Dual Function Model	UL-KRD-3	723.00
Non-BEST Full size core models		
KRD-2 Corbin Russwin 6-pin IC	UL-CR6-KRD-2	559.00
KRD-2 Corbin Russwin 7-pin IC	UL-CR7-KRD-2	559.00
KRD-2 Medeco IC	UL-MED-KRD-2	559.00
KRD-2 Sargent RC	UL-SAR-KRD-2	559.00
KRD-2 Schlage FSIC	UL-SCH-KRD-2	559.00
KRD-2 Yale 6-pin IC	UL-YA6-KRD-2	559.00
KRD-2 Yale 7-pin IC	UL-YA7-KRD-2	559.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Switch	S	173.00
Security seal	SS	155.00

*Add option code to part number shown above.



QU-I.C-SYSTEM Combining Tool Packages

How To Order

BQDP		A2	7	Example: GM 8301836 CTL 4189250
Package description		System Type	Core size	System Code Information REQUIREMENT
Dedicated	BQDP – Basic QU-I.C-KEY Dedicated Package	A2 – A2 System	6 – 6-pin	YES System Grand Master and Control codes must be supplied
	PQDP – Professional QU-I.C-KEY Dedicated Package	A4 – A4 System	7 – 7-pin	
Universal	BQUP – Basic QU-I.C-KEY Universal Package	A2 – A2 System	6 – 6-pin	NO Code information is not necessary.
	PQUP – Professional QU-I.C-KEY Universal Package	A4 – A4 System	7 – 7-pin	

DESCRIPTION	CATALOG NO.	PRICE
Dedicated Packages		
These QU-I.C-KEYS are permanently factory built specifically for just one key system. Grand master & Control codes are required. These tools are intended for long-term use by Institutional Locksmiths and others who continuously work with the same key system(s).		
Basic dedicated package, includes: QKD, QLT-6 or QLT-7, QTT, QCT, QTJ, and QPT (see individual components listed below).	BQDP-A2/A4-pin/GM & CTL *	1898
Professional dedicated package, includes all components in the basic package, plus QTA, QPP and CKT-80 (see individual components listed below).	PQDP-A2/A4-pin/GM & CTL *	2375
Universal Packages		
Using a blank QU-I.C-KEY and code strips, you get to custom build a QU-I.C-KEY for any A2 key system that you are working with. These kits are better suited for temporary use and re-use - not for longer term of continuous key system use. A4 System kits are also available.		
Basic universal package, includes: QKD, QLT-6 or QLT-7, QTT, QCT, QTJ, and QPT (see individual components listed below).	BQUP-A2/A4-pin *	2378
Professional universal package, includes all components in the basic package, plus QPP, QTA and CKT-80 (see individual components listed below).	PQUP-A2/A4-pin *	2849
Individual Components		
Dedicated QU-I.C-KEY with viewing base (system information required)	QKD-A2/A4-pin/GM & CTL	612
Dedicated QU-I.C-KEY tool only (system information required)	QKDT-A2/A4-pin/GM & CTL	463
Universal QU-I.C-KEY with viewing base (specify A2 or A4 system)	QKU-A2/A4	1132
QU-I.C-LOAD tool (specify 6 or 7-pin cores)	QLT-6 * or QLT-7 *	471
QU-I.C-TEST tool	QTT *	649
QU-I.C-CHEX Tool	QCT *	109
QU-I.C-Tweez-jector	QTJ	175
QU-I.C-Preamer	QPT	148
QU-I.C-Power preamer	QPP	109
QU-I.C-TEST Adapter (must be used with QTT)	QTA	248
12 Position Core & key tray	CKT-12	213
80 Position Core & key tray	CKT-80	442

*Not compatible with the special 140 Series.



E Series Cylinders

How To Order

1E	7	4		C4	RP3	626
Series	Core Housing	Function Code	Length Code	Cam or Spindle	Rings	Finish
See Below***	0 – Dummy 6 – 6-pin 7 – 7-pin housing; accepts all BEST cores	See below	Blank – Standard 22 – 1-3/8" 24 – 1-1/2" up to 6" (See length code below)	C4 – Standard cam C181 – Adams Rite MS cam S2 – Standard spindle For a complete list of cams, see the next page.	RP – Rim cylinder RP1 – Tapered cylinder RP2 – 6-pin mortise RP3 – 7-pin mortise RP4 – 3E mortise RP5 – 7-pin mortise For special rings, see the catalog.	626 690 Satin* 606 612 613 619 Bright* 605 611 625

*Indicates extra cost; see below.

Must specify keymark and number of keys or designate L/C for less core.

***1E Special Lengths only available on 1E4 7-Pin

Series/Description			Function or Length Code	Complete with Combined Core			Less Core
				Patented*	Premium	Standard	
1-5/32" Diameter Cylinders							
12E	Standard rim	2	146.00	146.00	134.00	64.00	
1E	Standard mortise	4	156.00	156.00	144.00	74.00	
	Tapered mortise	6	156.00	156.00	144.00	74.00	
	Dummy rim / mortise (0-pin**)	02/04	N/A	N/A	N/A	40.00	
1EA	Turn knob-rim / mortise (6-pin**)	A2/A4	N/A	N/A	N/A	55.00	
1EB	Rim / mortise with dust cover	B2/B4	194.00	194.00	182.00	112.00	
1EC	Square head mortise	C4	194.00	194.00	182.00	112.00	
1ED	Slabbed direct motion (7-pin**)	D4	194.00	194.00	182.00	112.00	
1EE	Slabbed lost motion (7-pin**) (Specify RH or LH hand.)	E4	194.00	194.00	182.00	112.00	
1EF	Standard lost motion (Note 1)	F4	194.00	194.00	182.00	112.00	
1EG	Hotel shifting cam	G4	194.00	194.00	182.00	112.00	
1EJ	High security—UL-listed (7-pin**)	J4	282.00	N/A	275.00	N/A	
1EK	High security—Non-UL (7-pin**)	K4	187.00	N/A	181.00	192.00	
1E Series Special Length Mortise Cylinders							
1-3/8"		22	181.00	181.00	169.00	99.00	
Each additional 1/8" (1-1/2" to 6") See catalog for lengths available.		24 to 96	4.80	4.80	4.80	4.80	
3E Series							
Mortise-1-1/2" diameter (7-pin**)		4	194.00	194.00	182.00	112.00	

*Patented pricing shown is for CORMAX patented keying. Add \$20.00 for BEST Preferred patented keying.

**Only Standard and CORMAX M Series keying available on 1EJ and 1EK cylinders.

LENGTH CODE	CYLINDER LENGTH
22	1 3/8"
24	1 1/2"
26	1 5/8"
28	1 3/4"
30	1 7/8"
32	2"
34	2 1/8"
36	2 1/4"
40	2 1/2"
44	2 3/4"
48	3"
56	3 1/2"
64	4"
72	4 1/2"
80	5"
88	5 1/2"
92	5 3/4"
94	5 7/8"
96	6"

*EXTRA COST OPTION	ADD-ON
Satin finish—606, 612, 613, etc.	3.80
Bright finish—605, 611, 625, etc.	5.40

PART DESCRIPTION	PART NUMBER	PART PRICE	WITH LOCK ADD-ON
Standard rings	1ER2, 3, 4, 5	4.80	0.00
Straight rings (Specify lengths.)	1ER7	18.00	7.20
Tapered rings (Specify lengths.)	1ER8	22.00	17.00
Security rings (Specify lengths.)	1ESR	72.00	0.00
Spindles	1ES2, 3	4.80	0.00
Hex nut for 1E	A00836	4.30	0.00
Standard throw pins	A40095	1.10	0.00
Throw pins—Adams Rite MS Cam	A20924	1.10	0.00

NOTE 1: Specify stop pin right or left of cam from back view.



E Series Cylinders (continued)

Use the following table to determine the kinds of cams available for 1E, 3E and 5E cylinders.

CAMS LISTING

Cam Type	Cams by Cylinder Type		
	1E Cyl	3E Cyl	5E Cyl
Cabinet	C224 C225 C228 C229 C235 C238 C241 C246 C248 C249 C250 C253 C500 thru C509 (C500, C501, C502, etc) A04607 A08854 A10281 A14154		C2A C245 C4A C3 C2B C4B A10281 A21198 A26344
Cloverleaf	C118 C161 C204 C222 C243 C254 C256 C258 C265 C281	C118 C161	
Roller	C142 C221 C227 C240 C251 A04533	A04533	
Straight	C101 C103 C110 C115 C121 C123 C124 C127 C128 C129 C130 C131 C134 C136 C137 C143 C148 C152 C162 C165 C169 C171 C173 C177 C178 C179 C181 C182 C185 C186 C187 C191 C193 C200 C203 C208 C209 C210 C211 C220 C223 C226 C231 C233 C234 C239 C242 C247 C252 C4	C127 C136 C208 C210 C3 C4	
Thumbturn	C140 C410 thru (C401, C402, etc)		
Two-point	C102 C114		

Consult factory for pricing on cams.



5E and 8E Series Utility Cylinders (Cam Locks)

How To Order

5E	7	A	1	C	R708	4B	21	12	R	90	626
Series	Lock Body	Keyway	Combining Code	Cam Motion	Ring Length	Cam Type*	Cam Length	Mounting Position	Cam Direction	Degree of Rotation	Finish
5E – 3/4"	6 – 6-pin 7 – 7-pin	Designate specific keyway (A, E, etc.)**	1 – Uncombined 2 – Combined	A – Direct B – Limited C – Lost motion D – Throw member drive	R701 – 1/16" R702 – 1/8" R703 – 3/16" R704 – 1/4" R705 – 5/16" R706 – 3/8" R707 – 7/16" R708 – 1/2" etc.	1 – Fixed Straight 2A – Fixed offset in 2B – Fixed offset out 3 – Lost motion 4A – Lost motion offset in 4B – Lost motion offset out D – Direct throw member	10 – 5/8" 12 – 3/4" 14 – 7/8" 16 – 1" and so forth in 16ths of an inch	3 – 3 o'clock 6 – 6 o'clock 9 – 9 o'clock 12 – 12 o'clock	R – Right L – Left	90 – 90° 180 – 180° 360 – 360°	626 Only


*See the previous page for other compatible 5E cams.

If combined, you must specify keymark and number of keys.

**5E cylinders available in Standard and Premium keyways only.

DESCRIPTION	COMBINATING CODE	PRICE COMPLETE
5E—Uncombined	1	71.00
5E—Combined	2	94.00

PART DESCRIPTION	PART NUMBER	PART PRICE
Cams	5EC1, etc.	5.70
Slide cap—6-pin	5ECP6	1.30
Slide cap—7-pin	5ECP7	1.30
Cam screws	5ECS	2.50
Hex nut 3/4"	5EH	4.80
Cam screw lock washer	5ELW	2.50
Rings (Specify length.)	5ER7	6.60
Springs (box of 500)	5ES1	39.00
Lock body washer	5EW	2.50



DESCRIPTION	CATALOG NUMBER	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
8E SERIES EUROCYLINDERS					
Single cylinder—elliptical***	8EA7A5	N/A	N/A	172.00	100.00
Double cylinder—elliptical***	8EA7A6	N/A	N/A	264.00	120.00
Single cylinder—profile****	8EE7E4	N/A	N/A	264.00	192.00
Double cylinder—profile****	8EE7E5	N/A	N/A	350.00	206.00
Cylinder x turn knob—profile****	8EE7E8	N/A	N/A	264.00	192.00
Union single cylinder*****	8EH7H5	240.00	240.00	228.00	158.00
Union double cylinder*****	8EH7H6	367.00	367.00	343.00	203.00
Union cylinder x turn knob*****	8EH7H7	260.00	260.00	248.00	178.00
Union cylinder x lever turn*****	8EH7H8	325.00	325.00	313.00	243.00

*To order 8EE7E5, you must specify the ring length and critical dimensions. Refer to the catalog section "Cylinders."

**Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST preferred patented keying.

***Available in 605,606,619,625,626 finishes

****Available in 606,613,619,626 finishes

*****Available in 606,625,626 finishes

ATTENTION: Locksets that secure both sides of the door are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.



Keystone® Web

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Keystone Web – New License	KSWN	4,355.40
Keystone Web – Upgrade (For existing users with Keystone 600 software)	KSWUP	2,177.70

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Complete System Import - Importing code files for an entire masterkey system(s)	IMPKSW-1	871.08
Additions Import * – Importing code files for additions to existing system (Imports of less than 10 masters)	IMPKSW-2	217.77

*Any additions import consisting of more than 10 masters will require IMPKSW-1
The import pricing is without respect to how many individual masterkey systems or code files are imported
Every import order must be accompanied by an import order form. The import form is located on bestaccess.com under Keystone web resources or ask your dormakaba USA sales representatives for a copy.

Notes: Keystone Web software will support both network and standalone installations
Keystone Web comes without any information loaded. Code Import files have to be ordered to import code data
For existing customers, migration tool is included with the software to migrate data into the new application during upgrade.
There is no additional charge for migrating existing user data in older version of Keystone to Keystone Web.
All orders will require following information: End User Company/Facility Name, End User Name, End User Email.



45H Series Mortise Locks

Federal Spec. 86

ANSI Series 1000

How To Order

45H	7	R	14	H	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45H – Standard mortise lock	0** – Less cylinder (non-keyed or dummy trim) 7 – 7-pin housing accepts all BEST cores	A – Office D – Storeroom L – Privacy N – Passage R – Classroom T – Dormitory etc. See below	3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17R* – Gull wing RH 17L* – Gull wing LH Knobs: 4 – Round Decorative* 50-91 OEM - Service (less lever)**	H – 2-3/4" dia. R – 2-3/4" dia. S – 3-1/2" dia J* – wrought M* – forged N* – forged (concealed cylinder; N trim invalid on non-keyed and double keyed functions)	618 626 630* 690 622 626AM* 630AM* Satin* 606 612 613 619 Bright* 605 611 625 629*	RH RHR LH LHR	7/8"* – 7/8" lip-to-center strike LL* – Lead lined SH* – Security head screws Thick Door* – Specify thickness if other than 1-3/4" TAC/B* – Tactile both levers/knobs TAC/O* – Tactile outside lever/knob TAC/I* – Tactile inside lever/knob VIN* – Visual Keyed Indicator Option VIT* – Visual Thumb-Turn Indicator Option VIB* – Double Visual Indicator Option VT* – Vandal Trim WS – Windstorm Label (NOA Miami-Dade County)

*Indicates extra cost option

**Indicates cost deduction. Must specify keymark and number of keys or designate L/C for less core.

NOTE: VIN option only compatible with H, R and J trim styles

VIT options only compatible with H, R, S, J & M trim styles

VIB option only compatible with H, R & J trim styles

OEM option is only compatible with H, R and S Trim Styles.

Decorative levers are considered special order items that may have extended lead times. Consult factory for lead times.

Available decorative levers: 50-53, 55, 60, 62-63, 65, 69, 75, 79-81, and 89

Universal locks can only be ordered with sectional (rose) trim. If escutcheon (J/M/N) trim is needed, order a three-part lock

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Single Keyed:					
Latch	A, AT, D, R	978.00	978.00	966.00	896.00
Deadbolt	AB, B, BA, BW, T, TA, TD	1005.00	1005.00	993.00	923.00
Holdback	RHB	995.00	995.00	983.00	913.00
Hotel	H, HJ	N/A	N/A	1106.00	1036.00
Deadlock	AD, YD	443.00	443.00	431.00	361.00
Deadlock-Classroom	RD	497.00	497.00	485.00	415.00
Double Keyed:					
Latch	C, INL, W	1140.00	1140.00	1116.00	976.00
Deadbolt	G, IND, S, INA	1170.00	1170.00	1146.00	1006.00
Holdback	CHB	1170.00	1170.00	1146.00	1006.00
Deadlock	WD	603.00	603.00	579.00	439.00
Keyless:					
Passage	N	N/A	N/A	N/A	708.00
Privacy (Latch)	LT	N/A	N/A	N/A	814.00
Privacy (Deadbolt)	L, LB	N/A	N/A	N/A	837.00
Exit	NX	N/A	N/A	N/A	814.00
Single Dummy	1DT	N/A	N/A	N/A	307.00
Double Dummy	2DT	N/A	N/A	N/A	545.00
Universal Functions					
Latch	UNR**	977.00	977.00	965.00	895.00
Deadbolt	UNT, UNAB**	995.00	995.00	983.00	913.00

*Patented pricing show is for CORMAX patented keying. Add \$20.00 for BEST Preferred patented keying.

**Universal function locks can only be ordered with sectional trim.

NOTE: 47H Series must be keyed at the factory unless the K option is ordered.



45H Series Mortise Locks (continued)

EXTRA COST OPTIONS*	OPTION CODE	PER LOCK
Satin finishes (per lock)	606, 612, 613, 619 etc.	31.00
Bright finishes (per lock)	605, 611, 625, etc.	59.00
UltraShield antimicrobial finish	626AM, 630AM	61.00
Wrought trim	J	12.00
Thick door	Specify thickness	85.00
Tactile both levers/knobs^	TAC/B	120.00
Tactile outside lever/knob^	TAC/O	61.00
Tactile inside lever/knob^	TAC/I	61.00
Lead lined	LL	233.00
Forged trim	M, N	94.00
Security head screws	SH	22.00
7/8" Lip-to-center strike	7/8 LTC	22.00
Vandal trim - 630 finish^	VT	149.00
Vandal trim - other finishes^	VT	114.00
Visual Indicator^	VIN	44.00
Visual Indicator Thumb-Turn	VIT	69.00
Double Visual Indicator	VIB	113.00
12, 17 Lever Design	12, 17	66.00
Decorative Lever Design	50-53, 55, 60, etc.	211.00
COST DEDUCTIONS**	OPTION CODE	DEDUCT
Less cylinder option (Deduct from complete price)	0	61.00
OEM - Service (Less lever/trim)^	OEM	28.00

*Indicates extra cost option.

**Indicates cost deduction. Must specify keymark and number of keys or designate L/C for less core.

^NOTE:

TAC/B, TAC/O, TAC/I options not available on #17 levers.

Vandal trim option available only with #14 and #15 levers. Only #14 lever complies with California State Fire Marshal Code.

VIN option only compatible with H, R and J Trim Styles.

OEM Service: The BEST BHMA listed lock with trim from another manufacturer in this price book is not being offered as a BHMA listed product. dormakaba USA cannot ensure the compatibility of our lock with any third party product and such products have not been tested as a combined unit. Please see warranty for further details.



47H Series High Security Mortise Lock

Federal Spec. 86

ANSI Series 1000

How To Order

47H	7	R	14	M	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
47H – Lever/ Knob - High Security mortise lock	7 – 7-pin housing accepts 5C core only	A – Office D – Storeroom R – Classroom T – Dormitory etc.	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50–91	H*** – 2-3/4" dia R*** – 2-3/4" dia S*** – 3-1/2" dia M – Forged	626 630 626AM* 630AM*	RH RHR LH LHR	7/8"* – 7/8" Lip-to-center strike K – Non UL cylinder LL* – Lead lined TAC/B* – Tactile both levers/knobs TAC/O* – Tactile outside lever/knob TAC/I* – Tactile inside lever/knob Thick Door* – specify thickness if other than 1 3/4" VT* – Vandal Trim WS – Windstorm Label (NOA Miami-Dade County)

EXTRA COST OPTIONS* See 45H section.

** Indicates cost deduction; see 45H section. Must specify keymark and number of keys.

***To maintain the UL437 standard for high security locks, order only M trim. Using H, R or S trim does not meet the UL437 standard.

NOTE: Decorative levers are considered special order items that may have extended lead times. Consult factory for lead times.

Available decorative levers: 50-53, 55, 60, 62-63, 65, 69, 75, 79-81, and 89

FUNCTION DESCRIPTION	FUNCTION CODE	PATENTED*	STANDARD
Single Keyed:			
Latch	A, AT, D, R	1195.00	1188.00
Deadbolt	AB, B, BA,BW, T, TA, TD	1230.00	1223.00
Deadlock	AD, YD	746.00	739.00
Deadlock-Classroom	RD	804.00	797.00
Double Keyed:			
Latch	C, INL, W	1461.00	1447.00
Deadbolt	G, IND, S, INA	1503.00	1489.00
Deadlock	WD	1025.00	1011.00

*Pricing reflects the 5C high security core for standard, and the 5CM high security CORMAX core for patented.



48H and 49H Series Mortise Deadlocks

How To Order

48H	7	K	626	
Series	Core Housing	Function Code	Finish	Options
48H – Standard 49H** – High security	0 – Less cylinder (48H only) 7 – 7-pin housing 48H accepts all BEST cores 49H accepts 5C core only	See below	622 626 690 626AM* Satin* 606 612 613 619 Bright* 605 611 618 625 49H 626 630	K – 1E7K4 high security cylinder (non UL) for 49H only LL* – Lead lined SH* – Security head screws Thick Door* – Specify thickness if other than 1-3/4" WS – Windstorm Label (NOA Miami-Dade County)

*Indicates extra cost option; see below.

**49H is keyed at the factory unless the K option is ordered.

NOTE: Must specify keymark and number of keys or designate L/C for less core.

Security Head screws provided standard on 49H.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
48H SERIES					
Single cylinder	K, L	439.00	439.00	427.00	357.00
Single cylinder - Classroom	R**	492.00	492.00	480.00	410.00
Double cylinder	M	594.00	594.00	570.00	430.00
49H SERIES					
Single cylinder	K, L	832.00	N/A	825.00	N/A
Single cylinder-Classroom	R**	889.00	N/A	882.00	N/A
Double cylinder	M	997.00	N/A	990.00	N/A

*For 48H, patented pricing shown is for CORMAX M series patented keying system only. Add \$20.00 for BEST Preferred Keying.

For 49H, pricing reflects the 5C high security core for standard and the 5CM high security CORMAX core for patented.

**Handing (LH or RH) must be specified when ordering a "R" function. Indicate "LH" for LH/LHR door handing and "RH" for RH/RHR door handing.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes	606, 612, 613, etc.	31.00
Bright finishes	605, 611, 625, etc.	59.00
UltraShield antimicrobial finish	626AM, 630AM	61.00
Security head screws (48H)	SH	22.00
Thick door (48H only)	Specify thickness	85.00
Lead lined	LL	233.00



40H Series Mortise Components

Federal Spec. 86

ANSI Series 1000

How To Order Case Only

45HCA	R	626	
Series	Function Code	Finish	Options
45HCA - Mortise lock case only	A - Office D - Storeroom R - Classroom T - Dormitory etc.	626 630 622 690 626AM* 630AM* Satin* 606 612 613 619 618 Bright* 605 611 625 629	SH* – Security head screws 7/8" – 7/8" Lip-to-center strike (Handling): RH LH RHR LHR

*Indicates extra cost option.

How To Order Trim Kits

40HTK	OS2	14	H	626	
Series	Function Code	Knob/Lever Style	Trim Style	Finish	Options
40HTK - Trim Kit	IS1 – inside lever only IS2 – inside lever x turn IS3 – inside lever x cyl IS4 – inside cyl only IS5 – inside turn only*** IS6 – inside lever x cylinder x visual indicator OS1 – outside lever only OS2 – outside lever x cyl OS3 – outside lever/ emergency plate OS4 – outside cyl only OS5 – outside lever x visual indicator OS6 – outside lever x cylinder x visual indicator	Levers: 3-solid tube/return 12* – Solid tube/no return 14-curved return 15-contour/angle return 16-curve/no return 17-RH* 17-LH* 50-91 - Decorative* Knobs: 4-round	H-2-3/8" dia. R-2-3/4" dia. S-3-1/2" dia. J*-wrought M*-forged N*-forged (concealed cylinder)	605* 606* 611* 612* 613* 618* 619* 622 625* 626 629 630 690 626AM* 630AM*	Thick Door* (specify thickness if other than 1 3/4") SH* – Security head screws TAC/O* – Tactile outside lever/knob TAC/I* – Tactile inside lever/knob

***Does not include lever - Unavailable with J trim.

45HCA CASE ONLY:		
FUNCTION DESCRIPTION	FUNCTION CODE	PRICE
Single Keyed:		
Latch	A, AT, D, R	382.00
Deadbolt	AB, B, BA, BW, T, TA, TD	414.00
Holdback	RHB	390.00
Hotel	H, HJ	414.00
Deadlock	AD, YD	263.00
Deadlock-Classroom	RD	241.00
Double Keyed:		
Latch	C, INL, W	382.00
Deadbolt	G, IND, S, INA	414.00
Holdback	CHB	390.00
Deadlock	WD	263.00
Keyless:		
Passage	N	298.00
Privacy (Latch)	LT	382.00
Privacy (Deadbolt)	L, LB	414.00
Exit	NX	382.00
Universal Functions		
Latch	UNR	382.00
Deadbolt	UNT, UNAB	414.00

Price includes lock case, faceplate and strike package. Refer to 45H for complete mortise cylinder pricing.

Vandal Trim Retrofit Kit

SERIES	LEVER STYLE	FINISH	OPTIONS
45HVTK - Vandal Trim Kit	14* - curved return 15 - contour / angle return	605, 606, 611, 612, 613, 618, 619, 622, 625, 626, 629, 630, 690	Thick door (specify thickness if other than 1 3/4")

TRIM ONLY:	
KIT NUMBER	PRICE
IS1 - Inside lever only	210.00
IS2 - Inside lever x turn	278.00
IS3 - Inside lever x cylinder	301.00
IS4 - Inside cylinder only	84.00
IS5 - Inside turn only	74.00
IS6 - Inside lever x cylinder x visual indicator	345.00
OS1 - Outside lever only	234.00
OS2 - Outside lever x cylinder	312.00
OS3 - Outside lever x emergency plate	245.00
OS4-Outside cylinder only	84.00
OS5-Outside lever x Visual Indicator	278.00
OS6-Outside lever x cylinder x visual indicator	356.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes	606, 612, 613, etc.	31.00
Bright finishes	605, 611, 625, etc.	59.00
UltraShield antimicrobial finish	626AM, 630AM	61.00
J Trim	J	12.00
Forged trim	M, N	94.00
Thick Door	Specify Thickness	85.00
Security head screws	SH	22.00
7/8" Lip-to-center strike	7/8" LTC	22.00
Tactile outside lever/knob**	TAC/O	61.00
Tactile inside lever/knob**	TAC/I	61.00
12, 17 Lever Design	12, 17	33.00
Decorative Lever Design	50 to 91	105.50

VANDAL TRIM KIT FINISH	PRICE
630	173.00
All others	132.00

** Not available on #17 levers.



40H Strike Packages

Federal Spec. 86

ANSI Series 1000

How To Order

40HST	1	626	
Series	Kit number	Finishes	Options
40HST – Strike package	1 – Standard 4 – Strike Box Only 5 – Latchbolt only 6 – Latchbolt/deadbolt	605 606 611 612 613 618 619 622 625 626 629 630 690	Thick Door* – (specify thickness if other than 1-3/4") 7/8" * – 7/8" lip-to-center strike SH* – Security head screws RH - Handing (required for 5,6 kit) LH - Handing (required for 5,6 kit)

*Indicates extra cost option.

PART DESCRIPTION	PART NUMBER	PARTS PRICE
STRIKE PACKAGES		
Standard strike package	40HST-1-626	40.00
Latchbolt-only strike package	40HST-5-626-RH	45.00
Latchbolt/deadbolt strike package	40HST-6-626-LH	45.00
STRIKE PACKAGES		
Plastic strike box	40HST-4	2.70
Wrought steel strike box	3126903	7.20

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Thick door	Specify thickness	22.00
7/8" Lip-to-center strike	7/8" LTC	22.00
Security head screws	SH	22.00

40H Lever Sets

How To Order

40HLS	14	626	
Series	Knob/lever style	Finishes	Options
40HLS – Lever set	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* RH – Gull wing right hand 17* LH – Gull wing left hand 50-91 – Decorative* Knobs: 4 – Round	605 606 611 612 613 618 619 622 625 626 629 630 690 626AM* 630AM*	Thick door* – (specify thickness if other than 1-3/4") SH* – Security head screws

*Indicates extra cost option.

**Decorative lever design sets are not available.

PART DESCRIPTION	PART NUMBER	PARTS PRICE
LEVER SETS		
40H Lever Set #3 design	40HLS -3	327.00
40H Lever Set #12 design	40HLS -12	406.00
40H Lever Set #14 design	40HLS-14	327.00
40H Lever Set #15 design	40HLS-15	327.00
40H Lever Set #16 design	40HLS-16	327.00
40H Lever Set #17 RH design	40HLS -17 RH	406.00
40H Lever Set #17 LH design	40HLS -17 LH	406.00
40H Decorative Lever Sets #50-91 designs	40HLS -XX*	569.00
40H Knob Set #4 design	40HLS-4	327.00

*Choose one decorative lever set design from #50-91

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Thick Door	Specify Thickness	22.00
Security head screws	SH	22.00
UltraShield antimicrobial finish	626AM, 630AM	61.00



40H Replacement Spindles

Federal Spec. 86

ANSI Series 1000

How To Order

40HRS	2	
Series	Kit number	Options
40HRS – Replacement spindle kits	2 – 40H Standard spindle 4 – 40H Hook spindle	Thick door* – Specify thickness if other than 1 3/4"

*Indicates extra cost option.

PART DESCRIPTION	PART NUMBER	PARTS PRICE
REPLACEMENT SPINDLES		
40H Swivel spindle assembly	40HRS-2	40.00
40H Hook spindle assembly	40HRS-4	74.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Thick door	Specify Thickness	22.00

40H Screw Kits

How To Order

40HSK	1	626	
Series	Kit number	Finishes	Options
40HSK – Screw kits	1 – H, R, S, J trim screw kit 2 – M, N trim screw kit 3 – Special purpose fasteners screw kit 4 – Surface-mounted trim screw kit 5 – Visual indicator screw kit	606 612 613 622 626	Thick door* – Specify thickness if other than 1 3/4" SH* – Security head screws

*Indicates extra cost option.

PART DESCRIPTION	PART NUMBER	PARTS PRICE
SCREW KITS		
H, R, S, J trim screw kit	40HSK-1	27.00
M, N trim screw kit	40HSK-2	27.00
Special purpose fasteners screw kit	40HSK-3	27.00
Surface-mounted trim screw kit	40HSK-4	27.00
Visual indicator screw kit	40HSK-5	27.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Thick door	Specify Thickness	22.00
Security head screws	SH	22.00

40H Faceplate Kits

Federal Spec. 86

ANSI Series 1000

How To Order

40HFP	3	626	
Series	Kit number	Finishes	Options
40HFP – Faceplate kit	0 – for function: AB 1 – for functions: BW, TD, H, HJ 2 – for function: A 3 – for functions: AT, D, C, INL, NX, R, W 4 – for functions: N, LT 5 – for functions: AD, RD, YD, WD 6 – Blank with logo 7 – for functions: BA, S, TA 8 – for functions: B, G, IND, L, LB, T 9 – for functions: CHB, RHB 10 – Blank without logo	605 606 611 612 613 618 619 622 625 626 629 630 690	SH* – Security head screws

*Indicates extra cost option.

PART DESCRIPTION	PARTS PRICE
FACEPLATE KITS:	
All face plate kits	40.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Security head screws	SH	22.00

40H Visual Indicator Thumb-Turn Kit

How To Order


40HVIT	J	626	1-3/4"
Series	Trim Style	Finishes	Door Thickness
40HVIT	H - 2 3/4" Dia. R - 2 3/4" Dia. S - 3 1/2" Dia. M - Forged J - Wrought	605 606 611 612 613 618 619 622 625 626 629 630 690 626AM * 630AM*	1-3/4" Thick door* - Specify thickness if other than 1-3/4"

*Indicates extra cost option.

NOTE: Thick Door option available for doors up to 5" thick


PART DESCRIPTION	PART NUMBER	PARTS PRICE
VISUAL INDICATOR THUMB-TURN		
Sectional Visual Thumb-Turn Indicator (H, R & S Trims)	40HVIT	124.00
Escutcheon Visual Thumb-Turn Indicator (J & M Trims)	40HVIT	225.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Thick door	Specify Thickness	22.00
Ultrashield Antimicrobial Finish	626AM, 630AM	61.00



40H Indicator Laminate Kit

PART DESCRIPTION	PART NUMBER	PARTS PRICE
VISUAL INDICATOR LAMINATE		
Visual Indicator Laminate (for Thumb-Turn)	86329	21.00





J Series Semi-Trailer Kingpin Locks

How To Order


2J	7	L	1	-	
Series	Core Housing	Latch Type	Head Type	Armored Front	Options
2J – Standard body	7 – 7-pin housing; accepts all BEST cores	L - Latch (Spring Return) D - Deadlocking Bolt	1 - Single Head Unit 2 - Double Head Unit	1 - Armored Front "- " - No Armored Front	TA* - Extended face without armored front

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED*	PREMIUM**	STANDARD	
Single latch	L1	857.00	857.00	845.00	775.00
Double latch	L2	1259.00	1259.00	1235.00	1095.00
Single deadbolt	D1	827.00	827.00	815.00	745.00
Double deadbolt	D2	1217.00	1217.00	1193.00	1053.00


*If TA option is not included, only CORMAX M Series patented keying system can be used and pricing shown applies. If TA option is included, BEST Preferred keying system can be used and \$20.00 must be added to pricing shown. **Applicable only if TA option is included.

PART DESCRIPTION	CATALOG NUMBER	PRICE
Accessories:		
Warning flag assembly	2JOF1	80.00
Storage Racks:		
Three post mount	2JOR3	509.00
Three post—cad. plated	2JOR3C	637.00
Five post mount	2JOR5	853.00
Five post—cad. plated	2JOR5C	951.00

NOTE: Patented or Premium core is available in J Series with the TA option only.



2J7L1



2J7L2



6K Series Grade 2 Cylindrical Locks - Knobs

Federal Spec. 160

ANSI Series 4000

How To Order


6K	3	7	AB	4	C	STK	626	
Series	Backset	Core Housing	Function Code	Knob Style	Trim Style	Strike Package	Finish	Options
6K	2 – 2-3/8" 3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0 – Keyless 7 – 7-pin housing; accepts all BEST cores	See below	4 – Round 6 – Tulip	C – 2-9/16" D* – 3-3/8" Rose	STK – Standard S3 – ANSI LS – Less strike	626 Satin* 606 612 613 Bright* 605 611 625	KNL* – Knurled knobs (keyed knob only) L8 – Drive-in latch NF – Narrow face latch (std with 62K) WF – Wide face latch (std with 63K)

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
Single Keyed:					
Office	AB	325.00	325.00	313.00	243.00
Storeroom	D	325.00	325.00	313.00	243.00
Service station	E	325.00	325.00	313.00	243.00
Classroom	R	325.00	325.00	313.00	243.00
Keyless:					
Passage	N	N/A	N/A	N/A	147.00
Exit	Y	N/A	N/A	N/A	147.00
Privacy	L	N/A	N/A	N/A	196.00
Hospital privacy	LL	N/A	N/A	N/A	196.00
Patio	P	N/A	N/A	N/A	196.00
Single dummy trim	1DT	N/A	N/A	N/A	80.00
Double dummy trim	2DT	N/A	N/A	N/A	156.00


*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, etc.	19.00
Bright finishes (per lock)	605, 611, 625, etc.	43.00
Special backset	64K / 65K	10.00
Knurled keyed knob	KNL	24.00
3-3/8" Rose	D	19.00


PART DESCRIPTION	PART NUMBER	PART PRICE
2-3/8" deadlocking latch	6KL2	44.00
2-3/4" deadlocking latch	6KL3	44.00
3-3/4" deadlocking latch	6KL4	52.00
5" deadlocking latch	6KL5	52.00
2-3/8" drive-in latch	6KL2-8	44.00
2-3/4" drive-in latch	6KL3-8	44.00
Standard strike package	7KCS2	7.90
ANSI strike package	7KCS3	24.00
Standard throw member	3125559	16.00
Standard strike box	B25640	4.80



4D*



6C



6D*



7KC Series Grade 2 Cylindrical Locks - Levers

Federal Spec. 160

ANSI Series 4000

How To Order

7KC	3	7	AB	15	D	STK	626	
Series	Backset	Core Housing	Function Code	Lever Style	Trim Style	Strike Package	Finish	Options
7KC	2 – 2-3/8" 3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0 – Keyless 6 – 6-pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	See below	14 – Curved return 15 – Contour angle return 16 – Curved no return	D – 3-1/2"	STK – Standard S3 – ANSI	626 Satin* 606 612 613 Bright* 605 625	L8 – Drive-in latch (only available on 2-3/8" and 2-3/4" backset). 0B** – Zero bitted KA** – Keyed alike KD** – Keyed different OEM*** – Orig equipment mfg ATB – Alternate through-bolt NF – Narrow face latch

*Indicates extra cost option

**Six-pin cylinder in Schlage "C" keyway included with 0B, KA, & KD options. Must specify 6 for core housing.

***Cylinders not included with OEM option. Must specify "0" for core housing.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE	NON-IC CYLINDER 0B, KA, KD
		PATENTED*	PREMIUM	STANDARD		
Single Keyed:						
Entrance	AB	386.00	386.00	374.00	304.00	355.00
Storeroom	D	386.00	386.00	374.00	304.00	355.00
Classroom	R	386.00	386.00	374.00	304.00	355.00
Keyless:						
Passage	N	N/A	N/A	N/A	223.00	N/A
Exit	Y	N/A	N/A	N/A	216.00	N/A
Privacy	L	N/A	N/A	N/A	245.00	N/A
Single dummy trim	1DT	N/A	N/A	N/A	100.00	N/A

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	612, 613, etc.	19.00
Bright finishes (per lock)	605, 625, etc.	43.00
Special backset	74KC / 75KC	10.00

PART DESCRIPTION	PART NUMBER	PART PRICE
2-3/8" deadlocking latch	7KCL2	44.00
2-3/4" deadlocking latch	7KCL3	44.00
3-3/4" deadlocking latch	6KL4	52.00
5" deadlocking latch	6KL5	52.00
Standard strike package	7KCS2	7.90
ANSI strike package	7KCS3	24.00
Standard strike box	B25640	4.80



8K Series Grade 1 Cylindrical Locks - Knobs

Federal Spec. 160

ANSI Series 4000

How To Order

8K	3	7	AB	4	D	STK	626	
Series	Backset	Core Housing	Function Code	Knob Style	Rose Style	Strike Package	Finish	Options
8K	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0 – Keyless 7 – 7-pin housing; accepts all BEST cores	See below	4 – Round 6 – Tulip	A – 3-3/8" concave C – 2-9/16" concave D – 3-3/8" convex E – 3-3/8" concave - thick door	STK – Standard S3 – ANSI S3 7/8" – 7/8" lip-to-center strike LS – Less strike S5 S6	626 690 626AM* Satin* 606 612 613 619 Bright* 605 611 625	3/4* – 3/4" throw BRK – Break-away (keyed only) FRL* – Full radius latch LL* – Lead lined (not available in double keyed functions) SH* – Security head screws SPN – Spin free (D & W only) TAC/B* – Tactile both knobs TAC/O* – Tactile outside knob TAC/I* – Tactile inside knob

*Indicates extra cost option; see below. Must specify keymark and number of keys.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
Single Keyed:					
Entrance	AB	762.00	762.00	750.00	680.00
Storeroom	D	762.00	762.00	750.00	680.00
Service station	E	762.00	762.00	750.00	680.00
Classroom	R	762.00	762.00	750.00	680.00
Dormitory	T	762.00	762.00	750.00	680.00
Special	Note**	762.00	762.00	750.00	680.00
Hotel (SPN-standard)	H, HJ	825.00	825.00	813.00	743.00
Double Keyed:					
Corridor	C	797.00	797.00	773.00	633.00
Storeroom	G	797.00	797.00	773.00	633.00
Communicating	S	797.00	797.00	773.00	633.00
Institutional	W	797.00	797.00	773.00	633.00
Special	DR, RD	797.00	797.00	773.00	633.00
Keyless:					
Passage	N, NX	N/A	N/A	N/A	513.00
Exit	Y	N/A	N/A	N/A	513.00
Privacy	L	N/A	N/A	N/A	590.00
Patio	P	N/A	N/A	N/A	590.00
Special	LL, M, Q, Z	N/A	N/A	N/A	590.00
Single dummy trim	1DT	N/A	N/A	N/A	221.00
Double dummy trim	2DT	N/A	N/A	N/A	442.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

**Single-keyed special functions include: A, B, DZ, EA, RH, RZ, XD, XR, YD, YR, YRH, YRM and YZ


ATTENTION: Locksets that secure both sides of the door (e.g., G, DR, M, RD, S, W, XD, YD & YR functions) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.

8K Series Grade 1 Cylindrical Locks (continued)


EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, etc.	19.00
Bright finishes (per lock)	605, 611, 625, etc.	43.00
UltraShield antimicrobial finish	626AM	60.00
3/4" throw latch	3/4	31.00
Special backsets	84K / 85K	21.00
Lead lined	LL	228.00
Security head screws	SH	22.00
Tactile knob both sides	TAC/B	84.00
Tactile knob outside	TAC/O	43.00
Tactile knob inside	TAC/I	43.00
7/8" Lip-to-center strike	S3 7/8	22.00
Full radius latch	FRL	21.00

PARTS DESCRIPTION	PART NUMBER	PART PRICE
2-3/4" deadlocking latch	8KL3	79.00
3-3/4" deadlocking latch	8KL4	100.00
5" deadlocking latch	8KL5	100.00
Standard strike package	8KS2	7.80
ANSI strike package	8KS3	24.00
Throw member 7-pin	B54200	1.80
Breakaway knob driver	B54856	8.60


NOTE 1: Other special single keyed functions include: A,B, EA, DZ, RZ, XD, XR, YD & YR. ATTENTION: Locksets that secure both sides of the door (e.g. G, DR, M, RD, S, W, XD, YD & YR functions) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.




4 – Round



6 – Tulip



4 – TAC option
(Blind, safety, & handicapped application)



A and C Rose
(Concave)



D rose
(Convex)



9K Series Grade 1 Cylindrical Locks - Levers

Federal Spec. 160

ANSI Series 4000

How To Order

9K	3	7	AB	14	C	STK	626	
Series	Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
9K	3 – 2-3/4" 4* – 3-3/4" 5* – 5" DT- Dummy Trim	0 – Keyless functions / or / Non-IC and LFIC competitive cylinder (less core)† 6 – 6-pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	See below (Contact sales support for special functions and pricing.)	14 – Curved with return 15 – Contour angle with return 16 – Curved without return	C – 3" convex D – 3-1/2" convex K – 3" convex no ring L – 3-1/2" convex no ring	STK – Standard S3 – ANSI S3 7/8** STK 7/8*** LS – Less strike S3B* - ANSI (Strike w/ Plastic Box) S3B 7/8* - ANSI (Strike w/ Plastic Box)	626 690 622 626AM* Satin* 606 612 613 619 Bright* 605 611 625 618	3/4* – 3/4" throw latch AL/B* – Abrasive lever both sides AL/O* – Abrasive lever outside AL/I* – Abrasive lever inside TL/B* – Tactile lever both sides TL/O* – Tactile lever outside TL/I* – Tactile lever inside ATB - 2-3/4" Through bolt Prep ATB2 - 2-5/8" Through bolt prep FRL* – Full radius latch LL* – Lead lined (N/A for double keyed functions) LM – Lost motion SH* – Security head screws Thin Door* – 1-3/8" OB* – non-IC zero bitted KA* – non-IC keyed alike KD* – non-IC keyed different COR* – non-IC Corbin-Russwin MED* – non-IC Medeco SAR* – non-IC Sargent SCH* – non-IC Schlage YAL* – non-IC Yale SARRC - LFIC Sargent CORRC - LFIC Corbin YALRC - LFIC Yale SCHRC - LFIC Schlage WS – Windstorm Label (NOA Miami-Dade County)
*Indicates extra cost. Must specify keymark and number of keys. **S3 7/8 is the ANSI flat lip strike ***STK 7/8 is the standard flat lip strike								
COR, MED, SAR, SCH: Chose only one option: OB, KA, KD; use with core housing option 6 SCHRC, CORRC, SARRC, YALRC: Use with core housing option 0								

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE	NON-IC CYLINDER 0B, KA, KD
		PATENTED*	PREMIUM	STANDARD		
Single Keyed:						
Entrance	AB	715.00	715.00	703.00	633.00	684.00
Storeroom	D	715.00	715.00	703.00	633.00	684.00
Service station	E	715.00	715.00	703.00	633.00	684.00
Classroom	R	715.00	715.00	703.00	633.00	684.00
Dormitory	T	715.00	715.00	703.00	633.00	684.00
Special**	Note	715.00	715.00	703.00	633.00	684.00
UA	UA	715.00	715.00	703.00	633.00	684.00
Hotel	H, HJ	777.00	777.00	765.00	695.00	746.00
Double Keyed:						
Corridor	C	857.00	857.00	833.00	693.00	795.00
Storeroom	G	857.00	857.00	833.00	693.00	795.00
Intruder***	IN	885.00	885.00	861.00	721.00	823.00
Communicating	S	885.00	885.00	861.00	721.00	823.00
Institutional	W	885.00	885.00	861.00	721.00	823.00
Special	DR, RD	885.00	885.00	861.00	721.00	823.00
Keyless:						
Passage	N, NX	N/A	N/A	N/A	441.00	N/A
Exit	Y	N/A	N/A	N/A	441.00	N/A
Privacy	L	N/A	N/A	N/A	509.00	N/A
Patio	P	N/A	N/A	N/A	509.00	N/A
Special	LL, M, Q, Z	N/A	N/A	N/A	509.00	N/A
Single dummy trim	1DT	N/A	N/A	N/A	187.00	N/A
Double dummy trim	2DT	N/A	N/A	N/A	367.00	N/A

*Patented pricing shown is for CORMAX patented keying system.
Add \$20.00 for BEST Preferred patented keying.

**Single-keyed special functions include: A, B, DZ, EA, RH, RZ, XD, XR, YD, YR, YRH, YRM and YZ
*** IN Function includes interior indicator rose standard

9K Series Grade 1 Cylindrical Locks (continued)

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, etc.	19.00
Bright finishes (per lock)	605, 625, 629, etc.	43.00
UltraShield antimicrobial finish	626AM	60.00
Thin door 1-3/8"	1-3/8"	80.00
3/4" throw latch	3/4	31.00
Special backsets	94K / 95K	21.00
Lead lined	LL	228.00
Security head screws	SH	22.00
Abrasive lever both sides	AL/B	43.00
Abrasive lever outside	AL/O	22.00
Abrasive lever inside	AL/I	22.00
Tactile lever both sides	TL/B	84.00
Tactile lever outside	TL/O	43.00
Tactile lever inside	TL/I	43.00
7/8" Lip-to-center strike	S3 7/8 or STK 7/8	22.00
Strike with plastic box	S3B or S3B 7/8	2.20
Full radius latch	FRL	21.00

*Choose only one option: OB, KA, KD-use with core housing option 6. COR, MED, SAR, SCH, YAL, SCHRC-use with core housing option 0

*EXTRA COST OPTIONS	OPTION CODE	ADD-ON PRICE
Non-IC Corbin-Russwin (single keyed)	COR	6.60
Non-IC Corbin-Russwin (double keyed)	COR	15.00
Non-IC Medeco (single keyed)	MED	6.60
Non-IC Medeco (double keyed)	MED	15.00
Non-IC Sargent (single keyed)	SAR	6.60
Non-IC Sargent (double keyed)	SAR	15.00
Non-IC Schlage (single keyed)	SCH	6.60
Non-IC Schlage (double keyed)	SCH	15.00
Non-IC Yale (single keyed)	YAL	6.60
Non-IC Yale (double keyed)	YAL	15.00

NOTE: These options do not come with a cylinder. The lock is just prepped for cylinders of these other manufacturers and comes with a throw member for that manufacturer's cylinder.


PART DESCRIPTION	PART NUMBER	PART PRICE
2-3/4" deadlocking latch	8KL3	79.00
3-3/4" deadlocking latch	8KL4	100.00
5" deadlocking latch	8KL5	100.00
Standard strike package	8KS2	7.80
ANSI strike package	8KS3	24.00
Throw member 7-pin	B54200	1.80

NOTE 1: Other special single keyed functions include: A, B, EA, DZ, RZ, XD, XR, YD & YR. ATTENTION: Locksets that secure both sides of the door (e.g. G, DR, M, RD, S, W, XD, YD & YR 'functions) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.


Adaptation Kit

9KA	SCHRCKT	14	626	Price
Family	Kit Type	Lever Style	Finish	
9KA - Adaptation Kit	SCHRCKT - Schlage RC Adaptation Kit	14 - Curved return 15 - Contour angle return 16 - Curved no return	606, 626, 612, 613	91.00


NOTE: Lever Style 16 is considered a special order item and may have extended lead times. Consult factory for lead times.




14 – Curved return




15 – Contour angle return




C and D Roses



16 – Curved no return



15 - Non IC contour angle return



K and L
roses



AK Series Knob Adaptations (formerly KA series)

How To Order

Series	Adaptation Kit Number	Finish
AK	Please contact BEST for the specific kit number to convert your heavy duty lockset. The name of the manufacturer and model number are required.	626


Must specify keymark and number of keys.

MANUFACTURER'S NAME	COMPLETE WITH COMBINATED CORE			LESS CORE PRICE
	PATENTED*	PATENTED*	PREMIUM	
Corbin	245.00	245.00	233.00	163.00
Sargent	269.00	269.00	257.00	187.00
Schlage	222.00	222.00	210.00	140.00
Russwin	245.00	245.00	233.00	163.00
Yale	269.00	269.00	257.00	187.00


INSTALLATION AT BEST FACTORY	69.00
-------------------------------------	-------

KIT COMPONENTS	KNOB ONLY LESS CORE	THROW MEMBER
Corbin	140.00	35.00
Sargent	159.00	25.00
Schlage	117.00	22.00
Russwin	136.00	35.00
Yale	159.00	29.00


*Patented pricing shown is for CORMAX patented keying system.
Add \$20.00 for BEST Preferred patented keying.



Schlage round



Schlage tulip



Schlage throw member



L Series Cabinet Locks

How To Order

5L	7	R	D	2	606	
Series	Core Housing	Mounting Type	Latch Type	Hand	Finish	Options
3L – Coin box	5 – 5-pin housing 6 – 6-pin housing 7 – 7-pin housing; accepts all BEST cores	R – Rim	D – Dead-locking	2 – Vertical	626 690 Satin*	1-1/8" to 2" – Special cylinder (specify length)
5L – Standard		M – Mortise R – Rim	D – Dead-locking L – Latchbolt	2 – Vertical 5 – Inverted	606 612 613 619 Bright* 605 611 625	T – Deadlocking SL* – Square Latch, spring loaded TR – Special trim ring A450 – Special strike A451 – Special strike A452 – Special strike A453 – Special strike

*Indicates extra cost option; see below. Must specify keymark and number of keys.


DESCRIPTION	SERIES	COMPLETE WITH COMBINATED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
CABINET LOCKS					
Cabinet—mortise & rim	3L	185.00	185.00	173.00	103.00
Cabinet—mortise & rim	5L	157.00	157.00	145.00	75.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Square latch spl. cylinder	SL	20.00
Special cylinders-3L	1-1/2" to 2"	22.00
Special cylinders-5L	1-1/8" to 2"	22.00
Special finishes	See above	5.60


DESCRIPTION	CATALOG NO.	COMPLETE WITH COMBINATED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
8L SERIES MAIL BOX LOCK					
Standard mail box lock	8L7SPR-627	210.00	210.00	198.00	128.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.


NOTE: You must specify the name of the manufacturer and the model number.



5L7RD2



5L7MD



3L7RD2 - Vertical Only



P Series Push Locks


How To Order

2P	7	3	626
Series	Lock Body	Mounting slot	Finish
2P – File cabinet	7 – 7-pin body may be keyed 6-pin	3 – Vertical 4 – Horizontal	606 626


DESCRIPTION	CATALOG NO.	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED *	PREMIUM	STANDARD	
2P SERIES					
Vertical mounting slot	2P73	208.00	208.00	196.00	126.00
Horizontal mounting slot	2P74	208.00	208.00	196.00	126.00

*Patented pricing shown is for CORMAX patented keying system.
Add \$20.00 for BEST Preferred patented keying.

NOTE: You must specify the make, model and year of the filing cabinet for the 2P Series.



2P73



2P74



S Series Sliding Door Locks

How To Order

3S	7	5	627	
Series	Core housing	Function code	Finish	Options
2S – Sliding door push 3S – Sliding panel 4S – Sliding door cyl.	7 – 7-pin housing; accepts all BEST cores (4S requires 6C core)	See below	2S – 626, 605, 606, 622, 625 4S – 625, 605, 606, 626 3S – 627	3S – Strike straps: S1* – 1/4" thick S2* – Standard 1/4" S3 – 5/16" to 1/2" S4 – 1/2" to 11/16" S5 – 3/4" & thicker

*Included in the price of the housing.

FUNCTION DESCRIPTION	CATALOG NUMBER	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
2S SERIES					
Surface mount—1/2" bolt	3	274.00	274.00	262.00	192.00
Through bolt—1/2" bolt	3TBM	331.00	331.00	319.00	249.00
Through bolt—3/4" bolt	4TBM	331.00	331.00	319.00	249.00
Surface mount—bolt pin	5	331.00	331.00	319.00	249.00
3 S SERIES					
Straight housing	5	232.00	232.00	220.00	150.00
Captured panel housing	7	232.00	232.00	220.00	150.00
Housing with 1" extension	8	304.00	304.00	292.00	222.00
4 S SERIES					
Sliding glass door cylinder	3	162.00	162.00	150.00	80.00
Sliding wood door cylinder	4	177.00	177.00	165.00	95.00

* Patented pricing shown is for CORMAX patented keying system. Add\$20.00 for BEST Preferred patented keying.

** Lock requires 6C core (not available with Peaks or Preferred keying).

FUNCTION DESCRIPTION	PAR NUMBER	SEPARATE	WITH LOCK ADD-ON
3S STRIKE STRAPS			
4-1/4" long for 1/4" panel	3SS1	25.00	N/A
6-1/4" long for 1/4" panel	3SS2	30.00	N/A
STANDARD			
6-1/4" long for 5/16" to 1/2"	3SS3	43.00	17.00
6-1/4" long for 1/2" to 11/16"	3SS4	52.00	26.00
6-1/4" long for 3/4" or thicker	3SS5	39.00	7.10



SPSL – Secure Patient Safety Lever

How To Order - Mortise Safety Levers

SPSL	ML	R		16F	630	RH
Series	Chassis	Function		Lever	Finish	Hand
SPSL – Secure Patient Safety Lever	ML – Mortise	A – Office privacy D – Storeroom IND – Intruder deadbolt IND2 – Intruder storeroom dblt INL – Intruder latch LT – Bathroom privacy LTF – Bedroom privacy (Anti-Lockout) R – Classroom RF – Bedroom privacy T – Dormitory deadbolt W1 – Asylum lever/lever W2 – Asylum double cyl lever/lever	W3 – Asylum deadbolt lever/lever W4 – Asylum deadbolt double cyl lever/lever W10 – Asylum lever/blank W20 – Asylum double cyl lever/blank W30 – Asylum deadbolt lever/blank W40 – Asylum deadbolt double cyl lever/blank	16F – Anti-ligature lever	630 – Satin stainless steel	RH LH RHR LHR

PRODUCT DESCRIPTION	FUNCTION CODE	PRICE*
Mortise Safety Lever		
Office privacy	A	1,718.00
Storeroom	D	1,583.00
Intruder deadbolt	IND	1,583.00
Intruder storeroom deadbolt	IND2	1,583.00
Intruder latch	INL	1,583.00
Bathroom privacy	LT	1,718.00
Passage	ON	1,449.00
Bedroom privacy (RF)	RF	1,718.00
Bedroom privacy Anti-Lockout (LTF)	LTF	1,718.00
Classroom	R	1,583.00
Dormitory deadbolt	T	1,583.00
Asylum lever/lever	W1	1,583.00
Asylum double cyl lever/lever	W2	1,583.00
Asylum deadbolt lever/lever	W3	1,583.00
Asylum deadbolt double cyl lever/lever	W4	1,583.00
Asylum lever/blank	W10	1,583.00
Asylum double cyl lever/blank	W20	1,583.00
Asylum deadbolt lever/blank	W30	1,583.00
Asylum deadbolt double cyl lever/blank	W40	1,583.00

How To Order - Cylindrical Safety Levers

SPSL	CL	ON	16F	630	RH
Series	Chassis	Function	Lever	Finish	Hand
SPSL – Secure Patient Safety Lever	CL – Cylindrical 2 3/4" backset CL5 – Cylindrical 5" backset	ON – Cylindrical passage ONX – Cylindrical passage blank interior	16F – Anti-ligature lever	630 – Satin stainless steel	RH LH RHR LHR

PRODUCT DESCRIPTION	FUNCTION CODE	PRICE
Cylindrical Safety Lever		
Passage	ON	1,259.00
Passage blank interior	ONX	1,259.00
Dummy Trim		
Dummy Trim	DT	701.00

*Standard offering is less cylinder and less core.

NOTE: Security head screws come standard with SPSL series.



SPSL – Secure Patient Safety Lever (continued)

PART DESCRIPTION	KIT NUMBER	LIST PRICE
Cylindrical Security head screw kit	SPSL-SH C1	19.00
Mortise Security head screw kit	SPSL-SH M1	19.00
Security head driver kit	SPSL-SH D1	19.00
Turnpiece Disable kit for Female Privacy Locks	SPSL-TD	119.00
Cylinder Protector for IC core cylind. SPSL (incl. 2 keys)	SPSL-CP-IC	832.00
Cylinder Protector for non-IC cylind. SPSL (incl. 2 keys)	SPSL-CP-NIC	832.00
Extra magnetic key for SPSL-CP	SPSL-CP-K	33.00

How To Order - Electrified Mortise Safety Levers

SP	SE			ML		R	N	L	630	RH
Series	Electric Release Trim(s)			Chassis	Interior Trim Blank	Function Group			Finish	Hand
	Designation	Exterior	Interior			RQE	DPS	LPS		
SP- Secure Patient Safety	SE	Electric Release Trim (Fail Secure)	Mechanical	ML- Mortise	'leave empty' - if interior trim required (standard) X** - No trim on the interior, just a blank plate (SPSE or SPSF only)	R* - Request to Exit N- Place-holder if RQE not selected	D* - Door Position N- Place-holder if DPS not selected	L* - Latch Position N- Place-holder if LPS not selected	630- Satin Stainless Steel	RH LH RHR LHR
	SF	Electric Release Trim (Fail Safe)	Mechanical							
	S3	Electric Release Trim (Fail Secure)	Electric Release Trim (Fail Secure)							
	S4	Electric Release Trim (Fail Safe)	Electric Release Trim (Fail Safe)							

*Indicates extra cost option.

**Option only available for SPSE and SPSF trims. Security hardware comes standard.

FUNCTION DESCRIPTION	FUNCTION CODE	PRICE*
SPSE - Exterior Release Trim (Fail Secure)	NNN†	2,497.00
SPSF - Exterior Release Trim (Fail Safe)	NNN†	2,608.00
SPS3 - Exterior/Interior Release Trim (Fail Secure)	NNN†	2,560.00
SPS4 - Exterior/Interior Release Trim (Fail Safe)	NNN†	2,608.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Function Code (RQE)	R	54.00
Function Code (DPS)	D	80.00
Function Code (LPS)	L	54.00

†Indicates extra cost options for RQE, DPS or LPS functions.

*Standard offering is less cylinder and less core.



SSRL – Secure Seclusion Room/Time Out Room Locks

PRODUCT DESCRIPTION	PRODUCT NUMBER	PRICE
3-Point constant supervision	SSRLS-3	2,014.00
3-Point unsupervised	SSRLU-3	2,152.00
Alum. angled strike kit for 3 point outswing doors	SSRL-SK3	501.00
Single point constant supervision	SSRLS-1	1,189.00
Single point constant supervision, includes strike kit for outswing doors	SSRLS-1-SK1	1,241.00
Single point unsupervised	SSRLU-1	1,326.00
Single point unsupervised, includes strike kit for outswing doors	SSRLU-1-SK1	1,379.00
Strike kit for single point outswing doors	SSRL-SK1	54.00
3-Point constant supervision w/ digital counter	SSRLS-3-C	2,208.00
3-Point unsupervised w/ digital counter	SSRLU-3-C	2,345.00



SEDA – Secure Emergency Door Alarm

PRODUCT DESCRIPTION	PRODUCT NUMBER	PRICE
Sensor – 36" to 42" wide door	SEDA-DSA-P1	881.00
Sensor – 42" to 48" wide door	SEDA-DSA-P2	949.00
12 Door controller/power supply	SEDA-CPS-1A52-12	2,740.00
24 Door controller/power supply	SEDA-CPS-1A52-24	4,814.00
36 Door controller/power supply	SEDA-CPS-1A52-36	6,886.00
48 Door controller/power supply	SEDA-CPS-1A52-48	9,654.00
Second console output	SEDA-CPS-MOD-CONS-2	319.00
12 Door LED console	SEDA-DCRS-12	1,744.00
24 Door LED console	SEDA-DCRS-24	2,905.00
36 Door LED console	SEDA-DCRS-36	4,067.00
48 Door LED console	SEDA-DCRS-48	7,454.00
12 Door LED Wall Console	SEDA-WCRS-12	2,489.00
24 Door LED Wall Console	SEDA-WCRS-24	3,817.00
36 Door LED Wall Console	SEDA-WCRS-36	5,343.00
Wall mounted keyswitch	SEDA-KS101	319.00
Strobe light ceiling mount	SEDA-SL1	151.00
Strobe light ceiling mount w/ steel mounting plate	SEDA-SL2	185.00
Full surface angled alum. hinge modified for new or existing hinges	SEDA-ECHF5-MH-AL-4	1,032.00
Splice box for room w/ multiple doors	SEDA-SPLB-1	185.00



T Series Tubular Deadbolts

Federal Spec. 180, 181

NOTE: 8T=ANSI/BHMA Grade 1 • 7T=ANSI/BHMA Grade 2

How To Order

8T/7T	3	7	K	STK	606	
Series	Backset	Core Housing	Function Code	Strike	Finish	Options
8T 7T	2 – 2-3/8" 3 – 2-3/4"	7 – 7-pin housing; accepts all BEST cores	See below	STK – Std deadbolt S1 – ANSI deadbolt S4 – Lip deadbolt S5* – High security deadbolt (only available in 630 finish)	626 690 626AM* Satin* 606 612 613 619 Bright* 605 611 625 (8T only) 7T 626 612	CS* – Concealed screws D5 – Drive-in bolt (8T only) LL* – Lead lined (8T only) NF – Narrow face 1" on 8T3 (std. on 8T2) WF – Wide face 1-1/8" on 8T2 (std. on 8T3) SH* – Security head screws (8T only) Thick Door* – specify thickness (8T only) Thin Door* – specify thickness (8T only)

*Indicates extra cost option; see below.

DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
8T DEADBOLTS					
Single-keyed—turnknob	K	292.00	292.00	280.00	210.00
Single-keyed—no turnknob	L	292.00	292.00	280.00	210.00
Non-keyed—turnknob	KL	N/A	N/A	N/A	174.00
Double-keyed—CS-standard	M	440.00	440.00	416.00	276.00
Single-keyed—classroom	S	292.00	292.00	280.00	210.00
7T DEADBOLTS					
Single-keyed—turnknob	K	213.00	213.00	201.00	131.00
Single-keyed—no turnknob	L	213.00	213.00	201.00	131.00
Double-keyed	M	349.00	349.00	325.00	185.00

* Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for Best Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, etc.	25.00
Bright finishes (per lock) (8T only)	605, 611, 625, etc.	25.00
UltraShield antimicrobial finish (8T only)	626AM, 630AM	38.00
Concealed screws (8T only)	CS	44.00
Lead lined (8T only)	LL	162.00
High security strikes	S5	35.00
Security head screws (8T only)	SH	22.00
Thick door (8T only)	Specify thickness	37.00
Thin door (8T; M function only)	Specify thickness	37.00

PART DESCRIPTION	PART NUMBER	PART PRICE
2-3/8" Deadbolt tube	8TD2B	49.00
2-3/4" Deadbolt tube	8TD3B	49.00
2-3/8" Drive-in bolt	8TD25	49.00
2-3/4" Drive-in bolt	8TD35	49.00
Std. deadbolt strike pkg.	8TSSTK	8.60
ANSI deadbolt strike pkg.	8TS1	27.00
Deadbolt lip strike pkg.	8TS4	8.60
High security strike pkg. / deadbolt	8TS5*	50.00

* 8TS5 only available in 630 finish

ATTENTION: Lockets that secure both sides of the door (e.g., L and M functions) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.



9KX SHELTER Cylindrical Locks

Federal Spec. 160

How To Order

ANSI Series 4000

9KX	3	7	R	14	D	STK	626		
Series	Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options	
9KX	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0 – Non-IC and LFIC competitive cylinder (less core)† 6 – 6-pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	R	14 – Curved with return 15 – Contour angle with return 16 – Curved without return	D – 3-1/2" convex	STK – Standard S3 – ANSI S3 7/8** STK 7/8*** LS – Less strike S3B* - ANSI (Strike w/ Plastic Box) S3B 7/8* - ANSI (Strike w/ Plastic Box)	626 690 622 626AM* Satin* 606 612 613 619 Bright* 605 611 625 618	3/4* – 3/4" throw latch AL/B* – Abrasive lever both sides AL/O* – Abrasive lever outside AL/I* – Abrasive lever inside TL/B* – Tactile lever both sides TL/O* – Tactile lever outside TL/I* – Tactile lever inside ATB - 2-3/4" Through bolt Prep ATB2 - 2-5/8" Through bolt prep FRL* – Full radius latch LM – Lost motion Thin Door* – 1-3/8"	OB* – non-IC zero bitted KA* – non-IC keyed alike KD* – non-IC keyed different COR* – non-IC Corbin-Russwin MED* – non-IC Medeco SAR* – non-IC Sargent SCH* – non-IC Schlage YAL* – non-IC Yale SARRC - LFIC Sargent CORRC - LFIC Corbin YALRC - LFIC Yale SCHRC - LFIC Schlage WS – Windstorm Label (NOA Miami-Dade County)
*Indicates extra cost. Must specify keymark and number of keys. **S3 7/8 is the ANSI flat lip strike ***STK 7/8 is the standard flat lip strike						Choose only one option: OB, KA, KD-use with core housing option 6 COR, MED, SAR, SCH, YAL, SCHRC-use with core housing option 0			

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE	NON-IC CYLINDER OB, KA, KD
		PATENTED*	PREMIUM	STANDARD		
Electromechanical:						
9KX Standard Cylindrical Lock	R	817.00	817.00	805.00	735.00	786.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS	OPTION CODE	ADD-ON
Satin finishes (per lock)*	606, 612, 613, etc.	19.00
Bright finishes (per lock)*	605, 625, 629, etc.	43.00
UltraShield antimicrobial finish*	626AM	60.00
Thin door 1-3/8"	1-3/8"	151.00
3/4" throw latch*	3/4	31.00
Special backsets*	94K / 95K	21.00
Abrasive lever both sides*	AL/B	43.00
Abrasive lever outside*	AL/O	22.00
Abrasive lever inside*	AL/I	22.00
Tactile lever both sides*	TL/B	84.00
Tactile lever outside*	TL/O	43.00
Tactile lever inside*	TL/I	43.00
7/8" Lip-to-center strike*	S3 7/8 or STK 7/8	22.00
Strike with plastic box*	S3B or S3B 7/8	2.20
Full radius latch*	FRL	21.00
Non-IC Corbin-Russwin (single keyed)**	COR	6.60
Non-IC Corbin-Russwin (double keyed)**	COR	15.00
Non-IC Medeco (single keyed)**	MED	6.60
Non-IC Medeco (double keyed)**	MED	15.00
Non-IC Sargent (single keyed)**	SAR	6.60
Non-IC Sargent (double keyed)**	SAR	15.00
Non-IC Schlage (single keyed)**	SCH	6.60
Non-IC Schlage (double keyed)**	SCH	15.00
Non-IC Yale (single keyed)**	YAL	6.60
Non-IC Yale (double keyed)**	YAL	15.00

PART DESCRIPTION	PART NUMBER	PART PRICE
2-3/4" deadlocking latch	8KL3	79.00
3-3/4" deadlocking latch	8KL4	100.00
5" deadlocking latch	8KL5	100.00
Standard strike package	8KS2	7.80
ANSI strike package	8KS3	24.00
Throw member 7-pin	B54200	1.80
SHELTER FOB	SHX-FOB	158.00
SHELTER Gateway	SHX-GTW	3098.00
SHELTER Repeater	SHX-RPT	788.00
SHELTER Repeater Pole Mount	SHX-PLE	158.00
SHELTER Gateway Power Pigtail Plug	SHX-PTL	27.00
SHELTER Omni-directional Gateway antenna with 20' plenum rated, low-loss, 20' cable	SHX-OMNI	1260.00
SHELTER Cloud Software License	SHX-SCS	800.00

*Choose only one option: OB, KA, KD-use with core housing option 6. COR, MED, SAR, SCH, YAL, SCHRC-use with core housing option 0

** These options do not come with a cylinder. The lock is just prepped for cylinders of these other manufacturers and comes with a throw member for that manufacturer's cylinder.



W Series Electric Switch Locks

How To Order

1W	7	B1	626	SWR
Series	Core Housing	Function code	Finish	Optional Box**
1W	7 – 7-pin housing; accepts all BEST cores	See below	626 690 Satin* 606 612 613 619 Bright* 605 611 625	See below

*Indicates extra cost option; see below.

**Not all boxes are compatible with all switch locks. See the catalog for details.

FUNCTION DESCRIPTION	SWITCH TYPE	KEY POSITION 2***	KEY POSITION 3***	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE
					PATENTED*	PREMIUM	STANDARD	
Maintained Switch Locks								
Low voltage	SPDT	3 o'clock	N/A	A1	265.00	265.00	253.00	183.00
Single switch	SPDT	2 o'clock	N/A	B1	237.00	237.00	225.00	155.00
Single switch	SPDT	12 o'clock	N/A	B2	237.00	237.00	225.00	155.00
Single switch	SPST	5 o'clock	12 o'clock	C2**	318.00	318.00	306.00	236.00
Toggle switch	DPST	2 o'clock	N/A	D2	292.00	292.00	280.00	210.00
Toggle switch	TPDT	3 o'clock	9 o'clock	E2	296.00	296.00	284.00	214.00
Toggle switch	SPDT	2 o'clock	12 o'clock	L2	324.00	324.00	312.00	242.00
Dual switch	2 SPDT	3 o'clock	N/A	J1	312.00	312.00	300.00	230.00
Dual switch	2 SPDT	12 o'clock	N/A	J2	350.00	350.00	338.00	268.00
Momentary Switch Locks								
Single switch	SPDT	2 o'clock	12 o'clock	B3	265.00	265.00	253.00	183.00
Dual switch	2 SPDT	2 o'clock	12 o'clock	J3	312.00	312.00	300.00	230.00
Toggle switch	DPDT	2 o'clock	10 o'clock	K4	312.00	312.00	300.00	230.00
Dual switch	2 SPDT	2 o'clock	10 o'clock	P4	292.00	292.00	280.00	210.00
Quad switch	4 SPDT	2 o'clock	10 o'clock	R4	306.00	306.00	294.00	224.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

**Supplied with OC1 box only (included in price).

***Key position 1 for all switch locks is 12 o'clock except for the C2 function which is at 7 o'clock and the L2 function which is at 10 o'clock position.
For all switch locks, the key is removable in the 12 o'clock position only.

EXTRA COST OPTIONS*/OPTIONAL BOXES		
DESCRIPTION	CODE	PRICE
Satin finishes	606, 612, 613 etc.	4.70
Bright finishes	605, 611, 625 etc.	6.20
Interior box	INT	55.00
Standard octagon center mount	OC1	54.00
Deep octagon offset mount	OC2	91.00
Standard weather resistant box	SWR	290.00

PARTS		
FUNCTION CODE	REPLACEMENT SWITCH #	PRICE
A1	S4A	47.00
B1, B2, B3, J1, J2, J3, P4, & R4	S4B	18.00
C2	S4C	83.00
D2	S4D	30.00
E2	S4E	73.00
K4	S4K	73.00
L2	S4L	62.00



45HW Series Electromechanical Mortise Locks

How To Order

45HW	7	DEL	14	H	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HW	0** – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	Electrically-locked:*** DEL LEL NXEL TDEL TWEL WEL Electrically-un-locked:*** DEU LEU NXEU TDEU TWEU WEU	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative**** 50-91	H – 2-3/4" dia. R – 2-3/4" dia. S – 3-1/2" dia. J* – Wrought M* – Forged N* – Forged (concealed cylinder; N trim invalid on non-keyed and double keyed functions)	626 630 690 622 626AM* 630AM* Satin* 606 612 613 619 Bright* 605 611 625 629	RH RHR LH LHR	C† - Pre-Terminated Quick Connect Plug DS* – Door status monitor IDH* – Integrated Door Hardware LL* – Lead lined LS* – Latch status monitor RQE* – Request to exit Thick door* – Specify thickness 7/8"* – Flat lip strike VT* – Vandal Trim 12V – 12V Solenoid (24V is standard) TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both VIN* – Visual Indicator SH* – Security Head Screws

* Indicates extra cost; see below.

†See Stanley Hinges & Door Accessories price book for Wire Harness product

** Indicates cost deduction; see below.

*** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

**** Decorative levers are considered special order items that may have extended lead times. Consult factory for lead times.

Available decorative levers: 50-53, 55, 60, 62-63, 65, 69, 75, 79-81, and 89.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
45HW Electro-mechanical:					
45HW Single key, latch, fail secure	DEU	1593.00	1593.00	1581.00	1511.00
45HW Single key, latch, fail safe	DEL	1593.00	1593.00	1581.00	1511.00
45HW Double key, latch, fail secure	WEU	1736.00	1736.00	1712.00	1572.00
45HW Double key, latch, fail safe	WEL	1736.00	1736.00	1712.00	1572.00
45HW Keyless, latch, fail secure	NXEU	N/A	N/A	N/A	1450.00
45HW Keyless, latch, fail safe	NXEL	N/A	N/A	N/A	1450.00
45HW Single key, deadbolt, fail secure	TDEU	1624.00	1624.00	1612.00	1542.00
45HW Single key, deadbolt, fail safe	TDEL	1624.00	1624.00	1612.00	1542.00
45HW Double key, deadbolt, fail secure	TWEU	1767.00	1767.00	1743.00	1603.00
45HW Double key, deadbolt, fail safe	TWEL	1767.00	1767.00	1743.00	1603.00
45HW Keyless, deadbolt, fail secure	LEU	N/A	N/A	N/A	1481.00
45HW Keyless, deadbolt, fail safe	LEL	N/A	N/A	N/A	1481.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, 619 etc.	31.00
Bright finishes (per lock)	605, 611, 625, etc.	59.00
UltraShield antimicrobial finish	626AM, 630AM	61.00
Wrought trim	J	12.00
Thick door	Specify thickness	85.00
Lead lined	LL	233.00
Forged trim	M, N	94.00
7/8" Lip-to-center strike	7/8 LTC	22.00
12, 17 Lever Design	12, 17	66.00
Vandal trim - 630 finish***	VT	149.00
Vandal trim - other finishes***	VT	114.00
Visual Indicator	VIN	44.00

**Not available on #17 levers.

***Available only with #14 and #15 levers. Only #14 lever complies with California State Fire Marshall Code.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Request to exit	RQE	43.00
Integrated door hardware	IDH	123.00
Latch status monitor	LS	90.00
Door status monitor	DS	123.00
Tactile both levers/knobs**	TAC/B	120.00
Tactile outside lever/knob**	TAC/O	61.00
Tactile inside lever/knob**	TAC/I	61.00
Decorative Lever Design	50 to 91	211.00
Security Head Screws	SH	22.00

**COST DEDUCTIONS	OPTION CODE	DEDUCT
Less cylinder option (Deduct from complete price)	0	61.00



47HW Series High Security Electromechanical Mortise Locks

How To Order

47HW	7	DEL	14	H	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
47HW	7 – 7-pin housing; accepts all BEST cores	Electrically-locked:*** DEL TDEL TWEL WEL Electrically-un-locked:*** DEU TDEU TWEU WEU	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative**** 50-91	M – forged H***** – 2-3/4" dia. R***** – 2-3/4" dia. S***** – 3-1/2" dia	626 630 626AM* 630AM*	RH RHR LH LHR	C' – Pre-Terminated Quick Connect Plug DS* – Door status monitor IDH* – Integrated Door Hardware LS* – Latch status monitor RQE* – Request to exit Thick door* – (Specify thickness) 7/8"* – Flat lip strike VT* – Vandal Trim 12V – 12V Solenoid (24V is standard) K – Non-UL Cylinder TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both LL* – Lead Lined

* Indicates extra cost; see below.

*See Stanley Hinges & Door Accessories price book for Wire Harness product

** Indicates cost deduction; see below.

*** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

**** Decorative levers are considered special order items that may have extended lead times. Consult factory for lead times. Available decorative levers: 50-53, 55, 60, 62-63, 65, 69, 75, 79-81, and 89.

***** To maintain the UL437 standard for high security locks, order only M trim. Using H, R or S trim does not meet the UL437 standard.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
47HW Electro-mechanical:					
47HW Single key, latch, fail secure	DEU	1622.00	N/A	1615.00	NOTE: 47HW Series must be keyed at the factory unless the K Option is ordered
47HW Single key, latch, fail safe	DEL	1622.00	N/A	1615.00	
47HW Double key, latch, fail secure	WEU	1853.00	N/A	1839.00	
47HW Double key, latch, fail safe	WEL	1853.00	N/A	1839.00	
47HW Single key, deadbolt, fail secure	TDEU	1653.00	N/A	1646.00	
47HW Single key, deadbolt, fail safe	TDEL	1653.00	N/A	1646.00	
47HW Double key, deadbolt, fail secure	TWEU	1872.00	N/A	1858.00	
47HW Double key, deadbolt, fail safe	TWEL	1872.00	N/A	1858.00	

*Pricing reflects the 5C high security core for standard and the 5CM high security CORMAX core for patented.

EXTRA COST OPTIONS*		ADD-ON
Thick door	Specify thickness	85.00
7/8" Lip-to-center strike	7/8 LTC	22.00
12, 17 Lever Design	12, 17	66.00
UltraShield antimicrobial finish	626AM, 630AM	61.00
Decorative Lever Design	50-91	211.00
Vandal trim - 630 finish***	VT	149.00
Vandal trim - other finishes***	VT	114.00
Request to exit	RQE	43.00
Integrated door hardware	IDH	123.00
Latch status monitor	LS	90.00
Door status monitor	DS	123.00
Lead Lined	LL	233.00

**Not available on #17 levers.

***Available only with #14 and #15 levers.

Only #14 lever complies with California State Fire Marshall Code.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Tactile both levers/knobs**	TAC/B	120.00
Tactile outside lever/knob**	TAC/O	61.00
Tactile inside lever/knob**	TAC/I	61.00

Security Head Screws provided standard on 47HW

ATTENTION: Locksets that secure both sides of the door (e.g., WEL and WEU) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.



8KW/9KW Series Electromechanical Cylindrical Locks

How To Order

8KW	3	7	DEL	4	C	STK	626	
Series	Backset	Core Housing	Function Code	Knob Style	Rose Style	Strike Package	Finish	Options
8KW	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	7 – 7-pin housing; accepts all BEST cores	DEL** – Electrically locked DEU** – Electrically unlocked	4 – Round 6 – Tulip	C – 3" convex D – 3-1/2" convex K – 3" convex L – 3-1/2" convex	STK – Standard S3 – ANSI	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 625	BRK – Break-away (keyed only) C* – Pre-Terminated Quick Connect Plug LL* – Lead lined SH* – Security head screws 3/4* – 3/4" throw RQE* – Request to Exit Thin Door* – 1-3/8" TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both 12V - Specify 12V System: Standard voltage is 24V

* Indicates extra cost; see below.

** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

†See Stanley Hinges & Door Accessories price book for Wire Harness product

9KW	3	7	DEL	15	C	S3	626	
Series	Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
9KW	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0*** - Non-IC and LFIC competitive cylinder (less core) 6** – 6 pin Non-IC Cylinder 7 – 7-pin Housing; accepts all BEST cores	DEL – Electrically locked**** DEU – Electrically unlocked****	14 – Curved with return 15 – Contour with angle return 16 – Curved with no return	C – 3" convex D – 3-1/3" convex K – 3" convex no ring L – 3-1/2" convex no ring	STK – Standard S3 – ANSI S3 7/8* – 7/8 Lip to Center strike LS – Less Strike S3B* - ANSI (Stike w/ Plastic Box) S3B 7/8* - ANSI (Stike w/ Plastic Box)	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 625	3/4* – 3/4" throw latch ATB - 2-3/4" Through bolt Prep ATB2 - 2-5/8" Through bolt prep C - Pre-Terminated Quick Connect Plug LL* – Lead lined SH* – Security head screws LM – Lost motion RQE* – Request to Exit Thin Door* – 1-3/8" AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both FRL – Full Radius Latch OB** – Non-IC zero-bitted KA** – Non-IC keyed alike KD** – Non-IC keyed different COR*** – Non-IC Corbin-Russwin MED*** – Non-IC Medeco SAR*** – Non-IC Sargent SCH*** – Non-IC Schlage YAL*** – Non-IC Yale SARRC*** - LFIC Sargent CORRC*** - LFIC Corbin YALRC*** - LFIC Yale SCHRC*** - LFIC Schlage (14 & 15 lever only) 12V - Specify 12V System: Standard voltage is 24V

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with OB, KA, and KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, CORRC, YALRC, SARRC, or SCHRC options. Must specify "0" for core housing.

**** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.



8KW/9KW Series Electromechanical Cylindrical Locks (continued)

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATION CORE			LESS CORE	NON-IC CYLINDER 0B, KA, KD
		PATENTED *	PREMIUM	STANDARD		
Electromechanical:						
8KW Elect. locked / unlocked	DEL, DEU	1170.00	1170.00	1158.00	1088.00	N/A
9KW Elect. locked / unlocked	DEL, DEU	1046.00	1046.00	1034.00	964.00	1015.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS *	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, etc.	19.00
Bright finishes (per lock)	605, 611, 625, etc.	43.00
UltraShield antimicrobial finish	626AM	60.00
Thin door 1-3/8"	1-3/8"	80.00
3/4" throw latch	3/4	31.00
Special backsets	84K / 85K / 94K / 95K	21.00
Lead lined	LL	228.00
Security head screws	SH	22.00
Tactile knob both sides	TAC/B	84.00
Tactile knob outside	TAC/O	43.00
Tactile knob inside	TAC/I	43.00
Abrasive lever both sides	AL/B	43.00
Abrasive lever outside	AL/O	22.00
Abrasive lever inside	AL/I	22.00
Tactile lever both sides	TL/B	84.00
Full radius latch	FRL	21.00
Tactile lever outside	TL/O	43.00
Tactile lever inside	TL/I	43.00
7/8" Lip-to-center strike	S3 7/8	22.00
Strike with plastic box	S3B or S3B 7/8	2.20
Request to exit	RQE	166.00

PART DESCRIPTION	PART NUMBER	PRICE
2-3/4" deadlocking latch	8KL3	79.00
3-3/4" deadlocking latch	8KL4	100.00
5" deadlocking latch	8KL5	100.00
Standard strike package	8KS2	7.80
ANSI strike package	8KS3	24.00
Throw member 6-pin / 7-pin	71217417 / B54200	1.80
Breakaway knob driver	B54856	8.60

Electromechanical Lock Accessories

DESCRIPTION	CATALOG NO.	PRICE
Transformer	8W599	163.00
AC to DC converter	8WCON	63.00
Narrow plate (push button)	8WBU-1-N	111.00
Standard plate (push button)	8WBU-1-A	111.00
Universal temperature control module	B87034	179.00



Electric Strikes

DESCRIPTION	CATALOG NO.	PRICE
"3/4" Surface Mount Rim Strike		
3/4" Surface Mount Rim Strike	BES-0162	525.00
Fire-Rated 3/4" Surface Mount Rim Strike	BES-F0162	694.00
3/4" Surface Mount Rim Strike with Latch Monitor	BES-0162LM	594.00
Fire-Rated 3/4" Surface Mount Rim Strike with Latch Monitor	BES-F0162LM	723.00
"1/2" Surface Mount Rim Strike		
1/2" Surface Mount Rim Strike	BES-0563	550.00
1/2" Surface Mount Rim Strike with Latch Monitor	BES-0563LM	634.00
All-In-One-Strike		
Fire-Rated All-In-One-Strike-Fail-Secure	BES-F2164	634.00
All-In-One-Strike-Fail Safe	BES-2364	634.00
Centerline Strike-4 Series		
Fail Secure 12VAC/VDC	BES-4105U	450.00
Fail Secure 24VAC/VDC	BES-4108U	450.00
Fail Safe 12VDC	BES-4306U	450.00
Fail Safe 24VDC	BES-4309U	450.00
Fire-Rated Centerline Strike-Fail Secure 04 Faceplate 12VAC/VDC	BES-F41045	435.00
Fire-Rated Centerline Strike-Fail Secure 04 Faceplate 24VAC/VDC	BES-F41048	435.00
Fire-Rated Centerline Strike-Fail Secure 14 Faceplate 12VAC/VDC	BES-F41145	435.00
Fire-Rated Centerline Strike-Fail Secure 14 Faceplate 24VAC/VDC	BES-F41148	435.00
Centerline Strike-6 Series		
Standard Profile Universal-Multiple Faceplates	BES-S65U	254.00
Low Profile Universal-Multiple Faceplates	BES-L65U	254.00
Standard Profile Universal-Multiple Faceplates-Latch and Keeper Monitor	BES-S65ULMKM	311.00
Low Profile Universal-Multiple Faceplates-Latch and Keeper Monitor	BES-L65ULMKM	311.00

Electric Strike Accessories

DESCRIPTION	CATALOG NO.	PRICE
"3/4" Surface Mount Rim Strike		
Heat Reducer for Continuous Duty	BES-ICEPK	99.00
Strike Marking Template Kit	BES-SMT01	61.00
"Plug-in Latch Monitor Kit (2A @ 24VDC).	BES-F2LM	74.00
Improved Design to Accommodate 1/2" - 3/4" Latch Throw"	BES-LEK01	77.00
1" Lip Extension Kit for Retrofit	BES-LEK02	89.00
2" Lip Extension Kit for Retrofit	BES-LEK03	103.00
3" Lip Extension Kit for Retrofit	BES-LEKL601	68.00
1" Lip Extension Kit for Retrofit (Low Profile)	BES-LEKL602	80.00
2" Lip Extension Kit for Retrofit (Low Profile)	BES-LEKL603	93.00



Electromagnetic Locks

DESCRIPTION	CATALOG NO.	PRICE
Single Mag		
For Outswinging Interior or Perimeter Doors	BML-8310	557.00
For Outswinging Interior or Perimeter Doors with Security Condition Sensor	BML-8310SCS	680.00
For Outswinging Interior or Perimeter Doors with Door Status Sensor	BML-8310DSS	654.00
For Outswinging Interior or Perimeter Doors with Door Status Sensor and	BML-8310DSSSCS	759.00
Double Mag		
For Outswinging Interior or Perimeter Doors	BML-8320	1,114.00
For Outswinging Interior or Perimeter Doors with Security Condition Sensor	BML-8320SCS	1,357.00
For Outswinging Interior or Perimeter Doors with Door Status Sensor	BML-8320DSS	1,304.00
For Outswinging Interior or Perimeter Doors with Door Status Sensor and Security Condition Sensor	BML-8320DSSSCS	1,520.00
Delayed Egress Mag		
For Single Outswinging Interior or Perimeter Doors	BML-DE8310	1,357.00
For Single Outswinging Interior or Perimeter Doors with Sounder	BML-DE8310S	1,561.00
Mortise MiniMag		
For Sliding Doors	BML-8360	464.00
Surface MiniMag		
For Single Outswinging Interior or Perimeter Doors	BML-8371	416.00
For Single Outswinging Interior or Perimeter Doors with Security Condition Sensor	BML-8371SCS	486.00
For Single Outswinging Interior or Perimeter Doors with Door Status Sensor	BML-8371DSS	469.00
For Single Outswinging Interior or Perimeter Doors with Door Status Sensor and Security Condition Sensor	BML-8371DSSSCS	540.00
Surface MiniMag		
For Double Outswinging Interior or Perimeter Doors	BML-8372	830.00
For Double Outswinging Interior or Perimeter Doors with Security Condition Sensor	BML-8372SCS	971.00
For Double Outswinging Interior or Perimeter Doors with Door Status Sensor	BML-8372DSS	937.00
For Double Outswinging Interior or Perimeter Doors with Door Status Sensor and Security Condition Sensor	BML-8372DSSSCS	1,080.00
GateMag		
For Interior or Exterior Perimeter Gates	BML-8380	570.00

Electromagnetic Lock Accessories

DESCRIPTION	CATALOG NO.	PRICE
8310 Z Bracket Kit	BML-TJ10	170.00
8320 Z Bracket Bit	BML-TJ20	340.00
8371 Z Bracket Bit	BML-TJ71	170.00
8372 Z Bracket Kit	BML-TJ72	340.00
8380 Z Bracket Kit	BML-TJ80	137.00
1/2" (13mm) 32 8310 Glass Door Bracket	BML-GB8112	195.00
3/4" (19mm) 32 8310 Glass Door Bracket	BML-GB8134	195.00
1/2" (13mm) 32 8320 Glass Door Bracket	BML-GB8212	388.00
3/4" (19mm) 32 8320 Glass Door Bracket	BML-GB8234	381.00
1/2" (13mm) 32 8371 Glass Door Bracket	BML-GB7112	195.00
3/4" (19mm) 32 8371 Glass Door Bracket	BML-GB7134	195.00



Electromagnetic Lock Accessories (continued)

DESCRIPTION	CATALOG NO.	PRICE
1/2" (13mm) 32 8372 Glass Door Bracket	BML-GB7212	388.00
3/4" (19mm) 32 8372 Glass Door Bracket	BML-GB7234	388.00
3/8" (9.5mm) Steel Split Armature Plate for 8310	BML-SA138	91.00
5/8" (16mm) Steel Split Armature Plate for 8310	BML-SA158	91.00
Armature Plate Holder for 8310	BML-AH10	96.00
Armature Plate Holder for 8310xDSS	BML-AH15	38.00
Armature Plate Holder for 8320	BML-AH20	190.00
Armature Plate Holder for 8320xDSS	BML-AH25	74.00
Armature Plate Holder for 8371	BML-AH71	96.00
Armature Plate Holder for 8372	BML-AH72	190.00

Electronic Lock Software & Accessories

For Wi-Q Technology Wireless software, accessories and locks, see pages 89-94

DESCRIPTION	PART NUMBER	PRICE
Readers		
Magnetic card access reader – 12VDC, track 2, weatherized (no keypad), black (MR-5)	360120WBK	537.00
Dual validation (magnetic stripe & keypad) reader – 12VDC, track 2, weatherized, black case (MR-20), with tamper contact	310120WBKOT	1029.00
Cards		
MAGNETIC STRIPE CARDS Non-Encoded:		
PVC (box of 500)	VPA-PVC	2,200.00
Electronic Lock Accessories (Continued)		
REPLACEMENT PARTS:		
Shrink wrap battery pack & foam*	VPD-BATT	23.00
Replacement battery pack	VPD-BB	39.00
4 Cell Battery holder for new style 2 piece I/S escutcheon offline products	C83511	46.00
8 Cell Battery holder for new style 2 piece I/S escutcheon offline products	C83522	80.00
Extended life battery door cover	B62129	30.00
SERVICE EQUIPMENT:		
Offline lock programming cable	BASDCAB	198.00
Magnetic Card Encoder	MSR20633BA	3820.00
Transport Programming Device	SES-NetBook	2237.00
Transport Memory Drive	SES-MEM	88.00
Transport USB to Serial Adapter	SES-USB	108.00
Transport connector/adaptor (no cable, used to connect SES-USB to BASDCAB)	SES-DB9CON	25.00
Transport cable adapter (6' Cable adapter)	SES-DB9CAB	46.00
Power supply – 12 or 24 VDC, 2.5A output, 120 VAC input, UL	AL300ULX	645.00
Backup battery for power supply, 12 VDC, 12 AH	NP12A12V	207.00
Standard driver bit	VPD-T15	30.00
McGard driver bit	VPD-HS-DRVR	38.00
McGard battery door screw (specify finish)	VPD-HS-SCRW	38.00
Cleaning cards (box of 50)	VPDCLN	188.00

Offline G	Offline V	Keypad EZ	IDH MAX
G	BV	Z	M
X	X		X
X	X	X	
X	X	X	
X	X	X	
X	X	X	
X	X		
X	X		X
X	X		
X	X		
X	X		
X	X	X	X
X	X	X	X
X	X	X	X
X	X		X

*VPD-BATT used with legacy V Series locks only



45HZ Keypad EZ Mortise Locks

How To Order

45HZ	7	TV	15	KP	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HZ	0** – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	DV – Latch with key TV – Deadbolt with key NV – Latch without key LV – Deadbolt without key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing 4 – Round Knob Decorative* 50-91	KP – Keypad	626 690 626AM* – Antimicrobial Satin* 606 612 613 619 622 Bright* 605 611 618 625	RH RHRB LH LHRB	8CE* – 8-cell battery holder assy with batteries 4SW – 4-cell shrink wrap battery P2*** – Phillips head screws Thick Door* – Specify thickness 7/8** – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both WS – Windstorm Label (NOA Miami-Dade County)

* Indicates extra cost; see below.

** Indicates cost deduction.

*** T15 Torx security screws are supplied standard.

DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE
		PATENTED *	PREMIUM	STANDARD	
KEYPAD EZ MORTISE LOCKS:					
45HZ - Single Keyed Latch	DV	1391.00	1391.00	1379.00	1309.00
45HZ - Single Keyed Deadbolt	TV	1420.00	1420.00	1408.00	1338.00
45HZ - Non-keyed Latch	NV	N/A	N/A	N/A	1248.00
45HZ - Non-keyed Deadbolt	LV	N/A	N/A	N/A	1277.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, 619 etc.	59.00
Bright finishes (per lock)	605, 611, 625, etc.	115.00
UltraShield antimicrobial finish	626AM	127.00
Thick door	Specify thickness	85.00
Tactile both levers/knobs**	TAC/B	120.00
Tactile outside lever/knob**	TAC/O	61.00
Tactile inside lever/knob**	TAC/I	61.00
7/8" Lip-to-center strike	7/8 LTC	22.00
12, 17 Lever Design	12, 17	66.00
Decorative Lever Design	50-91	211.00
Extended Life Battery	8CE	68.00

** Not available on #17 levers.

**COST DEDUCTIONS	OPTION CODE	DEDUCT
Less cylinder option (Deduct from complete price)	0	61.00



9KZ Keypad EZ Cylindrical Locks

How To Order

9KZ	3	7	DV	15	KP	STK	626	
Series	Backset	Core Housing	Function Code	Lever Style	Trim Style	Strike Package	Finish	Options
9KZ	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0*** – Non-IC and LFIC competitive cylinder (less core) 6** – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV - With Key	14 – Curved with return 15 – Contour angle return 16 – Curved with no return 4 – Round Knob	KP – Keypad	STK - Standard S3 - ANSI S3 - 7/8" Lip to Center Strike S3B* - ANSI (Strike w/ Plastic Box) S3B 7/8* - ANSI (Strike w/ Plastic Box)	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 618 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws LM – Lost motion 3/4* – 3/4" throw latch FRL – Full Radius Latch OB* – non-IC zero-bitted KA* – non-IC keyed alike KD* – non-IC keyed different COR*** – Non IC Corbin-Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SARRC*** – LFIC Sargent CORRC*** – LFIC Corbin YALRC*** – LFIC Yale SCHRC*** – LFIC Schlage AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both WS – Windstorm Label (NOA Miami-Dade County)

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with OB, KA, and KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, CORRC, YALRC, SARRC, or SCHRC options. Must specify "0" for core housing.

**** T15 Torx security screws are supplied standard.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE	NON-IC CYLINDER OB, KA, KD
		PATENTED*	PREMIUM	STANDARD		
KEYPAD EZ CYLINDRICAL LOCK:						
9KZ - Single keyed lock	DV	1193.00	1193.00	1181.00	1111.00	1162.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, etc.	59.00
Bright finishes (per lock)	605, 625, 629, etc.	115.00
UltraShield antimicrobial finish	626AM	127.00
3/4" throw latch	3/4	31.00
Special backsets	94KZ / 95KZ	21.00
Abrasive lever both sides	AL/B	43.00
Abrasive lever outside	AL/O	22.00
Abrasive lever inside	AL/I	22.00
Tactile lever both sides	TL/B	84.00
Tactile lever outside	TL/O	43.00
Tactile lever inside	TL/I	43.00
7/8" Lip-to-center strike	S3 7/8	22.00
Strike with plastic box	S3B or S3B 7/8	2.20
Extended Life Battery	8CE	68.00
Full radius latch	FRL	21.00

PART DESCRIPTION	PART NUMBER	PRICE
2-3/4" deadlocking latch	8KL3	79.00
3-3/4" deadlocking latch	8KL4	100.00
5" deadlocking latch	8KL5	100.00
Standard strike package	8KS2	7.80
ANSI strike package	8KS3	24.00
Throw member 6-pin / 7-pin	71217417 / B54200	1.80



EXZ Keypad EZ Exit Trim

How To Order

EXZ	7	EV	15	KP	626	RHR	PH2	RM	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Manf.	Locking Type	Options
EXZ	0 – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	KP - Key Pad	626 690 626AM* Satin* 606 613	RHR LHR	VD9** – Von Duprin 98/99 series PH2 – Precision Hardware 2000 series SA8 – Sargent 8000 Series***	RM – Rim MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws

*Indicates extra cost option; see below.

**The EV function (key override) is not available on the Von Duprin Mortise type.

***SA8 Only available with Rim Type device. SA8 does not work with EV function (Key Override).

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
KEYPAD EZ EXIT TRIM LOCKS:					
EXZ - Exit Trim - single keyed	EV	1819.00	1819.00	1807.00	1737.00
EXZ - Exit Trim - non keyed	NV	N/A	N/A	N/A	1676.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 613, etc.	59.00
UltraShield antimicrobial finish	626AM	127.00
Security head screws	SH	22.00



45HG Offline G Series Mortise Locks

How To Order

45HG	7	TV	14	MS	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HG	0** – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	DV – Latch w/key TV – Deadbolt w/key LV – Deadbolt w/o key NV – Latch w/o key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50-91	MS**** – Magnetic stripe DV**** – Dual validation (magstripe and keypad) DVA**** – Other cylinder MSA**** – Other cylinder	626 690 626AM* Satin* 606 612 613 619 Bright* 605 611 625	RH RHR LH LHR	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2*** – Phillips head screws KOS* – Key override sensor Thick Door* – Specify thickness 7/8** – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both TRK1**** – Track 1 TRK2**** – Track 2 TRK3**** – Track 3 WS – Windstorm Label (NOA Miami-Dade County)

*Indicates extra cost option.

**Indicates cost deduction.

***T15 Torx security screws are supplied standard.

****Must specify track number.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
MAGNETIC STRIPE READER:					
45HG - Single Keyed Latch	DV	1609.00	1609.00	1597.00	1527.00
45HG - Single Keyed Deadbolt	TV	1639.00	1639.00	1627.00	1557.00
45HG - Non-keyed Latch	NV	N/A	N/A	N/A	1466.00
45HG - Non-keyed Deadbolt	LV	N/A	N/A	N/A	1496.00
MAG STRIPE/KEYPAD DUAL VALIDATION READER:					
45HG - Single Keyed Latch	DV	1806.00	1806.00	1794.00	1724.00
45HG - Single Keyed Deadbolt	TV	1841.00	1841.00	1829.00	1759.00
45HG - Non-keyed Latch	NV	N/A	N/A	N/A	1663.00
45HG - Non-keyed Deadbolt	LV	N/A	N/A	N/A	1698.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, 619 etc.	59.00
Bright finishes (per lock)	605, 611, 625, etc.	115.00
UltraShield antimicrobial finish	626AM	127.00
Thick door	Specify thickness	85.00
Tactile both levers/knobs**	TAC/B	120.00
Tactile outside lever/knob**	TAC/O	61.00
Tactile inside lever/knob**	TAC/I	61.00
7/8" Lip-to-center strike	7/8 LTC	22.00
12, 17 Lever Design	12, 17	66.00
Decorative Lever Design	50-91	211.00
Extended Life Battery	8CE	68.00
Key Override Sensor	KOS	36.00

**Not available on #17 levers.

**COST DEDUCTIONS	OPTION CODE	DEDUCT
Less cylinder option (Deduct from complete price)	0	61 .00



9KG Offline G Series Cylindrical Locks

How To Order

9KG	3	7	DV	14	MS	STK	626	
Series	Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
9KG	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0*** – Non-IC and LFIC competitive cylinder (less core) 6** – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV – with key	4 – Round knob 14 – Curved with return 15 – Contour with angle return 16 – Curved without return	MS***** – Magnetic stripe DV***** – Dual validation (magstripe and keypad)	STK - Standard S3 - ANSI S3 - 7/8" Lip to Center Strike S3B* - ANSI (Strike w/ Plastic Box) S3B 7/8* - ANSI (Strike w/ Plastic Box)	626 690 626AM* Satin* 606 612 Bright* 605 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws FM – Free Motion 3/4* – 3/4" throw latch 0B** – non-IC zero-bitted KA** – non-IC keyed alike KD** – non-IC keyed different COR*** – Non IC Corbin-Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SARRC*** – LFIC Sargent CORRC*** – LFIC Corbin YALRC*** – LFIC Yale SCHRC*** – LFIC Schlage AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both FRL – Full Radius Latch TRK1***** – Track 1 TRK2***** – Track 2 TRK3***** – Track 3 WS – Windstorm Label (NOA Miami-Dade County)
* Indicates extra cost option. ** Six-pin cylinder in Schlage "C" keyway included with 0B, KA, KD options. Must specify "6" for core housing. *** Cylinder not included with COR, MED, SAR, SCH, YAL, CORRC, YALRC, SARRC, or SCHRC options. Must specify "0" for core housing. **** T15 Torx security screws are supplied standard. ***** Must specify track number.								

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE	NON-IC CYLINDER 0B, KA, KD
		PATENTED*	PREMIUM	STANDARD		
MAGNETIC STRIPE READER:						
9KG - Single keyed lock	DV	1466.00	1466.00	1454.00	1384.00	1435.00
MAG STRIPE/KEYPAD DUAL VALIDATION READER:						
9KG - Single keyed lock	DV	1674.00	1674.00	1662.00	1592.00	1643.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, etc.	59.00
Bright finishes (per lock)	605, 625, 629, etc.	115.00
UltraShield antimicrobial finish	626AM	127.00
3/4" throw latch	3/4	31.00
Special backsets	94KG / 95KG	21.00
Abrasive lever both sides	AL/B	43.00
Abrasive lever outside	AL/O	22.00
Abrasive lever inside	AL/I	22.00
Tactile lever both sides	TL/B	84.00
Tactile lever outside	TL/O	43.00
Tactile lever inside	TL/I	43.00
7/8" Lip-to-center strike	S3 7/8	22.00
Strike with plastic box	S3B or S3B 7/8	2.20
Extended Life Battery	8CE	68.00
Full radius latch	FRL	21.00

* Patented pricing shown is for CORMAX patented keying system.
Add \$20.00 for BEST Preferred patented keying.

PART DESCRIPTION	PART NUMBER	PART PRICE
2-3/4" deadlocking latch	8KL3	79.00
3-3/4" deadlocking latch	8KL4	100.00
5" deadlocking latch	8KL5	100.00
Standard strike package	8KS2	7.80
ANSI strike package	8KS3	24.00
Throw member 7-pin	B54200	1.80



EXG Offline G Series Exit Trim

How To Order

EXG	7	EV	15	MS	626	RHR	PH2	RM	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Manf.	Locking Type	Options
EXG	0 – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	MS**** – Magnetic stripe DV**** – Dual validation (magstripe and keypad)	626 690 626AM* Satin* 606 613	RHR LHR	VD9** – Von Duprin 98/99 series PH2 – Precision Hardware 2000 series SA8 – Sargent 8000 Series***	RM – Rim*** MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws TRK1**** – Track 1 TRK2**** – Track 2 TRK3**** – Track 3

*Indicates extra cost option; see below.

**The EV function (key override) is not available on the Von Duprin Mortise type.

***SA8 Only available with Rim Type device. SA8 does not work with EV function (Key Override).

****Must specify track number.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH CORE			LESS CORE LIST PRICE
		PATENTED*	PREMIUM	STANDARD	
MAGNETIC STRIPE READER:					
EXG - Exit Trim - single keyed	EV	1961.00	1961.00	1949.00	1879.00
EXG - Exit Trim - non keyed	NV	N/A	N/A	N/A	1818.00
MAG STRIPE/KEYPAD DUAL VALIDATION READER:					
EXG - Exit Trim - single keyed	EV	2168.00	2168.00	2156.00	2086.00
EXG - Exit Trim - non keyed	NV	N/A	N/A	N/A	2025.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 613, etc.	59.00
UltraShield antimicrobial finish	626AM	127.00
Security head screws	SH	22.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.



45HBV Offline V Series Mortise Locks

How To Order

45HBV	7	TV	14	MS	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HBV	0** – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	DV – Latch w/key TV – Deadbolt w/key LV – Deadbolt w/o key NV – Latch w/o key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50-91	MS**** – Magnetic stripe DV**** – Dual validation (magstripe and keypad) PH – Proximity HID® PKP – Proximity + Keypad SE – HID® iClass® Smart Card DVA**** – Dual Validation Adaptation MSA**** – Magstripe Adaptation PHA – Prox HID® Adaptation PKPA – Proximity + Keypad Adaptation SEA – HID® iClass® Smart Card Adaptation	626 630 690 626AM* 630AM* Satin* 606 612 613 619 Bright* 605 611 625 629	RH RHR LH LHR	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2*** – Phillips head screws KOS* – Key override sensor Thick Door* – Specify thickness 7/8"* – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both TRK1**** – Track 1 TRK2**** – Track 2 TRK3**** – Track 3 MWIE – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand WS – Windstorm Label (NOA Miami-Dade County)

*Indicates extra cost option.

**Indicates cost deduction.

***T15 Torx security screws are supplied standard.

****Must specify track number.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
MAGNETIC STRIPE READER:					
45HBV - Single Keyed Latch	DV	1859.00	1859.00	1847.00	1777.00
45HBV - Single Keyed Deadbolt	TV	1877.00	1877.00	1865.00	1795.00
45HBV - Non-keyed Latch	NV	N/A	N/A	N/A	1716.00
45HBV - Non-keyed Deadbolt	LV	N/A	N/A	N/A	1734.00
MAG STRIPE/KEYPAD DUAL VALIDATION READER:					
45HBV - Single Keyed Latch	DV	2054.00	2054.00	2042.00	1972.00
45HBV - Single Keyed Deadbolt	TV	2056.00	2056.00	2044.00	1974.00
45HBV - Non-keyed Latch	NV	N/A	N/A	N/A	1911.00
45HBV - Non-keyed Deadbolt	LV	N/A	N/A	N/A	1913.00
HID PROXIMITY READER:					
45HBV - Single Keyed Latch	DV	2499.00	2499.00	2487.00	2417.00
45HBV - Single Keyed Deadbolt	TV	2522.00	2522.00	2510.00	2440.00
45HBV - Non-keyed Latch	NV	N/A	N/A	N/A	2356.00
45HBV - Non-keyed Deadbolt	LV	N/A	N/A	N/A	2379.00
PKP – PROXIMITY + KEYPAD READER:					
45HBV - Single Keyed Latch	DV	2309.00	2309.00	2297.00	2227.00
45HBV - Single Keyed Deadbolt	TV	2327.00	2327.00	2315.00	2245.00
45HBV - Non-keyed Latch	NV	N/A	N/A	N/A	2162.00
45HBV - Non-keyed Deadbolt	LV	N/A	N/A	N/A	2180.00
SE – HID® ICLASS® SMART CARD READER:					
45HBV - Single Keyed Latch	DV	2454.00	2454.00	2442.00	2372.00
45HBV - Single Keyed Deadbolt	TV	2456.00	2456.00	2444.00	2374.00
45HBV - Non-keyed Latch	NV	N/A	N/A	N/A	2307.00
45HBV - Non-keyed Deadbolt	LV	N/A	N/A	N/A	2309.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.



45HBV Offline V Series Mortise Locks (continued)

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, 619 etc.	59.00
Bright finishes (per lock)	605, 611, 625, etc.	115.00
UltraShield antimicrobial finish	626AM, 630AM	127.00
Thick door	Specify thickness	85.00
Tactile both levers/knobs**	TAC/B	120.00
Tactile outside lever/knob**	TAC/O	61.00
Tactile inside lever/knob**	TAC/I	61.00
Security head screws	SH	22.00
7/8" Lip-to-center strike	7/8 LTC	22.00
12, 17 Lever Design	12, 17	66.00
Decorative Lever Design	50-91	211.00
Extended Life Battery	8CE	68.00
Key Override Sensor	KOS	36.00

**Not available on #17 levers.

**COST DEDUCTIONS	OPTION CODE	DEDUCT
Less cylinder option (Deduct from complete price)	0	61.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

9KBV Offline V Series Cylindrical Locks

How To Order

9KBV	3	7	DV	14	MS	STK	626	
Series	Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
9KBV	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0*** – Non-IC and LFIC competitive cylinder (less core) 6** – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV – with key	4 – Round knob 14 – Curved with return 15 – Contour with angle return 16 – Curved without return	MS***** – Magnetic stripe DV***** – Dual validation (magstripe and keypad) PH – Proximity HID® PKP – Proximity + Keypad SE – HID® iClass® Smart Card	STK – Standard S3 – ANSI S3 7/8* – Lip to center strike S3B* - ANSI (Strike w/ Plastic Box) S3B 7/8* - ANSI (Strike w/ Plastic Box)	626 690 626AM* Satin* 606 612 Bright* 605 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws FM – Free Motion 3/4* – 3/4" throw latch OB** – non-IC zero-bitted KA** – non-IC keyed alike KD** – non-IC keyed different COR*** – Non IC Corbin-Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SARRC*** – LFIC Sargent CORRC*** – LFIC Corbin YALRC*** – LFIC Yale SCHRC*** – LFIC Schlage AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both FRL – Full Radius Latch TRK1***** – Track 1 TRK2***** – Track 2 TRK3***** – Track 3 MWIE – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand WS – Windstorm Label (NOA Miami-Dade County)

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with OB, KA, KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, CORRC, YALRC, SARRC, or SCHRC options. Must specify "0" for core housing.

**** T15 Torx security screws are supplied standard.

***** Must specify track number.



9KBV Offline V Series Cylindrical Locks (continued)

DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE	NON-IC CYLINDER 0B, KA, KD
		PATENTED*	PREMIUM	STANDARD		
MAGNETIC STRIPE READER:						
9KBV - Single keyed lock	DV	1691.00	1691.00	1679.00	1609.00	1660.00
MAG STRIPE/KEYPAD DUAL VALIDATION READER:						
9KBV - Single keyed lock	DV	1887.00	1887.00	1875.00	1805.00	1856.00
HID PROXIMITY READER:						
9KBV - Single keyed lock	DV	2337.00	2337.00	2325.00	2255.00	2306.00
PKP – PROXIMITY + KEYPAD READER:						
9KBV - Single keyed lock	DV	2141.00	2141.00	2129.00	2059.00	2110.00
SE – HID® ICLASS® SMART CARD READER:						
9KBV - Single keyed lock	DV	2091.00	2091.00	2079.00	2009.00	2060.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, etc.	59.00
Bright finishes (per lock)	605, 625, 629, etc.	115.00
UltraShield antimicrobial finish	626AM	127.00
3/4" throw latch	3/4	31.00
Special backsets	94KBV / 95KBV	21.00
Abrasive lever both sides	AL/B	43.00
Abrasive lever outside	AL/O	22.00
Abrasive lever inside	AL/I	22.00
Tactile lever both sides	TL/B	84.00
Tactile lever outside	TL/O	43.00
Tactile lever inside	TL/I	43.00
7/8" Lip-to-center strike	S3 7/8	22.00
Strike with plastic box	S3B or S3B 7/8	2.20
Extended Life Battery	8CE	68.00
Full radius latch	FRL	21.00

*Patented pricing shown is for CORMAX patented keying system.
Add \$20.00 for BEST Preferred patented keying.

PART DESCRIPTION	PART NUMBER	PART PRICE
2-3/4" deadlocking latch	8KL3	79.00
3-3/4" deadlocking latch	8KL4	100.00
5" deadlocking latch	8KL5	100.00
Standard strike package	8KS2	7.80
ANSI strike package	8KS3	24.00
Throw member 6-pin / 7-pin	71217417 / B54200	1.80



EXBV Offline V Series Exit Trim

How To Order

EXBV	7	EV	15	MS	626	RHR	PH2	RM	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Manf.	Locking Type	Options
EXBV	0 – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	MS**** – Magnetic stripe DV**** – Dual validation (magstripe and keypad) PH – Proximity HID® PKP – Proximity + Keypad SE – HID® iClass® Smart Card	626 690 626AM* Satin* 606 613	RHR LHR	PH2 – Precision Hardware 2000 series VD9** – Von Duprin 98/99 series SA8 – Sargent 8000 Series***	RM – Rim MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws TRK1**** – Track 1 TRK2**** – Track 2 TRK3**** – Track 3 MWIE – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand

*Indicates extra cost option; see below.

**The EV function (Key override) is not available on the Von Duprin Mortise type.

***SA8 Only available with Rim Type device. SA8 does not work with EV function (Key Override).

****Must specify track number.

DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
MAGNETIC STRIPE READER:					
EXBV - Exit Trim - single keyed	EV	2026.00	2026.00	2015.00	1948.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	1887.00
MAG STRIPE/KEYPAD DUAL VALIDATION READER:					
EXBV - Exit Trim - single keyed	EV	2223.00	2223.00	2212.00	2145.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	2084.00
HID PROXIMITY READER:					
EXBV - Exit Trim - single keyed	EV	2669.00	2669.00	2658.00	2591.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	2530.00
PKP – PROXIMITY + KEYPAD READER:					
EXBV - Exit Trim - single keyed	EV	2553.00	2553.00	2541.00	2471.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	2406.00
SE – HID® ICLASS® SMART CARD READER:					
EXBV - Exit Trim - single keyed	EV	2503.00	2503.00	2491.00	2421.00
EXBV - Exit Trim - non keyed	NV	N/A	N/A	N/A	2356.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 613, etc.	59.00
UltraShield antimicrobial finish	626AM	127.00
Security head screws	SH	22.00



45HM IDH MAX™ Mortise Locks

How To Order

45HM	7	DEU	14	MS	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HM	0** – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	DEU – Electrically unlocked DEL – Electrically locked NXEU – Electrically unlocked NXEL – Electrically Locked TDEU – Electrically Unlocked TDEL – Electrically Locked LEU – Electrically unlocked LEL – Electrically locked	Levers: 3 – Solid tube/return 4 – Round 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Decorative* 50-91	MS**** – Magnetic stripe PH – Proximity HID® SE – HID® iClass® Smart Card MSA**** – Magstripe Adaptation PHA – Proximity HID Adaptation SE – HID® iClass® Smart Card Adaptation	626 630 690 626AM* 630AM* Satin* 606 612 613 Bright* 605 611 625 629	RH RHRB LH LHRB	P2*** – Phillips head screws Thick Door* – Specify thickness 7/8** – Flat lip strike 1300* – Mercury Direct Connect TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both MWIE – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand TRK2**** - Track 2 TRK3**** - Track 3

* Indicates extra cost; see below.

** Indicates cost deduction; see below.

***T15 Torx security screws are supplied standard.

****Must specify track number.

DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED *	PREMIUM	STANDARD	
MAGNETIC STRIPE READER:					
45HM - Single Keyed Latch	DEU, DEL	2312.00	2312.00	2300.00	2230.00
45HM - Non-keyed Latch	NXEU, NXEL	N/A	N/A	N/A	2169.00
45HM - Single Keyed Deadbolt	TDEU, TDEL	2335.00	2335.00	2323.00	2253.00
45HM - Non-keyed Deadbolt	LEU, LEL	N/A	N/A	N/A	2192.00
HID PROXIMITY READER:					
45HM - Single Keyed Latch	DEU, DEL	2979.00	2979.00	2967.00	2897.00
45HM - Non-keyed Latch	NXEU, NXEL	N/A	N/A	N/A	2836.00
45HM - Single Keyed Deadbolt	TDEU, TDEL	2984.00	2984.00	2972.00	2902.00
45HM - Non-keyed Deadbolt	LEU, LEL	N/A	N/A	N/A	2841.00
SE – HID® ICLASS® SMART CARD READER:					
45HM - Single keyed latch	DEU, DEL	2712.00	2712.00	2700.00	2630.00
45HM - Non-Keyed Latch	NXEU, NXEL	N/A	N/A	N/A	2565.00
45HM - Single Keyed Deadbolt	TDEU, TDEL	2735.00	2735.00	2723.00	2653.00
45HM - Non-keyed Deadbolt	LEU, LEL	N/A	N/A	N/A	2588.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.



45HM IDH MAX™ Mortise Locks (continued)

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, 619 etc.	59.00
Bright finishes (per lock)	605, 611, 625, etc.	115.00
UltraShield antimicrobial finish	626AM, 630AM	127.00
Thick door	Specify thickness	85.00
Tactile both levers/knobs**	TAC/B	120.00
Tactile outside lever/knob**	TAC/O	61.00
Tactile inside lever/knob**	TAC/I	61.00
7/8" Lip-to-center strike	7/8 LTC	22.00
12, 17 Lever Design	12, 17	66.00
Decorative Lever Design	50-91	211.00
Integrated Mercury Single Reader Interface board	1300	642.00

**Not available on #17 levers.

1300 Option - Integrated reader electronics board embedded behind the escutcheon, secured and out of sight. This option functions with B.A.S.I.S. / LENEL On Guard on-line equipment only.

**COST DEDUCTIONS	OPTION CODE	DEDUCT
Less cylinder option (Deduct from complete price)	0	61 .00



9KM IDH MAX™ Cylindrical Locks

How To Order

9KM	3	7	DDEU	14	MS	STK	626	
Series	Back-set	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
9KM	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0*** – Non-IC and LFIC competitive cylinder (less core) 6** – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DDEU – Electrically unlocked DDEL ***** – Electrically locked	14 – Curved with return 15 – Contour with angle return 16 – Curved without return	MS***** – Magnetic stripe PH – Proximity HID@ SE – HID® iClass® Smart Card	STK – Standard S3 – ANSI S3 7/8* – Lip to center strike LS – Less Strike S3B* – ANSI (Strike w/ Plastic Box) S3B 7/8* – ANSI (Strike w/ Plastic Box)	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 625	LM – Lost motion P2**** – Phillips head screws 3/4* – 3/4" throw latch 1300* – Mercury Direct Connect COR*** – Non IC Corbin-Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SARRC*** – LFIC Sargent CORRC*** – LFIC Corbin YALRC*** – LFIC Yale SCHRC*** – LFIC Schlage AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both FRL – Full Radius Latch MWIE – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand TRK2***** – Track 2 TRK3***** – Track 3 C-PRE† – Terminated Quick Connect Plug
* Indicates extra cost option. ** Six-pin cylinder in Schlage "C" keyway included with 0B, KA, KD options. Must specify "6" for core housing. *** Cylinder not included with COR, MED, SAR, SCH, YAL, CORRC, YALRC, SARRC, or SCHRC options. Must specify "0" for core housing. ****T15 Torx security screws are supplied standard. *****DDEL is not available when using 1300 option. *****Must specify track number. †See Stanley Hinges & Door Accessories price book for Wire Harness product								

FUNCTION DESCRIPTION		FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE	NON-IC CYLINDER 0B, KA, KD
			PATENTED *	PREMIUM	STANDARD		
MAGNETIC STRIPE READER							
9KM - Single keyed lock	DDEU, DDEL	2208.00	2208.00	2196.00	2126.00	2177.00	
HID PROXIMITY READER							
9KM - Single keyed lock	DDEU, DDEL	2869.00	2869.00	2857.00	2787.00	2838.00	
SE – HID® ICLASS® SMART CARD READER							
9KM - Single keyed latch	DDEU, DDEL	2608.00	2608.00	2596.00	2526.00	2577.00	

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for BEST Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, etc.	59.00
Bright finishes (per lock)	605, 625, 629, etc.	115.00
UltraShield antimicrobial finish	626AM	127.00
3/4" throw latch	3/4	31.00
Special backsets	94KM / 95KM	21.00
Abrasive lever both sides	AL/B	43.00
Abrasive lever outside	AL/O	22.00
Abrasive lever inside	AL/I	22.00
Tactile lever both sides	TL/B	84.00
Tactile lever outside	TL/O	43.00
Tactile lever inside	TL/I	43.00
7/8" Lip-to-center strike	S3 7/8	22.00
Strike with plastic box	S3B or S3B 7/8	2.20
Integrated Mercury Single Reader Interface board	1300	642.00
Full radius latch	FRL	21.00

1300 Option - Integrated reader electronics board embedded behind the escutcheon, secured and out of sight. This option functions with B.A.S.I.S. / LENEL On Guard on-line equipment only.

PARTS	PART NUMBER	PART PRICE
2-3/4" deadlocking latch	8KL3	79.00
3-3/4" deadlocking latch	8KL4	100.00
5" deadlocking latch	8KL5	100.00
Standard strike package	8KS2	7.80
ANSI strike package	8KS3	24.00
Throw member 6-pin / 7-pin	71217417 / B54200	1.80



Wi-Q™ Technology Wireless Access Management Software & Accessories

DESCRIPTION	PART NUMBER	PRICE
Software		
Offline Series / Wi-Q™ Interface	WQS-BAS-INT	243.00

DESCRIPTION	PART NUMBER	PRICE
Portal Gateways (PG)		
Portal Gateway for up to 64 Readers/Locks* with half wave dipole omnidirectional antenna (should only be used where PG is mounted in an open area, not in a ceiling or restricted signal area).	WQX-PG	1454.00
Portal Gateway for up to 64 Readers/Locks* with ceiling mount omnidirectional antenna.	WQX-PG-C	1694.00
Portal Gateway with enclosure, power supply and ceiling mount omnidirectional antenna	WQX-PG-C-B	2127.00
Portal Gateway in a mounting enclosure, without Power Supply. This would be used with Power Over Ethernet (POE) devices (not included)	WQX-PG-BP	1652.00
Portal Gateway in a mounting enclosure, with ceiling mount omnidirectional antenna, without Power Supply. This would be used with Power Over Ethernet (POE) devices (not included)	WQX-PG-C-BP	1892.00
Portal Gateway for up to 64 Readers/Locks* with wall mount directional antenna	WQX-PG-W	1910.00
Portal Gateway with enclosure, power supply and wall mount directional antenna	WQX-PG-W-B	2342.00

*Does not imply that 64 readers/locks will be within distance/RF range to connect. Total number of portal gateways required is based on individual system survey and requirements.

Wireless Access Controllers (WAC)		
Wireless Access Controller with half wave dipole omnidirectional antenna (should only be used where WAC is mounted in an open area, not in a ceiling or restricted signal area).	WQX-WAC	983.00
Wireless Access Controller with ceiling mount omni directional antenna	WQX-WAC-C	1226.00
Wireless Access Controller in enclosure with power supply and ceiling mount omnidirectional antenna	WQX-WAC-C-B	1658.00
Wireless Access Controller with wall mount directional antenna	WQX-WAC-W	1440.00
Wireless Access Controller in enclosure with power supply and wall mount directional antenna	WQX-WAC-W-B	1872.00
Wireless Access Controller in Nema enclosure with power supply and exterior directional antenna	WQX-WAC-D-BW	2308.00
Wireless Access Controller in Nema enclosure with power supply and exterior omni-directional antenna	WQX-WAC-O-BW	2219.00
Wireless Access Controller sign-on keypad	WQD-WACPAD	518.00
Wireless Access Controller Survey Kit	WQD-Survey	5790.00
Power and adapters		
Sealed battery pack	VPD-BB	41.00
Plug-in Transformer (wall-mount) with 6' of cable	WQD-12827	41.00
Power over Ethernet Power Supply/Inserter	WQD-12927-001	148.00
Power over Ethernet Active Splitter with Isolation	WQD-12928-001	143.00
Wi-Q™ Antennas & Accessories		
2.4 GHz Interior Ceiling Mount Omni-directional Antenna kit*	WQD-ACMO	311.00
2.4 GHz Interior/Exterior Wall mount directional antenna kit*	WQD-AWMD	523.00
2.4GHZ Exterior directional antenna**	WQD-AEMD	713.00
2.4GHZ Exterior omnidirectional mast mount kit**	WQD-AEMO	565.00
Exterior Antenna Grounding kit***	WQD-AGT	423.00
Surge Protection Kit	WQD-SURG	318.00
Cleaning Cards (box of 50)	VPDCLN	195.00
HID Proximity Card Enrollment Reader	RDR6081AKU	987.00

*Antenna Kit include antenna, standard mount and 20' cable to connect to PG or WAC.

**Antenna Kit includes antenna, wall and post mounts and 20' cable to connect to PG or WAC.

***Grounding Kit includes coax grounding kit and lightning arrestor.



BEST 45HQ Wireless Mortise Locks with Wi-Q™ Technology

How To Order

45HQ	7	TV	14	MS	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HQ	0** – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	DV – Latch w/key TV – Deadbolt w/key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50-91	MS**** – Magnetic stripe DV**** – Dual validation (magstripe and keypad) PH – Proximity HID® PKP – Proximity + Keypad SE – HID® iClass® Smart Card DVA**** – Other cyl MSA**** – Other cyl PHA – Other cyl PKPA – Proximity + Keypad – Other cyl SEA – HID® iClass® Smart Card – Other cyl	626 630 690 626AM* 630AM* Satin* 606 612 613 Bright* 605 611 625 629	RH RHRB LH LHRB	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2*** – Phillips head screws Thick Door* – Specify thickness 7/8"* – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both TRK1**** – Track 1 TRK2**** – Track 2 TRK3**** – Track 3 WS – Windstorm Label (NOA Miami-Dade County)

NOTE: Wireless locks come with Integrated Door Hardware (IDH) as standard -Request to Exit (RQE), door position switch (DS), latch bolt monitor switch (LS) and key-override switch (KOS) on DV Function.

*Indicates extra cost option.

**Indicates cost deduction.

***T15 Torx security screws are supplied standard.

****Must specify track number.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
MAGNETIC STRIPE READER					
45HQ- Single Keyed Latch	DV	2202.00	2202.00	2190.00	2120.00
45HQ- Single Keyed Deadbolt	TV	2224.00	2224.00	2212.00	2142.00
MAGNETIC STRIPE/KEYPAD DUAL VALIDATION READER					
45HQ- Single Keyed Latch	DV	2427.00	2427.00	2415.00	2345.00
45HQ- Single Keyed Deadbolt	TV	2450.00	2450.00	2438.00	2368.00
HID® PROXIMITY READER					
45HQ- Single Keyed Latch	DV	2581.00	2581.00	2569.00	2499.00
45HQ- Single Keyed Deadbolt	TV	2718.00	2718.00	2706.00	2636.00
PKP – PROXIMITY + KEYPAD READER					
45HQ- Single Keyed Latch	DV	2652.00	2652.00	2640.00	2570.00
45HQ- Single Keyed Deadbolt	TV	2674.00	2674.00	2662.00	2592.00
SE – HID® ICLASS® SMART CARD READER					
45HQ- Single Keyed Latch	DV	2602.00	2602.00	2590.00	2520.00
45HQ- Single Keyed Deadbolt	TV	2624.00	2624.00	2612.00	2542.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for Best Preferred patented keying.



BEST 45HQ Wireless Mortise Locks with Wi-Q™ Technology (continued)

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613 etc.	59.00
Bright finishes (per lock)	605, 611, 625 etc.	115.00
UltraShield antimicrobial finish	626AM, 630AM	127.00
Thick door	Specify thickness	85.00
Tactile both levers/knobs**	TAC/B	120.00
Tactile outside lever/knob**	TAC/O	61.00
Tactile inside lever/knob**	TAC/I	61.00
7/8" Lip-to-center strike	7/8 LTC	22.00
12, 17 Lever Design	12, 17	66.00
Decorative Lever Design	50-91	211.00
Extended Life Battery	8CE	68.00

**Not available on #17 levers.

**COST DEDUCTIONS	OPTION CODE	DEDUCT
Less cylinder option (Deduct from complete price)	0	61 .00



BEST 9KQ Wireless Cylindrical Locks with Wi-Q™ Technology

How To Order

9KQ	3	7	DV	14	MS	STK	626	
Series	Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
9KQ	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0*** – Non-IC and LFIC competitive cylinder (less core) 6** – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV – with key	14 – Curved with return 15 – Contour with angle return 16 – Curved without return 4 – Round knob	MS***** – Magnetic stripe DV***** – Dual validation (magstripe and keypad) PH – Proximity HID® PKP – Proximity + Keypad SE – HID® iClass® Smart Card	STK – Standard S3 – ANSI S3 7/8* – Lip to center strike S3B* - ANSI (Stike w/ Plastic Box) S3B 7/8* - ANSI (Stike w/ Plastic Box)	626 690 626AM* Satin* 606 612 Bright* 605 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws LM – Lost motion 3/4* – 3/4" throw latch 0B** – non-IC zero-bitted COR*** – non IC Corbin Russwin MED*** – non IC Medeco SAR*** – non IC Sargent SCH*** – non IC Schlage YAL*** – non IC Yale SARRC*** – LFIC Sargent CORRC*** – LFIC Corbin YALRC*** – LFIC Yale SCHRC*** – LFIC Schlage AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both FRL – Full Radius Latch TRK1***** – Track 1 TRK2***** – Track 2 TRK3***** – Track 3 WS – Windstorm Label (NOA Miami-Dade County)

NOTE: Wireless locks come with Integrated Door Hardware (IDH) as standard -Request to Exit (RQE), Door Position Switch (DS)

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with 0B, KA, KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, CORRC, YALRC, SARRC, or SCHRC options. Must specify "0" for core housing.

****T15 Torx security screws are supplied standard.

*****Must specify track number.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE	NON-IC CYLINDER 0B, KA, KD
		PATENTED*	PREMIUM	STANDARD		
MAGNETIC STRIPE READER						
9KQ - Single keyed lock	DV	2081.00	2081.00	2069.00	1999.00	2050.00
MAG STRIPE KEYPAD DUAL VALIDATION READER						
9KQ - Single keyed lock	DV	2315.00	2315.00	2303.00	2233.00	2284.00
HID® PROXIMITY READER						
9KQ - Single keyed lock	DV	2686.00	2686.00	2674.00	2604.00	2655.00
PKP – PROXIMITY + KEYPAD READER						
9KQ - Single keyed lock	DV	2531.00	2531.00	2519.00	2449.00	2500.00
SE – HID® ICLASS® SMART CARD READER						
9KQ - Single keyed lock	DV	2481.00	2481.00	2469.00	2399.00	2450.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613, etc.	59.00
Bright finishes (per lock)	605, 625, 629, etc.	115.00
UltraShield antimicrobial finish	626AM	127.00
3/4" throw latch	3/4	31.00
Special backsets	94KQ / 95KQ	21.00
Abrasive lever both sides	AL/B	43.00
Abrasive lever outside	AL/O	22.00
Abrasive lever inside	AL/I	22.00
Tactile lever both sides	TL/B	84.00
Tactile lever outside	TL/O	43.00
Tactile lever inside	TL/I	43.00
7/8" Lip-to-center strike	3S 7/8	22.00
Strike with plastic box	S3B or S3B 7/8	2.20
Extended Life Battery	8CE	68.00
Full radius latch	FRL	21.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for Best Preferred patented keying.

PART DESCRIPTION	PART NUMBER	PRICE
2-3/4" deadlocking latch	8KL3	79.00
3-3/4" deadlocking latch	8KL4	100.00
5" deadlocking latch	8KL5	100.00
Standard strike package	8KS2 / 9KS2	7.80
ANSI strike package	8KS3 / 9KS3	24.00
Throw member 6-pin / 7-pin	71217417 / B54200	1.80



BEST EXQ Wireless Exit Trim with Wi-Q™ Technology

How To Order

EXQ	7	EV	15	MS	626	RHR	PH2	RM	
Series	Core housing	Function code	Lever style	Trim style	Finish	Door hand	Mfg	Locking type	Options
EXQ	0 – Less Core Housing 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	MS*** – Magnetic stripe DV*** – Dual validation (magstripe and keypad) PH – Proximity HID® PKP – Proximity + Keypad SE – HID® iClass® Smart Card	626 690 626AM* Satin* 606 612 613	RHR LHR	PH2 – Precision Hardware 2000 series VD9** – Von Duprin 98/99 series	RM – Rim MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws MT1*** – Track 1 MT2*** – Track 2 MT3*** – Track 3

NOTE: Wireless locks come standard with door position switch (DS), connector/input to connect to a RQE switch inside exit device. (RQE switch must be purchased separately for exit device brand and model).

NOTE: Latch Switch connector is also included for use with a latch switch indicator only on Precision exit devices.

*Indicates extra cost option; see below.

**The EV function (key override) is not available on the Von Duprin Mortise type.

***Must specify track number.

FUNCTION DESCRIPTION	FUNCTION CODE	COMPLETE WITH COMBINATED CORE			LESS CORE
		PATENTED*	PREMIUM	STANDARD	
MAGNETIC STRIPE READER					
EXQ - Exit Trim - single keyed	EV	2533.00	2533.00	2521.00	2451.00
EXQ - Exit Trim - non keyed	NV	N/A	N/A	N/A	2390.00
MAG STRIPE KEYPAD DUAL VALIDATION READER					
EXQ - Exit Trim - single keyed	EV	2770.00	2770.00	2758.00	2688.00
EXQ - Exit Trim - non keyed	NV	N/A	N/A	N/A	2627.00
HID® PROXIMITY READER					
EXQ - Exit Trim - single keyed	EV	3228.00	3228.00	3216.00	3146.00
EXQ - Exit Trim - non keyed	NV	N/A	N/A	N/A	3085.00
PKP – PROXIMITY + KEYPAD READER					
EXQ - Exit Trim - single keyed	EV	2983.00	2983.00	2971.00	2901.00
EXQ - Exit Trim - non keyed	NV	N/A	N/A	N/A	2836.00
SE – HID® ICLASS® SMART CARD READER					
EXQ - Exit Trim - single keyed	EV	2933.00	2933.00	2921.00	2851.00
EXQ - Exit Trim - non keyed	NV	N/A	N/A	N/A	2786.00

*Patented pricing shown is for CORMAX patented keying system. Add \$20.00 for Best Preferred patented keying.

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	606, 612, 613	59.00
UltraShield antimicrobial finish	626AM	127.00
Security head screws	SH	22.00



BEST Wireless Conversion Kits with Wi-Q™ Technology

How To Order

Kit works on Offline G and V 9K and 40H Platforms
Works on Magnetic Stripe, Dual Validation, HID® Proximity will not work on 30H Mortise Platforms.

SERIES STYLE	DESCRIPTION	PRICE
WQCNKT-1 Cylindrical wireless upgrade kit		
WQCNKT-1 Cylindrical wireless upgrade kit	Kit to convert an Offline 9K V/G standalone lockset to a Wi-Q™ Wireless Lockset. Notes: 1) Kit includes a new 9K chassis with new motor, RQE hub and door position switch. 2) If the conversion kit will be used on a pre-2009 standalone lock with a HID Proximity Reader, it is highly recommended that a new HID Proximity reader is also purchased. The new style reader will provide better battery life than the pre-2009 HID Proximity Readers. (Part # 73132854S---B82399 45HQ HID PROX BEZEL SUB-ASSY HID)	1448.00
WQCNKT-2 Mortise DV function (without deadbolt) wireless upgrade kit with alarm functionality	Kit to convert an Offline 45H V/G standalone lockset to a Wi-Q™ Wireless Lockset. Notes: 1) Kit also contains a new 45H DV mortise case which includes RQE, door position switch, latch position switch and key-override sensor to provide for full alarm functionality. 2) If the conversion kit will be used on a pre-2009 standalone lock with a HID Proximity Reader, it is highly recommended that a new HID Proximity reader is also purchased. The new style reader will provide better battery life than the pre-2009 HID Proximity Readers. (Part # 73132854S---B82399 45HQ HID PROX BEZEL SUB-ASSY HID)	1483.00
WQCNKT-3 Mortise TV function (with deadbolt) wireless upgrade kit with alarm functionality	Kit to convert an Offline 45H V/G standalone lockset to a Wi-Q™ Wireless Lockset. Notes: 1) Kit also contains a new 45H TV mortise case which includes RQE, door position switch, deadbolt position switch, and key-override sensor to provide for full alarm functionality. 2) If the conversion kit will be used on a pre-2009 standalone lock with a HID Proximity Reader, it is highly recommended that a new HID Proximity reader is also purchased. The new style reader will provide better battery life than the pre-2009 HID Proximity Readers. (Part # 73132854S---B82399 45HQ HID PROX BEZEL SUB-ASSY HID)	1553.00

Upgrade kits must be installed by a BEST Certified Technician for warranty purposes.



STANLEY ID Express Station™

Remote Card Encoding System

The Stanley ID Express Station™ system provides the ability for cardholders to conduct self-managed transactions via a simple and user-friendly interface at a kiosk station. Existing cards can be updated, or temporary cards can be issued. The Stanley ID Express Station™ is only compatible with the B.A.S.I.S. Access Control Software.

PART NUMBER	DESCRIPTION	PRICE
SSK-IDEXPRESS-K	Stanley ID Express Station™ - Kiosk configuration with 17" Touchscreen monitor, magnetic stripe card dispenser/enrollment station, verification CCTV and Uninterruptible Power Supply, (see note regarding shipping/crating costs)*	44411.00
SSK-IDEXPRESS-DC	Stanley ID Express Station™ - Desktop Complete Configuration with Touchscreen monitor, magnetic stripe card dispenser/enrollment station and verification CCTV. Uninterruptible Power Supply is not included. An exterior placed UPS is recommended. (see note regarding shipping/crating costs)**	35831.00
SSK-IDEXPRESS-PROX	Additional Proximity card enrollment station for the K option Kiosk configuration	1274.00
SSK-IDEXPRESS-Logo	Placement of Customers LOGO on top of Kiosk. Customer must provide art-ready graphic in electronic format	673.00

Shipping/crating Charges:

*The above unit pricing does not include the crating charge of \$350 and the shipping cost of \$375 per Kiosk purchase. These amounts are in addition to the per unit pricing. (additional rates apply outside of Contiguous United States)

**The above unit pricing does not include the crating charge of \$250 and the shipping cost of \$275 per Desktop purchase. These amounts are in addition to the per unit pricing. (additional rates apply outside of Contiguous United States)

***Applications utilizing dual validation locks (Card and Pin) will also require the OpenIT software module for the B.A.S.I.S management system. Refer to the Technical Support Group section for installation pricing.

Installation Requirement:

(Provided by Others) Electrical: Requires one (1) standard duplex 110VAC 30 amp circuit located within 2' of the equipment. Communications: Data Connection: Ethernet terminated with a RJ45 located within 2' of the equipment



Electronic Lock Inside Escutcheon Conversion Kits

How To Order

**Kit works on Keypad EZ, Offline G, Offline V, NT500, and Wi-Q products.
Kits do not work on IDH Max products.**

Cylindrical Conversion Kits

9KEKT		DV	626	
Series	Wireless or non-wireless	Function Code	Finish	Options
9KEKT – Cylindrical conversion kit	Q – Wi-Q Wireless Blank – Non-wireless	DV – Latch w/key	626 626AM* Satin* 606 612 613 Bright* 605 625 629	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery pack P2** – Phillips head screws

*Indicates extra cost option; see below.

**T15 Torx security screws are supplied standard.

Mortise Conversion Kits

45HEKT	Q	TV	606	
Series	Wireless or non-wireless	Function Code	Finish	Options
45HEKT – Mortise conversion kit	Q – Wi-Q Wireless Blank – Non-wireless	DV – Latch w/key TV – Deadbolt w/key LV – Deadbolt w/o key NV – Latch w/o key	626 626AM* Satin* 606 612 613 Bright* 605 625 629	8CE* – 8 cell battery holder assy with batteries Thick Door* – Specify thickness P2** – Phillips head screws 4SW – 4 cell shrink wrap battery pack

*Indicates extra cost option; see below.

**T15 Torx security screws are supplied standard.

CONVERSION KIT	PRICE
9KEKT CYLINDRICAL CONVERSION KIT	
Wi-Q Wireless	254.00
Non-wireless	121.00
45HEKT MORTISE CONVERSION KIT	
Wi-Q Wireless	254.00
Non-wireless	121.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finish	606 612 613	59.00
Bright finish	605 625 629	115.00
UltraShield antimicrobial finish	626AM	127.00
Thick door	Specify thickness	85.00
Extended Life Battery	8CE	68.00

OMNILOCK®

WIRELESS

45HOM OMNILOCK Wireless Mortise Locks

How To Order

45HOM	7	DV	15	MDVW	H	B	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Rose	Housing Finish	Finish	Door Hand	Options
45HOM	0 – Dummy Cylinder 7 – With IC Cylinder (core not included)	DV – Latch w/key TV – Deadbolt w/key	Levers: 3 – Tubular/return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return	MDVW – Dual validation (magstripe and keypad) KW – Keypad Reader MSW – Magnetic stripe PDVW – Dual Validation (HID Proximity and keypad) PHW – Proximity HID®	H	G - Grey B - Black	613 626 690 Satin 612*	RH RHR LH LHR	DSR* - Door Switch Monitor & RQE RQE* - Request to Exit KOS* - Key override bypass switch LSM* - Latch Switch Monitor Thick Door* - Specify Thickness W* - Weatherized Version (-4°F to +129°F) 7/8 LTC* - Flat Lip Strike WS – Windstorm Label (NOA Miami-Dade County)

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

*Indicates extra cost option

FUNCTION DESCRIPTION	FUNCTION CODE	WITH CYLINDER	LESS CYLINDER
DUAL VALIDATION READER MAGNETIC STRIPE AND KEYPAD			
45HOM- Single Keyed Latch	DV	3,263.00	3,181.00
45HOM- Single Keyed Deadbolt	TV	3,294.00	3,212.00
KEYPAD READER			
45HOM- Single Keyed Latch	DV	3,224.00	3,142.00
45HOM- Single Keyed Deadbolt	TV	3,258.00	3,176.00
MAGNETIC STRIPE READER			
45HOM- Single Keyed Latch	DV	3,224.00	3,142.00
45HOM- Single Keyed Deadbolt	TV	3,258.00	3,176.00
HID PROXIMITY DUAL VALIDATION READER			
45HOM- Single Keyed Latch	DV	3,516.00	3,434.00
45HOM- Single Keyed Deadbolt	TV	3,545.00	3,463.00
HID® PROXIMITY READER			
45HOM- Single Keyed Latch	DV	3,476.00	3,394.00
45HOM- Single Keyed Deadbolt	TV	3,510.00	3,428.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	612	65.00
Thick door	Specify thickness	70.00
Key Override Sensor	KOS	169.00
Door Switch Monitor & RQE	DSR	169.00
Latch Switch Monitor	LSM	58.00
Weather Option	W	169.00
Request to Exit	RQE	166.00

OMNILOCK®

WIRELESS

9KOM OMNILOCK Wireless Cylindrical Locks

How To Order

9KOM	3	7	DV	15	MDVW	B	S3	626	
Series	Backset	Core Housing	Function Code	Lever Style	Trim Style	Housing Finish	Strike Package	Finish	Options
9KOM	3 – 2-3/4" 4* – 3-3/4" 5* – 5"	0** – Non-IC Prep 7 - BEST IC Handle (no core)	DV – with key	4 – Knob 14 – Curved with return 15 – Contour with angle return 16 – Curved without return	MDVW – Dual validation (mag-stripe and keypad) KW - Keypad Reader MSW – Magnetic stripe PDVW - Dual Validation (HID Proximity and keypad) PHW – Proximity HID®	G - Grey B - Black	STK – Standard S3 – ANSI 7/8 LTC* - Flat Lip Strike	613* 626 690 Satin 612*	ATB - Alternate through-bolt mounting DSR* - Door Switch Monitor & RQE RQE* - Request to Exit W* - Weatherized Version (-4°F to +129°F) FRL – Full Radius Latch COR** - non IC Corbin Russwin MED** - non IC Medeco SAR** - non IC Sargent SCH** - non IC Schlage YAL** - non IC Yale SCHRC** - Schlage large format removable core (14 & 15 lever only) WS – Windstorm Label (NOA Miami-Dade County)

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

* Indicates extra cost option.

** Cylinder/core not included with COR, MED, SAR, SCH, YAL, or SCHRC options. Must specify "0" for core housing.

FUNCTION DESCRIPTION	TRIM STYLE	PRICE
DUAL VALIDATION MAGSTRIPE AND KEYPAD READER		
9KOM Dual validation reader	MDVW	2,693.00
KEYPAD READER		
9KOM - Keypad reader	KW	2,693.00
MAGNETIC STRIPE READER		
9KOM - Magnetic Stripe Reader	MSW	2,693.00
DUAL VALIDATION HID PROXIMITY AND KEYPAD READER		
9KOM - Proximity dual validation reader	PDVW	2,989.00
HID PROXIMITY CARD READER		
9KOM - Proximity card reader	PHW	2,989.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Satin finishes (per lock)	612, 613	65.00
Door Switch Monitor & RQE	DSR	169.00
Weather Option	W	169.00
2-3/4" deadlocking latch	8KL3	76.00
3-3/4" deadlocking latch	8KL4	96.00
5" deadlocking latch	8KL5	96.00
Request to Exit	RQE	166.00
7/8" Lip-to-center strike	3S 7/8	22.00
Strike with plastic box	S3B or S3B 7/8	2.20
Full radius latch	FRL	21.00

OMNILOCK®

WIRELESS

OMEM OMNILOCK Electric Modules

How To Order

OMEM	C	MDVW	B	
Backset	Lockset Type	Trim Style	Housing Finish	Options
OMEM	C – Cylindrical M – Mortise	MDVW – Dual validation (magstripe and keypad) PDVW – Dual validation (HID Proximity and keypad) NOTE: Proximity Only and Keypad only are not available	G – Grey B – Black	W* – Weatherized Version

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

* Indicates extra cost option.

NOTE: Lock Chassis with levers is NOT included

FUNCTION DESCRIPTION	FUNCTION CODE	OMNILOCK TRIM ONLY
Cylindrical Dual Validation magstripe and keypad reader		
OMEMC Cylindrical reader	MDVW	1,847.00
Mortise Dual Validation magstripe and keypad reader		
OMEMM Mortise reader	MDVW	1,867.00
Cylindrical Dual Validation HID Proximity and keypad reader		
OMEMC - Cylindrical reader	PDVW	2,076.00
Mortise Dual Validation HID Proximity and keypad reader		
OMEMM - Mortise reader	PDVW	2,093.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Weather Option	W	169.00

OMNILOCK®

WIRELESS

OMWMS OMNILOCK Wall Mount Systems

How To Order

OMWMS	BE	MDVW	B	
Backset	Core Housing	Trim Style	Housing Finish	Options
OMWMS	BE – (5E Cylinder is included, keyed independently with 2 keys)**	MDVW – Dual validation (magstripe and keypad) PDVW - Dual Validation (HID Proximity and keypad)	G - Grey B - Black	W* - Weatherized Version

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

* Indicates extra cost option.

**5E Included with Price of Wall Mount Unit

NOTE: Each lock is keyed differently. Must special order to key alike. (Additional Net \$52.50 per order for keyed alike options)

FUNCTION DESCRIPTION	FUNCTION CODE	PRICE
Dual Validation magstripe and keypad reader		
OMWMS Dual validation reader	MDVW	2,282.00
Dual Validation HID Proximity and keypad reader		
OMWMS – Proximity dual validation reader	PDVW	2,561.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Weather Option (-4°F to +129°F)	W	169.00

OMNILOCK®

WIRELESS

QASOM Quick Adapter for Pre-2004 Cylindrical Schlage D Lever Locks

How To Order

QASOM	DVW	G	W
Quick Adaptor	Trim Style	Housing Finish	Options
QASOM	MDVW – Dual validation (magstripe and keypad) PDVW – Dual Validation (HID Proximity and keypad)	G – Grey B – Black	W* – Weatherized Version

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

* Indicates extra cost option.

FUNCTION DESCRIPTION	FUNCTION CODE	PRICE
Dual Validation Reader (magnetic stripe and keypad)		
QASOM Quick adapter with DV	MDVW	2,438.00
HID Proximity Dual Validation reader (prox and keypad)		
QASOM Quick adapter with proximity and keypad	PDVW	2,741.00

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Weatherized Option (-4°F to +129°F)	W	169.00

OMNILOCK®

WIRELESS

QAXOM OMNILOCK Wireless Quick Adapter for Exit Devices

How To Order

QAXOM	7	15	MDVW	B	626	PH2	RHRB	
Quick Adapter	Cylinder Housing	Lever Style	Trim Style	Housing Finish	Lever Finish	Adaptor Plate	Hand	Options
QAXOM	0 - Non-IC Handle (core not included) 7 BEST IC Handle (core not included)	14 – Curved/return 15 – Contour/angle return	MDVW – Dual validation (magstripe and keypad) KW – Keypad Reader MSW – Magnetic stripe PDVW – Dual Validation (HID Proximity and keypad) PHW – Proximity HID®	G – Grey B – Black	626 612 613	CY1 – Corbin/Russwin Yale Series** PH2 – Precision Hardware series** SA7 – Sargent 88 Series** SA8 – Sargent 88 Series** SA9 – Sargent 98 Series** VD9 – Von Duprin 98/99F series**	RHR LHR	W* – Weatherized

Standard Trim is for indoor use only. (W) option is for -4°F to +129°F.

* Indicates extra cost option.

** Adapter Plate ships same color as housing finish

FUNCTION DESCRIPTION	FUNCTION CODE	PRICE*
Dual Validation Reader (magnetic stripe and keypad)		
QAXOM Quick adapter with DV	MDVW	3,082.00
Keypad Reader only		
QAXOM Quick adapter with keypad only	KW	3,040.00
Magnetic Stripe Reader		
QAXOM Quick adapter with Magnetic stripe reader	MSW	3,040.00
HID Proximity Dual Validation reader (prox and keypad)		
QAXOM Quick adapter with proximity and keypad	PDVW	3,397.00
HID Proximity card reader		
QAXOM Quick adapter with proximity card reader	PHW	3,397.00

*Core not included

EXTRA COST OPTIONS*	OPTION CODE	ADD-ON
Weatherized Option (-4°F to +129°F)	W	169.00
Thick Door - Specify Thickness	Thick Door	70.00

ADAPTER PLATE CONVERSION CHART		
Adapter Plate	VON DUPRIN EXIT DEVICE MODEL #	VON DUPRIN TRIM MODEL #
VD9	98F, 99F, 9827-F, 9927-F, 9847-F, 9947-F, 9848-F, 9948-F	990 DT, 990 NL, 110 NL, 990 TP, 991 K, 992 L, 696 NL, 697 NL, 696 TP, 697 TP, 996 DT, 997 DT
	PRECISION EXIT DEVICE MODEL #	PRECISION TRIM MODEL #
PH2	FL-1100 or 2100	1700
PH2	FL-1200 or 2200	2000
PH2	FL-1700 or 2700	3900
PH2	FL-1800 or 2800	1700 / 3900
	CORBIN RUSSWIN/YALE EXIT DEVICE MODEL #	CORBIN RUSSWIN/YALE TRIM MODEL #
CY1	ED5200A / 7100F	755, 759 / 526F, 526F
CY1	ED5470B / 7170F90	955, 957 / 626F, 627F
CY1	ED5860B / 7160F90	1310, 1355, 1357 / 535F, 533F, 532F
	SARGENT/ARROW EXIT DEVICE MODEL #	SARGENT/ARROW TRIM MODEL #
SA7	12-8800	ET, 88C-L, 88D-L, 88K-L, 88L-L, FLL, FLW, MAL, PTB
SA8	12-8888	STS
SA9	12-9800	ET, FLL, FLW, MAL, PTB, STS

OMNILOCK®

WIRELESS

Access Control System Parts and Accessories

DESCRIPTION	PART NUMBER	LIST PRICE
Magnetic Card and Proximity Card Encoders and enrollment stations		
Track 2 magnetic stripe enrollment reader	OMD-11274	566.00
Tracks 1,2 and 3 magnetic stripe encoder	MSR20633BA	3,962.00
Proximity Card enrollment reader	OMD-11507-002	987.00
Magnetic Cards, Proximity Cards, Fobs and Prox Tags		
Track-2 Magnetic-Stripe Card, pre-programmed	OMD-10983-002	27.00
Track-2,3 Magnetic Stripe Card, non-programmed	OMD-10983-001	27.00
Track-2 Default Master ID Card	OMD-10983-003	24.00
Track-3 Magnetic-Stripe Card, pre-programmed	OMD-10983-004	24.00
Track-3 Default Master ID Card	OMD-10983-005	24.00
Cleaning Cards - Box of 50	VDPCLN	195.00
Prox Card II Card, Default Programmer Card	OMD-11879	17.00
Replacement Batteries		
Battery Pack, twin 'AA', Weatherized, set of two battery packs, For Option W only (-20 to +58 degrees Celsius)	OMD-12000	53.00
Weather covers and plates		
Weatherized Shroud, Stainless	OMD-12911	427.00
Steel Gate Adapter	OMD-12293	157.00
Stainless Steel Flat Adapter Plate for cylindrical locks (1 each)	OMD-12061	79.00
Locknetics Cover Plate (626) covers CM-series cylindrical holes	OMD-11586	31.00

OMNILOCK WAMS Demo Kit

NAME	DESCRIPTION	PART NUMBER	LIST PRICE
Wireless Survey Kit	Portal Gateway, telescopic mast with Omnidirectional antenna, 802.11 Wireless Router, 3 Wireless Door Beacons, Pelican Case.	WQD-Survey	5,790.00

OMNILOCK®

WIRELESS

Non-Best Chassis for OMEM

Schlage ND Series		RHO	L	List Price 626, 605, 606, 613, 612	List Price KOS
Series	Function Code	Lever Style	PREMIUM	(Key Over-ride Sensor)	
OMSCH	ND80	ATH – Athens OME – Omega RHO – Rhodes SPA – Sparta	P – Standard Schlage C Keyway uncombined core J – Schlage large format IC handle - NO CORE L – LESS Standard core B – BEST format IC handle - NO CORE	2,259.00	166.00

Schlage L Series		06	A	L	RH	KOS	List Price 626, 605, 606, 613, 612	List Price KOS
Series	Function Code	Lever Style	Rose	Cylinder Prefix	Door Hand	Options	(Key Over-ride Sensor)	
OMSCH	L9070 – Mortise with latch	03 – Tubular 06 – Contour/ angle return 07 – Curved/no return 17 – Curved/ return	A – 2 1/8" Diameter B – 2 9/16" Diameter	P – Standard Schlage Cylinder C Keyway uncombined L – LESS cylinder	RH – Right hand LH – Left hand RHR – Right hand reverse LHR – Right hand reverse	KOS – Key override bypass switch by Stanley	2,769.00	72.00
	L9453 – Storeroom Mortise with Dead-bolt	03 – Tubular 06 – Contour/ angle return 07 – Curved/no return 17 – Curved/ return	A – 2 1/8" Diameter B – 2 9/16" Diameter	P – Standard Schlage Cylinder C Keyway uncombined L – LESS cylinder	RH – Right hand LH – Left hand RHR – Right hand reverse LHR – Right hand reverse	KOS – Key override bypass switch by Stanley	2,827.00	72.00

Schlage Mortise Cases Only for Omnilock - NO TRIM IS SUPPLIED (3-4 Week Delivery)			List Price	List Price KOS
Part #	Hand	Description	(Key Over-ride Sensor)	
L9070S	RH – Right hand	Schlage L9070 Omnilock Style Case without deadbolt - This is the body only, no trim is supplied	2,360.00	72.00
L9453S	RH – Right hand	Schlage L9453 Omnilock Style Case with deadbolt - This is the body only, no trim is supplied	2,720.00	72.00

OMNILOCK®

WIRELESS

OMNILOCK Software

DESCRIPTION	PART NUMBER	PRICE
Omnilock Wireless Access Management Software-WAMS	QMS-12418-001	849.00

** Current maximum capacity of Card Holders at any one wireless reader is 14,000 unique ID's

**Systems sizes above 1024 Wireless Readers are supported. Host may require larger hard drive support for effective data base / file management.

** Windows 7 is acceptable for small systems, mid to large systems may require Windows Server 2008

Wireless Components

DESCRIPTION	PART NUMBER	PRICE
Single Door Controllers		
Single Door Controller sign-on keypad (required to sign-on a SDC)	WQD-WACPAD	518.00
Portal Gateway and Single Door Controller Antennas		
2.4 GHz Interior Ceiling Mount Omni directional Antenna kit*	WQD-ACMO	311.00
2.4 GHz Interior/Exterior Wall mount directional antenna kit*	WQD-AWMD	523.00
2.4GHZ Exterior omni directional mast mount kit**	WQD-AEMO	565.00
Backside Antenna Kit	731142855	237.00

* Antenna Kit include antenna, standard mount and 20' cable to connect to Gateway.

** Antenna Kit includes antenna, wall and post mounts and 20' cable to connect to SDC or PG's

Conversion Kit (converts Omnilock non-wireless to wireless)		
Kits consist of Wireless Circuit Board and an RF Transceiver antenna Kit. (non-weatherized)	OMD-12657-01	871.00
Transformer - POE Devices - Modem		
Plug in Transformer (wall-mount) with 6' of cable	OMD-12827	44.00
Power over Ethernet Power Supply/Inserter	OMD-12927-001	148.00
Power over Ethernet Active Splitter with Isolation	OMD-12928-001	143.00



QUOTING & ORDERING

Price quotations are based on one (1) shipment to one (1) location, and are valid as identified in the quote but in no case longer than one year from the date of the quote. All exceptions will be evaluated on an individual basis.

All quotation requests will be provided by the dormakaba USA Inc. ("dormakaba USA") Representative where the project is located.

QUOTING PROCESS AND PROCEDURES: The following information is necessary to secure a price quotation from dormakaba USA.

- Distributor Name
- Distributor Location
- Distributor Contact Name and Phone Number
- Distributor e-mail contact
- Project Name
- Project Location
- Bid Date
- Architects Name, Phone Number and Architects Location
- Specification Writer Name, Phone Number and Location
- Competitive Influence / Specification
- List of materials to be quoted

Every attempt will be made by dormakaba USA to provide the price quotation in a timely manner. Upon completion, you will receive a copy of the quotation which will also include a valid quotation number. Once the project is secured, a copy of the quotation must accompany your purchase order and be forwarded to dormakaba USA Customer Service Department in Indianapolis for processing.

NON-STANDARD PRODUCT REQUEST: Please contact your dormakaba USA Representative to complete a Non-Standard Product Request Form.

All requests should be submitted to the following email address:
Email: product.request.us@dormakaba.com

Upon receipt of a special order request, dormakaba USA will review the configuration and determine if dormakaba USA is capable of making the special order product and will provide a response to the customer. If dormakaba USA is able to make the special order product, dormakaba USA will provide a specific sku/configuration to the customer for the special order product. This sku/configuration must be identified on all Purchase Orders. In addition, the Purchase Order must be marked as a "Special Order".

ORDERING: The following information is required for dormakaba USA to successfully process any order:

- Itemized Purchase Order (PO)
- dormakaba USA Approved Quote

Please send all orders to BAS-orderentry.us@dormakaba.com or by fax to 877-835-1030

NOTE: For detailed information on how to place an order for dormakaba USA products as well as BEST masterkey services please see the detailed section regarding "Best Ordering".

ADD ON ORDERS FOR QUOTED PROJECTS: To place an add-on order from a quoted project the Distributor must include the original quote, PO number and/or dormakaba USA's original order number. Add-On orders will be accepted for a period one (1) year from the original order date. Add-On orders received that are outside of the aforementioned period will be forwarded to the dormakaba USA Representative for re-quote.

STOCKING ORDERS: All orders for stock replenishment should be marked as "Stock" and indicate a "Ship To" address that coincides with

the stocking Distributor warehouse location.

INCOMPLETE ORDER PROCESS: All orders are screened upon receipt for complete information. If an order is received incomplete, dormakaba USA Customer Service will make one (1) attempt to contact a Distributor directly for the missing requirements. If the information is not made available to dormakaba USA at that time the order will be referred to the local dormakaba USA Representative for resolution. All incomplete orders will be cancelled if not resolved after fourteen (14) calendar days.

PRICE DISCREPANCY PROCESS: All entered orders are reviewed by dormakaba USA Customer Service for accuracy and pricing consistency between the Distributor and dormakaba USA. Any order determined by dormakaba USA, in its sole and absolute discretion, to have a value greater than the Total Price shown on the Distributor purchase order will be held by dormakaba USA for a Price Discrepancy. dormakaba USA quotes are also reviewed to ensure that they are complete, approved, and match the PO. Due to pricing sensitivity, all price discrepancies must be resolved exclusively by your dormakaba USA Representative.

ORDER CANCELLATION/CHANGES: All requests for Order Cancellations and Changes (Quantity, Shipping, Finish, Function, etc) should be sent directly to dormakaba USA Customer Service. Requests via phone will be accepted, but must be accompanied by a written request. Factory Order Number, PO Number, Account Info, and Detailed Changes must be clearly indicated. Change requests can be submitted via the following methods:

Email: BAS-cshelp.us@dormakaba.com
Fax: 1-877-835-1030

All order cancellations or changes will be subject to a cancellation fee as defined in dormakaba USA's Terms and Conditions of Sale.

PRODUCTION SCHEDULING AND "DO NOT SHIP BEFORE" REQUESTS: All orders are scheduled for production and shipping based on current production lead times and availability. Scheduling is completed only when an order is released from both credit and pricing review.

Exceptions to this policy are made only when the PO is clearly marked: "Do Not Ship Before" followed by the date. (*Required Date, Expected Date, etc. do not apply*) These orders will be scheduled to ship on or after the date listed.

Changes to "Do Not Ship Before" dates are required in writing and should be sent to: BAS-cshelp.us@dormakaba.com.

Be advised, orders not clearly marked with a "Do Not Ship Before" designation will be payable within normal terms from the actual shipment date.

EXPEDITE REQUESTS:

- Expedite requests will be reviewed and accommodated by dormakaba USA based on production lead times and availability.
- Email: BAS-expediterequest.us@dormakaba.com**
- See the then current dormakaba USA Quick Ship Program for details.

WHOLESALE PURCHASE: Distributors are also free to utilize dormakaba USA's Authorized Wholesalers to purchase product. dormakaba USA does not make any guarantee of availability or pricing for purchases from an Authorized Wholesaler and the discounts afforded to Distributor by dormakaba USA shall not apply to purchases from an Authorized Wholesaler. The terms and conditions and price of product shall be as mutually agreed between Distributor and Wholesaler.



BEST ORDERING

ORDER ENTRY REQUIREMENTS: The following information is required for dormakaba USA Inc. ("dormakaba USA") to successfully process an order for dormakaba USA Best Products:

Orders Requiring Factory Master Key Services:

- Itemized Purchase Order (PO)
- Completed **Keying Request Information Form**
- Hardware Schedule in support of a construction project
- dormakaba USA Approved Quote

Orders NOT Requiring Factory Master Key Services:

- Purchase Order
- General Contractor information (City/State/Zip)
- dormakaba USA Approved Quote

KEYING SYSTEM ORDERS: All orders of keying systems specifying delayed fulfillment must be fulfilled within twelve (12) months of the order date. Said request for fulfillment must include complete keying instructions for the order to be acknowledged with an estimated delivery date. Failure to properly request fulfillment of the order within twelve (12) months of the order date will make the order void and nonrefundable.

Pricing for all new construction key operated locks include the following:

- Combined or uncombined permanent cores will be provided with 2 keys per core.
- "Core only" orders will be provided with 2 keys per core.

Pricing for all retrofit key operated locks include the following:

- Combined cores will be provided with 1 key per core.
- Uncombined cores will be provided with 0 keys. All keys will need to be purchased separately.

All new purchase orders should be e-mailed to your local dormakaba USA Representative or BAS-orderentry.us@dormakaba.com.

HARDWARE SCHEDULE & NEW CONSTRUCTION PROJECT ORDERS: A hardware schedule should be submitted for all new construction projects. A hardware schedule is a listing of all builders hardware items related to a particular construction job. It is approved by the architect (or an entity performing that function). A hardware schedule of Best products is one in which the material ordered is compatible for installation as required in the schedule. Remember complete door schedules include door number, door location, and type of hardware. An example of a preferred hardware schedule format is illustrated below:

Project Sample			
Hardware Set 01			
1 SGL DOOR 101A	CORRIDOR 100 FROM CLASSROOM 101	90 DEG RHR	
	3/0 x 7/0 x 1-3/4 HME x SWD		
3	HINGES	FBB179 4.5 x 4.5	652
1	CLASSROOM LOCKSET	93K 7 R 14D S3 STD	626
1	CLOSER	D-4551 CS	689
1	KICKPLATE	8" x 34" x .050	630
3	MUTES		GREY

COMBINATION CORE ONLY ORDERS: All Core-Only orders, in an amount of 25 cores or more, require a Hardware Schedule, Keying Request Information Form, and Itemized Purchase Order (PO).

LESS CORE LOCK ORDERS PURCHASED DIRECTLY FROM dormakaba USA: Less core lock orders generally apply to orders where the end user is providing their own permanent cores.

CABINET LOCK ORDERS:

The following information must be provided for Cabinet Lock Orders:

- End User Name
- End User Address Information (Street/City/State/Zip)
- End User Phone
- End User Fax and/or e-mail

DISTRIBUTOR PERMANENT KEYING

POLICY: Locks when ordered for construction projects to include "Final Keying" will be provided to Distributor with construction core access, whereby plastic thumb turns are supplied for use during construction. Additionally, brass construction cores can be purchased by the Distributor, upon request, to secure exterior doors or special interior doors.

The permanent masterkeyed cores are shipped directly to the end user upon written approval of the final keying. It is the responsibility of the Distributor to collect all temporary construction cores after use.

PROCESS:

- 1) Distributor places complete order with dormakaba USA Customer Service, Indianapolis
- 2) Distributor, KSS, and End User Consultant (EUC) receive acknowledgement of order with expected ship date.
- 3) KSS/Distributor contacts the end user within a reasonable period of time after receipt of purchase order or acknowledgment to begin the permanent keying process.
- 4) KSS/Distributor works with end user to define keying requirements.
- 5) Once keying requirements are finalized and approved, production of cores and keys begins.
- 6) Cores and keys are shipped to end user or end user delegate (NOTE: Unless special arrangements are made the end user is responsible for permanent core installation).

Complete Order Checklist

- PO Number
- Hardware Schedule
- Completed **Keying Request Information Form**

The KSS/Distributor works directly with the end user to acquire keying instructions for the permanent masterkeyed cores and keys, including both new system design and existing system expansion, according to the project requirements. The KSS/Distributor also manages the process from keying instructions to delivery and can serve as a point of contact for information on the progress of permanent core/key delivery completion.



BEST ORDERING (continued)

SERVICE DELIVERY:

Permanent Core delivery is contingent upon several factors such as:

- The negotiated delivery dates as determined between the end user, Distributor and dormakaba USA during the keying review and design processes;
- End user's written approval of the keying instructions;
- Size and complexity of the keying system being produced; and
- dormakaba USA's receipt of payment from the Distributor.

GENERAL:

- Remember to furnish door and location information for all "tag-in" orders (add-ons to initial project orders).
- If you have advanced knowledge that your project will be phased and require multiple orders from dormakaba USA, please include these in your order.
- A master hardware schedule for phased projects is always preferred.

CONSTRUCTION CORE ORDERS

All keyed locks shipped from dormakaba USA for new construction projects in which cores have been ordered will receive disposable black plastic (non-keyed) construction cores at no additional charge.

Disposable black plastic cores for less-core orders may be purchased separately for \$1.50 net.

Standard brass (keyed-alike) construction cores may be purchased for a net price of \$8.00 each.

No further discount will be applied.

Brass construction cores shall be 7-pin, A keyway and have a GREEN face.

Brass construction cores are shipped with one operating key per ten (10) cores and one control key per twenty (20) cores; additional keys may be purchased for \$4.40 list.

Construction cores do not have the degree of security that the owner's permanent masterkeyed cores provide. Construction cores are used for controlling access to premises during construction and ARE NOT INTENDED FOR USE WHEN PREMISES ARE OCCUPIED OR FURNISHED IN ANY MANNER.

CONSTRUCTION CORES AND KEYS		
Part Number:	Description	Net price each (if purchased separately)
7181139	Disposable Core (Black Plastic)	\$1.50 Net
7190246 (5c)	Standard Brass Keyed Alike 5c construction Core - Green Face	\$8.00 Net
7186163 (6p)	Standard Brass Keyed Alike 6 pin construction Core - Green Face	\$8.00 Net
7190224 (7p)	Standard Brass Keyed Alike 7 pin construction Core - Green Face	\$8.00 Net
7148872	Additional Operating Key	\$6.00 List
7147449	Additional Control Key	\$6.00 List

*No further discounting on Construction Core Net Pricing

RETURN OF CONSTRUCTION CORES: Brass construction cores may be returned for \$2.50 credit per re-usable core to be applied toward the next purchase. A Returned Goods Authorization (RGA) must be obtained and accompany the returned material.

dormakaba USA is not responsible for collection or return of construction cores.

BEST PINS: Best pins shall be used solely in combination with Best Core products. Use of other pins may void any associated product warranty and may result in termination of the Distributor's agreement with dormakaba USA, in dormakaba USA's sole discretion.



RETURNED AUTHORIZATION (RA)

RA REQUESTS: A Return Authorization Form ("RA") must be utilized to return defective products still under warranty or products deemed repairable by dormakaba USA Inc. ("dormakaba USA"). All products returned to dormakaba USA must have a correct Return Authorization (RA) number applied to the outside of the shipping carton. All products must be returned within sixty (60) calendar days of RA issue date. This process can take up to seven (7) days after product is received at dormakaba USA's factory. If a defective product presents a security risk, an advance replacement may be requested.

RA PROCESS: Requests for warranty related returns can be initiated by submitting an e-mail to **BAS-rgacreditgrp.us@dormakaba.com**.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- End User Name
- Account Number
- Contact Name
- Phone Number
- Purchaser Order Number
- Sales Order Number
- Item Number
- Item Quantity
- Description of the Problem

1. Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member.
2. Once a claim number is issued, this number should be noted on all references and communications regarding the applicable situation to ensure a claim is easily identified.
3. Defective product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc.
Attn: Returns Department
6161 East 75th Street
Indianapolis, IN 46250

4. When material is received at dormakaba USA's factory, dormakaba USA will assess and determine the nature of the defect.
5. Defective goods are replaced upon dormakaba USA's determination.
6. Credit for material and freight is issued only if deemed appropriate by dormakaba USA. If approved, credit is initiated and a credit memo is mailed to the Distributor within fifteen (15) business days.

PURCHASE ORDERS:

A Purchase Order (PO) will be required if the Product is:

1. Defective and not under warranty, or
2. An advance replacement is required without verification of whether the product is defective and under warranty.

Please send Purchase Orders to the following:

- Preferred Method e-mail:
BAS-rgacreditgrp.us@dormakaba.com
- Fax: 1-877-835-1030

May 2018



RETURNED AUTHORIZATION (RA) NON-WARRANTY

RA POLICY: A Return Authorization Form ("RA") must be utilized to return products that are not defective and otherwise in a resalable condition. Only goods with an invoice date of less than one (1) year will be considered for a non-warranty related return. All materials returned to dormakaba USA Inc. ("dormakaba USA") for any reason (other than warranty), must have a correct RA number applied to the outside of the shipping carton. A thirty percent (30%) re-stocking charge (of the purchase price) will be applied to the Distributor's account for orders returned, including orders that were placed by customer in error. Transportation charges of returned goods must be prepaid by the Distributor. All goods must be returned within sixty (60) calendar days of RA issue date. All goods must be returned in original packaging and be in resalable condition. Product not returned in saleable condition is subject to disposal by dormakaba USA with no credit issued. Commercial Hardware items that are special made to order items will not be returned under any circumstances.

RA PROCESS: Requests for non-warranty related returns can be initiated by submitting an e-mail to **BAS-rgacreditgrp.us@dormakaba.com**.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- Company Name
- Account Number
- Contact Name
- Phone Number
- Purchaser Order Number
- Sales Order Number
- Item Number
- Item Quantity
- Description of the Problem

1. Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba USA Team member:
2. Once a claim number is issued, this number should be noted on all references and communications concerning said RA.
3. Product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba USA Inc.
Attn: Returns Department
6161 East 75th Street
Indianapolis, IN 46250

4. The RA will be processed once material is received at dormakaba USA's factory provided it is received in its original packaging and is in saleable condition.
5. Credit is issued to the Distributor account and a credit memo is mailed to the Distributor.

FULFILLMENT ISSUES

Any quality issues (missing parts, wrong parts, handling, finish, etc) should be submitted electronically to: BAS-rgacreditgrp.us@dormakaba.com or your Local dormakaba USA Representative.

Please reference your original Purchase Order (PO) Number, Factory Order Number, Distributor Account, Contact Information (E-mail/Fax), and include a detailed description of the issue.

1) ITEMS MISSING FROM A SHIPMENT: If you have signed your shipment short, dormakaba USA Customer Service will promptly issue a No Charge replacement order for the missing products.

If the shipment was not signed short but after review, dormakaba USA Customer Service determines (based on shipping weights, packing lists, etc) that the order was indeed shipped short, a No Charge replacement will be issued.

If dormakaba USA Customer Service cannot verify a shipping error, an advance replacement order will be entered, charged, and expedited to the Distributor. The quality issue will be forwarded to the Return Authorization Credit Group for resolution.

If it is determined that the item was omitted from the order due to a dormakaba USA order entry error, a change order will be entered and expedited for the missing products.

Please see price book for further detail.

2) WRONG ITEMS RECEIVED (parts, handling, function, finish, etc):

Advanced replacements will be issued for any wrong items received. **Such orders will be charged based on pricing/ discounts from the original order.** The issue will be forwarded to dormakaba USA's Return Authorization Credit Group for resolution.

Any quality issue that is determined to be either a dormakaba USA order entry and/or manufacturing error will have an advanced replacement order entered and will be expedited. An RA will be issued to return the incorrect products. No re-stock fee will apply for dormakaba USA order entry and/or manufacturing errors.



KEYING REQUEST INFORMATION FORM

**MUST BE SUBMITTED WITH COMPLETE INFORMATION,
INCLUDING P.O. & HARDWARE SCHEDULE**

**CUSTOMER
NUMBER:**

Quote #: _____
If received
P.O. #: _____

Discount %: _____
Price List: _____

REQUIRED INFORMATION REGARDING dormakaba USA Inc. DISTRIBUTOR

Distributor: _____
Distributor P.O. #: _____
Distributor Account #: _____
Project Manager: _____
Project Manager Mobile: _____ Project Manager E-mail: _____
Address: _____
City, State, Zip: _____
Phone: _____ Fax: _____

REQUIRED INFORMATION REGARDING PROJECT CONTRACTOR

Contractor: _____
Job Name*: _____
Contact Person: _____
Contact Mobile: _____ Contact E-mail: _____

REQUIRED INFORMATION REGARDING THE END USER

Company*: _____
Contact Person*: _____
Contact E-mail: _____ Contact Phone #: _____
School Name (if applicable): _____
School District (if applicable): _____
Permanent Core Due Date*: _____
Building Turnover Date: _____
Project Address*: _____
City, State, Zip*: _____
Phone*: _____ Fax: _____
End User Customer #: _____ Masterkey Account #: _____
Keyway: _____

NOTE: Failure to provide complete and accurate end user information will result in delays in processing and supply of permanent core and key orders.
Failure to include this form with your order and the hardware schedule may result in the order being processed "less core".

*REQUIRED Field



BEST ACCESS SOLUTIONS, INC ("Best") PATENTED MASTERKEY SYSTEM SECURITY AUTHORIZATION FORM

The purpose of this form is for the end user to designate representatives who are authorized to place an order for Best patented cores or keys and to confirm the correct shipping address for Best Patented product. It is the responsibility of the Distributor to ensure that the end user completes a Security Authorization Form and submits it to dormakaba USA with each order.

The Best Patented Masterkey System provides a higher level of protection against unauthorized key duplication and crossovers. To help ensure that Best patented cores and keys do not end up in the possession of unauthorized personnel, dormakaba USA will only authorize sales and shipment of Best patented cores and keys to the individuals noted on this form. Please complete this form carefully as dormakaba USA and/or its Authorized Distributor will strictly adhere to this information.

END USER:

End User Name

Account Number

SECURITY AUTHORIZED PERSONNEL: Please provide the names of all security personnel who are authorized to place purchase orders for End User's Best Patented Masterkey Systems.

1.

Name

Street Address

Title

City, State, Zip

Phone Number

E-mail Address

Fax Number

Signature/Date

2.

Name

Street Address

Title

City, State, Zip

Phone Number

E-mail Address

Fax Number

Signature/Date

3.

Name

Street Address

Title

City, State, Zip

Phone Number

E-mail Address

Fax Number

Signature/Date



BEST PATENTED MASTERKEY SYSTEM SECURITY AUTHORIZATION FORM (continued)

AUTHORIZED DISTRIBUTOR: Please insert the name below of the Authorized Distributor that you assign and authorize to place orders for Best Patented Product on your behalf.

1.

Name

Street Address

Title

City, State, Zip

Signature

Phone Number / E-mail Address

Date

SHIPPING ADDRESS: Please provide the address where you would like all Best Patented Product shipped.

Department

Street Address

City, State, Zip

ACCEPTABLE METHOD FOR PLACING ORDERS: please identify below the method that you authorize for placement of orders for Best Patented Product.

☐ **Signature Verification** – dormakaba USA may only accept purchase orders that have been signed by one of the individuals designated on this form by the End User. Best will verify that the signatures match before initiating activity on the order. dormakaba USA will not initiate activity until the original P.O. has been received.

☐ **Email Verification** – dormakaba USA may accept electronic purchase orders from the email accounts designated on this form by the End User. dormakaba USA will verify that the email account sending the purchase order has been designated as an authorized purchaser. Purchase orders received from accounts not listed will not be accepted.

☐ **Fax Verification** – dormakaba USA may accept purchase orders via fax from one of the individuals designated on this form by the End User. dormakaba USA will verify that the individual placing the order has been designated as an authorized purchaser.

BEST MASTERKEY CODE & MASTERKEY SERVICE POLICY: In accordance with the Best Masterkey Code and Masterkey Service Policy, all Best Patented Masterkey Codes and combinations are available for distribution solely to end users and select Authorized Distributors. To assist in reducing the possibility of duplication within a Best Patented Masterkey System and ensure security, all Best Patented Masterkey Code extensions and next in series codes should be made or approved by Best Masterkey personnel and/or the Distributors that have been authorized by dormakaba USA to have access to Best Patented Masterkey Codes, un-combinated cores and key blanks. Duplication or release of Best Patented Masterkey Codes to non-authorized people or organizations, including, but not limited to, unauthorized distributors, wholesalers, private locksmiths, other lock manufacturers, architects, or contractors violates dormakaba USA's ownership rights and is strictly prohibited.

By signing below, End User acknowledges that 1) the information provided above is accurate and correct and 2) that any unauthorized use including, but not limited to, the transmission or dissemination of Best Patented Masterkey Codes, without the express written consent of dormakaba USA is strictly prohibited.

End User Signature: _____

Title: _____ Date: _____



RETURN AUTHORIZATION FORM REQUEST

☐ Return for Replacement

☐ Return for Credit

Date of Request: _____

Original Order: _____

Date of Request: _____

Original P.O.: _____

Invoice #: _____

Customer Name: _____

Account Number: _____

Address: _____

City: _____

State: _____ Zip: _____

Contact Name: _____

E-mail: _____

Phone: _____

☐ Ship Replacement Material to Address Above

NATURE OF PROBLEM

☐ Manufacturing Defect

☐ Warranty Evaluation

☐ Missing Parts

☐ Wrong Material Received

☐ Wrong Material Ordered

☐ Wrong Quantity

☐ Return Inventory

☐ Other: _____

NOTE: All returns shall be subject to dormakaba USA Inc.'s current Terms of Sale and Warranty as outlined in the price catalog.

☐ Ship Replacement Material to Address on Order

DETAILED DESCRIPTION OF DEFECT OR REASON FOR RETURN

RETURN MATERIAL

Line Item #	Quantity	Product Nomenclature	Product Description

Please e-mail completed form to BAS-rgacreditgrp.us@dormakaba.com or Fax to 1-877-835-1030



6161 East 75th Street
Indianapolis, IN 46250 USA

Phone 855-365-2407

bestaccess.com