


6 Kingsbridge Road, Suite 8 Fairfield, NJ 07004 | T: 862-505-2101 | F: 862-204-5906 | www.zkaccess.com
sales@zkaccess.com

Confidential Distributor Price List for Access Control Products

MSRP

C3 Access Control Panel Boards

US-C3-100 	1-door 2-way Controller Card: 30,000 Event Buffer: 100,000 Reader Ports: 2 (26-66 bits Weigand) Communication: TCP/IP, RS485 Input Ports: 2 (1 exit button, 1 door sensor) Output Ports: 2 (1 FORM-C Relay Output for lock) Gross Weight: 3 lbs. Package Size: 10" x 6" x 4"	\$420
US-C3-200 	2-door 2-way Controller Card: 30,000 Event Buffer: 100,000 Reader Ports: 4 (26-66 bits Weigand) Communication: TCP/IP, RS485 Input Ports: 6 (2 exit buttons, 2 door sensors, 2 Aux Inputs) Output Ports: 4 (2 FORM-C Relay Output for lock, 2 Aux FORM-C Relay Output) Gross Weight: 3 lbs. Package Size: 10" x 6" x 4"	\$620
US-C3-400 	4-door 1-way Controller Card: 30,000 Event Buffer: 100,000 Reader Ports: 4 (26-66 bits Wiegand) Communication: TCP/IP, RS485 Input Ports: 12 (4-exit buttons, 4-door sensors, 4-Aux Inputs) Output Ports: 8 (4 FORM-C Relay Output for lock, 4 Aux FORM-C Relay Output) Gross Weight: 3 lbs. Package Size: 10" x 6" x 4"	\$760

C3 Bundle - C3 Access Control Panel with Metal Cabinet & Power Supply

US-C3-100 BUN 	A Package of C3-100 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 11 lbs. Package Size: 15 1/2" x 13 1/2" x 5"	\$640
US-C3-200 BUN 	A Package of C3-200 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 11 lbs. Package Size: 15 1/2" x 13 1/2" x 5"	\$820
US-C3-400 BUN 	A Package of C3-400 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 11 lbs. Package Size: 15 1/2" x 13 1/2" x 5"	\$980

Confidential Distributor Price List for Access Control Products

C3 Access Control Kits

US-C3-1 Door KIT	 1-door KIT includes: 1 pc C3-100 panel, power supply and metal cabinet 1 pc CR10E - USB Card enrollment reader 1 pc KR500E Card reader 1 pc PTE-1 Exit Button 50 pcs Proximity (Clamshell) cards ZKAccess software Gross Weight: 13 lbs. Package Size: 16" x 16" x 8"	\$860
US-C3-2 Door KIT	 2-door KIT includes: 1 pc C3-200 panel, power supply and metal cabinet 1 pc CR10E - USB Card enrollment reader 2 pcs KR500E Card readers 2 pcs PTE-1 Exit Button 50 pcs Proximity (Clamshell) cards ZKAccess software Gross Weight: 14 lbs. Package Size: 16" x 16" x 8"	\$1,120
US-C3-4 Door KIT	 4-door KIT includes: 1 pc C3-400 panel, power supply and metal cabinet 1 pc CR10E - USB Card enrollment reader 4 pcs KR500E Card readers 4 pcs PTE-1 Exit Button 50 pcs Proximity (Clamshell) cards ZKAccess software Gross Weight: 15 lbs. Package Size: 16" x 16" x 8"	\$1,440
US-C3-400 Demo Case	 C3 Demo Case : 1 pc US-C3-400 panel, Integrated 12V DC Power Supply 1 pc KR5000 and 1 pc KR502 slave prox card readers 1 pc PTE-1 Request to Exit button 1 pc ZKABK Exit button ZKACCESS software download. Gross Weight: 17 lbs. Package Size: 20" x 16" x 8"	
	C3 Wireless Bundle Options	
US-C3-100-WBUN	A Package of C3-100 in Metal Cabinet with Power Supply and Wireless Kit	\$1,120
US-C3-200-WBUN	A Package of C3-200 in Metal Cabinet with Power Supply and Wireless Kit	\$1,300
US-C3-400-WBUN	A Package of C3-400 in Metal Cabinet with Power Supply and Wireless Kit	\$1,460

Confidential Distributor Price List for Access Control Products

inBio Access Control Panel

US-inBio-160 	1-door 2-way Controller Fingerprint: 3000 Card:30,000 Event Buffer:100,000 Reader Ports:2 (26-66 bits Weigand, RS485 FP Readers) Communication: TCP/IP, RS485 Input Ports: 2 (1 exit button, 1 door sensor) Output Ports: 2(1 FORM-C Relay Output for lock, 1 Aux FORM-C Relay Output) Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$740
US-inBio-260 	2-door 2-way Controller Fingerprint: 3000 Card:30,000 Event Buffer:100,000 Reader Ports:2 (26-66 bits Weigand, RS485 FP Readers) Communication: TCP/IP, RS485 Input Ports: 6 (2 exit buttons, 2 door sensors, 2 Aux Inputs) Output Ports: 4 (2 FORM-C Relay Output for lock, 2 Aux FORM-C Relay Output) Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$1,120
US-inBio-460 	4-door 2-way Controller Fingerprint: 3000 Card:30,000 Event Buffer:100,000 Reader Ports:4 (26-66 bits Weigand, RS485 FP Readers) Communication: TCP/IP, RS485 Input Ports: 12 (4 exit buttons, 4 door sensors, 4 Aux Inputs) Output Ports: 8 (4 FORM-C Relay Output for lock, 4 Aux FORM-C Relay Output) Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$1,520
inBio Access Control Panel with Metal Cabinet and Power Supply		
US-inBio-160 BUN 	A package of inBio-160 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 12 lbs. Package Size: 15 1/2" x 13 1/2" x 5"	\$920
US-inBio-260 BUN 	A package of inBio-260 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 12 lbs. Package Size: 15 1/2" x 13 1/2" x 5"	\$1,280
US-inBio-460 BUN 	A package of inBio-460 in Metal Cabinet with Power Supply UL294 and CAN/ULC-S319 Certified Gross Weight: 12 lbs. Package Size: 15 1/2" x 13 1/2" x 5"	\$1,680

Confidential Distributor Price List for Access Control Products

MSRP

inBio Access Control Panel Kits

	1-door KIT includes: 1 pc USinBio-160 panel, power supply and metal cabinet 1 pc FR1200-ID - Slave Fingerprint and Prox Card reader, IP-65 rated 1 pc PTE-1 Exit Button 1 pc ZK4500 - USB Enrollment Fingerprint Reader - ZKAccess software - Gross Weight: 13 lbs. - Package Size: 16" x 16" x 8"	\$1,320
	2-door KIT includes: 1 pc USinBio-260 panel, power supply and metal cabinet 2 pcs FR1200-ID - Slave Fingerprint and Prox Card reader, IP-65 rated 2 pcs PTE-1 Exit Button 1 pc ZK4500 - USB Enrollment Fingerprint Reader - ZKAccess software - Gross Weight: 14 lbs. - Package Size: 16" x 16" x 8"	\$2,000
	4-door KIT includes: 1 pc USinBio-460 panel, power supply and metal cabinet 4 pcs FR1200-ID - Slave Fingerprint and Prox Card reader, IP-65 rated 4 pcs PTE-1 Exit Button 1 pc ZK4500 - USB Enrollment Fingerprint Reader - ZKAccess software - Gross Weight: 15 lbs. - Package Size: 16" x 16" x 8"	\$3,020
	inBio Wireless Bundle Options	
US-inBio-160-WBUN	A package of inBio-160 in Metal Cabinet with Power Supply and Wireless Kit	\$1,380
US-inBio-260-WBUN	A package of inBio-260 in Metal Cabinet with Power Supply and Wireless Kit	\$1,760
US-inBio-460-WBUN	A package of inBio-460 in Metal Cabinet with Power Supply and Wireless Kit	\$2,160
	Slave Fingerprint Reader with built in prox reader Communication: RS485 with inBio panel or Standalone Biometric Reader Controllers Gross Weight: 2 lbs. Package Size: 10" x 6" x 4"	\$230
FR1200-Mifare	Special Order 4-6 weeks	\$380
FR1500-ID (NEW) 	Flushmount Slave Fingerprint Reader with built in prox reader Communication: RS485 with inBio panel or Standalone Biometric Reader Controllers Gross Weight: 2 lbs. Package Size: 10" x 6" x 4"	\$350
FR1500-HID (NEW)	Special Order 4-6 weeks	\$470
FR1500-iClass (NEW)	Special Order 4-6 weeks	\$550
	Enrollment Fingerprint Reader Required for enrollment of fingerprints with inBio panels Communication: USB connectivity with the computer Gross Weight: 2 lbs. Package Size: 10" x 6" x 4"	\$120

Confidential Distributor Price List for Access Control Products

MSRP

Standalone Biometric and RFID Reader Controllers Note: (*) means a Special order with 4-6 weeks delivery.

	Standalone Multi Biometric & Card Reader Controller Communication: TCP/IP, USB Host, Weigand Input/Output Finger Vein and Fingerprint Capacity:1000 templates Logs Capacity: 30000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$1,120
FV350-Mifare	<i>Special order 4-6 weeks*</i>	\$1,220
	Standalone Biometric & Card Reader Controller Communication: TCP/IP, RS485; USB- Host Weigand Input/Output Fingerprint Capacity:1500 Logs Capacity: 30000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$780
F18-Mifare	<i>Special order 4-6 weeks*</i>	\$880
F18-HID	<i>Special order 4-6 weeks*</i>	\$920
	Standalone Biometric & Card Reader Controller Communication: TCP/IP, USB Host, Weigand Input/Output Fingerprint Capacity:2000 Face Capacity: 1200 Logs Capacity: 10000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$980
MB700-Mifare	<i>Special order 4-6 weeks*</i>	\$1,080
MB700-HID	<i>Special order 4-6 weeks*</i>	\$1,140
SMK-V (NEW) 	Standalone metallic RFID Reader Controller Communication: Weigand Output Card Capacity: 1,000 Dimensions (HxWxD) 6.3 x 2" x .8"	\$200
SMK-H (NEW) 	Standalone metallic RFID Reader Controller Communication: Weigand Output Card Capacity: 1,000 Dimensions (HxWxD) 4.7" x 3.4" x .8"	\$200
inBio Biometric Access Control Panel - Demo Case		
US-inBio Demo Case 	inBio Demo Case Includes: 1 pc. USinBio- 460 panel, Integrated 12V DC Power Supply 2 pc. FR1200 - Slave Fingerprint reader 1 pc. PTE-1 Request to Exit button 1 pc. ZKABK - Exit button Gross Weight: 17 lbs. Package Size: 20" x 16" x 8"	

Confidential Distributor Price List for Access Control Products

Standalone Biometric and RFID Reader Controllers Note: (*) means a Special order with 4-6 weeks delivery.

TF1700 	Weatherproof (IP-65) Standalone Fingerprint, Card Reader Communication: TCP/IP, USB Host 26-bit Weigand Input/Output Fingerprint Capacity: 2200 Card Capacity: 10000 Logs Capacity: 30000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$1,000
TF1700-Mifare	<i>Special order 4-6 weeks*</i>	\$1,100
TF1600 	Weatherproof (IP-65) Standalone Fingerprint, Card Reader Operates in Temperature: -40 °F to 113 °F Communication: TCP/IP, USB Host 26-bit Weigand Input/Output Fingerprint Capacity: 2200 Card Capacity: 10000 Logs Capacity: 30000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$1,120
TF1600-Mifare	<i>Special order 4-6 weeks*</i>	\$1,220
SC700 	Standalone RFID Reader Controller Communication: RS232/485, TCP/IP and USB-Host User Capacity: 30000 Logs Capacity: 100000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$400
SC700-Mifare	<i>Special order 4-6 weeks*</i>	\$500
Standalone IP Camera with Long Range Facial Recognition		
BioCam 300 	Standalone HD IP Camera with Long Range Facial Recognition Face Capacity: 400 Logs: 100,000 Long Range: 12 -15 feet Enrollment time: approx. 10 sec. Verification Time: approx. 1-2 seconds Camera Resolution: 1.3MP Communication: TCP/IP and Weigand Input and Output Gross Weight: 8 lbs. Package Size: 16" x 16" x 10"	\$1,400

Confidential Distributor Price List for Access Control Products

MSRP

Elevator Control Module and Expansion boards

EC10 	EC10 Elevator Control Module Controls up to 10 floors Communication: TCP/IP and RS485 Fingerprint Capacity: 3000 Card Capacity:10000 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$1,440
EC10-BUN 	EC10 with Metal Cabinet and Power Supply Elevator Control Module Bundle Gross Weight: 11 lbs. Package Size: 15 1/2" x 13 1/2" x 5"	\$1,880
EX16 	Elevator Control Expansion Board- EX16 Controls upto 16 floors Communication: RS485 Gross Weight: 3 lbs. Package Size: 12" x 6" x 4"	\$420
EX 16-BUNDLE 	EX 16-BUN-1: One Elevator Expansion Module EX16-BUN-1 with metal cabinet and power supply	\$700
	EX 16-BUN-2: Two Elevator Expansion Modules EX16-BUN-2 with metal cabinet and power supply	\$1,200
	EX 16-BUN-3: Three Elevator Expansion Modules EX16-BUN-3 with metal cabinet and power supply Gross Weight: 11 lbs. Package Size: 15 1/2" x 13 1/2" x 5"	\$1,720
EC10-LIC	Software License for Elevator Control Module	\$180
VIDEO-LIC	Software License for Video Module	\$180
VMGT-LIC	Software License for Visitor Management Module	\$180

Confidential Distributor Price List for Access Control Products

MSRP

ZKAccess Weigand only Readers Note: (*) means a Special Order with 4-6 weeks delivery.

KR500E 	KR500E: Read 125kHz Proximity ID card number Weigand output 26bit, Mullion mount Dimension: 78x44x16mm	\$40
KR500M	KR500M*:Read 13.56MHz Mifare ID card number Weigand output 34bit, Mullion mount Dimension: 78x44x16mm	\$80
KR501E 	KR501E: Read 125kHz Proximity ID card number Weigand output 26bit Dimension: 86x86x16mm	\$40
KR501M	KR501M*: Read 13.56MHz Mifare ID card number Weigand output 34bit Dimension: 86x86x16mm Gross Weight: 1 lb.	\$80
KR502E 	KR502E: Read 125kHz Proximity ID card number Weigand output 26bit Dimension: 86x86x16mm	\$40
KR502M	KR502M*: Read 13.56MHz Mifare ID card number Weigand output 34bit Dimension: 86x86x16mm Gross Weight: 1 lb.	\$80
KR503E 	KR503E: Read 125kHz Proximity ID card number Weigand output 26bit, Single gang Dimension: 116x75x16mm	\$40
KR503M	KR503M*:Read 13.56MHz Mifare ID card number Weigand output 34bit, Single gang Dimension: 116x75x16mm	\$80
KR1000 (NEW) 	KR1000: Medium-range (2 feet) 125kHz Proximity ID card reader Weigand output 26bit Dimension: 240 x 235 x 35mm	\$360
CR10E 	CR10E: Enrollment Reader 125kHz Proximity Card reader with USB interface Package Size: 10" x 6" x 2" Gross Weight: 1 lb.	\$40
CR10M	CR10M: Enrollment Reader 13.56MHz Mifare Card with USB interface	\$80

Confidential Distributor Price List for Access Control Products

MSRP

HID Weigand only Readers Note: (*) means a Special Order with 4-6 weeks delivery.

KR500H (NEW)		
	KR500 HID compatible 125kHz Proximity ID card reader Weigand output 26bit, Mullion mount Dimension: 116x75x16mm	\$100
KR503H (NEW)		
	KR503 HID compatible 125kHz Proximity ID card reader Weigand output 26bit, Designed to be mounted to a standard North American single-gang wall switch box.	\$160
KR502H (NEW)		
	KR502 HID compatible 125kHz Proximity ID card reader Weigand output 26bit, Designed to be mounted directly to standard North American sized single-gang wall box, and integrates both a proximity reader and keypad into a single unit.	\$400


Credentials- HID Cards and Fobs (Min. Order Quantity- 100 cards or Fobs or RFID Stickers)

HID Prox Card Thick		
	HID 125kHz Prox Cards Thick (Read only) (Min. Order Quantity- 100 cards) Gross Weight: 3 lb Package Size: 10" x 6" x 4"	\$4.00
HID Prox Card Thin		
	HID 125kHz Prox Cards Thick (Read only) (Min. Order Quantity- 100 cards) Gross Weight: 3 lb Package Size: 10" x 6" x 4"	\$7.00
HID Prox Key-Fob		
	HID 125kHz HID Prox Key-Fob Small proximity tag designed to be carried on a key ring, includes a re-enforcing brass eyelet, and is backed by a lifetime warranty.	\$9.80

Accessories--Exit Button

PTE-1		
	Exit Switch with Soft Touch Power: 12V DC. Current Consumption: 70mA NO/ NC/ COM relay output Gross Weight: 2 lb Package Size: 10" x 6" x 4"	\$60

Credentials-ZKAccess Card and Fobs (Min. Order Quantity- 100 cards or Fobs or RFID Stickers)

Prox Card Thick (Clamshell)		
	125kHz Prox Cards Thick (Read only) (Min. Order Quantity- 100 cards) Gross Weight: 3 lb Package Size: 10" x 6" x 4"	\$2.00
Prox Card Thin (ISO)		
	125kHz Thin Prox cards ISO Standard (Read only) (Min. Order Quantity- 100 cards) Gross Weight: 4 lb Package Size: 10" x 6" x 4"	\$2.50
Prox Key-Fob		
	125kHz Key Fobs (Read Only) (Min. Order Quantity- 100 cards) Gross Weight: 2 lb Package Size: 10" x 6" x 4"	\$2.90

Confidential Distributor Price List for Access Control Products

MSRP

Prox- Sticker 	125kHz Prox Stickers Diameter:25mm, Paper label with adhesive Frequency: 125kHz Gross Weight: 1 lb Package Size: 10" x 6" x 4"	\$2.75
Mifare Card 	MF1 S50 Mifare card With 1 Kbyte EEPROM (Min. Order Quantity- 100 cards) Gross Weight: 3 lb Package Size: 10" x 6" x 4"	\$4.00
Accessories--Other		
Metal Cabinet for Panels 	Metal Cabinet for C3 and inBio panels Gross Weight: 7 lbs. Package Size: 15 1/2" x 13 1/2" x 5" Color: Black	\$210
12V DC POE SPL (NEW) 	POE - Injector and Splitter Power over Ethernet (12V DC, 2A Output) Dimensions: 94*70*26 mm (L*W*H) Gross Weight: 2 lbs. Package Size: 10" x 6" x 4"	\$100
LB7000 (NEW) 	Lock Box for Emergency Shutdown Communication: TCP/IP Panels Supported: 250 Gross Weight: 3 lbs. Package Size: 12" x 9" x 4"	\$560
inBridge Server (NEW) 	inBridge Server with preloaded ZKACCESS software. processor,4GB RAM, 120GB SSD HDD,Win10 Home Operating System Gross Weight: 4 lbs. Package Size: 12" x 10" x 6"	\$750
Wireless Bridge (NEW) 	Wireless Bridge for ZKAccess C3 and InBio door controllers C3 and InBio metal enclosures. Supports IEEE 802.11g. Wireless range 150-300 feet C3 and InBio door controllers sold separately.	Mounts inside \$440

Terms and Conditions

Pricing	Free freight for orders over \$900 for products only
	If the value of the PO is less than \$100 , processing fee of \$10 will be applied.
	Drop shipping fee - \$8 per order
Warranty	2 Years against manufacturing defects
Payment	Advance Payment unless an account is setup
Returns	No Returns accepted without prior authorization. Shipping Charges are not refundable.
	If products are returned without proper authorization a 25% restocking fees will apply.
Duties and Taxes	All customers will be solely responsible for any/all applicable custom duties, brokerage fees, taxes etc.
	levied in their state or country
	Pricing,Design and Specifications subject to change without notice

6 Kingsbridge Road, Suite 8 Fairfield, NJ 07004 | T: 862-505-2101 | F: 862-204-5906 | www.zkaccess.com | sales@zkaccess.com

Confidential MSRP Price List for Smart Locks

End User

ML10 Door Locks- Confirms to ANSI/BHMA 156.2 Grade 3

ML10 -G	DIY Plug and Play Door Lock Color: Gold User Capacity: Admin-10 users, Normal- 60 users, Material : Zinc Alloy Single Latch and Reversible Handle Design	
		\$360
	ML10-G-BT - Lock with Bluetooth (Optional)	\$420
ML10 -S	DIY Plug and Play Door Lock Color: Silver and Black User Capacity: Admin-10 users, Normal- 60 users, Material : Zinc Alloy Single Latch and Reversible Handle Design	
		\$360
	ML10-S-BT - Lock with Bluetooth (Optional)	\$420
ML10R-G	DIY Plug and Play Door Lock Color: Gold and Black User Capacity: Admin-10 users, Normal- 60 users, Material : Zinc Alloy Single Latch and Reversible Handle Design	
		\$340
ML10R- S	DIY Plug and Play Door Lock Color: Silver and Black User Capacity: Admin-10 users, Normal- 60 users, Material : Zinc Alloy Single Latch and Reversible Handle Design	
		\$340
ML10S-ID	DIY Plug and Play Door Lock Color: Silver and Black User Capacity: Admin-10 users, Normal- 60 users, Material : Zinc Alloy Single Latch and Reversible Handle Design	
		\$480

Terms and Conditions (Design, price and specifications subject to change without notice)

Pricing	All the above prices are FOB, New Jersey
	If the value of the PO is less than \$100, processing fee of \$10 will be applied.
	Drop shipping fee - \$8 per order.
	Free freight for orders over \$500
Warranty	One year against manufacturing defects.
Payment	Advance payment unless an account is setup.
Returns	No returns accepted without prior authorization. Shipping Charges are not refundable.
	If products are returned without proper authorization, a 25% restocking fees will apply.
Duties and Taxes	All customers will be solely responsible for any/all applicable custom duties, brokerage fees, taxes etc.
	levied in their state or country.