
EMTEK[®] ASSA ABLOY

MULTI POINT LOCK TRIM

PRICE BOOK October 2018

ASSA ABLOY, the global leader in door opening solutions






Large Multi Point Entry Sets 14 American Cylinder Hub *Above/Below* Handle, 3⁵/₈" Center-to-Center

PAGE

ref. G-U®



Large Multi Point Entry Sets18Euro Cylinder Hub Below Handle, 35%" Center-to-Center

ref. G-U®

EMTEK MULTI POINT LOCK TRIM FOR SWINGING DOORS


CHOOSE TRIMSETS FROM DOOR & LOCK CONFIGURATIONS, AVAILABLE IN BOTH KEYED AND NON-KEYED FUNCTIONS

Door Manufacturers listed under each configuration are for reference only and are subject to change. Some retrofitting may be necessary. Please carefully measure and identify your hardware using the diagrams and steps listed below.

To determine your Multi-Point Lock configuration:


- 1) Identify the manufacturer of your door and multi-point lock
- 2) Measure the center-to-center hole spacing between the lever and the cylinder
- 3) Check the lever position: is it above or below the cylinder?
- 4) Identify the type of cylinder used in the door: is it American or Euro Profile Cylinder?

PAGE




Door Configuration #1 22 American Cylinder Hub *Below* Handle, 3⁵/s" Center-to-Center

ref. Atrium[®], G-U[®], KML by Andersen[®], Andersen[®], Marvin Integrity[®], Paddock Lockmaster[™], Superior[®]



Door Configuration #2	28	
American Cylinder Hub <i>Above</i> Handle, 3 ⁵ /8" Center-to-Center		


ref. BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®





ref. Andersen®

Multi Point Lock Trim Price Book Effective October 1, 2018











ref. Ashland[®], G-U[®], Caradco[®], JELD-WEN[®], Jeldwen[®] Custom Collection (formerly Pozzi[®]), Marvin[®], PGT[®], Premium Collection (formerly Norco[®]), Weathershield[®]


Euro Profile Cylinder *Below* Handle, 35/8" Center-to-Center

ref. Crestline[®], Hoppe[®], Hurd[®], KFV[®], Kolbe & Kolbe[®], Lincoln[®], Loewen[®], Paddock Lockmaster[™], Peachtree[®], Semco[®], Sierra Pacific[®], Signature[®], Simpson[®], Therma-Tru[®], Vetter[®], Willmar[®], Windsor[®], Weathershield[®]

Door Configuration #6 52


American Cylinder Hub *Below* Handle, 35/8" Center-to-Center

ref. Milgard®, Pella®



Door Configuration #7	58
American Cylinder Hub <i>Above</i> Handle, 6" Center-to-Center	

ref. Trillenium® (formerly W&F Manufacturing)



Door Configuration #8	63
American Cylinder Hub <i>Above</i> Handle, 51/4" Center-to-Center	

ref. Neuma Doors®

Product Index	
Order Form	
Lifetime Limited Warranty	



Lifetime (US3)



Satin Brass (US4)





Oil Rubbed Bronze (US10B)

Polished Nickel -Lifetime (US14)





Polished Chrome (US26)

Bronze Patina is a living finish that will gracefully age, revealing the underlying bronze over time. Because of this characteristic, no finish warranty is offered on bronze patina products.

Brushed Stainless Steel carries a five-year finish warranty. All stainless steel will require some periodic cleaning to keep your hardware looking like new.



Pewter (US15A)

Flat Black Bronze Patina (FB)



Flat Black

(US19)

Medium Bronze Patina (MB)



Tumbled White Bronze (TWB)



Brushed Stainless Steel (SS)

Unlacquered Brass (US3NL) is a custom, made-to-order finish. It is available with an upcharge, per item and requires an additional 2-3 day lead time. This living finish will gracefully age and evolve in appearance over time. Because of this characteristic, no finish warranty is offered on unlacquered brass products.



ORDERING AND RETURNS

Placing Orders

You have several options to place an order:

- Email: orders@emtek.com
- Fax: 800-577-5771
- Phone: 800-356-2741, Option 1
- Mail: Emtek Products, Inc. 15250 E. Stafford Street City of Industry, CA 91744

Hours of Operation

Monday - Friday: 5:00 AM - 5:00 PM Pacific Time.

Minimum Order Requirements

There are no minimum order quantity requirements.

Payment Terms

Net 30 Days on established credit.

Payment Options

We accept check, Visa, MasterCard, Discover, AMEX, and ACH.

Sales Tax

Sales tax will be charged unless a resale certificate has been provided.

Prices

All prices listed are in US funds. Our prices are subject to change without prior notice.

Returns

- For your convenience, returns do not require authorization. Returns can be processed directly from the Emtek website, www.emtek.com.
- Click on the "Dealer Site" icon on the right side of the bottom half of the www.emtek.com home page, and then select "Product Returns". Fill out the RGA form, and follow the link to generate a UPS call tag (terms and conditions apply – see the website for details).
- A completed RGA form must accompany all packages for returned goods.
- Returns are accepted from the Emtek dealer who originally purchased the product that is being returned. Any refund or credit would only be made to the original dealer.
- All returned goods are subject to a minimum 25% restocking fee.
- Returns for reasons other than an Emtek factory or processing error will be subject to our customary restocking fee with a return freight charge of \$15.00 per label/carton in the United States or \$30.00 per label/carton in Canada or Mexico. This charge will be deducted from the credit issued for each call tag.
- No freight will be charged if the return is sent prepaid.

SHIPPING AND FREIGHT

Shipping Costs

All orders are FOB shipping point. For shipments to dealer specified commercial addresses located in the US, Canada and Mexico, Emtek ships freight prepaid. For shipments to dealers located outside of North America, freight will be prepaid by Emtek to the U.S. location of the dealer's freight forwarder. Orders may ship ground service or LTL at our discretion. Orders shipping to a residential address must ship via 2nd Day with a 20% surcharge.

Shipping Options

Shipments to a commercial address can be upgraded to 2nd Day or Next Day Service for a fee. Orders shipping to a residential address may be upgraded to Next Day Service for a fee. Unfortunately, a dealer's freight account cannot be used to pay for shipping charges.

Delivery Location	Type of Service	Surcharge %*
Commercial Address	Second Day	6%
Commercial Address	Next Day	16%
Residential Address	Second Day (Required)	20%
Residential Address	Next Day	25%

*Multiplied by invoice value

Order Lead time

Emtek assembles all products to order in City of Industry, California. Orders typically ship within two to three business days once an order is released to the factory.

DEALER INFORMATION PORTAL

Online Account Access

We are pleased to announce that you can now access your Emtek account information through the ASSA ABLOY dealer information portal. Through the dealer portal you can access information about your account at any time. You can:

- Check on the status of orders
- View both order and sales history
- View and print order acknowledgements, invoices, statements and credits
- Track shipments

To register for the ASSA ABLOY dealer portal or to make changes to access rights, we require the approval from your company's owner, CEO, President, or other corporate officer. To get started, Click on the "Dealer Site" icon on the bottom half of the www.emtek.com home page, and then select "Forms & Instructions". Please complete the "Dealer Portal Access Rights Form" and email to: dealerportal.emtek@assaabloy.com. Should you have any questions, please contact Customer Service.

NO CHARGE SAMPLE PROGRAM

Sample Program

Samples are gladly provided at no charge to authorized dealers, under the following conditions:

- 1/2 Door Lock Dummy (max 2)
- 1/2 Pair of Hinges (max 2)
- Cabinet Knob or Pull (max 3)
- Door Accessory (max 1)

A shipping and handling fee of \$2.50 per sample will be applied to your order (\$2.50 for one sample, \$5.00 for two samples, \$7.50 for three samples, etc.)

Sample Order Exceptions

- Samples must be different product codes.
- Samples do not include active door hardware sets, 8" or larger cabinet pulls, door pulls, appliance pulls, electronic locks, entry sets, bath hardware or door accessories over \$75 list.

Placing a Sample Order

- Send orders to samples@emtek.com or place by fax, phone, or mail.
- Write "NO CHARGE SAMPLE" on the order.
- Standard shipment upgrade charges will apply for expedited freight requests.
- Orders for sample products must be placed separately and not combined with other products.
- Emtek does not require samples to be returned.

No Restocking Fee Charged for Sample Orders with Exceptions

- Send orders to samples@emtek.com or place by fax, phone, or mail.
- Write "DEALER SAMPLE" on the order.
- Keep the samples you want and return the samples you don't.
- Contact Customer Service for Return Authorization in advance to ensure a restock fee is not applied to the return.
- Product must be returned in its original condition.
- Return freight charge of \$15.00 per label/carton in the United States or \$30.00 per label/carton in Canada or Mexico. This charge will be deducted from the credit issued for each call tag.
- No freight will be charged if the return is sent prepaid.

NO CHARGE DISPLAY PROGRAM

Display Program

Emtek offers a variety of quality, well-crafted displays. We take great pride in the quality of our displays, which are hand-built in our Southern California facility by our talented craftsmen.

- Click on the "Dealer Site" icon on the right side of the bottom half of the www.emtek.com home page, and then select "Displays".
- Browse our online catalog using the navigation system on the left column to view by function, style, or material.

Placing a Display Order

Please contact your local sales representative for ordering information.

Product for use on Displays in your Showroom

Thank you for considering Emtek products for use on door displays and kitchen/ bath vignettes installed in your showroom. Please contact your local sales representative for ordering information.

Minimum Advertised Price Policy Effective February 6, 2017


Emtek has determined that in order to better compete against existing competitors it must exercise a greater degree of control over the distribution of its products. Therefore, all sales of Emtek products will be subject to this Policy. This Policy has been unilaterally adopted and will be enforced strictly and uniformly.

Although resellers remain free to establish their own resale prices, to the extent that any customer elects to advertise products of Emtek in any manner, that is in print, in electronic media, on its website, etc., and provides price information for such products, that price information must be no less than List Price less 20%, this is the Minimum Advertised Price (MAP). Advertisements and offers to sell that do not include a particular price, but require further action that implies a price that is lower than the Minimum Advertised Price violate the MAP Policy. Examples of such unauthorized advertisements include "drop in cart" pricing, "add to cart" pricing, "click to see" pricing, and discount coupon pricing. Also prohibited are advertisements that indicate that discounts may be available when a customer takes specific action that goes beyond buying the product, such as "special price option" or "name vour price."

To assure fair business practices, we will strictly enforce this policy. Violations of this MAP Policy will include termination of our business relationship with a customer. On the first offense there will be a written notice counseling any customer that disregards this policy. Any customer who violates the policy a second time, within one year of receiving a written notice of a first violation, will be terminated.

Emtek will not discuss any conditions of acceptance related to this Policy, as it is non-negotiable and will not be altered for any dealer. In addition, Emtek neither solicits, nor will it accept, any assurance of compliance with this Policy. Nothing in this Policy shall constitute an agreement between Emtek and any reseller that the reseller will comply with this Policy.

SELECT BRASS



* Note: You will need to ensure the necessary opening/closing clearance when using certain lever designs. Dimensions from the center of the stem to the end of the lever overhang have been provided: T-Bar ¾", Geneva 1½", Myles ¾", Freestone 1", Yuma 1½".

EVER OPTIONS

LEVER OPTIONS

SANDCAST BRONZE






STAINLESS STEEL




Determining handing for door hardware is different than determining handing for carpentry (ordering and hanging doors). If you follow the standard carpentry rules for handing door hardware, instead of following the diagram below, there is good chance you may end up with a lock that is handed incorrectly. Please refer to the diagram below and if you have any questions, call Customer Service at (800) 356-2741, Option 1.



HANDING OF DOOR IS ALWAYS DETERMINED FROM THE OUTSIDE

SELECT BRASS



	i	j	L	
2	2			
5	ï	j		
	,			
	1	Ì	1	
	L	ł	Ц	
-				
	1			
7	2	ł		
		1	Ч	
5	2	2	-	
	2	2	1	
2	-			
			4	
	i	i		
2	1	ŝ	1	
-				
J				
			5	
			4	
4	1		1	
		1		
5	2			
	,		,	
	1	ĺ	H	
			Ы	

		US3 Lifetime	US4	US7	US10B	US14 Lifetime	US15	US15A	US19	US26	US3NL*
SELECT	L-Square Faceted (LS.FA)		•		•	•	•		•	•	•
Brass	L-Square Hammered (LS.HA)		•		•	•	•		•	•	•
Levers	L-Square Knurled (LS.KN)		•		•	•	•		•	•	•
	L-Square Tribeca (LS.TR)		•		•	•	•		•	•	•
	T-Bar Faceted (TA.FA)		•		•	•	•		•	•	•
	T-Bar Hammered (TA.HA)		•		•	•	•		•	•	•
	T-Bar Knurled (TA.KN)		•		•	•	•		•	•	•
	T-Bar Tribeca (TA.TR)		٠		•	٠	•		٠	٠	•
Modern	Aireon Lever (A)		٠		•		•		٠	٠	•
Classic	Athena Lever (ATN)		٠		•		•		٠	٠	•
Brass	Hermes Lever (HER)		٠		٠		٠		٠	٠	•
Levers	Luzern Lever (LU)		•		٠	٠	•		•	٠	•
	Poseidon Lever (POS)		٠		٠		٠		٠	٠	•
	Stuttgart Lever (STU)		•		٠	٠	•		•	٠	•
Modern	Argos Lever (AG)		•		•	٠	٠		•	٠	•
Designer	Aston Lever (AST)		٠		٠	٠	٠		٠	٠	•
Brass	Basel Lever (BA)		•		٠		•		•	٠	•
Levers	Breslin Lever (BRL)		•		٠	٠	٠		•	٠	•
	Dumont Lever (DT)		•		•	•	•		•	٠	•
	Freestone Lever (FRL)		•		•	•	•		•	•	•
	Geneva Lever (GV)		•		٠	٠	•		•	٠	•
	Helios Lever (HLO)		٠		•	•	•		٠	•	•
	Hercules Lever (HEC)		٠		٠	٠	•		٠	٠	•
	Mercury Lever (MC)		•		٠		٠		•	٠	•
	Myles Lever (MYL)		•		•	•	•		•	•	•
	Sion Lever (SIO)		•		•		•		•	•	•
	Spencer Lever (SPN)		•		•	•	•		•	•	•
_	Triton Lever (TRT)		٠		٠		٠		٠	٠	•
Classic	Cortina Lever (C)	•		•	•	•	•	•	•	•	•
Brass	Millano Lever (M)	•		•	٠	٠	•	•	٠	٠	•
Levers	Rustic Lever (R)	•		•	•		•	•	•	•	•
	Turino Lever (T)	•		•	•	٠	•	•	٠	٠	•
Designer	Coventry Lever (CV)	•		•	٠		٠	•		٠	•
Brass Levers	EIdfi Lever (EIN)	•		•	٠		٠	•		٠	•
Levels	Merrimack Lever (ME)	•		•	•	•	•	•	•	•	•
	Ribbon & Reed Lever (RBL)	•		•	•		•	•		•	•
	Rope Lever (RL)	•		•	•		٠	•		٠	•
	Santa Fe Lever (SF)	•		•	•		•	•		•	•
Auto O	Wembley Lever (WM)	•		•	•		٠	•		•	•
Arts & Crafts					•		٠		٠		•
Ciails	Hammered Lever (HM)				•		•		٠		•

*Unlacquered Brass (US3NL) is a custom, made-to-order finish. It is available with an upcharge, per item and requires an additional 2-3 day lead time. This living finish will gracefully age and evolve in appearance over time. Because of this characteristic, no finish warranty is offered on unlacquered brass products.

LEVER FINISH AVAILABILITY CHART

SANDCAST BRONZE



(YM)

LOST WAX CAST BRONZE

(MA)





(NA)

(MT)

Napoli Lever



(TT)

Octagon Lever (OCL)



(PD)

STAINLESS STEEL



-

Hermes Lever (HES)

Cologne Lever (CO)



Dresden Lever (DD)

Poseidon Lever

Helios Lever (HL)



Hercules Lever (HS)

Kiel Lever (KL)



(PO)

Stuttgart Lever (STT)



		FB*	MB*	TWB*
Sandcast	Aurora Lever (AR)	•	•	•
Bronze Levers	Bryce Lever (BR)	•	•	•
	Cimarron Lever (CR)	•	•	•
	Cody Lever (CD)	•	•	•
	Durango Lever (D)	•	•	•
	Lariat Lever (LR)	•	•	•
	Mariposa Lever (MA)	•	•	•
	Montrose Lever (MT)	•	•	•
	Teton Lever (TT)	•	•	•
	Yuma Lever (YM)	•	•	•

Lost Wax Cast Bronze Levers			
		FB*	MB*
	Medici Lever (MDI)	•	•
	Napoli Lever (NA)	•	•
	Octagon Lever (OCL)	•	•
	Padua Lever (PD)	•	•

		55**
Stainless Steel	Athena Lever (AT)	٠
Levers	Cologne Lever (CO)	٠
	Dresden Lever (DD)	•
	Helios Lever (HL)	٠
	Hercules Lever (HS)	•
Attena Lever (AT) Cologne Lever (CO) Dresden Lever (DD) Helios Lever (HL)	•	
	Kiel Lever (KL)	٠
	Poseidon Lever (PO)	•
	Stuttgart Lever (STT)	•

*Bronze Patina is a living finish that will gracefully age, revealing the underlying bronze over time. Because of this characteristic, no finish warranty is offered on bronze patina products.


**Brushed Stainless Steel carries a five-year finish warranty. All stainless steel will require some periodic cleaning to keep your hardware looking like new.

LARGE MULTI POINT ENTRY SETS

American Cylinder Hub, Above / Below Handle 35/8" Center to Center

2³/₈" Minimum Backset Required

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.









0

-

Đ

BRASS PLATES, MODERN RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2.5″ x 17.5″ Plates		See Page 8 for Brass & Modern Brass Lever	Satin Brass (US4) Oil Rubbed Bronze (US10B)	
Keyed with American Cylinder, Hub ABOVE Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1LR1	Options.	Polished Nickel - Lifetime (US14) Satin Nickel (US15)	\$364.00
Dummy Pair	1LR2		Flat Black (US19) Polished Chrome (US26) Unlacquered Brass (US3NL)*	\$364.00
Keyed with American Cylinder, Hub BELOW Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1LR3			\$364.00
Dummy Pair	1LR4			\$364.00
			* Unlacquered Brass (US3NL) finish available for a \$50 List Price upcharge per item.	

Handing Required

• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.


• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

 ${\ }$ ${\ }$ No upcharge for cylinder substitution. Can be keyed into existing Weiser $^{\circ}$ system.

Ref. G-U° LARGE MULTI POINT ENTRY SETS



BRASS PLATES, MELROSE STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price	
Sets with 2.9″ x 17.5″ Plates		See Page 8 for Brass & Modern Brass Lever	Polished Brass - Lifetime (US3) French Antique (US7)		
Keyed with American Cylinder, Hub ABOVE Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1LM1	Options.	Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14)	\$364.00	
Dummy Pair	1LM2		Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) Unlacquered Brass (US3NL)*	\$364.00	
Keyed with American Cylinder, Hub BELOW Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1LM3				\$364.00
Dummy Pair	1LM4			\$364.00	
			* Unlacquered Brass (US3NL) finish available for a \$50 List Price upcharge per item.		

Handing Required

• Key codes may be specified. Fits standard door thickness of 13/4". Specify if thicker.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

• No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.


Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

LARGE MULTI POINT ENTRY SETS

American Cylinder Hub, Above / Below Handle 35/8" Center to Center

2³/₈" Minimum Backset Required

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 3" x 17.5" Plates		See Page 9 for	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	
Keyed with American Cylinder, Hub ABOVE Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1LA1	Sandcast Bronze Lever Options.		\$468.00
Dummy Pair	1LA2			\$468.00
Keyed with American Cylinder, Hub BELOW Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1LA3			\$468.00
Dummy Pair	1LA4	-		\$468.00

Handing Required

• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

Specification Sheet for Trim and Cylinder Styles LARGE MULTI POINT ENTRY SETS



Keyed Plates with American Cylinder

Standard Door Thickness: from 1%" to 2"	Extended Door Thickness: Over 2" to 2¾"	
Standard Components:	Extended Components:	
Single Cylinder Tailpiece	Long Single Cylinder Tailpiece	
• 3 ¾" Steel Spindle	• 4 1/2" Steel Spindle	
• 2" Rosette Screws	• 2 ½" Rosette Screws	
• 1 ½" Rosette Screws for 1 5%" thick door	• 2" Rosette Screws for 2" - 2 1/8" thick door	


Dummy Plates

Standard Door Thickness: from 1 ⁵ / ₈ " to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components:	Extended Components:
• 2" Rosette Screws	• 2 1/2" Rosette Screws
• 1 1⁄2" Rosette Screws for 1 5⁄8" thick door	 2" Rosette Screws for 2" - 2 1/8" thick door

CONSTRUCTION KEYING

• Lost ball system.

- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "Construction Keyed, House #_" next to applicable locks.



- Construction devices used on one or more of last four positions.

- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

• Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

• Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code

Order by indicating "Key Code XXXXX" next to applicable locks.

Keying Alike

Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.


• If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.

LARGE MULTI POINT ENTRY SETS

Euro Cylinder Hub, Below Handle 3⁵/⁸" Center to Center

2³/₈" Minimum Backset Required

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





BRASS PLATES, MODERN RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2.5" x 17.5" Plates Keyed with Euro Profile Cylinder , Hub BELOW Handle	2LR1	See Page 8 for Brass & Modern Brass Lever	Satin Brass (US4) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14)	\$364.00
(Schlage® Keyway standard, Rekeyable)		Options.	Satin Nickel (US15)	
Dummy Pair	2LR2	_	Flat Black (US19) Polished Chrome (US26) Unlacquered Brass (US3NL)*	\$364.00
			* Unlacquered Brass (US3NL) finish available for a \$50 List Price upcharge per item.	


Handing Required

• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser® keyway not available with Euro cylinder.

Ref. G-U° LARGE MULTI POINT ENTRY SETS





BRASS PLATES, MELROSE STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2.9" x 17.5" Plates Keyed with Euro Profile Cylinder , Hub BELOW Handle	2LM1	See Page 8 for Brass & Modern Brass Lever	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B)	\$364.00
(Schlage [®] Keyway standard, Rekeyable)	ZLIVII	Options.	Polished Nickel - Lifetime (US14)	
Dummy Pair	2LM2		Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) Unlacquered Brass (US3NL)* *Unlacquered Brass (US3NL) finish available for a \$50 List Price upcharge per item.	\$364.00

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.


• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

LARGE MULTI POINT ENTRY SETS

Euro Cylinder Hub, Below Handle 3⁵/⁸" Center to Center

2³/₈" Minimum Backset Required

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 3" x 17.5" Plates		See Page 9 for	Flat Black Bronze (FB)	
Keyed with Euro Profile Cylinder , Hub BELOW Handle	2LA1	Sandcast Bronze Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	\$468.00
(Schlage® Keyway standard, Rekeyable)				
Dummy Pair	2LA2			\$468.00


Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser® keyway not available with Euro cylinder.

Specification Sheet for Trim and Cylinder Styles LARGE MULTI POINT ENTRY SETS



Keyed Plates with Euro Profile Cylinder

Standard Door Thickness: from 15%" to 2"	Extended Door Thickness: Over 2" to 21/2"	Extended Door Thickness: Over 2½"to 2¾"
Standard Components:	Extended Components:	Extended Components:
• 2 %6" Euro Profile Cylinder	• 3 1/22" Euro Profile Cylinder	• 3 ¹⁷ / ₂₂ " Euro Profile Cylinder
• 3 ¾" Steel Spindle	• 4 1/2" Steel Spindle	• 5" Steel Spindle
• 1 ½" Rosette Screws	• 2" Rosette Screws	• 3" Rosette Screws

Dummy Plates

Standard Door Thickness: from 1%" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components:	Extended Components:
• 2" Rosette Screws	• 2 ½" Rosette Screws
• 1 1⁄2" Rosette Screws for 1 5%" thick door	• 2" Rosette Screws for 2" - 2 1%" thick door

CUSTOM KEYING

Charge for Re-Keying - \$2.00 (NET) per Cylinder

- Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code

• Order by indicating "Key Code XXXXX" next to applicable locks.

Keying Alike

• Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.


• If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.

DOOR CONFIGURATION #1

American Cylinder Hub Below Handle 3⁵/₈" Center-to-Center

ref. Atrium[®], G-U[®], KML by Andersen[®], Andersen[®] Marvin Integrity[®], Paddock Lockmaster[™], Superior[®]

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Concord 1½" x 11" Non-Keyed Rustic Levers



BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price			
Sets with 11/2" x 11" Plates Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable) Non-Keyed Passage Non-Keyed American Style Thumbturn Inside Non-Keyed Fixed Handle Outside, Operating Handle Inside Dummy Pair	1171 1172 1173 1174 1175	See Page 8 for Brass & Modern Brass Lever Options.	Brass & Modern Brass LeverFrench Antique (US7)Options.Oil Rubbed Bronze (US10B)Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26)	Brass & Modern Brass LeverFrench Antique (US7)Oil Rubbed Bronze (US10B)Options.Satin Nickel (US15)Pewter (US15A) Flat Black (US19)	Brass & Modern Brass LeverFrench Antique (US7)Oil Rubbed Bronze (US10B)Options.Satin Nickel (US15)Pewter (US15A)Flat Black (US19)Polished Chrome (US26)	s & Modern s Lever ons. French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26)	\$203.00
Sets with 2" x 10" Plates Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1181						
Non-Keyed Passage	1182		*Unlacquered Brass (US3NL)				
Non-Keyed American Style Thumbturn Inside	1183 1184		finish available for a \$40 List Price				
Non-Keyed Fixed Handle Outside, Operating Handle Inside Dummy Pair	1185		upcharge per item.				

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

DOOR CONFIGURATION #1 ref. Atrium®, G-U®, KML by Andersen®, Andersen®, Marvin Integrity®, Paddock Lockmaster™, Superior®





BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 8 for Brass & Modern	Satin Brass (US4)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11A1	Brass & Modern Brass Lever Options.	Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) Unlacquered Brass (US3NL)* *Unlacquered Brass (US3NL) finish available for a \$40 List Price	
Non-Keyed Passage	11A2			
Non-Keyed American Style Thumbturn Inside	11A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11A4			
Dummy Pair	11A5			
Sets with 2″ x 10″ Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11 B 1			
Non-Keyed Passage	11 B 2			
Non-Keyed American Style Thumbturn Inside	11 B 3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11 B 4			
Dummy Pair	11 B 5		upcharge per item.	



Stainless Steel 11/2" x 11" Non-Keyed Athena Levers



2" x 10" Keyed

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for	Stainless Steel (SS)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11A1	Stainless Steel Lever Options.		
Non-Keyed Passage	11A2			
Non-Keyed American Style Thumbturn Inside	11A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11A4			
Dummy Pair	11A5			
Sets with 2″ x 10″ Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11 B 1			
Non-Keyed Passage	11 B 2	•		
Non-Keyed American Style Thumbturn Inside	11 B 3	•		
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11 B 4	•		
Dummy Pair	11 B 5			

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway


• Specify by adding "W" to the beginning of Product Code.

DOOR CONFIGURATION #1

American Cylinder Hub Below Handle 3⁵/₈" Center-to-Center

ref. Atrium[®], G-U[®], KML by Andersen[®], Andersen[®] Marvin Integrity[®], Paddock Lockmaster[™], Superior[®]

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Arched 11/2" x 11" Non-Keyed



SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Sandcast Bronze	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1111	Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1112			
Non-Keyed American Style Thumbturn Inside	1113			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1114			
Dummy Pair	1115			
Sets with 2″ x 10″ Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1121			
Non-Keyed Passage	1122			
Non-Keyed American Style Thumbturn Inside	1123			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1124			
Dummy Pair	1125			

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

ref. Atrium®, G-U®, KML by Andersen®, Andersen®, Marvin Integrity®, Paddock Lockmaster™, Superior® **DOOR CONFIGURATION** #1





SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1151	Sandcast Bronze Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1152			
Non-Keyed American Style Thumbturn Inside	1153			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1154]		
Dummy Pair	1155			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1161			
Non-Keyed Passage	1162	1		
Non-Keyed American Style Thumbturn Inside	1163	1		
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1164]		
Dummy Pair	1165			





LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Lost	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1131	Wax Cast Bronze Lever Options.	Medium Bronze (MB)	
Non-Keyed Passage	1132			
Non-Keyed American Style Thumbturn Inside	1133			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1134			
Dummy Pair	1135			
Sets with 2″ x 10″ Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1141			
Non-Keyed Passage	1142	1		
Non-Keyed American Style Thumbturn Inside	1143			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1144			
Dummy Pair	1145			

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Weiser®(WR5) Keyway


• Specify by adding "W" to the beginning of Product Code.

 ${\boldsymbol{\cdot}}$ No upcharge for cylinder substitution. Can be keyed into existing Weiser ${}^{\scriptscriptstyle \otimes}$ system.

DOOR CONFIGURATION #1 Specification Sheet for Components and Door Thickness

Door Configuration # 1 American Cylinder Below Handle 3 5/8" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1½" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Single Cylinder Tailpiece	Extended Components: • Long Single Cylinder Tailpiece
• 3 ¾" Steel Spindle	• 4 1/2" Steel Spindle
• 2" Rosette Screws	• 2 ½" Rosette Screws
• 1 1/2" Rosette Screws for 1 5%" thick door	• 2" Rosette Screws for 2" - 2 1/8" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)


Standard Door Thickness: from 1%" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components:	Extended Components:
Thumbturn Tailpiece	Long Thumbturn Tailpiece
• 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in)	• 4 1/2" Steel Spindle (half-spindle for fixed handle out/operating handle in)
• 2" Rosette Screws	• 2 1⁄2″ Rosette Screws
• 1 1⁄2" Rosette Screws for 1 5%" thick door	• 2" Rosette Screws for 2" - 2 1/8" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.

Construction keys and owner keys sent separately.

• Order by indicating "Construction Keyed, House #_" next to applicable locks.





- Construction devices used on one or more of last four positions.

- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

• Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code


Order by indicating "Key Code XXXXX " next to applicable locks.

Keying Alike

Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.

• If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included. Atrium®, G-U®, KML by Andersen®, Andersen®, Marvin Integrity®, Paddock Lockmaster™, Superior®




DOOR CONFIGURATION #2

American Cylinder Hub Above Handle 35/8" Center-to-Center

ref. BiltBest[®], G-U[®], Hurd[®] (Energy Saver), Andersen[®]

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.







BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 11/2" x 11" Plates		See Page 8 for Brass & Modern	Polished Brass - Lifetime (US3) French Antique (US7)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1271	Brass Lever Options.	Oil Rubbed Bronze (US10B) Satin Nickel (US15)	
Non-Keyed Passage	1272		Pewter (US15A) Flat Black (US19)	
Non-Keyed American Style Thumbturn Inside	1273			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1274	Polished Chrome (US26) Unlacquered Brass (US3N		
Dummy Pair	1275		omacquered blass (055NL)	
Sets with 2" x 10" Plates		-	*Unlacquered Brass (US3NL) finish available for a \$40 List Price	
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1281			
Non-Keyed Passage	1282	•		
Non-Keyed American Style Thumbturn Inside	1283	-		
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1284	• •		
Dummy Pair	1285	n 	upcharge per item.	

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

ref. BiltBest[®], G-U[®], Hurd[®] (Energy Saver), Andersen[®] DOOR CONFIGURATION #2





BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates	12A1	See Page 8 for	Satin Brass (US4)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)		Brass & Modern Brass Lever Options.	Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15)	
Non-Keyed Passage	12A2		Flat Black (US19)	
Non-Keyed American Style Thumbturn Inside	12A3		Polished Chrome (US26)	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12A4	Unlacquered Bra	Unlacquered Brass (US3NL)*	
Dummy Pair	12A5			
Sets with 2″ x 10″ Plates	12B1			
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)				
Non-Keyed Passage	12 B 2	-	*Unlacquered Brass (US3NL) finish available for a \$40 List Price	
Non-Keyed American Style Thumbturn Inside	12 B 3	=		
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12 B 4			
Dummy Pair	12 B 5	upcharge per item.	upcharge per item.	





Stainless Steel
2" x 10" Non-Keyed
Hermes Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 11/2" x 11" Plates	See Page 9 for Stainless Steel Lever Options.	Stainless Steel (SS)	\$203.00	
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)		12 \ 1		
Non-Keyed Passage	12A2			
Non-Keyed American Style Thumbturn Inside	12A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12A4			
Dummy Pair	12A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12 B 1			
Non-Keyed Passage	12 B 2			
Non-Keyed American Style Thumbturn Inside	12 B 3	-		
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12 B 4			
Dummy Pair	12 B 5			

Handing Required

• Key codes may be specified. Fits standard door thickness of 13/4". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway


• Specify by adding "W" to the beginning of Product Code.

DOOR CONFIGURATION #2

American Cylinder Hub Above Handle 35/8" Center-to-Center

ref. BiltBest[®], G-U[®], Hurd[®] (Energy Saver), Andersen[®]

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.







SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Sandcast Bronze	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1211	Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1212			
Non-Keyed American Style Thumbturn Inside	1213			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1214			
Dummy Pair	1215			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1221			
Non-Keyed Passage	1222			
Non-Keyed American Style Thumbturn Inside	1223			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1224			
Dummy Pair	1225			

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

ref. BiltBest[®], G-U[®], Hurd[®] (Energy Saver), Andersen[®] **DOOR CONFIGURATION #2**





SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Sandcast Bronze	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1251	Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1252			
Non-Keyed American Style Thumbturn Inside	1253			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1254			
Dummy Pair	1255			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1261			
Non-Keyed Passage	1262	•		
Non-Keyed American Style Thumbturn Inside	1263	•		
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1264	•		
Dummy Pair	1265			





LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Lost	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1231	Wax Cast Bronze Lever Options.	Medium Bronze (MB)	
Non-Keyed Passage	1232			
Non-Keyed American Style Thumbturn Inside	1233			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1234			
Dummy Pair	1235			
Sets with 2″ x 10″ Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1241			
Non-Keyed Passage	1242	-		
Non-Keyed American Style Thumbturn Inside	1243	-		
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1244			
Dummy Pair	1245			

Handing Required


• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.


• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

Door Configuration #2 American Cylinder Above Handle 3 5%" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1%" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components:	Extended Components:
Single Cylinder Tailpiece	Long Single Cylinder Tailpiece
• 3 ¾" Steel Spindle	• 4 1⁄2″ Steel Spindle
• 2" Rosette Screws	• 2 1/2" Rosette Screws
• 1 1⁄2" Rosette Screws for 1 5%" thick door	• 2" Rosette Screws for 2" - 2 1/8" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)


Standard Door Thickness: from 15/8" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components:	Extended Components:
• Thumbturn Tailpiece	• Long Thumbturn Tailpiece
• 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in)	• 4 ½" Steel Spindle (half-spindle for fixed handle out/operating handle in)
• 2" Rosette Screws	• 2 ½" Rosette Screws
• 1 ½" Rosette Screws for 1 5%" thick door	• 2" Rosette Screws for 2" - 2 ½" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.

Construction keys and owner keys sent separately.

Order by indicating "Construction Keyed, House #_" next to applicable locks.



- Construction devices used on one or more of last four positions.



- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

• Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

• Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code


• Order by indicating "Key Code XXXXX " next to applicable locks.

Keying Alike

Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.

• If ordering multiple groups (houses) indicate "**Keyed Alike House** #_" next to applicable locks.

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included. BiltBest[®], G-U[®], Hurd[®] (Energy Saver), Andersen[®]




DOOR CONFIGURATION #3

American Cylinder Hub Above Handle 41/8" Center-to-Center

ref. Andersen®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Concord 2" x 10" Non-Keyed Rope Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates	1371	See Page 8 for Brass & Modern Brass Lever Options.	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)				
Non-Keyed Passage	1372		Pewter (US15A)	
Non-Keyed American Style Thumbturn Inside	1373	-	Flat Black (US19) Polished Chrome (US26) Unlacquered Brass (US3NL)*	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1374			
Dummy Pair	1375			
Sets with 2″ x 10″ Plates	1381			
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)				
Non-Keyed Passage	1382	-		
Non-Keyed American Style Thumbturn Inside	1383	•	*Unlacquered Brass (US3NL)	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1384 1385	-	finish available for a \$40 List Price	
Dummy Pair		-	upcharge per item.	

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

ref. Andersen® DOOR CONFIGURATION #3





BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 8 for	Satin Brass (US4)	\$203.00
Keyed with American Cylinder	13A1	Brass & Modern Brass Lever	Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) Unlacquered Brass (US3NL)*	
(Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)		Options.		
Non-Keyed Passage	13A2			
Non-Keyed American Style Thumbturn Inside	13A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	13A4			
Dummy Pair	13A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder	13 B 1			
(Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)				
Non-Keyed Passage	13 B 2			
Non-Keyed American Style Thumbturn Inside	13 B 3		*Unlacquered Brass (US3NL)	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	13 B 4	•	finish available for a \$40 List Price	
Dummy Pair	13 B 5		upcharge per item.	









STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates	13A1	See Page 9 for Stainless Steel Lever Options.	Stainless Steel (SS)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)				
Non-Keyed Passage	13A2			
Non-Keyed American Style Thumbturn Inside	13A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	13A4			
Dummy Pair	13A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13 B 1			
Non-Keved Passage	13 B 2	-		
Non-Keyed American Style Thumbturn Inside	13 B 3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	13 B 4			
Dummy Pair	13 B 5	•		

Handing Required

• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway


• Specify by adding "W" to the beginning of Product Code.

DOOR CONFIGURATION #3

American Cylinder Hub Above Handle 4¹/₈" Center-to-Center

ref. Andersen®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.







2" x 10" Non-Keyed

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Sandcast Bronze	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1311	Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1312	-		
Non-Keyed American Style Thumbturn Inside	1313			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1314			
Dummy Pair	1315	-		
Sets with 2″ x 10″ Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1321			
Non-Keyed Passage	1322			
Non-Keyed American Style Thumbturn Inside	1323			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1324]		
Dummy Pair	1325			

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

ref. Andersen® **DOOR CONFIGURATION #3**





Sandcast Rectangular 2" x 10" Keyed Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Sandcast Bronze	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1351	Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1352			
Non-Keyed American Style Thumbturn Inside	1353			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1354			
Dummy Pair	1355			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1361			
Non-Keyed Passage	1362	•		
Non-Keyed American Style Thumbturn Inside	1363			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1364			
Dummy Pair	1365			





Bronze Tuscany 2" x 10" Non-Keyed

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Lost	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1331	Wax Cast Bronze Lever Options.	Medium Bronze (MB)	
Non-Keyed Passage	1332			
Non-Keyed American Style Thumbturn Inside	1333			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1334			
Dummy Pair	1335			
Sets with 2″ x 10″ Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1341			
Non-Keyed Passage	1342			
Non-Keyed American Style Thumbturn Inside	1343			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1344			
Dummy Pair	1345			


Handing Required


• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

• Specify by adding "W" to the beginning of Product Code.

Door Configuration #3 American Cylinder Above Handle 4 1/8" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1%" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components:	Extended Components:
Single Cylinder Tailpiece	Single Cylinder Tailpiece
• 3 ¾" Steel Spindle	• 4 ½" Steel Spindle
• 2″ Rosette Screws	• 2 ¹ / ₂ " Rosette Screws
• 1 1⁄2" Rosette Screws for 1 5⁄8" thick door	• 2" Rosette Screws for 2" - 2 1/8" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)


Standard Door Thickness: from 1 ⁵ / ₈ " to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components:	Extended Components:
• Configuration #3 Thumbturn Tailpiece	• Configuration #3 Thumbturn Tailpiece
• 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in)	• 4 1⁄2" Steel Spindle (half-spindle for fixed handle out/operating handle in)
• 2" Rosette Screws	• 2 1⁄2" Rosette Screws
• 1 ½" Rosette Screws for 1 %" thick door	• 2" Rosette Screws for 2" - 2 1/8" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.

• Construction keys and owner keys sent separately.

• Order by indicating "Construction Keyed, House #_" next to applicable locks.



- Construction devices used on one or more of last four positions.



- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

• Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.


Keying to Code

Order by indicating "Key Code XXXXX" next to applicable locks.

Keying Alike

Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.

• If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.



DOOR CONFIGURATION


#4

American Cylinder Hub Above Handle 35/8" Center-to-Center

ref. Ashland[®], G-U[®], Caradco[®], JELD-WEN[®] Jeldwen[®] Custom Collection (formerly Pozzi[®]) Marvin[®], PGT[®], Premium Collection (formerly Norco[®]) Weathershield[®]

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.

See Configuration #1 for Marvin Integrity® Doors





BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 8 for	Polished Brass - Lifetime (US3)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1471	Brass & Modern Brass Lever Options.	French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) Unlacquered Brass (US3NL)*	
Non-Keyed Passage	1472			
Non-Keyed American Style Thumbturn Inside	1473			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1474			
Dummy Pair	1475			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1481			
Non-Keyed Passage	1482			
Non-Keyed American Style Thumbturn Inside	1483	1	*Unlacquered Brass (US3NL)	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1484		finish available for a \$40 List Price	
Dummy Pair	1485		upcharge per item.	

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

ref. Ashland[®], G-U[®], Caradco[®], JELD-WEN[®], Jeldwen[®] Custom Collection, Marvin[®], PGT[®], Premium Collection, Weathershield[®] **DOOR CONFIGURATION** #4






BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 8 for Brass & Modern	Satin Brass (US4) Oil Rubbed Bronze (US10B)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14A1	Brass & Modern Brass Lever Options.	Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) Unlacquered Brass (US3NL)*	
Non-Keyed Passage	14A2	·		
Non-Keyed American Style Thumbturn Inside	14A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14A4			
Dummy Pair	14A5			
ts with 2″ x 10″ Plates	14B1			
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)				
Non-Keyed Passage	14 B 2		*Unlacquered Brass (US3NL)	
Non-Keyed American Style Thumbturn Inside	14 B 3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14 B 4		finish available for a \$40 List Price	
Dummy Pair	14 B 5		upcharge per item.	









Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

 ${\scriptstyle \bullet}$ No upcharge for cylinder substitution. Can be keyed into existing Weiser ${\scriptstyle \circ}$ system.

DOOR CONFIGURATION


#4

American Cylinder Hub Above Handle 35/8" Center-to-Center

ref. Ashland[®], G-U[®], Caradco[®], JELD-WEN[®] Jeldwen® Custom Collection (formerly Pozzi®) Marvin®, PGT®, Premium Collection (formerly Norco®) Weathershield[®]

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.

See Configuration #1 for Marvin Integrity® Doors







Sandcast Arched 2" x 10" Non-Keyed

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Sandcast Bronze	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1411	Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1412			
Non-Keyed American Style Thumbturn Inside	1413			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1414			
Dummy Pair	1415			
Sets with 2″ x 10″ Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1421			
Non-Keyed Passage	1422			
Non-Keyed American Style Thumbturn Inside	1423			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1424]		
Dummy Pair	1425			

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

ref. Ashland[®], G-U[®], Caradco[®], JELD-WEN[®], Jeldwen[®] Custom Collection, Marvin[®], PGT[®], Premium Collection, Weathershield[®] **DOOR CONFIGURATION #4**





v 10" Kovod	
' x 10" Keyed	

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Sandcast Bronze	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1451	Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1452			
Non-Keyed American Style Thumbturn Inside	1453			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1454			
Dummy Pair	1455			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1461			
Non-Keyed Passage	1462			
Non-Keyed American Style Thumbturn Inside	1463			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1464			
Dummy Pair	1465			





Bronze Tuscany 2" x 10" Keyed Napoli Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Lost	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder	1431	Wax Cast Bronze Lever Options.	Medium Bronze (MB)	
(Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)				
Non-Keyed Passage	1432			
Non-Keyed American Style Thumbturn Inside	1433			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1434			
Dummy Pair	1435			
Sets with 2″ x 10″ Plates		-		
Keyed with American Cylinder	1441			
(Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)				
Non-Keyed Passage	1442	-		
Non-Keyed American Style Thumbturn Inside	1443			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1444			

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.


• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

DOOR CONFIGURATION #4 Specification Sheet for Components and Door Thickness

Door Configuration #4 American Cylinder Above Handle 3 5/8" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1%" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components:	Extended Components:
• Single Cylinder Tailpiece	• Long Single Cylinder Tailpiece
• 3 ¾" Steel Spindle	• 4 1⁄2" Steel Spindle
• 2" Rosette Screws for 1 ½" - 1 ¾" thick door	• 2 1⁄2" Rosette Screws 2" - 2 1⁄4" think door
• 2 ½" Rosette Screws for 1 ¾" - 2" thick door	• 3" Rosette Screws for 2 1⁄4" - 2 3⁄4" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)


Standard Door Thickness: from 15%" to 2"

Standard Components:

- Thumbturn Tailpiece
- 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in)
- 2" Rosette Screws for 1 5%" 1 34" thick door
- + 2 $\frac{1}{2}$ Rosette Screws for 1 $\frac{3}{4}$ 2" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "Construction Keyed, House #_" next to applicable locks.



• 4 ¹/₂" Steel Spindle (half-spindle for fixed handle out/operating handle in)

Extended Door Thickness: Over 2" to 23/4"

• 2 1/2" Rosette Screws 2" - 2 1/4" think door

• 3" Rosette Screws for 2 1/4" - 2 3/4" thick door

Extended Components:

Long Thumbturn Tailpiece

- Construction devices used on one or more of last four positions.



- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

• Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

· Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code

• Order by indicating "Key Code XXXXX " next to applicable locks.

Keying Alike


• Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.

• If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.

Specification Sheet for Trim and Cylinder Styles **DOOR CONFIGURATION #4**

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Ashland[®], G-U[®], Caradco[®], JELD-WEN[®], Jeldwen[®] Custom Collection (formerly Pozzi[®]), Marvin[®], PGT[®], Premium Collection (formerly Norco[®]), Weathershield[®]




DOOR CONFIGURATION #5

Euro Profile Cylinder Below Handle 35/8" Center-to-Center

ref. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe® Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree® Semco®, Sierra Pacific®, Signature®, Simpson® Therma-Tru®, Vetter®, Willmar®, Windsor® Weathershield®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.







BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 8 for Brass & Modern Brass Lever Options.	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26)	\$203.00
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1571			
Non-Keyed Passage	1572			
Non-Keyed Euro Profile Thumbturn Inside	1573			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1574		Unlacquered Brass (US3NL)*	
Dummy Pair	1575		•••••••••••••••••••••••••••••••••••••••	
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1581	_	×II I D //ICONI)	
Non-Keyed Passage	1582			
Non-Keyed Euro Profile Thumbturn Inside	1583		* Unlacquered Brass (US3NL) finish available for a \$40 List Price	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1584		upcharge per item.	
Dummy Pair	1585		upenarge per rent.	

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

ref. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®, Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree®, Semco® Sierra Pacific®, Signature®, Simpson®, Therma-Tru®, Vetter®, Willmar®, Windsor®, Weathershield®

DOOR CONFIGURATION #5





BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 8 for	Satin Brass (US4)	\$203.00
Keyed with Euro Profile Cylinder	15A1	Brass & Modern Brass Lever	Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14)	
(Schlage® Keyway standard, Rekeyable)	1540	Options.	Satin Nickel (US15) Flat Black (US19)	
Non-Keyed Passage Non-Keyed Euro Profile Thumbturn Inside	15A2 15A3		Polished Chrome (US26)	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	15A4		Unlacquered Brass (US3NL)*	
Dummy Pair	15A5			
Sets with 2″ x 10″ Plates				
Keyed with Euro Profile Cylinder	15 B 1			
(Schlage® Keyway standard, Rekeyable)				
Non-Keyed Passage	15 B 2			
Non-Keyed Euro Profile Thumbturn Inside	15 B 3		*Unlacquered Brass (US3NL)	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	15 B 4		finish available for a \$40 List Price	
Dummy Pair	15 B 5		upcharge per item.	





Stainless Steel

Weiser® keyway not available for Configuration 5, Euro cylinder.



2" x 10" Non-Keyed Hercules Levers

STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 11/2" x 11" Plates Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	15A1	See Page 9 for Stainless Steel Lever Options.	Stainless Steel (SS)	\$203.00
Non-Keyed Passage	15A2			
Non-Keyed Euro Profile Thumbturn Inside	15A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	15A4			
Dummy Pair	15A5			
Sets with 2″ x 10″ Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	15 B 1			
Non-Keyed Passage	15 B 2			
Non-Keyed Euro Profile Thumbturn Inside	15 B 3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	15 B 4			
Dummy Pair	15 B 5			

Handing Required


• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

DOOR CONFIGURATION #5

Euro Profile Cylinder Below Handle 35/8" Center-to-Center

ref. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe® Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree® Semco®, Sierra Pacific®, Signature®, Simpson® Therma-Tru®, Vetter®, Willmar®, Windsor® Weathershield®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.







SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Sandcast Bronze	Flat Black Bronze (FB)	\$226.00
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1511	Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1512			
Non-Keyed Euro Profile Thumbturn Inside	1513			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1514			
Dummy Pair	1515			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1521			
Non-Keyed Passage	1522			
Non-Keyed Euro Profile Thumbturn Inside	1523	-		
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1524]		
Dummy Pair	1525			

Handing Required

• Key codes may be specified. Fits standard door thickness of 13/4". Specify if thicker.

ref. Crestline[®], Hoppe[®], Hurd[®], KFV[®], Kolbe & Kolbe[®], Lincoln[®], Loewen[®], Paddock Lockmaster[™], Peachtree[®], Semco[®] Sierra Pacific[®], Signature[®], Simpson[®], Therma-Tru[®], Vetter[®], Willmar[®], Windsor[®], Weathershield[®]





SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for	Flat Black Bronze (FB)	\$226.00
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1551	Sandcast Bronze Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1552			
Non-Keyed Euro Profile Thumbturn Inside	1553			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1554			
Dummy Pair	1555			
Sets with 2″ x 10″ Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1561			
Non-Keyed Passage	1562	-		
Non-Keyed Euro Profile Thumbturn Inside	1563			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1564			
Dummy Pair	1565	•		





Bronze Tuscany 2" x 10" Keyed Padua Levers

Sandcast Rectangular

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Lost	Flat Black Bronze (FB)	\$226.00
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1531	Wax Cast Bronze Lever Options.	Medium Bronze (MB)	
Non-Keyed Passage	1532			
Non-Keyed Euro Profile Thumbturn Inside	1533			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1534			
Dummy Pair	1535			
Sets with 2″ x 10″ Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1541			
Non-Keyed Passage	1542			
Non-Keyed Euro Profile Thumbturn Inside	1543			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1544			
Dummy Pair	1545			

Handing Required

• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.


DOOR CONFIGURATION #5 Specification Sheet for Components and Door Thickness


Door Configuration #5 Euro Profile Cylinder Below Handle 3 5%" Center-to-Center



Full Euro Profile Cylinder

Half Euro Profile Cylinder





Keyed Plates with Euro Profile Cylinder

Standard Door Thickness: from 15/8" to 2"	Extended Door Thickness: Over 2" to 2½"	Extended Door Thickness: Over 2½"to 2¾"
Standard Components:	Extended Components:	Extended Components:
• 2 %6" Euro Profile Cylinder	• 3 1/32" Euro Profile Cylinder	• 3 17⁄22" Euro Profile Cylinder
• 3 ¾" Steel Spindle	• 4 ½" Steel Spindle	• 5″ Steel Spindle
• 1 ½" Rosette Screws	• 2" Rosette Screws	• 3″ Rosette Screws

Non-Keyed Plates with Euro Profile Half Cylinder

Standard Door Thickness: from 15/8" to 2"	Extended Door Thickness: Over 2" to 21/2"	Extended Door Thickness: Over 2½"to 2¾"
Standard Components:	Extended Components:	Extended Components:
• 1 ²¹ / ₃₂ " Euro Profile Half-Cylinder	• 1 ³ ¹ / ₂₂ " Euro Profile Half-Cylinder	• 2 1/22" Euro Profile Half-Cylinder
• 3 ¾" Steel Spindle	• 4 ¹ / ₂ " Steel Spindle	• 5" Steel Spindle
• 1 ½" Rosette Screws	• 2" Rosette Screws	• 3" Rosette Screws

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)


Standard Door Thickness: from 1%" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components:	Extended Components:
• 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in)	• 4 ½" Steel Spindle (half-spindle for fixed handle out/operating handle in)
• 2" Rosette Screws	• 2 ½" Rosette Screws
• 1 ½" Rosette Screws for 1 5%" thick door	• 2" Rosette Screws for 2" - 2 1%" thick door

CUSTOM KEYING

Charge for Re-Keying - \$2.00 (NET) per Cylinder
Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.
Keying to Code
Order by indicating "Key Code XXXXX " next to applicable locks.
Keying Alike
 Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted. If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.

Specification Sheet for Trim and Cylinder Styles **DOOR CONFIGURATION #5**

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®, Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree®, Semco®, Sierra Pacific®, Signature®, Simpson®, Therma-Tru®, Vetter®, Willmar®, Windsor®, Weathershield®




DOOR CONFIGURATION #6

American Cylinder Hub Below Handle 35/8" Center-to-Center

ref. Milgard®, Pella®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.







BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 8 for Brass & Modern	Polished Brass - Lifetime (US3)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1671	Brass Lever Options.	French Antique (US7) Oil Rubbed Bronze (US10B) Satin Nickel (US15)	
Non-Keyed Passage	1672		Pewter (US15A)	
Non-Keyed American Style Thumbturn Inside	1673		Flat Black (US19)	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1674		Polished Chrome (US26) Unlacguered Brass (US3NL)*	
Dummy Pair	1675		officience blass (ossite)	
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1681			
Non-Keyed Passage	1682			
Non-Keyed American Style Thumbturn Inside	1683]	*Unlacquered Brass (US3NL)	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1684]	finish available for a \$40 List Price	
Dummy Pair	1685		upcharge per item.	

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

ref. Milgard®, Pella® DOOR CONFIGURATION #6





Diass Mouern
2" x 10" Non-Keyed
Luzern Levers


BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 11/2" x 11" Plates		See Page 8 for Brass & Modern	Satin Brass (US4) Oil Rubbed Bronze (US10B)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16A1	Brass Lever Options.	Polished Nickel - Lifetime (US14) Satin Nickel (US15)	
Non-Keyed Passage	16A2		Flat Black (US19)	
Non-Keyed American Style Thumbturn Inside	16A3		Polished Chrome (US26)	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16A4		Unlacquered Brass (US3NL)*	
Dummy Pair	16A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16 B 1			
Non-Keyed Passage	16 B 2	-		
Non-Keyed American Style Thumbturn Inside	16 B 3		*Unlacquered Brass (US3NL)	
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16 B 4		finish available for a \$40 List Price	
Dummy Pair	16 B 5		upcharge per item.	



Stainless Steel 11/2" x 11" Non-Keyed



Stainless Steel 2" x 10" Non-Keyed



Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


• Specify by adding "W" to the beginning of Product Code.

DOOR CONFIGURATION #6

American Cylinder Hub Below Handle 35/8" Center-to-Center

ref. Milgard®, Pella®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Arched 2" x 10" Keyed Durango Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1611	Sandcast Bronze Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1612			
Non-Keyed American Style Thumbturn Inside	1613			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1614			
Dummy Pair	1615			
Sets with 2″ x 10″ Plates		-		
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1621			
Non-Keyed Passage	1622			
Non-Keyed American Style Thumbturn Inside	1623			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1624			
Dummy Pair	1625			

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

 ${\ }$ ${\ }$ No upcharge for cylinder substitution. Can be keyed into existing Weiser $^{\circ}$ system.

ref. Milgard[®], Pella[®] DOOR CONFIGURATION #6





Sandcast Rectangular 2" x 10" Keyed Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder	1651	Sandcast Bronze Lever Options.	Medium Bronze (MB)	
(Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)		Lever options.	Tumbled White Bronze (TWB)	
Non-Keyed Passage	1652			
Non-Keyed American Style Thumbturn Inside	1653			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1654			
Dummy Pair	1655			
Sets with 2″ x 10″ Plates				
Keyed with American Cylinder	1661			
(Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)				
Non-Keyed Passage	1662			
Non-Keyed American Style Thumbturn Inside	1663			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1664			
Dummy Pair	1665			





Bronze Tuscany 2" x 10" Non-Keyed Napoli Levers

LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for Lost	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1631	Wax Cast Bronze Lever Options.	Medium Bronze (MB)	
Non-Keyed Passage	1632			
Non-Keyed American Style Thumbturn Inside	1633			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1634			
Dummy Pair	1635			
Sets with 2″ x 10″ Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1641			
Non-Keved Passage	1642			
Non-Keyed American Style Thumbturn Inside	1643			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1644			
Dummy Pair	1645			

Handing Required


• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker.


• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

• Specify by adding "W" to the beginning of Product Code.

DOOR CONFIGURATION #6 Specification Sheet for Components and Door Thickness

Door Configuration #6 American Cylinder Below Handle 3 5%" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 15%" to 2"	Extended Door Thickness: Over 2" to 234"
Standard Components:	Extended Components:
• Single Cylinder Tailpiece	• Long Single Cylinder Tailpiece
• 3 ¾" Steel Spindle	• 4 ½" Steel Spindle
• 2" Rosette Screws	• 2 ½" Rosette Screws
• 1 1⁄2" Rosette Screws for 1 5%" thick door	• 2" Rosette Screws for 2" - 2 1%" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: from 15%" to 2"

Standard Components:

- Thumbturn Tailpiece
- 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in)
- 2" Rosette Screws
- 1 ½" Rosette Screws for 1 5%" thick door

EMTE ASSA ABLO na a

• 2" Rosette Screws for 2" - 2 1/8" thick door

Extended Components: Long Thumbturn Tailpiece

• 2 1/2" Rosette Screws

- Construction devices used on one or more of last four positions.



- Dimples drilled in plug in this position.

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- · Construction keys and owner keys sent separately.
- Order by indicating "Construction Keyed, House #_" next to applicable locks.

Charge for Construction Keying - \$3.00 (NET)

• Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

• Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code


• Order by indicating "Key Code XXXXX" next to applicable locks.

Keying Alike

• Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.

• If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.

Extended Door Thickness: Over 2" to 23/4" • 4 1/2" Steel Spindle (half-spindle for fixed handle out/operating handle in)




DOOR CONFIGURATION #7

American Cylinder Hub Above Handle 6" Center-to-Center

ref. Trillenium[®] (formerly W&F Manufacturing)

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Modern 2" x 10" Keyed Poseidon Levers



BRASS PLATES, MODERN STYLE Lever Style (LH/RH) Product Code Finish List Price \$203.00 See Page 8 for Satin Brass (US4) Sets with 2" x 10" Plates Brass & Modern Oil Rubbed Bronze (US10B) 17**B**1 Keyed with American Cylinder **Brass Lever** Polished Nickel - Lifetime (US14) (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable) Options. Satin Nickel (US15) Flat Black (US19) Non-Keyed American Style T-Turn Inside (Patio Function) 17**B**3 Polished Chrome (US26) **Dummy Pair** 17**B**5 Unlacquered Brass (US3NL)* Non-Keyed American Style T-Turn Inside, Fixed Handles 17**B**6 *Unlacquered Brass (US3NL) finish available for a \$40 List Price upcharge per item.

Handing Required

Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
 Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

ref. Trillenium® (formerly W&F Manufacturing) **DOOR CONFIGURATION #7**





STAINLESS STEEL PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2″ x 10″ Plates		See Page 9 for	Stainless Steel (SS)	\$203.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	17 B 1	Stainless Steel Lever Options.		
Non-Keyed American Style T-Turn Inside (Patio Function)	17 B 3			
Dummy Pair	17 B 5			
Non-Keyed American Style T-Turn Inside, Fixed Handles	17 B 6			



Sandcast Rectangular 2" x 10" Keyed Lariat Levers



Sandcast Rectangular 2" x 10" Non-Keyed

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2″ x 10″ Plates		See Page 9 for	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1761	Sandcast Bronze Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed American Style T-Turn Inside (Patio Function)	1763			
Dummy Pair	1765			
Non-Keyed American Style T-Turn Inside, Fixed Handles	1766			





Sandcast Arched 2" x 10" Non-Keyed


SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2″ x 10″ Plates		See Page 9 for	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1721	Sandcast Bronze Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed American Style T-Turn Inside (Patio Function)	1723			
Dummy Pair	1725			
Non-Keyed American Style T-Turn Inside, Fixed Handles	1726			

DOOR CONFIGURATION #7

American Cylinder Hub Above Handle 6" Center-to-Center

ref. Trillenium[®] (formerly W&F Manufacturing)

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.



	Bronze Tuscany 2" x 10" Keyed Padua Levers		Bronze Tuscany 2" x 10" Non-Keyed Napoli Levers	
LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		See Page 9 for	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1741	Lost Wax Cast Bronze Lever Options.	Medium Bronze (MB)	
Non-Keyed American Style T-Turn Inside (Patio Function)	1743			
Dummy Pair	1745			

1746

Handing Required

• Key codes may be specified. Fits standard door thickness of 134". Specify if thicker. • Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Non-Keyed American Style T-Turn Inside, Fixed Handles

Weiser®(WR5) Keyway


• Specify by adding "W" to the beginning of Product Code.

• No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

ref. Trillenium[®] (formerly W&F Manufacturing) **DOOR CONFIGURATION #7**

Door Configuration #7 American Cylinder Above Handle 6" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside


Standard Door Thickness: from 1%" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components: • Single Cylinder Tailpiece • 2″ Steel Spindles (Half-spindle)	Extended Components: • Long Single Cylinder Tailpiece • 2″ Steel Spindles (Half-spindle)
 2" Rosette Screws for 1 ⁵/₈" - 1 ³/₄" thick door 2 ¹/₂" Rosette Screws for 1 ³/₄" - 2" thick door 	 2 ½" Rosette Screws 2" - 2 ¼" think door 3" Rosette Screws for 2 ½" - 2 ¾" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, & dummy (uses screws only)

Standard Door Thickness: from 1%" to 2"	Extended Door Thickness: Over 2" to 2¾"
Standard Components:	Extended Components:
 Thumbturn Tailpiece 2" Steel Spindles (Half-spindle, No spindle for fixed handles) 	Long Thumbturn Tailpiece 2" Steel Spindles (Half-spindle. No spindle for fixed handles)
• 2" Rosette Screws for $1.\%$ " - $1.\%$ " thick door	• 2 ½" Rosette Screws 2" - 2 ¼" think door
• 2 1/2" Rosette Screws for 1 3/4" - 2" thick door	• 3" Rosette Screws for 2 ¼" - 2 ¾" thick door

CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "Construction Keyed, House #_" next to applicable locks.



- Construction devices used on one or more of last four positions.



- Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

• Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

- Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.

Keying to Code

Order by indicating "Key Code XXXXX" next to applicable locks.

Keying Alike

Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.

• If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included. Trillenium® (formerly W&F Manufacturing)


 Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

 2" x 10" Plates, Product Codes 1721, 1741,1761, 17B1

 Image: Comparison of the comparison of


Non-Keyed, American Style T-Turn Inside (Active Door)

2" x 10" Plates, Product Codes 1723, 1743, 1763, 17B3



Dummy Pair (for Non-Active Door)

2" x 10" Plates, Product Codes 1725, 1745, 1765, 1785




Non-Keyed, Fixed Handles, American Style T-Turn Inside (for Semi-Active Door) 2"x 10" Plates, Product Codes 1726, 1746, 1766, 17B6

DOOR CONFIGURATION #8

American Cylinder Hub Above Handle 5¼" Center to Center

ref. Neuma Doors®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.







Product Code	Lever Style (LH/RH)	Finish	List Price
	See Page 9 for	Stainless Steel (SS)	\$203.00
18A1			
18A2			
18A3			
18A4			
18 B 1			
18 B 2			
18 B 3			
18 B 4			
	18A1 18A2 18A3 18A4 18B1 18B2 18B3	18A1 See Page 9 for Stainless Steel Lever Options. 18A2 18A3 18A4 18B1 18B2 18B3	18A1 See Page 9 for Stainless Steel Lever Options. Stainless Steel (SS) 18A2 18A3 18A4

Handing Required

• Key codes may be specified. Fits standard door thickness of 13/4". Specify if thicker.

• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway


• Specify by adding "W" to the beginning of Product Code.

DOOR CONFIGURATION #8

American Cylinder Hub Above Handle 5¼" Center to Center

ref. Neuma Doors®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.







SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		See Page 9 for	Flat Black Bronze (FB)	\$226.00
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1851	Sandcast Bronze Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
Non-Keyed Passage	1852			
Non-Keyed American Style Thumbturn Inside	1853			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1854			
Sets with 2" x 10" Plates				
Keyed with American Cylinder	1861			
(Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)				
Non-Keyed Passage	1862			
Non-Keyed American Style Thumbturn Inside	1863			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1864			

Handing Required

Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

ref. Neuma Door[®] **DOOR CONFIGURATION #8**





Product Code	Lever Style (LH/RH)	Finish	List Price
	See Page 9 for	Flat Black Bronze (FB)	\$226.00
1811	Sandcast Bronze Lever Options.	Medium Bronze (MB) Tumbled White Bronze (TWB)	
1812			
1813			
1814			
1821			
1822			
1823			
1824			
	1811 1812 1813 1814 1821 1822 1822 1823	See Page 9 for Sandcast Bronze Lever Options. 1811 Lever Options. 1812 1813 1814 1821 1822 1823	1811See Page 9 for Sandcast Bronze Lever Options.Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)181218131814182118221823





LOST WAX CAST BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price	
Sets with 1½" x 11" Plates		See Page 9 for Lost	Flat Black Bronze (FB)	\$226.00	
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1831	Wax Cast Bronze Lever Options.	Medium Bronze (MB)		
Non-Keyed Passage	1832				
Non-Keyed American Style Thumbturn Inside	1833				
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1834				
Sets with 2" x 10" Plates		-			
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1841				
Non-Keyed Passage	1842	-			
Non-Keyed American Style Thumbturn Inside	1843				
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1844	_			

Handing Required

• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.


• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway

• Specify by adding "W" to the beginning of Product Code.

DOOR CONFIGURATION #8 Specification Sheet for Components and Door Thickness

Door Configuration #8 American Cylinder Above Handle 5 ¼" Center to Center



Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: 1¾"
Standard Components: • Single Cylinder Tailpiece • 3 ¾" Steel Spindle • 1 ½" Rosette Screws

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in

Standard Door Thickness: 1³/₄"


Standard Components:


- Thumbturn Tailpiece
- 3 ¾" Steel Spindle (half-spindle for fixed handle out/operating handle in)
- 1 1/2" Rosette Screws

CONSTRUCTION KEYING

• Lost ball system.

- Last four pin locations drilled for lost ball application.
- Master key pins used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks.







Dimples drilled in plug in this position.

Charge for Construction Keying - \$3.00 (NET)

• Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$5.00 (NET) per cylinder.

Charge for Re-Keying - \$2.00 (NET) per Cylinder

- Locks that are keyed to code or keyed alike in a house group will be charged \$2.00 (NET) per cylinder.


Keying to Code

• Order by indicating "Key Code XXXXX " next to applicable locks.


Keying Alike


• Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.


• If ordering multiple groups (houses) indicate "Keyed Alike House #_" next to applicable locks.




Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included. Neuma Doors®







Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)



PRODUCT INDEX

PRODUCT	PAGE	PRODUCT	PAGE	PRODUC	T PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
CODE		CODE	24	CODE	40	CODE		CODE	50	CODE	
1111	24	1253	31	1415	42	1562	49	1761	59	14A5	41
1112	24	1254	31	1421	42	1563	49	1763	59	14B1	41
1113	24	1255	31	1422	42	1564	49	1765	59	14B2	41
1114	24	1261	31	1423	42	1565	49	1766	59	14B3	41
1115	24	1262	31	1424	42	1571	46	1811	65	14B4	41
1121	24	1263	31	1425	42	1572	46	1812	65	14B5	41
1122	24	1264	31	1431	43	1573	46	1813	65	15A1	47
1123	24	1265	31	1432	43	1574	46	1814	65	15A2	47
1124	24	1271	28	1433	43	1575	46	1821	65	15A3	47
1125	24	1272	28	1434	43	1581	46	1822	65	15A4	47
1131	25	1273	28	1435	43	1582	46	1823	65	15A5	47
1132	25	1274	28	1441	43	1583	46	1824	65	15B1	47
1133	25	1275	28	1442	43	1584	46	1831	65	15B2	47
1134	25	1281	28	1443	43	1585	46	1832	65	15B3	47
1135	25	1282	28	1444	43	1611	54	1833	65	15B4	47
1141	25	1283	28	1445	43	1612	54	1834	65	15B5	47
1142	25	1284	28	1451	43	1613	54	1841	65	16A1	53
1143	25	1285	28	1452	43	1614	54	1842	65	16A2	53
1144	25	1311	36	1453	43	1615	54	1843	65	16A3	53
1145	25	1312	36	1454	43	1621	54	1844	65	16A4	53
1151	25	1312	36	1455	43	1622	54	1851	64	16A5	53
1152	25	1313	36	1461	43	1623	54	1852	64	16B1	53
1152	25	1314	36	1461	43	1623		1852		16B2	53
1155	25 25	1315				1624	54		64	16B2	53
			36	1463	43		54	1854	64		
1155	25	1322	36	1464	43	1631	55	1861	64	16B4	53
1161	25	1323	36	1465	43	1632	55	1862	64	16B5	53
1162	25	1324	36	1471	40	1633	55	1863	64	17B1	58,59
1163	25	1325	36	1472	40	1634	55	1864	64	17B3	58,59
1164	25	1331	37	1473	40	1635	55	11A1	23	17B5	58,59
1165	25	1332	37	1474	40	1641	55	11A2	23	17B6	58,59
1171	22	1333	37	1475	40	1642	55	11A3	23	18A1	63
1172	22	1334	37	1481	40	1643	55	11A4	23	18A2	63
1173	22	1335	37	1482	40	1644	55	11A5	23	18A3	63
1174	22	1341	37	1483	40	1645	55	11B1	23	18A4	63
1175	22	1342	37	1484	40	1651	55	11B2	23	18B1	63
1181	22	1343	37	1485	40	1652	55	11B3	23	18B2	63
1182	22	1344	37	1511	48	1653	55	11B4	23	18B3	63
1183	22	1345	37	1512	48	1654	55	11B5	23	18B4	63
1184	22	1351	37	1513	48	1655	55	12A1	29	1LA1	16
1185	22	1352	37	1514	48	1661	55	12A2	29	1LA2	16
1211	30	1353	37	1515	48	1662	55	12A3	29	1LA3	16
1212	30	1354	37	1521	48	1663	55	12A4	29	1LA4	16
1213	30	1355	37	1522	48	1664	55	12A5	29	1LM1	15
1214	30	1361	37	1523	48	1665	55	12B1	29	1LM2	15
1215	30	1362	37	1524	48	1671	52	12B2	29	1LM3	15
1221	30	1363	37	1525	48	1672	52	12B3	29	1LM4	15
1222	30	1364	37	1531	49	1673	52	12B4	29	1LR1	14
1223	30	1365	37	1532	49	1674	52	12B5	29	1LR2	14
1224	30	1371	34	1533	49	1675	52	13A1	35	1LR3	14
1225	30	1372	34	1534	49	1681	52	13A2	35	1LR4	14
1231	31	1373	34	1535	49	1682	52	13A3	35	2LA1	20
1232	31	1374	34	1541	49	1683	52	13A4	35	2LA2	20
1233	31	1375	34	1542	49	1684	52	13A5	35	2LM1	19
1233	31	1381	34	1543	49	1685	52	13B1	35	2LM2	19
1235	31	1382	34	1544	49	1721	59	13B2	35	2LR1	18
1233	31	1383	34	1545	49	1723	59	13B3	35	2LR2	18
1241	31	1384	34	1551	49	1725	59	13B4	35	: \ C	.0
1242	31	1385	34	1552	49	1725	59	13B4	35	0 0 0	
1245	31	1411	54 42	1552	49 49	1720	60	14A1	35 41	- * *	
1244	31	1411	42 42	1555	49 49	1741	60 60	14A1 14A2	41	•	
1245	31	1412	42 42	1554	49 49	1743	60 60	14A2	41	• • •	
1251	31	1413	42 42	1555	49 49	1745	60 60	14A3	41	•	
1232	21	1414	42	1001	77	1740	00	1484	41	- - -	
•		•		•						•	

Door Manufacturers listed under each configuration are for reference only and are subject to change. Some retrofitting may be necessary. Please carefully measure and identify your hardware using the diagrams and steps listed on pages 2, 3 and 4.

G-U[®] is a registered trademark of G-U Hardware, Inc. Paddock[™] is a registered trademark of Yale[®] UK. Pella[®] is a registered trademark of Pella Corporation. Sierra Pacific Windows® is a registered trademark of Sierra Pacific Industries. Superior® is a registered trademark of Superior Engineered Products Corporation. Willmar® is a registered trademark of JELD-WEN of Canada Ltd. Andersen® is a registered trademark of Andersen Corporation. Trillenium® is a registered trademark of Endura Products, Inc. Eagle® is a registered trademark of Eagle Window and Door, Inc, BiltBest® is a registered trademark of BiltBest Windows and Patio Doors. Ashland® is a registered trademark of Ashland Products, Inc. Caradco[®], JELD-WEN, Norco[®] and Pozzi[®] are registered trademarks of JELD-WEN Inc., Oregon, USA. Integrity[®] and Marvin[®] are registered trademarks of Marvin Windows and Doors. Milgard[®] is a registered trademark of Milgard Windows, Inc. Therma-Tru[®] is a registered trademark of Therma-Tru Doors®. HOPPE® is a registered trademark of HOPPE North America, Inc. Hurd® is a registered trademark of Hurd Millwork Company. Kolbe & Kolbe[®] is a registered trademark of Kolbe & Kolbe Millwork Company, Inc. Lincoln[®] is a registered trademark of Lincoln Wood Products, Inc. Loewen® is a registered trademark of Loewen Windows. PGT® is a registered trademark of PGT Industries. Peachtree® and Vetter® are registered trademark of The Peachtree Companies, Inc. Semco® is a registered trademark of Semling-Menke Co. Inc. Weathershield® is a registered trademark of Weathershield Mfg. Inc. KML by Andersen[®] is a registered trademark of KML by Andersen. Atrium[®] is a registered trademark of Atrium. KFV® is a registered trademark of KFV. Simpson® is a registered trademark of Simpson. Signature® is a registered trademark of Signature. Crestline® is a registered trademark of Crestline. Windsor® is a registered trademark of Windsor. Neuma Doors® is a registered trademark of Nan Ya Plastics Corporation. With the exception of Paddock™, none of the aforementioned companies are affiliated with Emtek Products, Inc.

Multi Point Lock Trim Order Form

Order Placed By	Date ASSA ABLOY
Billing Information	Shipping Address
Company Name	Company Name
Address	Address
City State, Zip	City State, Zip
Telephone	Telephone
PO#	Note

Acct#

FMTFK[®]

Handing (LH/RH) QTY Configuration Lever Style **Product Code** Finish Price

EMTEK Products, Inc.

15250 E Stafford Street City of Industry, CA 91744 Tel: 800-356-2741 626-961-0413 Fax: 800-577-5771 626-336-2812 www.emtek.com

Please Fax Order Form to (800) 577-5771 or Email to <u>orders@emtek.com</u>

LIFETIME LIMITED WARRANTY

Subject to the terms and conditions of this warranty, Emtek Products, Inc. ("Company") extends a lifetime limited warranty* to the original consumer user ("Original User") of our product ("Product") against defects in material and workmanship, as long as the Original User occupies the residential premises upon which the Product was originally installed. *Electronic components warranted TWO (2) YEARS

This warranty only applies to the Original User of the Products. This warranty is not transferable. This warranty applies to all products sold on or after April 2, 2012.

Original User: The Original User will return the defective Product to the retailer from whom it was purchased, accompanied by a statement of defects and proof of purchase.

What Emtek will do: Upon return of the defective Product to Emtek for inspection, free and clear of all liens and encumbrances and accompanied by the statement of defects and proof of purchase, Emtek's sole obligation, at its option, is to either repair or replace the Product, or refund the original retailer purchase price in exchange for the Product.

THE COMPANY MAKES NO OTHER WARRANTY OTHER THAN AS EXPRESSLY STATED HEREIN, AND ALL IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY EXCLUDED.

THE COMPANY'S MAXIMUM LIABILITY HEREUNDER IS LIMITED TO THE PURCHASE PRICE OF THE PRODUCT. IN NO EVENT SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL, INDIRECT, INCIDENTAL OR SPECIAL AND/OR PUNITIVE DAMAGES OF ANY NATURE ARISING FROM THE SALE OR USE OF THE PRODUCT, WHETHER BASED ON CONTRACT, WARRANTY, TORT, STRICT LIABILITY, PATENT INFRINGEMENT, OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some local laws do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. This warranty gives specific legal rights and a buyer may also have other rights which may vary from state to state.

WHAT IS NOT COVERED: THE FOLLOWING COSTS, EXPENSES AND DAMAGES ARE NOT COVERED BY THE PROVISIONS OF THIS LIMITED WARRANTY: (I) LABOR COSTS INCLUDING, BUT NOT LIMITED TO, SUCH COSTS AS THE REMOVAL AND RE-INSTALLATION OF PRODUCT; AND (II) SHIPPING AND FREIGHT EXPENSES REQUIRED TO RETURN PRODUCT TO EMTEK.

THE PROVISIONS OF THIS WARRANTY DO NOT APPLY TO PRODUCTS: (I) USED IN COMMERCIAL APPLICATIONS; (II) USED IN COMMON AREA APPLICATIONS; (III) USED FOR PURPOSES FOR WHICH THEY ARE NOT DESIGNED OR INTENDED; (IV) WHICH HAVE BEEN SUBJECTED TO ALTERATION, ABUSE, MISUSE, NEGLIGENCE OR ACCIDENT; (V) WHICH HAVE BEEN IMPROPERLY STORED, INSTALLED, MAINTAINED OR OPERATED; (VI) WHICH HAVE BEEN USED IN VIOLATION OF WRITTEN INSTRUCTIONS PROVIDED BY EMTEK; (VII) WHICH HAVE BEEN SUBJECTED TO IMPROPER TEMPERATURE, HUMIDITY OR OTHER ENVIRONMENTAL CONDITIONS; OR (VIII) WHICH, BASED ON EMTEK'S EXAMINATION, DO NOT DISCLOSE TO EMTEK'S SATISFACTION NON-CONFORMANCE TO THE WARRANTY. Additionally, this warranty DOES NOT COVER scratches, abrasions, or deterioration due to the use of paints, solvents or other chemicals.

Finish Warranty: Polished Brass-Lifetime and Polished Nickel-Lifetime finishes carry a lifetime limited finish warranty. There is no finish warranty on Deep Burgundy, Flat Black Patina, Medium Bronze Patina, Polished White Bronze, Rust, Silver Patina, Tumbled White Bronze, and Unlacquered Brass finishes. All other finishes carry a five year finish warranty.

Warranty claims: Please contact the retailer from whom the defective product was purchased. If assistance is needed, please contact Emtek Customer Service at:

EMTEK Products, Inc. 15250 E. Stafford Street City of Industry, CA 91744 Tel: (626) 961-0413 ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience



EMTEK Products, Inc. 15250 E. Stafford Street City of Industry • CA 91744 Tel: 800-356-2741 • 626-961-0413 Fax: 800-577-5771 • 626-336-2812 emtek.com

> BX4-3PTPRICEBK2019 OCTOBER 2018

f 🗿 🎔 🦻