



## High Security & Access Control Locks Product Price List for November 15, 2016

**ASSA®**  
**ASSA ABLOY**

ASSA ABLOY, the global leader  
in door opening solutions



# Table of Contents

|                                                    | Page |
|----------------------------------------------------|------|
| General Information.....                           | 2    |
| Keys and Keying .....                              | 9    |
| Mortise Cylinders .....                            | 12   |
| High Security Mogul Cylinders .....                | 16   |
| Rim Cylinders.....                                 | 18   |
| Mortise & Rim Interchangeable Core Cylinders ..... | 20   |
| Key-in-Knob/Lever Cylinders .....                  | 22   |
| Deadbolts .....                                    | 26   |
| Auxiliary Locks.....                               | 30   |
| Padlocks.....                                      | 36   |
| Profile Cylinders.....                             | 40   |
| Pin Kits, Tools & Accessories.....                 | 45   |
| Twin Pro Products .....                            | 46   |

## General Information

### Maximum+ Cylinder Program

The Maximum+ program released in 2013 has features that none of our other systems offer. The Maximum+ cylinder is the most advanced and secure UL 437 Listed cylinder ever produced. After June 2014 the Maximum+ will be the only patent protected product series offered by ASSA. The utility patent will remain in effect until 2029.

### C4 CLIQ Cylinder Program

Concept 4 is the most advanced access control system designed for a stand alone cylinder and key in the industry today. Offers remote programming of user keys, time zoning, audit trail for cylinder and key. Interface with HID Prox systems in multiple formats. Offered in Maximum+ and Twin Maximum only.

### The ALPHA Twin 6000 System, The ALPHA Twin Exclusive System and The Twin Exclusive Cylinder Program

ASSA introduced the ALPHA System of key control programs to meet the security requirements of locksmiths, distributors and end users. The Twin Exclusive System is an extension of the Twin 6000 patent. The Twin Exclusive was introduced as an upgrade to the ASSA Twin 6000 program, introducing new patented keyblanks based on the Twin V-10 patent and new key profiles offering a low cost advantage for extending patent protection for the end user. Briefly, the system consists of four programs:

|           |                                                                                           |
|-----------|-------------------------------------------------------------------------------------------|
| TEL/Gamma | Locally exclusive keyways for locksmiths                                                  |
| TER/Beta  | Regionally exclusive keyways for locksmiths                                               |
| TED/Delta | Nationally exclusive keyways for distributors                                             |
| TEE/Alpha | Regionally exclusive keyways for end-users, sold through normal channels of distribution. |

### Keyway Information

Each key control program utilizes a standard cylinder plug profile (broaching). Various sidebar codes are used to create different keyways. Keyblanks produced after August 1988 are stamped with complete keyway code, e.g., 507-51. Please include keyway code and profile when ordering keys, keyblanks and cylinders, except SNS cylinders. (See Cylinder form, below).

### Cylinder Form

ASSA Maximum+, ASSA Twin locks and ASSA cylinders are available in three different forms:

|                       |                                                                                                                                                 |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| COMP (Complete)       | Keyed-different items include two cut keys per cylinder. Keyed-alike items normally include two cut keys per cylinder.                          |
| SUB (Sub-assembled)   | Uncombined cylinder includes sidebar mechanism, but no tumbler pins, springs or keyblanks. Pin chamber closure strip, plug and screws provided. |
| SNS (Sub, No sidebar) | Uncombined cylinder without sidebar and sidebar springs. Includes sidepins, sidepin springs, standard tailpiece items and pin chamber closure.  |

When ordering ASSA Maximum+, ASSA Twin locks and ASSA high security cylinders, be sure to indicate CYLINDER FORM.

### Red Core

ASSA provides Red temporary construction cores (red cores are always 51 Profile) for its interchangeable core cylinders upon request. Red cores are \$121.75 list and upon return to ASSA, credit will be issued for the full invoiced amount less a **50% handling fee**. Request for credit must be made in writing to ASSA Customer Service referencing the original invoice upon which the red cores appear. **KEYS ARE NOT INCLUDED IN THE PRICE OF THE RED CORE AND ARE NOT ELIGIBLE FOR RETURN.** All cut keys are invoiced at \$18.95 list each.

To order interchangeable core cylinders with temporary cores, specify cylinder model number, Cam, finish, by RED CORE, example, 6552ICR-1 x 626 x RED CORE. Cylinder will be charged at COMP price. To order red core separately, specify 70600ICR. Specify change keys as TWIN-KD-RED and control keys as TWIN-CT-RED. To order permanent cores see page 20.

# General Information

## Master Keying

ASSA locks and cylinders may be master keyed to meet virtually any requirement. Contact the Key Records Department to discuss special needs. Master keying and biting charges are shown on page 9.

### FINISHES

Standard finishes are shown below. Cylinder plugs and LFIC shells are only available in 626/US26D Satin Chrome and 606/US4 Satin Brass.

| ASSA BHMA Symbol | Equivalent U.S. Symbol | Description            |
|------------------|------------------------|------------------------|
| 605              | US3                    | Bright Brass           |
| 606              | US4                    | Satin Brass            |
| 609              | US5                    | Antique Brass          |
| 610              | US7                    | Satin Brass Blackened  |
| 611              | US9                    | Bright Bronze          |
| 612              | US10                   | Satin Bronze           |
| 613              | US10B                  | Dark Bronze/Oil Rubbed |

| ASSA BHMA Symbol | Equivalent U.S. Symbol | Description            |
|------------------|------------------------|------------------------|
| 618              | US14                   | Bright Nickel          |
| 619              | US15                   | Satin Nickel           |
| 620              | US15A                  | Antique Nickel         |
| 622              | US19                   | Flat Black             |
| 624              | US20A                  | Dark Bronze/Clear Coat |
| 625              | US26                   | Bright Chrome          |
| 626              | US26D                  | Satin Chrome           |

## Special Function Cylinders

ASSA offers two special function cylinders most commonly used in the Detention market. One is a directional cylinder, which is operated bi-directionally by one key and in one direction only (clockwise or counterclockwise) by a subordinate key. This special function is accomplished by a modification to the cylinder plug. The necessity for this product is clear; to provide functionality in the system design. However, due to the physical modification of the plug when used in a master key system, the potential size of the master key system will be reduced.

The second special function is a limited rotation cylinder. This cylinder requires two modifications and will be used in conjunction with a directional function. One key will operate bi-directionally 360° and only one direction (clockwise or counter-clockwise) by a subordinate key stopping at a determined position prior to 180°. These modifications will greatly reduce the potential of a master key system.

It is essential to indicate all special function cylinders in the initial master key system design. Otherwise they may not be possible as part of the master key system.

Special function cylinders are offered in limited models and are indicated by a symbol: † Prefixing the model number specifies available in special function.

## How to order

**Example**    **Model No.**    **Finish**    **Profile - Side Bar**  
Specify    E8551CW-14 .....626.....851 – 888 (For Directional Cylinders)

Specify    E8551WL-14 .....626.....851 – 888 (For Limited Rotation Cylinders)

# Standard Terms & Conditions of Sale

## 1. General; Definitions

### 1.1 Entire Agreement

Unless otherwise agreed to in writing by ASSA, Inc. ("ASSA"), the terms and conditions contained herein constitute the entire agreement between the parties with respect to the subject matter hereof and supercede all prior communications and agreements. Acceptance by ASSA of Buyer's Order, or Buyer's acceptance of ASSA's proposal, is expressly limited to and conditioned upon Buyer's acceptance of these terms and conditions which may not be changed or waived except in writing signed by the parties. Any additional, inconsistent or different terms and conditions contained in Buyer's purchase order or other documentation are hereby expressly rejected.

### 1.2 Definitions

In these terms and conditions of sale: (i) "Buyer" means the person or entity who accepts a quotation of ASSA for the sale of the Products or whose Order for the Products is accepted by ASSA; (ii) "Conditions" means the standard terms and conditions of sale set out in this document and includes any special terms and conditions agreed to in writing between Buyer and ASSA; (iii) "Order" means an order for Products placed by Buyer with ASSA and accepted by ASSA; (iv) "Products" means the products ordered by Buyer and shall include all products, parts and accessories furnished to Buyer by ASSA.

## 2. Shipping; Delivery

### 2.1 Terms of Shipment

Unless otherwise agreed to in writing, all Products are shipped F.O.B. ASSA's location. ASSA reserves the right to deliver in installments.

### 2.2 Shipping Charges

Subject to Section 2.3, ASSA will pay all shipping charges in advance of shipment only for shipments of \$2,000.00 net U.S. or more with delivery to Buyer at a single location. Buyer will pay all shipping charges in advance of shipment for all shipments that are less than \$2,000.00 net U.S. or that require delivery to Buyer at more than a single location. Such charges will be added to Buyer's invoice. A shipping & handling charge of \$1.00 per shipping carton will apply to shipments.

### 2.3 Choice of Carrier; Route

Unless otherwise requested on Buyer's Order, ASSA will ship by carrier and route of its choice to any freight service point within the continental United States. If Buyer requests a carrier or route on its Order, ASSA will deliver in accordance with such request and Buyer will pay the entire amount of all shipping charges in advance of shipment.

## 3. Title and Risk of Loss

Subject to Section 5.3, title to and risk of loss of each Product purchased by Buyer shall pass to Buyer and delivery shall be deemed to be complete upon transfer of the Products to a carrier for shipment at ASSA's location or the Products otherwise leave the possession or control of ASSA. This Section 3 shall survive any expiration or termination hereof.

## 4. Orders

### 4.1 Acceptance

Orders can be sent to ASSA via the following 3 methods:

Mail: ASSA, Inc., 110 Sargent Drive, P.O. Box 9453, New Haven, CT 06534-0453

Fax: 800-892-3256

E-mail: [AssaOrders@assalock.com](mailto:AssaOrders@assalock.com).

ASSA reserves the right to refuse Orders and is not bound to honor any Order unless and until such Order has been accepted by ASSA. ASSA may refuse an Order by delivering notice, orally or in writing, of such refusal to Buyer within ten (10) days of ASSA's receipt of such Order.

## Standard Terms & Conditions of Sale

### 4.2 End User Security Authorization Procedures.

To insure proper control of End User restricted products, ASSA requires that the End User complete a Delivery of Controlled ASSA Components for End Users Form. The form will indicate where and to whom their restricted product will ship upon leaving the ASSA factory. Restricted product is defined as high security keyblanks, cut keys, sidebars, sub-assembled cylinders (SUB), complete and master keyed cylinders (COMP), and key charts. All orders involving an End User restricted product must be signed by the proper **authorized personnel on file at ASSA**. This is critical in order to maintain the integrity of the End User's key system. ASSA will honor the specific, written instructions of the **authorized personnel** for the shipping and handling of each purchase order. Such instructions must be included with each order. A copy of the End User Controlled Product Delivery Form is available by contacting ASSA customer service or the local ASSA sales representative. Please note the option of blanket authorization on the form. If the end user chooses this option, it is the end user's responsibility to keep the authorization current and on file. ASSA does not maintain any files of blanket authorizations. **A copy of a CURRENT authorization form signed by an authorized signatory must accompany every Distributor purchase order containing End User restricted product sent to ASSA whether the product is shipping to the End User location or not.** All orders not having this form will be suspended indefinitely or until such form is produced. In the event that any change occurs in the authorization of any End User personnel, ASSA will require that official written notification be made to ASSA by the End User on their letterhead before additional orders will be released. A copy of the authorization form "**Controlled Product Delivery Form**" can be found on our website @ [www.assalock.com](http://www.assalock.com). From the home page select "**Resources**", select "**Forms and Applications**", then click on "**Download the Controlled Product Delivery Form Now**".

### 4.3 Order Identification

All packages are identified as to contents and assigned an Order number. The Order number also appears on Order acknowledgements, packing slips, freight bills and invoices.

### 4.4 Packing

Unless otherwise specified, all locks and cylinders are packed individually.

### 4.5 Changes and Cancellations

No Order that has been accepted by ASSA may be changed or cancelled by Buyer unless ASSA agrees to such change or cancellation in writing. Buyer will indemnify ASSA in full against all loss (including loss of revenue), costs (including the cost of all labor and materials used), damages, charges, and expenses incurred by ASSA. Changes will result in a delay in the scheduled ship date. Additions to Orders will be entered as a separate Order. Special Orders for non-cataloged items and any Orders that are within sixty (60) days of the original shipment date are not subject to cancellation.

### 4.6 Return Products Authorization

Return Products will not be accepted unless authorized in advance in writing by ASSA. Used or damaged items will not be accepted. Products returned to ASSA for credit must be received by ASSA within sixty (60) days of initial shipment and must be in saleable condition. The value of goods returned is subject to appraisal as to physical condition. Returns will only be accepted for credit invoicing and a minimum handling charge of 40% will be debited. All returned Products must be shipped F.O.B. ASSA's location, freight prepaid. Credit will not be issued for missing parts. Requirement for returns are: the ordering distributor must request a Return Goods Authorization (RGA) in writing through the same process that purchase orders are done. Each Item being returned must have full item description with the original purchase order number that the item was ordered under or the ASSA order number that the item was shipped under which can be found on the Item box label marked "Order No" or REF#.

Return Goods Authorization is then approved or denied through ASSA's established internal process. In either case the requesting distributor is notified by ASSA in writing. If approved, distributor will receive in writing a Return Goods Authorization Number and instructions for marking containers for authorized items being returned.

Once received, Items are physically inspected and checked against the RGA. Information will then be forwarded to the credit department where credit invoicing will be applied. Any Items sent by distributor that are not listed as part of the authorized return will not be credited and ASSA will not be responsible for return of these items to the shipper.

ASSA will not accept Keyed Cylinder returns.

# Standard Terms & Conditions of Sale

## 5. Price; Taxes; Payment

### 5.1 Price

Unless otherwise agreed to in writing, the price for the Products shall be ASSA's prevailing price at the time the Order is accepted by ASSA or any other price quoted in writing to Buyer. ASSA's price lists are for general information only and do not constitute a binding, open offer by ASSA for the sale of Products. ASSA reserves the right to modify its standard prices at any time without notice; prices for some Products may change frequently due to market fluctuations.

### 5.2 Taxes

Buyer shall pay the full amount of any tax or other charge now or hereafter imposed by law upon, with respect to, or measured by the sale, shipment or price of any Product sold hereunder, including without limitation any handling charges; federal, state, or local sales, use, excise, value added, gross receipts or other like taxes; customs duties; and any insurance desired by Buyer. If Buyer is exempt from an applicable tax or duty, then Buyer must provide ASSA with a valid exemption certificate before shipment of Products. Foreign shipments placed with ASSA may require additional charges for documentation and overseas packaging. Such charges will be identified on ASSA's invoices. This Section 5.2 shall survive any expiration or termination hereof.

### 5.3 Payment

Unless otherwise agreed to in writing, payment is due thirty (30) days from the date of the invoice. If payments are not made when due, Buyer will pay, in addition to the overdue payment, a late charge equal to the lesser of 1.5% per month or the highest applicable rate allowed by law on such overdue amounts. Overdue accounts will be assigned to the credit department for all transactions. Once an account has been assigned to the credit department, no Order may be taken, entered or shipped without approval from the credit manager. Buyer hereby grants ASSA a purchase money security interest in each Product and agrees to cooperate with ASSA in protecting such interest.

## 6. Insurance

### 6.1 Insurance Coverage

Buyer shall procure and maintain, at its expense, the following types of insurance from an insurer acceptable to ASSA, in the amounts at least equal to those specified below, with deductibles not in excess of \$100.00. ASSA shall not be required to supply Products to Buyer at any time that the insurance coverage provided for herein is not in full force and effect.

### 6.2 Certificates

Buyer shall, within fifteen (15) days from the date hereof, furnish ASSA with a certificate of insurance issued by the insurance company or companies issuing the insurance policies required hereby. Such certificates shall provide that written notices shall be given to ASSA at its address specified herein at least forty-five (45) days prior to any cancellation or change in any such policy.

## 7. Warranties and Limitation of Liability

### 7.1 Warranty

ASSA represents and warrants the Products against defective material and faulty workmanship for a period of one year after the date of delivery [and warrants the finish to meet quality standards at the time of delivery]. This warranty expressly does not apply to faulty product operation due to: (a) improper installation; (b) the use of any keys, cylinder pins or other accessories not expressly approved by ASSA; or (c) failure to provide reasonable maintenance. ASSA will not warranty cross-keyed cylinders.

### 7.2 Limitation of Liability

ASSA's liability under this warranty shall be limited solely to the repair or replacement of the Products, or parts thereof, or refund to the Buyer of the purchase price thereof. ASSA shall not be responsible for any defect or non-conformity in the Products that: (a) is created after the time of delivery; (b) results from Products for which materials, specifications or designs were provided by Buyer; or (c) results from modifications to the Products by Buyer or others. IN NO EVENT SHALL ASSA BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN CONTRACT, WARRANTY, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE including but not limited to loss of profits or revenue, loss of use of the Products, delays, or claims of customers of the Buyer or other third parties for such other damages. ASSA's liability on all claims, whether in contract, warranty, negligence, tort, strict liability or otherwise for any loss or damage arising out of, or connected with an Order or the performance or breach thereof, or from the design, manufacture, sale, or delivery shall in no case exceed the purchase price of the Product.

## Standard Terms & Conditions of Sale

### 7.3 No Other Warranties

EXCEPT AS EXPRESSLY SET FORTH IN SECTION 7.1, ASSA MAKES NO OTHER REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, AT LAW OR IN EQUITY, WITH RESPECT TO THE PRODUCTS OR THEIR CHARACTERISTICS, QUALITY OR PERFORMANCE, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT OF ANY INTELLECTUAL PROPERTY RIGHTS OF THIRD PARTIES AND ANY SUCH REPRESENTATIONS AND WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED.

### 8. Claims

Buyer must notify ASSA of any claim [for adjustment] in writing at ASSA's address specified herein within thirty (30) days after the date of the invoice in question. Buyer must notify ASSA of any claim for shortages or incorrectly filled Orders in writing within ten (10) days after receipt of shipment. Under no circumstances will ASSA be responsible for any charges for labor or material incurred by others without the prior written consent of ASSA.

### 9. Indemnity

#### 9.1 Personal Injury and Property Damage

Buyer shall indemnify ASSA and hold ASSA harmless against all claims, liability, loss or other damages (including ASSA's legal expenses) to all persons for injury of any nature, including, without limitation, sickness, and/or death, and for property damage caused by any Product or part thereof after the time of delivery of such Product or after such Product otherwise leaves the possession or control of ASSA.

#### 9.2 Compliance with Law

Buyer agrees: (a) to fully comply with all applicable federal, state and local laws, rules, regulations and guidelines, including without limitation, all applicable regulations and guidelines promulgated, from time to time, by Federal and state environmental and transportation officials, and (b) to indemnify and hold harmless ASSA from and against all claims, liability, loss or other damages (including ASSA's legal expenses) resulting in any way from non-compliance therewith.

#### 9.3 Survival

This Section 9 shall survive any expiration or other termination hereof.

### 10. Trademarks and Other Markings

Buyer shall remove any and all of ASSA's trademarks, labels, distinctive markings, and designs which may appear on any Product or on the packaging material therefore at the time of delivery of such Product and to refrain from making any use of such trademarks, labels, distinctive markings and designs.

### 11. Miscellaneous

#### 11.1 Governing Law

The validity and interpretation of these terms and conditions of sale shall be governed by the laws of the State of Connecticut without regard to its principles of conflicts of law.

#### 11.2 Force Majeure

ASSA shall not be liable for its failure to perform hereunder due to any contingency beyond its reasonable control, including without limitation acts of God, fires, floods, wars, sabotage, accidents, labor disputes or shortages, governmental laws, ordinances, rules and regulations, whether valid or invalid (including, but not limited to, priorities, requisitions, allocations, and price adjustment restrictions), inability to obtain material, equipment or transportation, and any other similar contingency. In the event of delay due to any such cause, the date of delivery will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

#### 11.3. No Assignment

These terms and conditions of sale are not assignable or transferable by Buyer, in whole or in part, without the prior written consent of ASSA.

## Standard Terms & Conditions of Sale

### 11.4 Modification

No modification or waiver of these terms and conditions of sale shall be effective unless made in a writing signed by ASSA. No course of action shall be deemed to modify these terms and conditions of sale.

### 11.5 Severability.

Whenever possible each provision and term of these terms and conditions of sale will be interpreted in a manner to be effective and valid but if any provision or term hereof is held to be prohibited by law or invalid, then such provision or term will be ineffective only to the extent of such prohibition or invalidity, without invalidating or affecting in any manner whatsoever the remainder of such provision or term or the remaining provisions or terms hereof.

## COPYRIGHTS, PATENTS

All products shown in ASSA catalogs, brochures and price lists are either patented, copyrighted or registered by ASSA. \*Prices, products, equipment, finishes, models, specifications and availability are subject to change without notice.

All notices or other correspondence to ASSA may be made at the following address:

**ASSA, Inc.**  
**110 Sargent Drive**  
**New Haven, CT 06511**  
**(800) 235-7482**  
**(800) 892-3256 fax**

## Keys and Keying

The ASSA Key Records Department carefully designs and records master key systems in compliance with customer requirements and ASSA security policy. System documents are thoroughly detailed, produced, and professionally presented, and should be considered valuable and confidential. Key Records information and service is available as follows:

### Factory Keyed Cylinders

Cylinders pinned by the factory are supplied "Keyed Different" or if so specified as one of the following options:

- Master Keyed (Bittings provided at No Charge when requested with the order).....17.40 per cylinder
- Keyed Alike/Keyed Different .....No Charge
- Single Keyed Different (Part of MK System).....17.40 per cylinder

### Master Key Log

An ASSA Master Key order log file must be submitted electronically to ASSA Key Records for all factory master keyed orders. The form is available by contacting your ASSA Sales Representative, ASSA Customer Service, or on our web site at [www.assalock.com/download.htm](http://www.assalock.com/download.htm). The completed form is then e-mailed to ASSA Key Records at [Assaorders@assalock.com](mailto:Assaorders@assalock.com).

### Factory Generated Master Key Systems

ASSA will provide new master key systems for pinning by the locksmith in accordance with prices below:

Bitting lists or key charts requested for key sets ordered with a factory keyed product for new or existing master key systems will be provided at "No Charge."

Orders for bitting lists ONLY without factory keyed product will be charged per the price table below.

Orders for additional bittings for existing master key groups will be provided as follows:

- A) Up to 10 bittings under an existing master key already established in the system will be provided at "No Charge." Orders for all bittings requiring the establishment of a new master key in an existing master key system will be provided per the price table below.
- B) Orders greater than 10 bittings for an existing master key system will be provided per the price table below.
- C) Order acknowledgement will reflect tier number for appropriate quantity.

| Tier | Quantity          | ON PAPER      |                     | ON DISK       |                     |
|------|-------------------|---------------|---------------------|---------------|---------------------|
|      |                   | Bittings Only | Bittings & Pinnings | Bittings Only | Bittings & Pinnings |
| 1    | 1-50 .....        | 190.50        | 572.00              | 89.75         | 185.50              |
| 2    | 51-200 .....      | 286.25        | 761.75              | 89.75         | 368.75              |
| 3    | 201-1000 .....    | 379.75        | 951.75              | 89.75         | 461.75              |
| 4    | 1001-5000 .....   | 475.75        | 1,524.00            | 89.75         | 739.75              |
| 5    | 5001-10000 .....  | 600.25        | 2,286.50            | 89.75         | 1,111.25            |
| 6    | 10001-25000 ..... | 817.25        | 2,959.50            | 173.75        | 1,436.25            |

Over 25,000 or more contact Customer Service for quote.

These prices are for a hierarchical Master Key System with no Cross-keying of selective keys. For special requirements, contact Customer Service or Key Records Department. System design changes requested by the customer to an established ASSA master key system are subject to a \$500.00 list charge.

**Systems prior to 1996, contact Customer Service for quote. Disks will be provided in flat ASCII text only.**

Standard KD/KA key stamping includes keyway designation code.

Standard MK system stamping includes standard key coding key symbol.

Do Not Duplicate and other special stamping requirements will be priced at 4.50 per stamp. ASSA can stamp up to 6 alpha-numeric characters. If more are required please consult the factory.

### Rekeying Charges

| Part#     | Description                | Price |
|-----------|----------------------------|-------|
| RE-KEY    | Non-Master Keyed Cylinders | 62.60 |
| RE-KEY-MK | Master Keyed Cylinders     | 76.65 |

**Factory does not recommend cross-keying and will not warranty any cross-keyed cylinders.**

## Keys and Keying

| Item No.                                    | Description                                                                    | Price      |
|---------------------------------------------|--------------------------------------------------------------------------------|------------|
| <b>ASSA Cut Keys</b>                        |                                                                                |            |
| MAXP-KD                                     | Maximum+ Cut Keys KD/KA                                                        | 18.25      |
| MAXP-MK                                     | Maximum+ Cut Keys, In a Master Key System                                      | 18.25      |
| MAXP-CTRL                                   | Maximum+ Control Key                                                           | 18.25      |
| TMAX-KD                                     | Twin Maximum Cut Keys KD/KA                                                    | 18.25      |
| TMAX-MK                                     | Twin Maximum Cut Keys, In a Master Key System                                  | 18.25      |
| TMAX-CTRL                                   | Twin Maximum Control Key                                                       | 18.25      |
| TWIN-KD                                     | Twin Exclusive/6000 Classic (Specify Profile) Cut Keys KD/KA                   | 18.95      |
| TWIN-MK                                     | Twin Exclusive/6000 Classic (Specify Profile) Cut Keys, In a Master Key System | 18.95      |
| TWIN-CTRL                                   | Twin Exclusive/Twin 6000 Control Key                                           | 18.95      |
| V-10-KD                                     | Twin V-10 Cut Keys KD/KA                                                       | 18.95      |
| V-10-MK                                     | Twin V-10 Cut Keys, In a Master Key System                                     | 18.95      |
| V-10-CTRL                                   | Twin V-10 Control Key                                                          | 18.95      |
| <b>ASSA Key Blanks</b>                      |                                                                                |            |
| 323330                                      | Maximum+ Key Blank Qty. 100/box (Specify Sidebar Code)                         | 7.15/ea    |
| 867091                                      | Twin 6000 Key Blanks (specify sidebar code and profile) Qty. 100/box           | 7.25 /ea   |
| E867091                                     | Twin Exclusive Key blanks/Sidebar code (specify sidebar code) Qty 100/box      | 7.25 /ea   |
| 250694                                      | Twin V-10 Keyblanks/Sidebar code (specify sidebar code) Qty 100/box            | 7.25 /ea   |
| <b>ASSA Coined Key Blanks</b>               |                                                                                |            |
| IDC                                         | Initial die charge                                                             | 522.40/net |
| 868996                                      | 500 minimum key blank quantity each order (Specify profile and side code)      | 7.30       |
| <b>600 Series Cut Keys &amp; Key Blanks</b> |                                                                                |            |
| 600-KD                                      | Cut Keys KD / KA                                                               | 18.65      |
| 600-MK                                      | Cut Keys, In a Master Key System                                               | 18.65      |
| 868062                                      | Key blanks/ Specify profile (UK, UL, UM, PK, PL)                               | 7.05       |
| <b>500 Series Key Blanks</b>                |                                                                                |            |
| 462000                                      | Key blanks/ specify profile                                                    | 7.30       |
| <b>700 Series Key Blanks</b>                |                                                                                |            |
| 462001                                      | Key blanks/ specify profile                                                    | 7.30       |

## Keys and Keying

| Item No.                                             | Description                                                                                    | Price                                             |
|------------------------------------------------------|------------------------------------------------------------------------------------------------|---------------------------------------------------|
| <b>ASSA C4 CLIQ™ Keys</b>                            |                                                                                                |                                                   |
| CLIQ-KD                                              | C4 CLIQ Cut Key                                                                                | 101.55                                            |
| CLIQ-KDP                                             | C4 CLIQ-Cut Key with Proximity tag                                                             | 119.30                                            |
| CLIQ-CK                                              | C4 CLIQ C-Key                                                                                  | 177.25                                            |
| CLIQ-MCK                                             | C4 CLIQ Master C-Key                                                                           | 184.15                                            |
| CLIQ-CON                                             | C4 CLIQ Contact Key                                                                            | 190.55                                            |
| <b>ASSA C4 CLIQ™ Programming Unit &amp; Software</b> |                                                                                                |                                                   |
| CLIQ-END                                             | Program Device with Single Site Performer Software – Manages C4 CLIQ System                    | 1,887.40                                          |
| CLIQ-END-NT                                          | Program Device with Network Performer Software – Manages C4 CLIQ System (Up to 3 Clients)      | 2,293.00                                          |
| CLIQ-ESDK                                            | Executive Sales Demo Kit                                                                       | 602.45/net                                        |
| CLIQ-DEA                                             | Program Device with Single Site Performer Software – Manages Multiple C4 CLIQ Systems          | 1,887.40                                          |
| CLIQ-DEA-NT                                          | Program Device w/Network Performer Software – Mges. Multiple C4 CLIQ Systems (Up to 3 Clients) | 2,293.00                                          |
| CLIQ-PD                                              | CLIQ Programming Device                                                                        | 1,296.30                                          |
| CLIQ-NT-LIC                                          | License Upgrade from Single Site to Network Installation                                       | 1,032.60                                          |
| CLIQ-TRAINING                                        | Off Site Factory Training                                                                      | 1,352.00/day/net                                  |
| CLIQ-SDK                                             | Sales Demo Kit                                                                                 | 8,390.60                                          |
| <b>ASSA CLIQ™ Remote</b>                             |                                                                                                |                                                   |
| CLIQ-KDR                                             | CLIQ Remote User Key                                                                           | 104.95                                            |
| CLIQ-KDRP                                            | CLIQ Remote User Key with Proximity Tag                                                        | 122.65                                            |
| CLIQ-RMCK                                            | CLIQ Remote Master C-Key                                                                       | 184.15                                            |
| CLIQ-RCK                                             | CLIQ Remote C-Key                                                                              | 177.25                                            |
| CLIQ-PD                                              | CLIQ Programming Device                                                                        | 1,296.30                                          |
| CLIQ-RPD                                             | CLIQ Remote Wall Programming Device                                                            | 774.45                                            |
| CLIQ-MPD                                             | CLIQ Remote Mobile Programming Device                                                          | 735.50                                            |
| CLIQ-VRPD                                            | CLIQ Remote Outdoor/Vandal Resistant Programming Device                                        | 1,395.25                                          |
| CLIQ-REND                                            | CLIQ Remote End User Kit                                                                       | 1,590.50                                          |
| CLIQREMOTE-DEMO                                      | CLIQ Remote Demo Kit                                                                           | 6,544.25                                          |
| <b>ASSA CLIQ™ Web Hosting Service</b>                |                                                                                                | <b>Annual Service Fee</b>                         |
| CLIQ-WH-B                                            | Basic                                                                                          | 540.80                                            |
| CLIQ-WH-RP                                           | Remote Plus                                                                                    | 1,622.40                                          |
| CLIQ-WH-EPW                                          | Enterprise Plus                                                                                | 3,244.80                                          |
| <b>ASSA CLIQ™ Customer Web Hosting Service</b>       |                                                                                                | <b>1-Time License Fee      Annual Maintenance</b> |
| CLIQ-SH-EPW                                          | Enterprise Plus with Web Services                                                              | 16,224.00      1,310.40                           |

| CLIQ Web Manager 2016 |                                         |              |                |                   |
|-----------------------|-----------------------------------------|--------------|----------------|-------------------|
| Features              | Part Number                             | CLIQ-WH-B    | CLIQ-WH-RP     | CLIQ-WH-EPW       |
|                       | Description                             | Hosted Basic | Hosted Remote+ | Hosted Enterprise |
|                       | Domain Administration                   | √            | √              | √                 |
|                       | Remote Programming                      | x            | √              | √                 |
|                       | Key Revalidation                        | x            | √              | √                 |
|                       | Access Profiles                         | x            | √              | √                 |
|                       | Temporary Access Groups                 | x            | √              | √                 |
|                       | Flexible Revalidation                   | x            | x              | √                 |
|                       | Cylinder Groups                         | x            | x              | √                 |
|                       | Web Services for 3rd Party Applications | x            | x              | √                 |

\*Other configurations available upon request.

# Mortise Cylinders

| Model#/Cam                                                                              | Notes | Size   | Description      | Comp   | Sub    | SNS    |
|-----------------------------------------------------------------------------------------|-------|--------|------------------|--------|--------|--------|
| <b>Maximum+</b>                                                                         |       |        |                  |        |        |        |
| 9851- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) | †     | 1-1/8" | Mortise Cylinder | 126.75 | 119.25 | 112.25 |
| 9852- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) | †     | 1-1/4" | Mortise Cylinder | 136.75 | 127.00 | 119.75 |
| 9853- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |       | 1-3/8" | Mortise Cylinder | 301.75 | 294.25 | 287.25 |
| 9854- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |       | 1-1/2" | Mortise Cylinder | 317.50 | 310.00 | 303.00 |
| 9855- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |       | 1-5/8" | Mortise Cylinder | 322.25 | 314.75 | 307.75 |
| 9856- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |       | 1-3/4" | Mortise Cylinder | 328.50 | 321.00 | 314.00 |
| 9857- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |       | 1-7/8" | Mortise Cylinder | 335.00 | 327.50 | 320.50 |
| 9858- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |       | 2"     | Mortise Cylinder | 342.50 | 335.00 | 328.00 |

## Maximum+ Restricted

|                                                                                          |   |        |                  |       |       |   |
|------------------------------------------------------------------------------------------|---|--------|------------------|-------|-------|---|
| R2851- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) | † | 1-1/8" | Mortise Cylinder | 62.25 | 57.50 | — |
| R2852- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) | † | 1-1/4" | Mortise Cylinder | 64.25 | 59.50 | — |
| R2853- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-3/8" | Mortise Cylinder | 72.85 | 67.85 | — |
| R2854- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-1/2" | Mortise Cylinder | 90.75 | 86.25 | — |
| R2855- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-5/8" | Mortise Cylinder | 93.50 | 89.00 | — |

## Twin Maximum

|                                                                                         |                                                                                     |        |                  |        |        |        |
|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|------------------|--------|--------|--------|
| 8851- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) | †  | 1-1/8" | Mortise Cylinder | 124.25 | 114.75 | 107.75 |
| 8852- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) | †  | 1-1/4" | Mortise Cylinder | 134.25 | 124.75 | 117.75 |
| 8853- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |    | 1-3/8" | Mortise Cylinder | 295.75 | 288.25 | 281.25 |
| 8854- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |    | 1-1/2" | Mortise Cylinder | 311.50 | 304.00 | 297.00 |
| 8855- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |    | 1-5/8" | Mortise Cylinder | 306.75 | 299.25 | 292.25 |
| 8856- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-3/4" | Mortise Cylinder | 312.75 | 305.25 | 298.25 |
| 8857- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |  | 1-7/8" | Mortise Cylinder | 319.25 | 311.75 | 304.75 |
| 8858- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |  | 2"     | Mortise Cylinder | 326.25 | 318.75 | 311.75 |

## Twin Exclusive

|                                                                                          |   |        |                  |        |        |        |
|------------------------------------------------------------------------------------------|---|--------|------------------|--------|--------|--------|
| E6551- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) | † | 1-1/8" | Mortise Cylinder | 125.50 | 116.00 | 109.00 |
| E6552- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) | † | 1-1/4" | Mortise Cylinder | 135.50 | 126.00 | 119.00 |
| E6553- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-3/8" | Mortise Cylinder | 307.75 | 300.25 | 293.25 |
| E6554- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-1/2" | Mortise Cylinder | 314.50 | 307.00 | 300.00 |
| E6555- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-5/8" | Mortise Cylinder | 309.75 | 302.25 | 295.25 |
| E6556- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-3/4" | Mortise Cylinder | 316.00 | 308.50 | 301.50 |
| E6557- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-7/8" | Mortise Cylinder | 322.50 | 315.00 | 308.00 |
| E6558- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 2"     | Mortise Cylinder | 329.50 | 322.00 | 315.00 |

## Twin 6000 Classic

|                                                                                         |   |        |                  |        |        |        |
|-----------------------------------------------------------------------------------------|---|--------|------------------|--------|--------|--------|
| 6551- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) | † | 1-1/8" | Mortise Cylinder | 125.50 | 116.50 | 109.00 |
| 6552- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) | † | 1-1/4" | Mortise Cylinder | 135.50 | 126.00 | 119.00 |
| 6553- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-3/8" | Mortise Cylinder | 307.75 | 300.25 | 293.25 |
| 6554- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-1/2" | Mortise Cylinder | 314.50 | 307.00 | 300.00 |
| 6555- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-5/8" | Mortise Cylinder | 309.75 | 302.25 | 295.25 |
| 6556- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-3/4" | Mortise Cylinder | 316.00 | 308.50 | 301.50 |
| 6557- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 1-7/8" | Mortise Cylinder | 322.50 | 315.00 | 308.00 |
| 6558- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 to Cylinder price) |   | 2"     | Mortise Cylinder | 329.50 | 322.00 | 315.00 |

† Available in special function cylinders, see page 3, add \$34.60.

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00. Example: 8851-1 x **CLIQ** x 626 x Sidebar x Comp

## How To Order ASSA Mortise Cylinders:

|                 |                |                                             |               |                      |                                      |
|-----------------|----------------|---------------------------------------------|---------------|----------------------|--------------------------------------|
| <b>Example:</b> | <b>Model #</b> | <b>Cam #</b>                                | <b>Finish</b> | <b>Security Form</b> | <b>Keyway</b>                        |
|                 | 9851- .....    | 1 (Cams 1-6 no extra charge) .....          | 626 .....     | Sub .....            | 0A7-200                              |
|                 |                | (Cams 7-15 add \$5.00 to price of cylinder) |               |                      | Contact Customer Service for details |

ASSA ABLOY, the global leader  
in door opening solutions

Contact Customer Service Department for Keyway Numbers.



# Mortise Cylinders

## Corbin Jumbo Mortise Cylinders

| Model#/Cam                | Notes                                                                               | Size   | Description                                                   | Comp   | Sub    | SNS    |
|---------------------------|-------------------------------------------------------------------------------------|--------|---------------------------------------------------------------|--------|--------|--------|
| <b>Maximum+</b>           |                                                                                     |        |                                                               |        |        |        |
| 7951-8                    | †                                                                                   | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder with Corbin Jumbo Cam    | 269.50 | 262.00 | 255.00 |
| 7951-12                   | †                                                                                   | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder w/ Cor. Jumbo Clover Cam | 269.50 | 262.00 | 255.00 |
| <b>Twin Maximum</b>       |                                                                                     |        |                                                               |        |        |        |
| 7851-8                    | †  | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder with Corbin Jumbo Cam    | 264.75 | 257.25 | 250.25 |
| 7851-12                   | †  | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder w/ Cor. Jumbo Clover Cam | 264.75 | 257.25 | 250.25 |
| <b>Twin Exclusive</b>     |                                                                                     |        |                                                               |        |        |        |
| E7551-8                   | †                                                                                   | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder with Corbin Jumbo Cam    | 275.25 | 265.75 | 258.75 |
| E7551-12                  | †                                                                                   | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder w/ Cor. Jumbo Clover Cam | 275.25 | 265.75 | 258.75 |
| <b>Twin 6000 Classic</b>  |                                                                                     |        |                                                               |        |        |        |
| 7551-8                    | †                                                                                   | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder with Corbin Jumbo Cam    | 275.25 | 265.75 | 258.75 |
| 7551-12                   | †                                                                                   | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder w/ Cor. Jumbo Clover Cam | 275.25 | 265.75 | 258.75 |
| <b>Twin V-10</b>          |                                                                                     |        |                                                               |        |        |        |
| V7551-8                   | †                                                                                   | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder with Corbin Jumbo Cam    | 275.25 | 265.75 | 258.75 |
| V7551-12                  | †                                                                                   | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder w/ Cor. Jumbo Clover Cam | 275.25 | 265.75 | 258.75 |
| <b>Twin Low</b>           |                                                                                     |        |                                                               |        |        |        |
| L751-8                    |                                                                                     | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder with Corbin Jumbo Cam    | 222.25 | 213.75 | —      |
| L751-12                   |                                                                                     | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder w/ Cor. Jumbo Clover Cam | 222.25 | 213.75 | —      |
| <b>600 Series Classic</b> |                                                                                     |        |                                                               |        |        |        |
| 751-8                     |                                                                                     | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder with Corbin Jumbo Cam    | 222.25 | 213.75 | —      |
| 751-12                    |                                                                                     | 1-1/8" | <b>Corbin Jumbo</b> Mortise Cylinder w/ Cor. Jumbo Clover Cam | 222.25 | 213.75 | —      |

† Available in special function cylinders, see page 3, add \$34.60.

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00. Example: 7851-8 x **CLIQ** x 626 x Sidebar x Comp

## Mortise Cylinder Component Parts

| Model#                         | Notes | Description               | Price  |
|--------------------------------|-------|---------------------------|--------|
| <b>Maximum+ / Twin Maximum</b> |       |                           |        |
| 867429                         | *     | 1-1/8" Cylinder Shell     | 86.35  |
| 867430                         | *     | 1-1/4" Cylinder Shell     | 86.35  |
| 867431                         | *     | 1-3/8" Cylinder Shell     | 145.80 |
| 867432                         | *     | 1-1/2" Cylinder Shell     | 145.80 |
| 867433                         | *     | 1-5/8" Cylinder Shell     | 137.40 |
| 867434                         | *     | 1-3/4" Cylinder Shell     | 142.80 |
| 867435                         | *     | 1-7/8" Cylinder Shell     | 152.30 |
| 867436                         | *     | 2" Cylinder Shell         | 158.35 |
| 807987                         | *     | Corbin Jumbo 1-1/8" Shell | 99.55  |
| 356955                         | *†    | 1-1/8" Cylinder Plug      | 37.25  |
| 356956                         | *†    | 1-1/4" Cylinder Plug      | 37.25  |
| 356957                         | *†    | 1-3/8" Cylinder Plug      | 42.55  |
| 356958                         | *†    | 1-1/2" Cylinder Plug      | 46.20  |
| 356959                         | *†    | 1-5/8" Cylinder Plug      | 50.95  |
| 356960                         | *†    | 1-3/4" Cylinder Plug      | 56.35  |
| 356961                         | *†    | 1-7/8" Cylinder Plug      | 56.35  |
| 356962                         | *†    | 2" Cylinder Plug          | 66.05  |

† – Specify Profile. 0A7, 0M7

| Model#           | Notes | Description               | Price  |
|------------------|-------|---------------------------|--------|
| <b>Twin V-10</b> |       |                           |        |
| 867429           | *     | 1-1/8" Cylinder Shell     | 86.35  |
| 867430           | *     | 1-1/4" Cylinder Shell     | 86.35  |
| 867431           | *     | 1-3/8" Cylinder Shell     | 145.80 |
| 867432           | *     | 1-1/2" Cylinder Shell     | 145.80 |
| 867433           | *     | 1-5/8" Cylinder Shell     | 137.40 |
| 867434           | *     | 1-3/4" Cylinder Shell     | 142.80 |
| 867435           | *     | 1-7/8" Cylinder Shell     | 152.30 |
| 867436           | *     | 2" Cylinder Shell         | 158.35 |
| 807987           | *     | Corbin Jumbo 1-1/8" Shell | 99.55  |
| 353970           | *     | 1-1/8" Cylinder Plug      | 37.25  |
| 353971           | *     | 1-1/4" Cylinder Plug      | 40.25  |
| 353972           | *     | 1-3/8" Cylinder Plug      | 42.55  |
| 353973           | *     | 1-1/2" Cylinder Plug      | 46.20  |
| 353974           | *     | 1-5/8" Cylinder Plug      | 50.95  |
| 353975           | *     | 1-3/4" Cylinder Plug      | 58.75  |
| 353976           | *     | 1-7/8" Cylinder Plug      | 59.95  |
| 353977           | *     | 2" Cylinder Plug          | 66.05  |

| Model#                                    | Notes | Description               | Price  |
|-------------------------------------------|-------|---------------------------|--------|
| <b>Twin Exclusive / Twin 6000 Classic</b> |       |                           |        |
| 867429                                    | *     | 1-1/8" Cylinder Shell     | 86.35  |
| 867430                                    | *     | 1-1/4" Cylinder Shell     | 86.35  |
| 867431                                    | *     | 1-3/8" Cylinder Shell     | 145.80 |
| 867432                                    | *     | 1-1/2" Cylinder Shell     | 145.80 |
| 867433                                    | *     | 1-5/8" Cylinder Shell     | 137.40 |
| 867434                                    | *     | 1-3/4" Cylinder Shell     | 142.80 |
| 867435                                    | *     | 1-7/8" Cylinder Shell     | 152.30 |
| 867436                                    | *     | 2" Cylinder Shell         | 158.35 |
| 807987                                    | *     | Corbin Jumbo 1-1/8" Shell | 99.55  |
| 367019                                    | *†    | 1-1/8" Cylinder Plug      | 37.25  |
| 367020                                    | *†    | 1-1/4" Cylinder Plug      | 37.25  |
| 367021                                    | *†    | 1-3/8" Cylinder Plug      | 45.00  |
| 367022                                    | *†    | 1-1/2" Cylinder Plug      | 47.40  |
| 367023                                    | *†    | 1-5/8" Cylinder Plug      | 38.40  |
| 367024                                    | *†    | 1-3/4" Cylinder Plug      | 56.35  |
| 367025                                    | *†    | 1-7/8" Cylinder Plug      | 61.20  |
| 367026                                    | *†    | 2" Cylinder Plug          | 66.05  |

\* – Indicates Finished Components.

† – Specify Profile. 51, 851

## High Security Mogul Cylinders

| Model#/Cam                               | Notes | Size   | Description                                    | Comp   | Sub    | SNS    |
|------------------------------------------|-------|--------|------------------------------------------------|--------|--------|--------|
| <b>Twin Maximum Mogul Cylinders</b>      |       |        |                                                |        |        |        |
| M8551-11                                 | †     | 1-1/8" | AirTeq/Norment Cylinder with Mogul Cam         | 246.75 | 239.25 | 232.25 |
| M8551-14                                 | †     | 1-1/8" | AirTeq/Norment Cylinder with Sargent Mogul Cam | 246.75 | 239.25 | 232.25 |
| M8551SS                                  | †     | 1-1/2" | Southern Steel Cylinder without Cam            | 246.75 | 239.25 | 232.25 |
| <b>Twin Exclusive Mogul Cylinders</b>    |       |        |                                                |        |        |        |
| E8551-11                                 | †     | 1-1/8" | AirTeq/Norment Cylinder with Mogul Cam         | 254.00 | 246.50 | 239.50 |
| E8551-14                                 | †     | 1-1/8" | AirTeq/Norment Cylinder with Sargent Mogul Cam | 254.00 | 246.50 | 239.50 |
| E8551SS                                  | †     | 1-1/2" | Southern Steel Cylinder without Cam            | 254.00 | 246.50 | 239.50 |
| <b>Twin V-10 Mogul Cylinders</b>         |       |        |                                                |        |        |        |
| V8551-11                                 | †     | 1-1/8" | AirTeq/Norment Cylinder with Mogul Cam         | 254.00 | 246.50 | 239.50 |
| V8551-14                                 | †     | 1-1/8" | AirTeq/Norment Cylinder with Sargent Mogul Cam | 254.00 | 246.50 | 239.50 |
| V8551SS                                  | †     | 1-1/2" | Southern Steel Cylinder without Cam            | 254.00 | 246.50 | 239.50 |
| <b>Twin 6000 Classic Mogul Cylinders</b> |       |        |                                                |        |        |        |
| 8551-11                                  | †     | 1-1/8" | AirTeq/Norment/Brink with Mogul Cam            | 256.50 | 249.00 | 242.00 |
| 8551-14                                  | †     | 1-1/8" | AirTeq/Norment Cylinder with Sargent Mogul Cam | 256.50 | 249.00 | 242.00 |
| 8551SS                                   | †     | 1-1/2" | Southern Steel Cylinder without Cam            | 256.50 | 249.00 | 242.00 |

### No Cams offered for 1-1/2" Mogul cylinders

† Available in special function cylinders, see page 3, add \$34.60.

### How To Order ASSA High Security Mogul Cylinders:

Example:      **Model #**      **Cam**      **Finish**      **Security Form**      **Keyway**  
E8551- .....11 .....626 .....Sub .....851-200

*Contact Customer  
Service Department for  
Keyway Numbers.*

## High Security IC Mogul Cylinders

| Model#/Cam                                                            | Notes | Size   | Description                            | Comp   | Sub    | SNS    |
|-----------------------------------------------------------------------|-------|--------|----------------------------------------|--------|--------|--------|
| <b>Twin Maximum Interchangeable Core Mogul Cylinders</b>              |       |        |                                        |        |        |        |
| M8551SSIC                                                             |       | 1-1/2" | Southern Steel IC Cylinder without Cam | 349.50 | 344.00 | 337.00 |
| <b>Twin Exclusive Interchangeable Core Mogul Cylinders</b>            |       |        |                                        |        |        |        |
| E8551SSIC                                                             |       | 1-1/2" | Southern Steel IC Cylinder without Cam | 359.75 | 354.25 | 347.25 |
| <b>Twin 6000 Classic Interchangeable Core Mogul Cylinders</b>         |       |        |                                        |        |        |        |
| 8551SSIC                                                              |       | 1-1/2" | Southern Steel IC Cylinder without Cam | 363.50 | 356.00 | 349.00 |
| <b>Twin V-10 Interchangeable Core Mogul Cylinders</b>                 |       |        |                                        |        |        |        |
| V8551SSIC                                                             |       | 1-1/2" | Southern Steel IC Cylinder without Cam | 363.50 | 358.00 | 351.00 |
| <b>ASSA 1-1/2" Temporary Interchangeable Red Core Mogul Cylinders</b> |       |        |                                        |        |        |        |
| 8551SSICR                                                             |       | 1-1/2" | Southern Steel IC Cylinder without Cam | 363.50 | —      | —      |

For temporary cores refer to Red Core on page 2.

## High Security Mogul Component Parts

| Model#/Cam | Description                                   | Price  |
|------------|-----------------------------------------------|--------|
| 354050     | Twin Exclusive Plug for 1-1/8" Mogul Cylinder | 57.90  |
| 250893     | Twin Exclusive Plug for 1-1/2" Mogul Cylinder | 59.05  |
| 250861     | Twin V-10 Plug for 1-1/8" Mogul Cylinder      | 59.65  |
| 250894     | Twin V-10 Plug for 1-1/2" Mogul Cylinder      | 59.65  |
| 360451     | Twin Maximum Plug for 1-1/8" Mogul Cylinder   | 57.95  |
| 251126     | Twin Maximum Plug for 1-1/2" Mogul Cylinder   | 57.90  |
| 8551DUM    | 1-1/8" Mogul Dummy Cylinder                   | 130.25 |
| 8551SSDUM  | 1-1/2" Mogul Dummy Cylinder                   | 130.25 |
| 80601      | 1-1/2" Mogul IC Housing                       | 229.00 |
| 354051     | 1-1/8" Mogul Cylinder Shell                   | 94.95  |
| 357672     | 1-1/2" Mogul Cylinder Shell                   | 98.10  |
| 354993     | Cam Adapter for 1-1/2" Cylinder               | 17.60  |
| 809339     | Mogul Cylinder Plug Cover Plate               | 20.10  |
| 907035     | Mogul Chamber Screw Wrench                    | 1.87   |
| 806974     | Closing Rod                                   | 1.50   |

To order Interchangeable Cores separately – see page 20 for details.

# Rim Cylinders

| Model#/Tailpiece                         | Notes                                                                               | Description                                            | Comp   | Sub    | SNS    |
|------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------|--------|--------|--------|
| <b>Maximum+ Rim Cylinders</b>            |                                                                                     |                                                        |        |        |        |
| 9851- (Specify Tailpiece H, V, or L)     | †                                                                                   | 1-1/8" Rim Cylinder                                    | 152.25 | 142.50 | 135.25 |
| 7951- (Specify Tailpiece H, V, or L)     | †                                                                                   | Corbin Jumbo Rim Cylinder                              | 274.75 | 267.25 | 260.25 |
| S9851- (Specify Tailpiece H, V, or L)    | †                                                                                   | Special SARGENT Cylinder (Drilled for SARGENT Devices) | 160.00 | 152.00 | 145.00 |
| <b>Maximum+ Restricted Rim Cylinders</b> |                                                                                     |                                                        |        |        |        |
| R2851- (Specify Tailpiece H, V, or L)    |                                                                                     | 1-1/8" Rim Cylinder                                    | 68.00  | 63.50  | —      |
| RS2851- (Specify Tailpiece H, V, or L)   | †                                                                                   | Special SARGENT Cylinder (Drilled for SARGENT Devices) | 71.25  | 66.75  | —      |
| <b>Twin Maximum Rim Cylinders</b>        |                                                                                     |                                                        |        |        |        |
| 8851- (Specify Tailpiece H, V, or L)     | †  | 1-1/8" Rim Cylinder                                    | 147.75 | 138.00 | 130.75 |
| 7851- (Specify Tailpiece H, V, or L)     | †  | Corbin Jumbo Rim Cylinder                              | 269.75 | 262.25 | 255.25 |
| S8851- (Specify Tailpiece H, V, or L)    | †  | Special SARGENT Cylinder (Drilled for SARGENT Devices) | 155.25 | 147.25 | 140.25 |
| <b>Twin Exclusive Rim Cylinders</b>      |                                                                                     |                                                        |        |        |        |
| E6551- (Specify Tailpiece H, V, or L)    | †                                                                                   | 1-1/8" Rim Cylinder                                    | 149.25 | 139.50 | 132.25 |
| E7551- (Specify Tailpiece H, V, or L)    | †                                                                                   | Corbin Jumbo Rim Cylinder                              | 290.50 | 281.00 | 274.00 |
| ES6551- (Specify Tailpiece H, V, or L)   | †                                                                                   | Special SARGENT Cylinder (Drilled for SARGENT Devices) | 161.50 | 153.50 | 146.50 |
| <b>Twin 6000 Classic Rim Cylinders</b>   |                                                                                     |                                                        |        |        |        |
| 6551- (Specify Tailpiece H, V, or L)     | †                                                                                   | 1-1/8" Rim Cylinder                                    | 154.00 | 144.25 | 137.00 |
| 7551- (Specify Tailpiece H, V, or L)     | †                                                                                   | Corbin Jumbo Rim Cylinder                              | 291.00 | 281.50 | 274.50 |
| S6551- (Specify Tailpiece H, V, or L)    | †                                                                                   | Special SARGENT Cylinder (Drilled for SARGENT Devices) | 161.50 | 153.50 | 146.50 |
| <b>Twin V-10 Rim Cylinders</b>           |                                                                                     |                                                        |        |        |        |
| V6551- (Specify Tailpiece H, V, or L)    | †                                                                                   | 1-1/8" Rim Cylinder                                    | 154.00 | 144.25 | 137.00 |
| V7551- (Specify Tailpiece H, V, or L)    | †                                                                                   | Corbin Jumbo Rim Cylinder                              | 290.50 | 281.00 | 274.00 |
| VS6551- (Specify Tailpiece H, V, or L)   | †                                                                                   | Special SARGENT Cylinder (Drilled for SARGENT Devices) | 161.50 | 153.50 | 146.50 |
| <b>Twin Low Rim Cylinders</b>            |                                                                                     |                                                        |        |        |        |
| L651- (Specify Tailpiece H, V, or L)     |                                                                                     | 1-1/8" Rim Cylinder                                    | 116.00 | 108.50 | —      |
| L751- (Specify Tailpiece H, V, or L)     |                                                                                     | Corbin Jumbo Rim Cylinder                              | 228.50 | 220.00 | —      |
| LS651- (Specify Tailpiece H, V, or L)    |                                                                                     | Special SARGENT Cylinder (Drilled for SARGENT Devices) | 142.25 | 133.25 | —      |
| <b>600 Series Rim Cylinders</b>          |                                                                                     |                                                        |        |        |        |
| 651- (Specify Tailpiece H, V, or L)      |                                                                                     | 1-1/8" Rim Cylinder                                    | 116.00 | 108.50 | —      |
| 751- (Specify Tailpiece H, V, or L)      |                                                                                     | Corbin Jumbo Rim Cylinder                              | 228.50 | 220.00 | —      |
| S651- (Specify Tailpiece H, V, or L)     |                                                                                     | Special SARGENT Cylinder (Drilled for SARGENT Devices) | 142.25 | 133.25 | —      |

Note: All rim cylinders are supplied with a spring loaded collar.

† Available in special function cylinders, see page 3, add \$34.60.

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology \$510.00. Example: 8851-H x **CLIQ** x 626 x Sidebar x Comp

Note: V = Vertical; H = Horizontal; L = Lazy Motion.

## Rim Cylinder Component Parts

| Model#                                    | Notes | Description                               | Price  |
|-------------------------------------------|-------|-------------------------------------------|--------|
| <b>Maximum+ / Twin Maximum</b>            |       |                                           |        |
| 354947                                    | *     | SARGENT Drilled Rim Shell                 | 124.70 |
| 867429                                    | *     | 1-1/8" Cylinder Shell                     | 86.35  |
| 807987                                    | *     | Corbin Jumbo 1-1/8" Shell                 | 99.55  |
| 356955                                    | *†    | 1-1/8" Cylinder Plug (Profile 0A7 or 0M7) | 37.25  |
| <b>Twin Exclusive / Twin 6000 Classic</b> |       |                                           |        |
| 354947                                    | *     | SARGENT Drilled Rim Shell                 | 124.70 |
| 867429                                    | *     | 1-1/8" Cylinder Shell                     | 86.35  |
| 807987                                    | *     | Corbin Jumbo 1-1/8" Shell                 | 99.55  |
| 367019                                    | *†    | 1-1/8" Cylinder Plug (Profile 51 or 851)  | 37.25  |
| <b>Twin V-10</b>                          |       |                                           |        |
| 354947                                    | *     | SARGENT Drilled Rim Shell                 | 124.70 |
| 867429                                    | *     | 1-1/8" Cylinder Shell                     | 86.35  |
| 807987                                    | *     | Corbin Jumbo 1-1/8" Shell                 | 99.55  |
| 353970                                    | *     | 1-1/8" Cylinder Plug                      | 37.25  |

\* – Indicates Finished Components.

† – Specify Profile.

## Rim Cylinders Ordering Information

### How To Order ASSA Rim Cylinders:

| Example: | Model #                                                 | Tailpiece | Finish | Security Form | Keyway  |
|----------|---------------------------------------------------------|-----------|--------|---------------|---------|
|          | 9851-                                                   | H         | 626    | Sub           | 0A7-200 |
|          | Contact Customer Service Department for Keyway Numbers. |           |        |               |         |

Rim Cylinder mounting plates, screws included with cylinder.  
All items available separately below:

| Part No. | Description                                                       | Price |
|----------|-------------------------------------------------------------------|-------|
| 900210   | Rim cylinder mounting plate                                       | 2.50  |
| 900211   | Rim cylinder mounting screws                                      | 1.94  |
| 900209   | Kit, includes plate and 2 screws                                  | 3.55  |
| 900212   | Rim cylinder collar rings<br>(Finish 605, 624 & 626 <b>ONLY</b> ) | 5.93  |
| 867450   | Horizontal & Vertical Rim Tailpiece Kit,<br>includes 900209 Kit   | 23.75 |
| 867451   | Lazy Motion Rim Tailpiece Kit,<br>includes 900209 Kit             | 23.75 |

Aluminum blocking rings, finish 626 or 624 **ONLY**

| Part No.                                                                        | Thickness | Price |
|---------------------------------------------------------------------------------|-----------|-------|
| 900219                                                                          | 1/4"      | 6.81  |
| 900220                                                                          | 3/8"      | 6.81  |
| 900221                                                                          | 1/2"      | 6.81  |
| Adjustable collar ring, Item No. 900222,<br>finish 626,605 or 624 <b>ONLY</b> , |           |       |
|                                                                                 |           | 13.20 |
| Hardened collar ring, Item No. 900223,<br>finish 626 or 624 <b>ONLY</b> ,       |           |       |
|                                                                                 |           | 20.12 |
| Corbin Jumbo Collar, Item No. 900224,<br>finish 626, <b>ONLY</b>                |           |       |
|                                                                                 |           | 16.65 |





## Key-in-Knob/Lever Cylinders

| Make                  | Model# | Notes                                                                               | Description                                                                                                                                                                                                                                                                                                               | Comp   | Sub    | SNS    |
|-----------------------|--------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|--------|
| <b>Schlage</b>        |        |                                                                                     |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Maximum+              | 98611  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 113.25 | 105.75 | 98.75  |
| Maximum+ Restricted   | R28611 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 58.25  | 53.50  | —      |
| Twin Maximum          | 88611  |    | Standard and heavy-duty 6-pin, includes cap, pin, spring and break-off tailpiece. For B series Deadbolts Corbin/Russwin CL3300, CL3400, CL3600, CL3700, CK4700, CL3900 (Must use original manufacturer's tailpiece and stabilizing sleeve). CK4400 for all functions except 29, 55, & 82. Also use for A5 & N5 exit trim. | 110.00 | 102.50 | 95.50  |
| Twin Exclusive        | E65611 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin 6000 Classic     | 65611  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin V-10             | V65611 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin Low              | L6611  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic    | 6611   |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 100.00 | 92.50  | —      |
| <b>Yale</b>           |        |                                                                                     |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Maximum+              | 98631  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 113.25 | 105.75 | 98.75  |
| Maximum+ Restricted   | R28631 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 58.25  | 53.50  | —      |
| Twin Maximum          | 88631  |    | Standard and heavy-duty                                                                                                                                                                                                                                                                                                   | 110.00 | 102.50 | 95.50  |
| Twin Exclusive        | E65631 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin 6000 Classic     | 65631  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin V-10             | V65631 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin Low              | L6631  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic    | 6631   |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 100.00 | 92.50  | —      |
| <b>Yale</b>           |        |                                                                                     |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Maximum+              | 98632  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 113.25 | 105.75 | 98.75  |
| Maximum+ Restricted   | R28632 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 58.25  | 53.50  | —      |
| Twin Maximum          | 88632  |  | Key-In-Lever style                                                                                                                                                                                                                                                                                                        | 110.00 | 102.50 | 95.50  |
| Twin Exclusive        | E65632 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin 6000 Classic     | 65632  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin V-10             | V65632 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin Low              | L6632  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic    | 6632   |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 100.00 | 92.50  | —      |
| <b>Corbin/Russwin</b> |        |                                                                                     |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Maximum+              | 98651  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 113.25 | 105.75 | 98.75  |
| Maximum+ Restricted   | R28651 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 58.25  | 53.50  | —      |
| Twin Maximum          | 88651  |  | Heavy-duty, new style (Not 3400, 3600, 3800 series) Use for CK4200, & UT5200                                                                                                                                                                                                                                              | 110.00 | 102.50 | 95.50  |
| Twin Exclusive        | E65651 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin 6000 Classic     | 65651  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin V-10             | V65651 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin Low              | L6651  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic    | 6651   |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 100.00 | 92.50  | —      |
| <b>Corbin/Russwin</b> |        |                                                                                     |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Maximum+              | 98652  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 113.25 | 105.75 | 98.75  |
| Maximum+ Restricted   | R28652 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 58.25  | 53.50  | —      |
| Twin Maximum          | 88652  |  | Standard-duty, new style tailpiece included. For CK4300, 5600, & B2, G2, G3 exit trim                                                                                                                                                                                                                                     | 110.00 | 102.50 | 95.50  |
| Twin Exclusive        | E65652 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin 6000 Classic     | 65652  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin V-10             | V65652 |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 114.50 | 107.00 | 100.00 |
| Twin Low              | L6652  |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic    | 6652   |                                                                                     |                                                                                                                                                                                                                                                                                                                           | 100.00 | 92.50  | —      |

### How To Order ASSA Key-in-Knob/Lever Cylinders:

**Example:**      **Model #**      **Finish**      **Security Form**      **Keyway**  
98611-.....626 .....Sub .....0A7-200

Contact Customer  
Service Department for  
Keyway Numbers.

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00. Example: 88611 x CLIQ x 626 x Sidebar x Comp

## Key-in-Knob/Lever Cylinders

| Make                | Model# | Notes                                                                               | Description                                               | Comp   | Sub    | SNS    |
|---------------------|--------|-------------------------------------------------------------------------------------|-----------------------------------------------------------|--------|--------|--------|
| Corbin/Russwin      |        |                                                                                     |                                                           |        |        |        |
| Maximum+            | 98653  |                                                                                     | Russwin cylinder 19F35                                    | 140.50 | 133.00 | 126.00 |
| Twin Maximum        | 88653  |    |                                                           | 136.75 | 129.25 | 122.25 |
| Twin Exclusive      | E65653 |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin 6000 Classic   | 65653  |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin V-10           | V65653 |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin Low            | L6653  |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic  | 6653   |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| Corbin/Russwin      |        |                                                                                     |                                                           |        |        |        |
| Maximum+            | 98654  |                                                                                     | Russwin cylinder 25F26, 25F56, 24F15, 67F69, 55F76        | 140.50 | 133.00 | 126.00 |
| Twin Maximum        | 88654  |    |                                                           | 136.75 | 129.25 | 122.25 |
| Twin Exclusive      | E65654 |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin 6000 Classic   | 65654  |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin V-10           | V65654 |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin Low            | L6654  |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic  | 6654   |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| Corbin/Russwin      |        |                                                                                     |                                                           |        |        |        |
| Maximum+            | 98655  |                                                                                     | Russwin cylinder 25F65                                    | 140.50 | 133.00 | 126.00 |
| Twin Maximum        | 88655  |    |                                                           | 136.75 | 129.25 | 122.25 |
| Twin Exclusive      | E65655 |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin 6000 Classic   | 65655  |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin V-10           | V65655 |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin Low            | L6655  |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic  | 6655   |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| Falcon              |        |                                                                                     |                                                           |        |        |        |
| Twin Exclusive      | E65661 |                                                                                     | S & X Series, Use original manufacturer cap and tailpiece | 142.25 | 134.75 | 127.75 |
| Twin 6000 Classic   | 65661  |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin V-10           | V65661 |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin Low            | L6661  |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic  | 6661   |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| Sargent             |        |                                                                                     |                                                           |        |        |        |
| Maximum+            | 98671  |                                                                                     | Integra                                                   | 140.50 | 133.00 | 126.00 |
| Twin Maximum        | 88671  |  |                                                           | 136.75 | 129.25 | 122.25 |
| Twin Exclusive      | E65671 |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin 6000 Classic   | 65671  |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin V-10           | V65671 |                                                                                     |                                                           | 142.25 | 134.75 | 127.75 |
| Twin Low            | L6671  |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic  | 6671   |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| Sargent             |        |                                                                                     |                                                           |        |        |        |
| Maximum+            | 98672  |                                                                                     | Heavy-duty 7, 8, 9 lines KIK                              | 113.25 | 105.75 | 98.75  |
| Maximum+ Restricted | R28672 |                                                                                     |                                                           | 58.25  | 53.50  | —      |
| Twin Maximum        | 88672  |  |                                                           | 110.00 | 102.50 | 95.50  |
| Twin Exclusive      | E65672 |                                                                                     |                                                           | 114.50 | 107.00 | 100.00 |
| Twin 6000 Classic   | 65672  |                                                                                     |                                                           | 114.50 | 107.00 | 100.00 |
| Twin V-10           | V65672 |                                                                                     |                                                           | 114.50 | 107.00 | 100.00 |
| Twin Low            | L6672  |                                                                                     |                                                           | 100.00 | 92.50  | —      |
| 600 Series Classic  | 6672   |                                                                                     |                                                           | 100.00 | 92.50  | —      |

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00. Example: 88611 x CLIQ x 626 x Sidebar x Comp

## Key-in-Knob/Lever Cylinders

| Make                  | Model#    | Notes                                                                               | Description                                                                                                                 | Comp   | Sub    | SNS    |
|-----------------------|-----------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--------|--------|--------|
| <b>Sargent</b>        |           |                                                                                     |                                                                                                                             |        |        |        |
| Maximum+              | 98673     |                                                                                     |                                                                                                                             | 113.25 | 105.75 | 98.75  |
| Maximum+ Restricted   | R28673    |                                                                                     |                                                                                                                             | 59.00  | 54.25  | —      |
| Twin Maximum          | 88673     |    |                                                                                                                             | 110.00 | 102.50 | 95.50  |
| Twin Exclusive        | E65673    |                                                                                     | Standard duty 3 tailpieces included 6 Line KIK,<br>7 Line KIL, 10 Line KIL                                                  | 114.50 | 107.00 | 100.00 |
| Twin 6000 Classic     | 65673     |                                                                                     |                                                                                                                             | 114.50 | 107.00 | 100.00 |
| Twin V-10             | V65673    |                                                                                     |                                                                                                                             | 114.50 | 107.00 | 100.00 |
| Twin Low              | L6673     |                                                                                     |                                                                                                                             | 100.00 | 92.50  | —      |
| 600 Series Classic    | 6673      |                                                                                     |                                                                                                                             | 100.00 | 92.50  | —      |
| <b>Sargent T-Zone</b> |           |                                                                                     |                                                                                                                             |        |        |        |
| Maximum+              | 98673-TZ  |                                                                                     |                                                                                                                             | 113.25 | 105.75 | 98.75  |
| Maximum+ Restricted   | R28673-TZ |                                                                                     |                                                                                                                             | 59.00  | 54.25  | —      |
| Twin Maximum          | 88673-TZ  |    |                                                                                                                             | 110.00 | 102.50 | 95.50  |
| Twin Exclusive        | E65673-TZ |                                                                                     | T-Zone 11 Line KIL                                                                                                          | 114.50 | 107.00 | 100.00 |
| Twin 6000 Classic     | 65673-TZ  |                                                                                     |                                                                                                                             | 114.50 | 107.00 | 100.00 |
| Twin V-10             | V65673-TZ |                                                                                     |                                                                                                                             | 114.50 | 107.00 | 100.00 |
| Twin Low              | L6673-TZ  |                                                                                     |                                                                                                                             | 100.00 | 92.50  | —      |
| 600 Series Classic    | 6673-TZ   |                                                                                     |                                                                                                                             | 100.00 | 92.50  | —      |
| <b>Arrow</b>          |           |                                                                                     |                                                                                                                             |        |        |        |
| Maximum+              | 98691     |                                                                                     |                                                                                                                             | 113.25 | 105.75 | 98.75  |
| Maximum+ Restricted   | R28691    |                                                                                     |                                                                                                                             | 58.25  | 53.50  | —      |
| Twin Maximum          | 88691     |  |                                                                                                                             | 110.00 | 102.50 | 95.50  |
| Twin Exclusive        | E65691    |                                                                                     | Standard and heavy-duty, 3 tailpiece included<br>for Arrow C, H, L, M, Q, S & W Series Key-in-Knob<br>& Key-in-Lever styles | 114.50 | 107.00 | 100.00 |
| Twin 6000 Classic     | 65691     |                                                                                     |                                                                                                                             | 114.50 | 107.00 | 100.00 |
| Twin V-10             | V65691    |                                                                                     |                                                                                                                             | 114.50 | 107.00 | 100.00 |
| Twin Low              | L6691     |                                                                                     |                                                                                                                             | 100.00 | 92.50  | —      |
| 600 Series Classic    | 6691      |                                                                                     |                                                                                                                             | 100.00 | 92.50  | —      |
| <b>Arrow</b>          |           |                                                                                     |                                                                                                                             |        |        |        |
| Maximum+              | 98692     |                                                                                     |                                                                                                                             | 113.25 | 105.75 | 98.75  |
| Twin Maximum          | 88692     |                                                                                     |                                                                                                                             | 110.00 | 102.50 | 95.50  |
| Twin Exclusive        | E65692    |                                                                                     |                                                                                                                             | 114.50 | 107.00 | 100.00 |
| Twin 6000 Classic     | 65692     |                                                                                     | For Arrow deadbolts only, includes tailpieces<br>for double & single cylinders                                              | 114.50 | 107.00 | 100.00 |
| Twin V-10             | V65692    |                                                                                     |                                                                                                                             | 114.50 | 107.00 | 100.00 |
| Twin Low              | L6692     |                                                                                     |                                                                                                                             | 100.00 | 92.50  | —      |
| 600 Series Classic    | 6692      |                                                                                     |                                                                                                                             | 100.00 | 92.50  | —      |

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00. Example: 88673 x CLIQ x 626 x Sidebar x Comp

## Key-in-Knob/Lever Component Parts

| Model#                         | Description                                      | Price   |
|--------------------------------|--------------------------------------------------|---------|
| <b>Maximum+ / Twin Maximum</b> |                                                  |         |
| 868056                         | Schlage Cylinder Shell                           | 51.05   |
| 868057                         | Yale Cylinder Shell                              | 51.05   |
| 367156                         | Russwin/Corbin Cylinder Shell                    | 51.05   |
| 868060                         | Sargent Integra Cylinder Shell                   | 51.05   |
| 868061                         | Sargent Heavy-duty Cylinder Shell                | 51.05   |
| 367159                         | Sargent Standard-duty Cylinder Shell             | 51.05   |
| 250619                         | Arrow Cylinder Shell                             | 49.80   |
| 907203                         | Arrow Deadbolt/Weiser KIK Shell                  | 51.05   |
| 356982 *†                      | Schlage Cylinder Plug                            | 51.00   |
| 356983 *†                      | Yale Cylinder Plug – (Must specify KIK or KIL)   | 51.00   |
| 356988 *†                      | Sargent Integra Cylinder Plug                    | 51.00   |
| 356989 *†                      | Sargent Heavy-Duty 7, 8, 9 Cylinder Plug         | 51.00   |
| 356990 *†                      | Arrow/Sargent 6-line Cylinder Plug               | 51.00   |
| 356984 *†                      | Russwin/Corbin std. & Heavy-Duty Cylinder Plug   | 51.00   |
| 356985 *†                      | Russwin/Corbin 19F35 Cylinder Plug               | 51.00   |
| 356986 *†                      | Corbin 25F26 Cylinder Plug                       | 51.00   |
| 356987 *†                      | Russwin/Corbin 25F65 Cylinder Plug               | 51.00   |
| 92C-114                        | Arrow Deadbolt Cap                               | 3.74    |
| 92C-127                        | Arrow Deadbolt Plug Cap Spring                   | 1.30/ea |
| 92C-128                        | Arrow Deadbolt Plug Cap Pin                      | 1.30    |
| 92C-121                        | Arrow Deadbolt Washer                            | 1.30    |
| 92C-123                        | Arrow Deadbolt Blocking Piece                    | 2.76    |
| D61-44                         | Arrow Deadbolt Long Tailpiece (Single Cylinder)  | 3.74    |
| D62-44                         | Arrow Deadbolt Short Tailpiece (Double Cylinder) | 2.76    |

† – Specify Profile 0A7, 0M7.

| Model#                                    | Description                                      | Price   |
|-------------------------------------------|--------------------------------------------------|---------|
| <b>Twin Exclusive / Twin 6000 Classic</b> |                                                  |         |
| 868056                                    | Schlage Cylinder Shell                           | 51.05   |
| 868057                                    | Yale Cylinder Shell                              | 51.05   |
| 367156                                    | Russwin/Corbin Cylinder Shell                    | 51.05   |
| 868060                                    | Sargent Integra Cylinder Shell                   | 51.05   |
| 868061                                    | Sargent Heavy-duty Cylinder Shell                | 51.05   |
| 367159                                    | Sargent Standard-duty Cylinder Shell             | 51.05   |
| 250619                                    | Arrow Cylinder Shell                             | 49.80   |
| 907203                                    | Arrow Deadbolt/Weiser KIK Shell                  | 51.05   |
| 367068 *†                                 | Schlage Cylinder Plug                            | 51.00   |
| 367069 *†                                 | Yale Cylinder Plug – (Must specify KIK or KIL)   | 51.00   |
| 367073 *†                                 | Sargent Integra Cylinder Plug                    | 51.00   |
| 367074 *†                                 | Sargent Heavy-Duty 7, 8, 9 Cylinder Plug         | 51.00   |
| 868233 †                                  | Falcon S & X Series/Weiser Deadbolt Plug         | 56.35   |
| 868607 *†                                 | Arrow/Sargent 6-line Cylinder Plug               | 42.55   |
| 868649 *†                                 | Russwin/Corbin std. & Heavy-Duty Cylinder Plug   | 43.85   |
| 868650 *†                                 | Russwin/Corbin 19F35 Cylinder Plug               | 43.85   |
| 868651 *†                                 | Corbin 25F26 Cylinder Plug                       | 43.85   |
| 868652 *†                                 | Russwin/Corbin 25F65 Cylinder Plug               | 43.85   |
| 467068 *†                                 | Arrow Deadbolt Plug                              | 45.00   |
| 92C-114                                   | Arrow Deadbolt Cap                               | 3.74    |
| 92C-127                                   | Arrow Deadbolt Plug Cap Spring                   | 1.30/ea |
| 92C-128                                   | Arrow Deadbolt Plug Cap Pin                      | 1.30    |
| 92C-121                                   | Arrow Deadbolt Washer                            | 1.30    |
| 92C-123                                   | Arrow Deadbolt Blocking Piece                    | 2.76    |
| D61-44                                    | Arrow Deadbolt Long Tailpiece (Single Cylinder)  | 3.74    |
| D62-44                                    | Arrow Deadbolt Short Tailpiece (Double Cylinder) | 2.76    |

\* - Indicates Finished Components

† – Specify Profile 51, 851.

| Model#           | Description                                      | Price   |
|------------------|--------------------------------------------------|---------|
| <b>Twin V-10</b> |                                                  |         |
| 868056           | Schlage Cylinder Shell                           | 51.05   |
| 868057           | Yale Cylinder Shell                              | 51.05   |
| 367156           | Russwin/Corbin Cylinder Shell                    | 51.05   |
| 868060           | Sargent Integra Cylinder Shell                   | 51.05   |
| 868061           | Sargent Heavy-duty Cylinder Shell                | 51.05   |
| 367159           | Sargent Standard-duty Cylinder Shell             | 51.05   |
| 250619           | Arrow Cylinder Shell                             | 49.80   |
| 907203           | Arrow Deadbolt/Weiser KIK Shell                  | 51.05   |
| 353978 *         | Schlage Cylinder Plug                            | 51.00   |
| 353979 *         | Yale Cylinder Plug – (Must specify KIK or KIL)   | 41.40   |
| 353980 *         | Sargent Integra Cylinder Plug                    | 54.00   |
| 353981 *         | Sargent Heavy-Duty 7, 8, 9 Cylinder Plug         | 51.00   |
| 353982 *         | Falcon S & X Series/Weiser Deadbolt Plug         | 54.00   |
| 353983 *         | Arrow/Sargent 6-line Cylinder Plug               | 43.85   |
| 353984 *         | Russwin/Corbin std. & Heavy-Duty Cylinder Plug   | 43.85   |
| 353985 *         | Russwin/Corbin 19F35 Cylinder Plug               | 43.85   |
| 353986 *         | Corbin 25F26 Cylinder Plug                       | 43.85   |
| 353787 *         | Russwin/Corbin 25F65 Cylinder Plug               | 46.20   |
| 453978 *         | Arrow Deadbolt Plug                              | 45.00   |
| 92C-114          | Arrow Deadbolt Cap                               | 3.74    |
| 92C-127          | Arrow Deadbolt Plug Cap Spring                   | 1.30/ea |
| 92C-128          | Arrow Deadbolt Plug Cap Pin                      | 1.30    |
| 92C-121          | Arrow Deadbolt Washer                            | 1.30    |
| 92C-123          | Arrow Deadbolt Blocking Piece                    | 2.76    |
| D61-44           | Arrow Deadbolt Long Tailpiece (Single Cylinder)  | 3.74    |
| D62-44           | Arrow Deadbolt Short Tailpiece (Double Cylinder) | 2.76    |

\* – Indicates Finished Components.



# Deadbolts

## M80 Series Grade 2 Deadbolt Locks

| Model #                    | Notes                                                                             | Description                 | Comp   | Sub    | SNS    |
|----------------------------|-----------------------------------------------------------------------------------|-----------------------------|--------|--------|--------|
| <b>Maximum+</b>            |                                                                                   |                             |        |        |        |
| 98M80                      |                                                                                   | Single cylinder w/thumbturn | 145.50 | 138.00 | 131.00 |
| 98M80DC                    |                                                                                   | Double cylinder             | 228.25 | 213.25 | 199.25 |
| <b>Maximum+ Restricted</b> |                                                                                   |                             |        |        |        |
| R28M80                     |                                                                                   | Single cylinder w/thumbturn | 91.75  | 84.25  | —      |
| R28M80DC                   |                                                                                   | Double cylinder             | 109.75 | 94.75  | —      |
| <b>Twin Maximum</b>        |                                                                                   |                             |        |        |        |
| 88M80                      |  | Single cylinder w/thumbturn | 142.50 | 135.00 | 128.00 |
| 88M80DC                    |  | Double cylinder             | 223.50 | 208.50 | 194.50 |
| <b>Twin Exclusive</b>      |                                                                                   |                             |        |        |        |
| EM80                       |                                                                                   | Single cylinder w/thumbturn | 148.25 | 140.75 | 133.75 |
| EM80DC                     |                                                                                   | Double cylinder             | 232.50 | 217.50 | 203.50 |
| <b>Twin 6000 Classic</b>   |                                                                                   |                             |        |        |        |
| M80                        |                                                                                   | Single cylinder w/thumbturn | 148.25 | 140.75 | 133.75 |
| M80DC                      |                                                                                   | Double cylinder             | 232.50 | 217.50 | 203.50 |
| <b>Twin V-10</b>           |                                                                                   |                             |        |        |        |
| VM80                       |                                                                                   | Single cylinder w/thumbturn | 148.25 | 140.75 | 133.75 |
| VM80DC                     |                                                                                   | Double cylinder             | 232.50 | 217.50 | 203.50 |

## 6000 Series Grade 1 Deadbolt Locks Interchangeable Core

| Model #                                                                  | Notes                                                                               | Description        | Comp   | Sub    | SNS    |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------|--------|--------|--------|
| <b>Maximum+</b>                                                          |                                                                                     |                    |        |        |        |
| 9800IC                                                                   |                                                                                     | Single cylinder IC | 391.25 | 383.75 | 376.75 |
| 9800DCIC                                                                 |                                                                                     | Double cylinder IC | 451.00 | 435.25 | 426.25 |
| <b>Twin Maximum</b>                                                      |                                                                                     |                    |        |        |        |
| 8800IC                                                                   |  | Single cylinder IC | 367.25 | 359.75 | 352.75 |
| 8800DCIC                                                                 |  | Double cylinder IC | 429.25 | 413.75 | 405.75 |
| <b>Twin Exclusive</b>                                                    |                                                                                     |                    |        |        |        |
| E6000IC                                                                  |                                                                                     | Single cylinder IC | 387.50 | 380.00 | 373.00 |
| E6000DCIC                                                                |                                                                                     | Double cylinder IC | 446.50 | 431.50 | 423.00 |
| <b>Twin 6000 Classic</b>                                                 |                                                                                     |                    |        |        |        |
| 6000IC                                                                   |                                                                                     | Single cylinder IC | 387.50 | 380.00 | 373.00 |
| 6000DCIC                                                                 |                                                                                     | Double cylinder IC | 446.50 | 431.50 | 423.00 |
| <b>Twin V-10</b>                                                         |                                                                                     |                    |        |        |        |
| V6000IC                                                                  |                                                                                     | Single cylinder IC | 387.50 | 380.00 | 373.00 |
| V6000DCIC                                                                |                                                                                     | Double cylinder IC | 446.50 | 431.50 | 423.00 |
| <b>6000 Series Grade 1 Deadbolt Locks Interchangeable Core Less Core</b> |                                                                                     |                    |        |        |        |
| 6000ICLC                                                                 |                                                                                     | Single cylinder IC | 298.00 | —      | —      |
| 6000DCICLC                                                               |                                                                                     | Double cylinder IC | 357.00 | —      | —      |

For extra thick doors of 2" – 2-1/2", please suffix model numbers with -ET.

Example: .....9800-ET .....605 .....2-3/8" backset.....F .....Sub .....0A7-200

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00. Example: 8800IC x **CLIQ** x 626 x Sidebar x Comp

# Deadbolts

## 6000 Series Deadbolt Cylinders Only

| Model #                                        | Notes                                                                             | Description                           | Comp   | Sub    | SNS    |
|------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------|--------|--------|--------|
| <b>Maximum+</b>                                |                                                                                   |                                       |        |        |        |
| 9881                                           |                                                                                   | Outside cylinder                      | 179.00 | 171.50 | 164.50 |
| 9882                                           |                                                                                   | Inside cylinder                       | 179.00 | 171.50 | 164.50 |
| 9883                                           |                                                                                   | Inside & Outside cylinder             | 358.00 | 343.00 | 329.00 |
| 9881IC                                         |                                                                                   | Outside IC cylinder                   | 288.25 | 280.75 | 273.75 |
| 9882IC                                         |                                                                                   | Inside IC cylinder                    | 288.25 | 280.75 | 273.75 |
| 9883IC                                         |                                                                                   | Inside & Outside IC cylinder          | 588.50 | 574.00 | 559.50 |
| <b>Twin Maximum</b>                            |                                                                                   |                                       |        |        |        |
| 8881                                           |  | Outside cylinder                      | 173.75 | 166.25 | 159.25 |
| 8882                                           |  | Inside cylinder                       | 173.75 | 166.25 | 159.25 |
| 8883                                           |  | Inside & Outside cylinder             | 348.00 | 333.00 | 320.00 |
| 8881IC                                         |  | Outside IC cylinder                   | 280.00 | 272.50 | 265.50 |
| 8882IC                                         |  | Inside IC cylinder                    | 280.00 | 272.50 | 265.50 |
| 8883IC                                         |  | Inside & Outside IC cylinder          | 571.50 | 557.00 | 542.50 |
| <b>Twin Exclusive</b>                          |                                                                                   |                                       |        |        |        |
| E65811                                         |                                                                                   | Outside cylinder                      | 180.75 | 173.25 | 166.25 |
| E65812                                         |                                                                                   | Inside cylinder                       | 180.75 | 173.25 | 166.25 |
| E65813                                         |                                                                                   | Inside & Outside cylinder             | 362.00 | 347.00 | 333.00 |
| E65811IC                                       |                                                                                   | Outside IC cylinder                   | 291.00 | 283.50 | 276.50 |
| E65812IC                                       |                                                                                   | Inside IC cylinder                    | 291.00 | 283.50 | 276.50 |
| E65813IC                                       |                                                                                   | Inside & Outside IC cylinder          | 594.25 | 579.75 | 565.25 |
| <b>Twin 6000 Classic</b>                       |                                                                                   |                                       |        |        |        |
| 65811                                          |                                                                                   | Outside cylinder                      | 180.75 | 173.25 | 166.25 |
| 65812                                          |                                                                                   | Inside cylinder                       | 180.75 | 173.25 | 166.25 |
| 65813                                          |                                                                                   | Inside & Outside cylinder             | 362.00 | 347.00 | 333.00 |
| 65811IC                                        |                                                                                   | Outside IC cylinder                   | 291.00 | 283.50 | 276.50 |
| 65812IC                                        |                                                                                   | Inside IC cylinder                    | 291.00 | 283.50 | 276.50 |
| 65813IC                                        |                                                                                   | Inside & Outside IC cylinder          | 594.25 | 579.75 | 565.25 |
| <b>Twin V-10</b>                               |                                                                                   |                                       |        |        |        |
| V65811                                         |                                                                                   | Outside cylinder                      | 180.75 | 173.25 | 166.25 |
| V65812                                         |                                                                                   | Inside cylinder                       | 180.75 | 173.25 | 166.25 |
| V65813                                         |                                                                                   | Inside & Outside cylinder             | 362.00 | 347.00 | 333.00 |
| V65811IC                                       |                                                                                   | Outside IC cylinder                   | 291.00 | 283.50 | 276.50 |
| V65812IC                                       |                                                                                   | Inside IC cylinder                    | 291.00 | 283.50 | 276.50 |
| V65813IC                                       |                                                                                   | Inside & Outside IC cylinder          | 594.25 | 579.75 | 565.25 |
| <b>Interchangeable Core Cylinder Less Core</b> |                                                                                   |                                       |        |        |        |
| 65811CLC                                       |                                                                                   | Outside cylinder (Less Core)          | 137.75 | -      | -      |
| 65812CLC                                       |                                                                                   | Inside cylinder (Less Core)           | 137.75 | -      | -      |
| 65813CLC                                       |                                                                                   | Inside & Outside cylinder (Less Core) | 303.50 | -      | -      |

For extra thick doors of 2" – 2-1/2", please suffix model numbers with -ET.

Example: .....9881-ET.....605.....2-3/8" backset.....F .....Sub .....0A7-200

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00. Example: 8881 x **CLIQ** x 626 x Sidebar x Comp

# Deadbolts

## 600 Series Deadbolt Cylinders Only

| Model #                   | Description               | Comp   | Sub    | SNS |
|---------------------------|---------------------------|--------|--------|-----|
| <b>600 Series Classic</b> |                           |        |        |     |
| 6811                      | Outside cylinder          | 141.00 | 132.00 | —   |
| 6812                      | Inside cylinder           | 141.00 | 132.00 | —   |
| 6813                      | Inside & Outside cylinder | 281.00 | 262.00 | —   |

For extra thick doors of 2" – 2-1/2", please suffix model numbers with -ET.

Example: .....9881-ET .....605 .....2-3/8" backset.....F .....Sub .....0A7-200

## Deadbolts Parts

| Model#   | Notes | Description                           | Price  |
|----------|-------|---------------------------------------|--------|
| 352323   |       | Outside Cylinder Shell                | 61.15  |
| 352324   |       | Inside Cylinder Shell                 | 53.20  |
| 352326   | *     | Thumbturn                             | 61.15  |
| 353969   | *     | Twin V-10 Cylinder Plug               | 47.05  |
| 356071   | *     | Twin Exclusive Cylinder Plug          | 47.05  |
| 816068   | *†    | Maximum+ / Twin Maximum Cylinder Plug | 61.45  |
| 442774   | *     | Deadbolt Bolt Faceplate               | 129.80 |
| 907001   | *     | 2-3/4" Faceplate Bolt                 | 202.55 |
| 907002   | *     | 2-3/4" Drive-In Bolt                  | 202.55 |
| 907003   | *     | 2-3/8" Faceplate Bolt                 | 202.55 |
| 907004   | *     | 2-3/8" Drive-In Bolt                  | 202.55 |
| 907005   | *     | Strike Plate with Screws              | 25.75  |
| 907007   |       | Reinforced Strike Box and Screws      | 34.25  |
| 907008   |       | Security Bolt Guard Plate (Hardhat)   | 5.30   |
| 806263   |       | Thumbturn Tailpiece bushing           | 6.97   |
| 352325   |       | Thumbturn Housing Only                | 59.95  |
| 806265   |       | Thumbturn Spindle                     | 41.00  |
| 806266   | *     | Cylinder Thumbturn Cap                | 4.21   |
| 806266IC |       | Cylinder Cap, IC                      | 3.80   |
| 806266NT | *     | Cylinder Cap, No Thumbturn            | 7.65   |
| 806256   |       | IC Cylinder and Thumbturn Cap         | 7.95   |
| 806267   | *     | Cylinder Ring                         | 53.20  |
| 812164   |       | Outside IC Cylinder Housing           | 67.65  |

| Model# | Notes | Description                                                            | Price     |
|--------|-------|------------------------------------------------------------------------|-----------|
| 806268 | *     | Spacer Ring 1-3/8" Door                                                | 43.85     |
| 806270 | *     | Thumbturn Ring                                                         | 46.20     |
| 806346 |       | Pin Chamber Closing Screws                                             | 134.15/pk |
| 806483 |       | Thumbturn Set Screws                                                   | 1.59      |
| 867046 |       | Tailpiece Washer                                                       | 5.61      |
| 867090 |       | Tailpiece Screw                                                        | 1.85      |
| 806262 |       | Tailpiece                                                              | 3.74      |
| 867109 |       | Tailpiece for Special Door Thickness                                   | 10.45/ea  |
| 907008 |       | Deadbolt Security Guard                                                | 5.30      |
| 907015 |       | Security Balls for Single & Double Cylinder                            | 1.94      |
| 907010 |       | Deadbolt Mounting Bolts (Std. Single Cyl.)                             | 1.94      |
| 907011 |       | Deadbolt Mounting Bolts (Std. Double cyl.)                             | 2.55      |
| 907012 |       | Deadbolt mounting Bolts (3")                                           | 3.12      |
| 907013 |       | Deadbolt Mounting Bolts (3-1/4")                                       | 4.37      |
| 907016 |       | Deadbolt Strike Box Screw                                              | 1.56      |
| 907017 |       | Grade 1 Cylinder Deadbolt<br>Extension Kit 2"-2-1/2" Thick Door        | 16.17     |
| 907018 |       | Grade 1 Double Cylinder Deadbolt<br>Extension Kit 2"-2-1/2" Thick Door | 16.17     |
| 907035 |       | Deadbolt Chamber Screw Wrench                                          | 1.87      |
| 250865 |       | Inside IC Cylinder Housing                                             | 59.28     |

\* – Indicates Finished Components.

† – Specify Profile 0A7 for Maximum+ or 0M7 for Twin Maximum.

# Auxiliary Locks

## Cam Locks

| Model                                                                                  | Description                     | Comp  | Sub   | SNS   |
|----------------------------------------------------------------------------------------|---------------------------------|-------|-------|-------|
| <b>Maximum+</b>                                                                        |                                 |       |       |       |
| 9871                                                                                   | Key Retaining Cam Lock 90°      | 84.50 | 76.75 | 70.00 |
| 9872                                                                                   | Non-Key Retaining Cam Lock 360° | 91.50 | 83.75 | 77.00 |
| <b>Maximum+ Restricted</b>                                                             |                                 |       |       |       |
| R2871                                                                                  | Key Retaining Cam Lock 90°      | 76.00 | 71.00 | —     |
| R2872                                                                                  | Non-Key Retaining Cam Lock 360° | 76.00 | 71.00 | —     |
| <b>Twin Maximum</b>                                                                    |                                 |       |       |       |
| 8871  | Key Retaining Cam Lock 90°      | 82.75 | 75.25 | 68.25 |
| 8872                                                                                   | Non-Key Retaining Cam Lock 360° | 89.25 | 81.50 | 74.75 |
| <b>Twin Exclusive</b>                                                                  |                                 |       |       |       |
| E6571                                                                                  | Key Retaining Cam Lock 90°      | 86.00 | 78.25 | 71.50 |
| E7571                                                                                  | Non-Key Retaining Cam Lock 360° | 93.00 | 85.25 | 78.50 |
| <b>Twin 6000 Classic</b>                                                               |                                 |       |       |       |
| 6571                                                                                   | Key Retaining Cam Lock 90°      | 86.00 | 78.50 | 71.50 |
| 7571                                                                                   | Non-Key Retaining Cam Lock 360° | 93.00 | 85.25 | 78.50 |
| <b>Twin V-10</b>                                                                       |                                 |       |       |       |
| V6571                                                                                  | Key Retaining Cam Lock 90°      | 86.00 | 78.25 | 71.50 |
| V7571                                                                                  | Non-Key Retaining Cam Lock 360° | 93.00 | 85.25 | 78.50 |

## How To Order ASSA Auxiliary Locks:

Example:

Model #                      Security Form                      Keyway  
9871 .....Sub .....0A7-200

Contact Customer  
Service Department for  
Keyway Numbers.

# Auxiliary Locks

## Utility Locks

| Model                    | Notes | Description  | Comp   | Sub    | SNS    |
|--------------------------|-------|--------------|--------|--------|--------|
| <b>Maximum+</b>          |       |              |        |        |        |
| 9880                     |       | Utility Lock | 117.75 | 110.00 | 103.25 |
| <b>Twin Maximum</b>      |       |              |        |        |        |
| 8880                     |       | Utility Lock | 112.00 | 104.25 | 97.50  |
| <b>Twin Exclusive</b>    |       |              |        |        |        |
| E7680                    |       | Utility Lock | 116.50 | 108.75 | 102.00 |
| <b>Twin 6000 Classic</b> |       |              |        |        |        |
| 7680                     |       | Utility Lock | 116.50 | 108.75 | 102.00 |
| <b>Twin V-10</b>         |       |              |        |        |        |
| V7680                    |       | Utility Lock | 116.50 | 108.75 | 102.00 |

## Cabinet Locks

| Model                    | Notes                                                                               | Description              | Comp   | Sub    | SNS    |
|--------------------------|-------------------------------------------------------------------------------------|--------------------------|--------|--------|--------|
| <b>Maximum+</b>          |                                                                                     |                          |        |        |        |
| 98700AS-138              |                                                                                     | 1-3/8" Door Lock         | 139.25 | 131.50 | 124.75 |
| 98800AS-138              |                                                                                     | 1-3/8" Drawer Lock       | 139.25 | 131.50 | 124.75 |
| 98850AS-078              |                                                                                     | 7/8" Deadlocking Latch   | 167.50 | 159.75 | 153.00 |
| 98850AS-138              |                                                                                     | 1-3/8" Deadlocking Latch | 169.75 | 162.00 | 155.25 |
| <b>Twin Maximum</b>      |                                                                                     |                          |        |        |        |
| 88700AS-138              |  | 1-3/8" Door Lock         | 135.50 | 127.75 | 121.00 |
| 88800AS-138              |  | 1-3/8" Drawer Lock       | 135.50 | 127.75 | 121.00 |
| 88850AS-078              |  | 7/8" Deadlocking Latch   | 162.75 | 155.00 | 148.25 |
| 88850AS-138              |  | 1-3/8" Deadlocking Latch | 165.00 | 157.25 | 150.50 |
| <b>Twin Exclusive</b>    |                                                                                     |                          |        |        |        |
| E700AS-138               |                                                                                     | 1-3/8" Door Lock         | 141.00 | 133.50 | 126.50 |
| E800AS-138               |                                                                                     | 1-3/8" Drawer Lock       | 141.00 | 133.25 | 126.50 |
| E850AS-078               |                                                                                     | 7/8" Deadlocking Latch   | 169.25 | 161.50 | 154.75 |
| E850AS-138               |                                                                                     | 1-3/8" Deadlocking Latch | 171.25 | 163.50 | 156.75 |
| <b>Twin 6000 Classic</b> |                                                                                     |                          |        |        |        |
| 700AS-138                |                                                                                     | 1-3/8" Door Lock         | 141.00 | 133.25 | 126.50 |
| 800AS-138                |                                                                                     | 1-3/8" Drawer Lock       | 141.00 | 133.25 | 126.50 |
| 850AS-078                |                                                                                     | 7/8" Deadlocking Latch   | 169.25 | 161.50 | 154.75 |
| 850AS-138                |                                                                                     | 1-3/8" Deadlocking Latch | 171.25 | 163.50 | 156.75 |
| <b>Twin V-10</b>         |                                                                                     |                          |        |        |        |
| V700AS-138               |                                                                                     | 1-3/8" Door Lock         | 141.00 | 133.25 | 126.50 |
| V800AS-138               |                                                                                     | 1-3/8" Drawer Lock       | 141.00 | 133.25 | 126.50 |
| V850AS-078               |                                                                                     | 7/8" Deadlocking Latch   | 169.25 | 161.50 | 154.75 |
| V850AS-138               |                                                                                     | 1-3/8" Deadlocking Latch | 171.25 | 163.50 | 156.75 |

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00. Example: 88700AS-138 x **CLIQ** x 626 x Sidebar x Comp

# Auxiliary Locks

## Keyswitches

| Model#                   | Notes | Description                | Comp   | Sub    | SNS    |
|--------------------------|-------|----------------------------|--------|--------|--------|
| <b>Maximum+</b>          |       |                            |        |        |        |
| 9870-LP                  |       | Keyswitch Switch Momentary | 267.50 | 260.00 | 253.00 |
| 9871-LP                  |       | Keyswitch Switch On/Off    | 267.50 | 259.75 | 253.00 |
| <b>Twin Maximum</b>      |       |                            |        |        |        |
| 8870-LP                  |       | Keyswitch Switch Momentary | 254.75 | 247.25 | 240.25 |
| 8871-LP                  |       | Keyswitch Switch On/Off    | 254.75 | 247.25 | 240.25 |
| <b>Twin Exclusive</b>    |       |                            |        |        |        |
| E7700-LP                 |       | Keyswitch Switch Momentary | 262.25 | 254.75 | 247.75 |
| E7771-LP                 |       | Keyswitch Switch On/Off    | 262.25 | 254.75 | 247.75 |
| <b>Twin 6000 Classic</b> |       |                            |        |        |        |
| 7700-LP                  |       | Keyswitch Switch Momentary | 262.25 | 254.75 | 247.75 |
| 7771-LP                  |       | Keyswitch Switch On/Off    | 262.25 | 254.75 | 247.75 |
| <b>Twin V-10</b>         |       |                            |        |        |        |
| V7700-LP                 |       | Keyswitch Switch Momentary | 262.25 | 254.75 | 247.75 |
| V7771-LP                 |       | Keyswitch Switch On/Off    | 262.25 | 254.75 | 247.75 |

## Keyswitches With Single Gang Plate

| Model#                   | Notes | Description                        | Comp   | Sub    | SNS    |
|--------------------------|-------|------------------------------------|--------|--------|--------|
| <b>Maximum+</b>          |       |                                    |        |        |        |
| 9870-SG                  |       | Single Gang Plate Bi/LED Momentary | 366.00 | 358.50 | 351.50 |
| 9871-SG                  |       | Single Gang Plate Bi/LED On/Off    | 366.00 | 358.50 | 351.50 |
| <b>Twin Maximum</b>      |       |                                    |        |        |        |
| 8870-SG                  |       | Single Gang Plate Bi/LED Momentary | 348.50 | 341.00 | 334.00 |
| 8871-SG                  |       | Single Gang Plate Bi/LED On/Off    | 348.50 | 341.00 | 334.00 |
| <b>Twin Exclusive</b>    |       |                                    |        |        |        |
| E7700                    |       | Single Gang Plate Bi/LED Momentary | 358.75 | 351.25 | 344.25 |
| E7771                    |       | Single Gang Plate Bi/LED On/Off    | 358.75 | 351.25 | 344.25 |
| <b>Twin 6000 Classic</b> |       |                                    |        |        |        |
| 7700                     |       | Single Gang Plate Bi/LED Momentary | 358.75 | 351.25 | 344.25 |
| 7771                     |       | Single Gang Plate Bi/LED On/Off    | 358.75 | 351.25 | 344.25 |
| <b>Twin V-10</b>         |       |                                    |        |        |        |
| V7700                    |       | Single Gang Plate Bi/LED Momentary | 358.75 | 351.25 | 344.25 |
| V7771                    |       | Single Gang Plate Bi/LED On/Off    | 358.75 | 351.25 | 344.25 |

## Keyswitches With Narrow Stile Plate

| Model#                   | Notes | Description                         | Comp   | Sub    | SNS    |
|--------------------------|-------|-------------------------------------|--------|--------|--------|
| <b>Maximum+</b>          |       |                                     |        |        |        |
| 9870-N                   |       | Narrow Stile Plate Bi/LED Momentary | 323.50 | 316.00 | 309.00 |
| 9871-N                   |       | Narrow Stile Plate Bi/LED On/Off    | 323.50 | 315.75 | 309.00 |
| <b>Twin Maximum</b>      |       |                                     |        |        |        |
| 8870-N                   |       | Narrow Stile Plate Bi/LED Momentary | 308.25 | 300.25 | 292.75 |
| 8871-N                   |       | Narrow Stile Plate Bi/LED On/Off    | 308.25 | 300.25 | 292.75 |
| <b>Twin Exclusive</b>    |       |                                     |        |        |        |
| E7700-N                  |       | Narrow Stile Plate Bi/LED Momentary | 317.50 | 310.00 | 303.00 |
| E7771-N                  |       | Narrow Stile Plate Bi/LED On/Off    | 317.50 | 310.00 | 303.00 |
| <b>Twin 6000 Classic</b> |       |                                     |        |        |        |
| 7700-N                   |       | Narrow Stile Plate Bi/LED Momentary | 317.50 | 310.00 | 303.00 |
| 7771-N                   |       | Narrow Stile Plate Bi/LED On/Off    | 317.50 | 310.00 | 303.00 |
| <b>Twin V-10</b>         |       |                                     |        |        |        |
| V7700-N                  |       | Narrow Stile Plate Bi/LED Momentary | 317.50 | 310.00 | 303.00 |
| V7771-N                  |       | Narrow Stile Plate Bi/LED On/Off    | 317.50 | 310.00 | 303.00 |

# Auxiliary Locks

## Mortise Keyswitches With Single Gang Plate

| Model                    | Notes                                                                               | Description                                                              | Comp   | Sub    | SNS    |
|--------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------|--------|--------|--------|
| <b>Maximum+</b>          |                                                                                     |                                                                          |        |        |        |
| 9851MKS                  | *                                                                                   | Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch          | 386.50 | 377.00 | 370.00 |
| 9851MKSA                 | *                                                                                   | Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 386.50 | 377.00 | 370.00 |
| 9851MKS2                 | *                                                                                   | Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch          | 386.50 | 377.00 | 370.00 |
| 9851MKS2A                | *                                                                                   | Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 386.50 | 377.00 | 370.00 |
| <b>Twin Maximum</b>      |                                                                                     |                                                                          |        |        |        |
| 8851MKS                  | *  | Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch          | 379.00 | 369.50 | 362.50 |
| 8851MKSA                 | *  | Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 379.00 | 369.50 | 362.50 |
| 8851MKS2                 | *  | Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch          | 379.00 | 369.50 | 362.50 |
| 8851MKS2A                | *  | Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 379.00 | 369.50 | 362.50 |
| <b>Twin Exclusive</b>    |                                                                                     |                                                                          |        |        |        |
| E6551MKS                 | *                                                                                   | Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| E6551MKSA                | *                                                                                   | Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| E6551MKS2                | *                                                                                   | Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| E6551MKS2A               | *                                                                                   | Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| <b>Twin 6000 Classic</b> |                                                                                     |                                                                          |        |        |        |
| 6551MKS                  | *                                                                                   | Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| 6551MKSA                 | *                                                                                   | Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| 6551MKS2                 | *                                                                                   | Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| 6551MKS2A                | *                                                                                   | Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| <b>Twin V-10</b>         |                                                                                     |                                                                          |        |        |        |
| V6551MKS                 | *                                                                                   | Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| V6551MKSA                | *                                                                                   | Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| V6551MKS2                | *                                                                                   | Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| V6551MKS2A               | *                                                                                   | Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |

\* Mortise Keyswitch assemblies can take up to two switches and are supplied with one switch. All switches are listed on page 34.



– Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00.

Example: 8851 MKS x CLIQ x 626 x Sidebar x Comp

# Auxiliary Locks

## Mortise Keyswitches With Narrow Stile Plate

| Model                    | Notes                                                                               | Description                                                               | Comp   | Sub    | SNS    |
|--------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------|--------|--------|--------|
| <b>Maximum+</b>          |                                                                                     |                                                                           |        |        |        |
| 9851MKS-N                | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch          | 386.50 | 377.00 | 370.00 |
| 9851MKSA-N               | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 386.50 | 377.00 | 370.00 |
| 9851MKS2-N               | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch          | 386.50 | 377.00 | 370.00 |
| 9851MKS2A-N              | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 386.50 | 377.00 | 370.00 |
| <b>Twin Maximum</b>      |                                                                                     |                                                                           |        |        |        |
| 8851MKS-N                | *  | Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch          | 379.00 | 369.50 | 362.50 |
| 8851MKSA-N               | *  | Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 379.00 | 369.50 | 362.50 |
| 8851MKS2-N               | *  | Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch          | 379.00 | 369.50 | 362.50 |
| 8851MKS2A-N              | *  | Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 379.00 | 369.50 | 362.50 |
| <b>Twin Exclusive</b>    |                                                                                     |                                                                           |        |        |        |
| E6551MKS-N               | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| E6551MKSA-N              | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| E6551MKS2-N              | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| E6551MKS2A-N             | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| <b>Twin 6000 Classic</b> |                                                                                     |                                                                           |        |        |        |
| 6551MKS-N                | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| 6551MKSA-N               | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| 6551MKS2-N               | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| 6551MKS2A-N              | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| <b>Twin V-10</b>         |                                                                                     |                                                                           |        |        |        |
| V6551MKS-N               | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| V6551MKSA-N              | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| V6551MKS2-N              | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| V6551MKS2A-N             | *                                                                                   | Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |

\* Mortise Keyswitch assemblies can take up to two switches and are supplied with one switch. All switches are listed below.

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00.  
Example: 8851 MKS-N x **CLIQ** x 626 x Sidebar x Comp

## Optional Switches for Mortise Switch Plates

| Model   | Description             | Price  |
|---------|-------------------------|--------|
| ASMKS   | SPDT Momentary          | 85.20  |
| ASMKSA  | SPDT Alternate (ON/OFF) | 85.20  |
| ASMKS2  | DPDT Momentary          | 135.20 |
| ASMKS2A | DPDT Alternate (ON/OFF) | 135.20 |

## Auxiliary Locks

### Cam Lock Accessories

| Model#      | Description                                           | Price  |
|-------------|-------------------------------------------------------|--------|
| See Catalog | Cam Lock Catches                                      | 2.70   |
| CLK-1       | Cam Lock Catch Kit (Includes 2 ea. of 31 Cam Catches) | 148.70 |
| CLP-D       | 7/8" Double D Cam Lock/Switch Lock Punch              | 608.40 |

### Cam Lock Accessories

| Model# | Description                  | Price |
|--------|------------------------------|-------|
| 490271 | Cam Lock cylinder ring       | 12.38 |
| 391053 | Cam Lock dust cap            | 7.12  |
| 490825 | Cam Lock fixing plate        | 4.11  |
| 491449 | Cam Lock fixing plate        | 4.10  |
| 497008 | Cam Lock front plate         | 6.76  |
| 490657 | Cam Lock front plate         | 6.75  |
| 490821 | Cam Lock front plate         | 6.75  |
| 491450 | Cam Lock front plate         | 6.76  |
| 490246 | Cam Lock washer              | 1.40  |
| 491299 | Cam Lock nail plate          | 2.96  |
| 490583 | Cam Lock nut                 | 2.50  |
| 491439 | Cam Lock nut (m11x1)         | 2.50  |
| 490610 | Cam Lock housing nut (m22x1) | 4.10  |
| 490663 | Cam Lock housing washer      | 6.75  |
| 492069 | Cam Lock turn stop washer    | 6.75  |

# Padlocks

## Padlocks

| Model                      | Notes                                                                               | Description                          | Comp   | Sub    | SNS    |
|----------------------------|-------------------------------------------------------------------------------------|--------------------------------------|--------|--------|--------|
| <b>Maximum+</b>            |                                                                                     |                                      |        |        |        |
| 98190B                     |                                                                                     | No.2 Non-Key-Retaining               | 146.75 | 139.25 | 132.25 |
| 98190LB                    |                                                                                     | No.2 Non-Key-Retaining Ext. Shackle  | 153.25 | 145.75 | 138.75 |
| 98190SB                    |                                                                                     | No.2 Non-Key-Ret. w/Shrouded Shackle | 166.50 | 159.00 | 152.00 |
| 98191B                     |                                                                                     | No.2 Key-Retaining                   | 146.75 | 139.25 | 132.25 |
| 98191LB                    |                                                                                     | No.2 Key-Retaining Ext. Shackle      | 153.25 | 145.75 | 138.75 |
| 98391B                     |                                                                                     | No.3 Key-Retaining                   | 288.25 | 280.75 | 273.75 |
| 98391LB                    |                                                                                     | No.3 Key-Retaining Ext. Shackle      | 319.25 | 311.75 | 304.75 |
| 98391SB                    |                                                                                     | No.3 Key Ret. w/Shrouded Shackle     | 325.75 | 318.25 | 311.25 |
| 98491B                     |                                                                                     | No.4 Key-Retaining                   | 447.50 | 440.00 | 433.00 |
| 98591SB                    |                                                                                     | No.5 Key Ret. w/Shrouded Shackle     | 479.75 | 472.25 | 465.25 |
| <b>Maximum+ Restricted</b> |                                                                                     |                                      |        |        |        |
| R28190B                    |                                                                                     | No.2 Non-Key-Retaining               | 94.25  | 81.50  | —      |
| R28190LB                   |                                                                                     | No.2 Non-Key-Retaining Ext. Shackle  | 102.75 | 93.25  | —      |
| R28190SB                   |                                                                                     | No.2 Non-Key-Ret. w/Shrouded Shackle | 110.75 | 101.00 | —      |
| R28191B                    |                                                                                     | No.2 Key-Retaining                   | 105.75 | 101.00 | —      |
| R28191LB                   |                                                                                     | No.2 Key-Retaining Ext. Shackle      | 101.00 | 94.00  | —      |
| R28391B                    |                                                                                     | No.3 Key-Retaining                   | 199.00 | 187.50 | —      |
| <b>Twin Maximum</b>        |                                                                                     |                                      |        |        |        |
| 88190B                     |  | No.2 Non-Key-Retaining               | 142.75 | 135.25 | 128.25 |
| 88190LB                    |  | No.2 Non-Key-Retaining Ext. Shackle  | 148.75 | 141.25 | 134.25 |
| 88190SB                    |  | No.2 Non-Key-Ret. w/Shrouded Shackle | 162.00 | 154.50 | 147.50 |
| 88191B                     |  | No.2 Key-Retaining                   | 142.75 | 135.25 | 128.25 |
| 88191LB                    |  | No.2 Key-Retaining Ext. Shackle      | 148.75 | 141.25 | 134.25 |
| 88391B                     |  | No.3 Key-Retaining                   | 280.00 | 272.50 | 265.50 |
| 88391LB                    |  | No.3 Key-Retaining Ext. Shackle      | 310.00 | 302.50 | 295.50 |
| 88391SB                    |  | No.3 Key Ret. w/Shrouded Shackle     | 316.50 | 309.00 | 302.00 |
| 88491B                     |  | No.4 Key-Retaining                   | 434.75 | 427.25 | 420.25 |
| 88591SB                    |  | No.5 Key Ret. w/Shrouded Shackle     | 466.00 | 458.50 | 451.50 |
| <b>Twin Exclusive</b>      |                                                                                     |                                      |        |        |        |
| E65190B                    |                                                                                     | No.2 Non-Key-Retaining               | 148.50 | 141.00 | 134.00 |
| E65190LB                   |                                                                                     | No.2 Non-Key-Retaining Ext. Shackle  | 155.00 | 147.50 | 140.50 |
| E65190SB                   |                                                                                     | No.2 Non-Key-Ret. w/Shrouded Shackle | 168.50 | 161.00 | 154.00 |
| E65191B                    |                                                                                     | No.2 Key-Retaining                   | 148.50 | 141.00 | 134.00 |
| E65191LB                   |                                                                                     | No.2 Key-Retaining Ext. Shackle      | 155.00 | 147.50 | 140.50 |
| E65391B                    |                                                                                     | No.3 Key-Retaining                   | 291.00 | 283.50 | 276.50 |
| E65391LB                   |                                                                                     | No.3 Key-Retaining Ext. Shackle      | 322.75 | 315.25 | 308.25 |
| E65391SB                   |                                                                                     | No.3 Key Ret. w/Shrouded Shackle     | 329.25 | 321.75 | 314.75 |
| E65491B                    |                                                                                     | No.4 Key-Retaining                   | 452.25 | 444.75 | 437.75 |
| E65591SB                   |                                                                                     | No.5 Key Ret. w/Shrouded Shackle     | 484.75 | 477.25 | 470.25 |

## How To Order ASSA Padlocks:

**Example:**
**Model #**      **Security Form**      **Keyway**  
98191B-.....Sub .....0A7-200

Contact Customer  
Service Department for  
Keyway Numbers.

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00. Example: 88191B x **CLIQ** x 626 x Sidebar x Comp

# Padlocks

## Padlocks

| Model                     | Notes | Description                          | Comp   | Sub    | SNS    |
|---------------------------|-------|--------------------------------------|--------|--------|--------|
| <b>Twin 6000 Classic</b>  |       |                                      |        |        |        |
| 65190B                    |       | No.2 Non-Key-Retaining               | 148.50 | 141.00 | 134.00 |
| 65190LB                   |       | No.2 Non-Key-Retaining Ext. Shackle  | 155.00 | 147.50 | 140.50 |
| 65190SB                   |       | No.2 Non-Key-Ret. w/Shrouded Shackle | 168.50 | 161.00 | 154.00 |
| 65191B                    |       | No.2 Key-Retaining                   | 148.50 | 141.00 | 134.00 |
| 65191LB                   |       | No.2 Key-Retaining Ext. Shackle      | 155.00 | 147.50 | 140.50 |
| 65391B                    |       | No.3 Key-Retaining                   | 291.00 | 283.50 | 276.50 |
| 65391LB                   |       | No.3 Key-Retaining Ext. Shackle      | 322.75 | 315.25 | 308.25 |
| 65391SB                   |       | No.3 Key Ret. w/Shrouded Shackle     | 329.25 | 321.75 | 314.75 |
| 65491B                    |       | No.4 Key-Retaining                   | 452.25 | 444.75 | 437.75 |
| 65591SB                   |       | No.5 Key Ret. w/Shrouded Shackle     | 484.75 | 477.25 | 470.25 |
| <b>Twin V-10</b>          |       |                                      |        |        |        |
| V65190B                   |       | No.2 Non-Key-Retaining               | 148.50 | 141.00 | 134.00 |
| V65190LB                  |       | No.2 Non-Key-Retaining Ext. Shackle  | 155.00 | 147.50 | 140.50 |
| V65190SB                  |       | No.2 Non-Key-Ret. w/Shrouded Shackle | 168.50 | 161.00 | 154.00 |
| V65191B                   |       | No.2 Key-Retaining                   | 148.50 | 141.00 | 134.00 |
| V65191LB                  |       | No.2 Key-Retaining Ext. Shackle      | 155.00 | 147.50 | 140.50 |
| V65391B                   |       | No.3 Key-Retaining                   | 291.00 | 283.50 | 276.50 |
| V65391LB                  |       | No.3 Key-Retaining Ext. Shackle      | 322.75 | 315.25 | 308.25 |
| V65391SB                  |       | No.3 Key Ret. w/Shrouded Shackle     | 329.25 | 321.75 | 314.75 |
| V65491B                   |       | No.4 Key-Retaining                   | 452.25 | 444.75 | 437.75 |
| V65591SB                  |       | No.5 Key Ret. w/Shrouded Shackle     | 484.75 | 477.25 | 470.25 |
| <b>600 Series Classic</b> |       |                                      |        |        |        |
| 6190B                     |       | No.2 Non-Key-Retaining               | 142.25 | 133.25 | —      |
| 6190LB                    |       | No.2 Non-Key-Retaining Ext. Shackle  | 155.00 | 146.00 | —      |
| 6190SB                    |       | No.2 Non-Key-Ret. w/Shrouded Shackle | 168.50 | 159.50 | —      |
| 6191B                     |       | No.2 Key-Retaining                   | 142.25 | 133.25 | —      |
| 6191LB                    |       | No.2 Key-Retaining Ext. Shackle      | 155.00 | 146.00 | —      |
| 6391B                     |       | No.3 Key-Retaining                   | 226.00 | 217.00 | —      |

# Padlocks

## Padlock Cylinders Only

| Model                     | Notes                                                                             | Description                    | Comp  | Sub   | SNS   |
|---------------------------|-----------------------------------------------------------------------------------|--------------------------------|-------|-------|-------|
| <b>Maximum+</b>           |                                                                                   |                                |       |       |       |
| 98911                     |                                                                                   | Padlock Cylinder No. 2, 3, 4-5 | 97.50 | 90.00 | 83.00 |
| <b>Twin Maximum</b>       |                                                                                   |                                |       |       |       |
| 88911                     |  | Padlock Cylinder No. 2, 3, 4-5 | 93.00 | 85.25 | 78.50 |
| <b>Twin Exclusive</b>     |                                                                                   |                                |       |       |       |
| E65911                    |                                                                                   | Padlock Cylinder No. 2, 3, 4-5 | 96.50 | 89.00 | 82.00 |
| <b>Twin 6000 Classic</b>  |                                                                                   |                                |       |       |       |
| 65911                     |                                                                                   | Padlock Cylinder No. 2, 3, 4-5 | 96.50 | 89.00 | 82.00 |
| <b>Twin V-10</b>          |                                                                                   |                                |       |       |       |
| V65911                    |                                                                                   | Padlock Cylinder No. 2, 3, 4-5 | 96.50 | 89.00 | 82.00 |
| <b>600 Series Classic</b> |                                                                                   |                                |       |       |       |
| 6911                      |                                                                                   | Padlock Cylinder No. 2, 3, 4-5 | 94.50 | 85.50 | —     |

## “Hockey Puck” Shackle Less Padlock

| Model                 | Notes | Description               | Comp   | Sub    | SNS    |
|-----------------------|-------|---------------------------|--------|--------|--------|
| <b>Maximum+</b>       |       |                           |        |        |        |
| 9840                  |       | Hockey Puck Style Padlock | 145.50 | 137.00 | 130.50 |
| <b>Twin Maximum</b>   |       |                           |        |        |        |
| 8840                  |       | Hockey Puck Style Padlock | 138.50 | 130.00 | 124.00 |
| <b>Twin Exclusive</b> |       |                           |        |        |        |
| E6540                 |       | Hockey Puck Style Padlock | 144.00 | 135.50 | 129.00 |
| <b>Twin V-10</b>      |       |                           |        |        |        |
| V6540                 |       | Hockey Puck Style Padlock | 144.00 | 135.50 | 129.00 |

## “Hockey Puck” Cylinders Only

| Model                 | Notes | Description          | Comp  | Sub   | SNS   |
|-----------------------|-------|----------------------|-------|-------|-------|
| <b>Maximum+</b>       |       |                      |       |       |       |
| 98411                 |       | Hockey Puck Cylinder | 96.25 | 88.75 | 81.75 |
| <b>Twin Maximum</b>   |       |                      |       |       |       |
| 88411                 |       | Hockey Puck Cylinder | 92.00 | 84.50 | 77.50 |
| <b>Twin Exclusive</b> |       |                      |       |       |       |
| E65411                |       | Hockey Puck Cylinder | 95.50 | 88.00 | 81.00 |
| <b>Twin V-10</b>      |       |                      |       |       |       |
| V65411                |       | Hockey Puck Cylinder | 95.50 | 88.00 | 81.00 |

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00. Example: 88911 x **CLIQ** x **Comp**

# Padlocks

## Padlocks Parts

| Model No. | Description                                                                    | Price    |
|-----------|--------------------------------------------------------------------------------|----------|
| 806898    | No.2 Regular Shackle                                                           | 36.15/ea |
| 807217    | No.2 Extended Shackle                                                          | 38.65/ea |
| P250517   | No.2 Shackle Spring                                                            | 1.56/ea  |
| 806910    | No.3 Padlock Shackle                                                           | 46.40/ea |
| 809387    | No.2 Key-Retaining Blocking pin                                                | 6.00/ea  |
| 809388    | No.2 Non-Key-Retaining Conversion Kit (Includes Blocking Pin/Spring/Tailpiece) | 44.05/ea |
| P793810   | No.2 Tailpiece Cam Screws                                                      | 1.56/ea  |
| 867046    | No.2 Tailpiece Washer                                                          | 5.61/ea  |
| P857300   | No.2 Plate & No. 3 Plate                                                       | 1.30/ea  |
| 803607    | No.2 Locking Balls                                                             | 1.30/ea  |
| P793110   | No.2 Cylinder Retaining Screw                                                  | 1.56/ea  |
| 806913    | No.3 Cylinder Retaining Screw                                                  | 7.54/ea  |
| 803575    | No.3 Locking Ball Bearings                                                     | 2.44/ea  |
| 806911    | No.3 Blocking Pin                                                              | 28.95/ea |
| 089280    | No.3 Extended Shackle                                                          | 46.05/ea |
| 353969    | Twin V-10 Padlock Cylinder Plug                                                | 47.30    |
| 367018    | Twin 6000 Classic Padlock Cylinder Plug (Specify Profile 50,52,61,62)          | 47.30    |
| 356071    | Twin Exclusive / 6000 Classic Padlock Cylinder Plug (Specify Profile 51,851)   | 47.05    |
| 816068    | Maximum+ / Twin Maximum Padlock Cylinder Plug (Specify Profile 0A7, 0M7)       | 61.45    |

# Profile Cylinders

## M20 Din Euro Profile Cylinders

| Model             | Description                                                                                                       | Comp                      | Sub | SNS |
|-------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------|-----|-----|
| Maximum+          |                                                                                                                   |                           |     |     |
| 98M27             | Large Thumbturn Single Cylinder                                                                                   | Call Factory For Pricing. |     |     |
| 98M24             | Small Thumbturn Single Cylinder                                                                                   |                           |     |     |
| 98M22             | Double Cylinder                                                                                                   |                           |     |     |
| 98M23             | Single Cylinder No Thumbturn                                                                                      |                           |     |     |
| Twin Maximum      |                                                                                                                   |                           |     |     |
| 88M27             |  Large Thumbturn Single Cylinder | Call Factory For Pricing. |     |     |
| 88M24             |  Small Thumbturn Single Cylinder |                           |     |     |
| 88M22             |  Double Cylinder                 |                           |     |     |
| 88M23             |  Single Cylinder No Thumbturn    |                           |     |     |
| Twin V-10         |                                                                                                                   |                           |     |     |
| V65M27            | Large Thumbturn Single Cylinder                                                                                   | Call Factory For Pricing. |     |     |
| V65M24            | Small Thumbturn Single Cylinder                                                                                   |                           |     |     |
| V65M22            | Double Cylinder                                                                                                   |                           |     |     |
| V65M23            | Single Cylinder No Thumbturn                                                                                      |                           |     |     |
| Twin 6000 Classic |                                                                                                                   |                           |     |     |
| 65M27             | Large Thumbturn Single Cylinder                                                                                   | Call Factory For Pricing. |     |     |
| 65M24             | Small Thumbturn Single Cylinder                                                                                   |                           |     |     |
| 65M22             | Double Cylinder                                                                                                   |                           |     |     |
| 65M23             | Single Cylinder No Thumbturn                                                                                      |                           |     |     |

# Oval Cylinders

## Oval Cylinders

| Model                                                                                     | Description           | Comp   | Sub    | SNS    |
|-------------------------------------------------------------------------------------------|-----------------------|--------|--------|--------|
| <b>Maximum+</b>                                                                           |                       |        |        |        |
| 9801                                                                                      | Oval, Outside         | 177.25 | 169.75 | 162.25 |
| 9801L                                                                                     | Oval, Outside for 505 | 191.75 | 183.75 | 176.75 |
| 9802                                                                                      | Oval, Double          | 362.00 | 348.50 | 332.00 |
| 9803                                                                                      | Oval, Inside          | 179.75 | 171.75 | 164.75 |
| <b>Twin Maximum</b>                                                                       |                       |        |        |        |
| 8801   | Oval, Outside         | 177.25 | 169.75 | 162.25 |
| 8801L  | Oval, Outside for 505 | 191.75 | 183.75 | 176.75 |
| 8802   | Oval, Double          | 362.00 | 348.50 | 332.00 |
| 8803   | Oval, Inside          | 179.75 | 171.75 | 164.75 |
| <b>Twin Exclusive</b>                                                                     |                       |        |        |        |
| E6501                                                                                     | Oval, Outside         | 184.25 | 176.75 | 169.25 |
| E6501L                                                                                    | Oval, Outside for 505 | 199.25 | 191.25 | 184.25 |
| E6502                                                                                     | Oval, Double          | 376.75 | 363.25 | 346.75 |
| E6503                                                                                     | Oval, Inside          | 187.00 | 179.00 | 172.00 |

NOTE: Oval cylinders do not include cylinder rings, mounting screws or other trim.

 – Twin Maximum available with either CLIQ™ Remote or C4 CLIQ™ Technology, add \$510.00.  
Example: 88M27 x **CLIQ** x **Comp**

# Oval Cylinders

## Oval Cylinders

| Model                     | Description           | Comp   | Sub    | SNS    |
|---------------------------|-----------------------|--------|--------|--------|
| <b>Twin 6000 Classic</b>  |                       |        |        |        |
| 6501                      | Oval, Outside         | 184.25 | 176.75 | 169.25 |
| 6501L                     | Oval, Outside for 505 | 199.25 | 191.25 | 184.25 |
| 6502                      | Oval, Double          | 376.75 | 363.25 | 346.75 |
| 6503                      | Oval, Inside          | 187.00 | 179.00 | 172.00 |
| <b>Twin V-10</b>          |                       |        |        |        |
| V6501                     | Oval, Outside         | 184.25 | 176.75 | 169.25 |
| V6501L                    | Oval, Outside for 505 | 199.25 | 191.25 | 184.25 |
| V6502                     | Oval, Double          | 376.75 | 363.25 | 346.75 |
| V6503                     | Oval, Inside          | 187.00 | 179.00 | 172.00 |
| <b>600 Series Classic</b> |                       |        |        |        |
| 601                       | Oval, Outside         | 144.75 | 135.75 | —      |
| 601L                      | Oval, Outside for 505 | 162.75 | 152.75 | —      |
| 602                       | Oval, Double          | 317.00 | 298.00 | —      |
| 603                       | Oval, Inside          | 155.50 | 146.50 | —      |

NOTE: Oval cylinders do not include cylinder rings, mounting screws or other trim.

## Oval Cylinder Parts

| Model                              | Description                          | Price |
|------------------------------------|--------------------------------------|-------|
| <b>Twin V-10</b>                   |                                      |       |
| 867064                             | Oval Cyl. Housing, Outside           | 54.55 |
| 867110                             | Oval Cyl. Housing, Inside            | 68.95 |
| 353969                             | Oval Cylinder Plug                   | 47.05 |
| <b>Twin Exclusive/6000 Classic</b> |                                      |       |
| 867064                             | Oval Cyl. Housing, Outside           | 54.55 |
| 867110                             | Oval Cyl. Housing, Inside            | 68.95 |
| 367018                             | Oval Cylinder Plug (Specify Profile) | 47.30 |

## Oval Cylinder Adapters

ASSA cylinder adapters allow the use of the Schlage KIK/KIL cylinder with ASSA mortise locks without having to replace existing master key system.

| Model No. | Description                                                 | Price  |
|-----------|-------------------------------------------------------------|--------|
| 803170    | Oval Outside Cylinder Adapter, for Schlage KIK/KIL Cylinder | 109.75 |
| 803171    | Oval Inside Cylinder Adapter, for Schlage KIK/KIL Cylinder  | 109.75 |
| 804215    | Schlage Adapter Tailpiece (Will fit 505 function)           | 16.35  |

# Interchangeable Core Parts

## Interchangeable Core Parts

| Model  | Notes | Description                                             | Package Quantity | Price     |
|--------|-------|---------------------------------------------------------|------------------|-----------|
| 354023 |       | Control Sleeve                                          |                  | 57.20/ea  |
| 359058 |       | Maximum+ and Twin Maximum Inner Plug (Specify 0A7, 0M7) |                  | 52.00     |
| 353213 | *     | IC Inner Plug (Specify Profile 51, 851)                 |                  | 51.75/ea  |
| 353968 | *     | V-10 IC Inner Plug                                      |                  | 40.20/ea  |
| 807401 |       | IC C-Ring                                               |                  | 1.32/ea   |
| 807402 |       | IC Cover Slide                                          |                  | 2.39/ea   |
| 807403 |       | IC Cam Adapter                                          |                  | 43.15/ea  |
| 807404 |       | IC Wave Washer                                          |                  | 1.96/ea   |
| 807405 |       | IC Rubber Stop                                          |                  | 2.50/ea   |
| 810695 | *     | IC Core (Figure-8) Housing                              |                  | 87.60/ea  |
| 807411 | *     | IC Mortise/Rim Housing                                  |                  | 106.20/ea |
| 809340 |       | IC Cylinder Springs (1st Four Chambers)                 | 100              | 35.35/pk  |
| 809312 |       | IC Plug Spacer Washer                                   |                  | 1.44/ea   |

## Top Pins For Interchangeable Core Cylinders and Cam Locks

| Model  | Notes | Description | Package Quantity | Price    |
|--------|-------|-------------|------------------|----------|
| 809328 |       | Top Pin #2  | 100              | 35.55/pk |
| 809329 |       | Top Pin #3  | 100              | 35.55/pk |
| 809330 |       | Top Pin #4  | 100              | 35.55/pk |
| 809331 |       | Top Pin #5  | 100              | 35.55/pk |
| 809332 |       | Top Pin #6  | 100              | 35.55/pk |
| 809333 |       | Top Pin #7  | 100              | 35.55/pk |
| 809334 |       | Top Pin #8  | 100              | 35.55/pk |
| 809335 |       | Top Pin #9  | 100              | 35.55/pk |
| 809336 |       | Top Pin #10 | 100              | 35.55/pk |

## Master Pins For Interchangeable Core Cylinders and Cam Locks

| Model  | Notes | Description    | Package Quantity | Price    |
|--------|-------|----------------|------------------|----------|
| 809314 |       | Master Pin #9  | 100              | 37.60/pk |
| 809315 |       | Master Pin #10 | 100              | 37.60/pk |
| 809316 |       | Master Pin #11 | 100              | 37.60/pk |
| 809317 |       | Master Pin #12 | 100              | 37.60/pk |
| 809318 |       | Master Pin #13 | 100              | 37.60/pk |
| 809319 |       | Master Pin #14 | 100              | 37.60/pk |
| 809320 |       | Master Pin #15 | 100              | 37.60/pk |
| 809321 |       | Master Pin #16 | 100              | 37.60/pk |
| 809322 |       | Master Pin #17 | 100              | 37.60/pk |

\*Indicate product finish.

# Pins, Springs & Closers

## Pins, Springs & Closers

| Model No. | Notes | Description                                      | Package Quantity | Price     |
|-----------|-------|--------------------------------------------------|------------------|-----------|
| 807261    |       | Driver Pin 1-2 (A)                               | 100              | 38.10/pk  |
| 807262    |       | Driver Pin 3-4 (B)                               | 100              | 38.10/pk  |
| 807263    |       | Driver Pin 5-6 (C)                               | 100              | 38.10/pk  |
| 807264    |       | Driver Pin 7-8-9 (D)                             | 100              | 38.10/pk  |
| 867070    |       | Master Pin 1                                     | 100              | 38.10/pk  |
| 867071    |       | Master Pin 2                                     | 100              | 38.10/pk  |
| 867072    |       | Master Pin 3                                     | 100              | 38.10/pk  |
| 867073    |       | Master Pin 4                                     | 100              | 38.10/pk  |
| 867074    |       | Master Pin 5                                     | 100              | 38.10/pk  |
| 867075    |       | Master Pin 6                                     | 100              | 38.10/pk  |
| 867076    |       | Master Pin 7                                     | 100              | 38.10/pk  |
| 867077    |       | Master Pin 8                                     | 100              | 38.10/pk  |
| 867078    |       | Bottom Pin 1                                     | 100              | 38.10/pk  |
| 867079    |       | Bottom Pin 2                                     | 100              | 38.10/pk  |
| 867080    |       | Bottom Pin 3                                     | 100              | 38.10/pk  |
| 867081    |       | Bottom Pin 4                                     | 100              | 38.10/pk  |
| 867082    |       | Bottom Pin 5                                     | 100              | 38.10/pk  |
| 867083    |       | Bottom Pin 6                                     | 100              | 38.10/pk  |
| 867084    |       | Bottom Pin 7                                     | 100              | 38.10/pk  |
| 867085    |       | Bottom Pin 8                                     | 100              | 38.10/pk  |
| 867086    |       | Bottom Pin 9                                     | 100              | 38.10/pk  |
| 867065    |       | Cylinder Springs                                 | 100              | 38.10/pk  |
| 267008    | *     | Sidebar                                          | 25               | 12.05/ea  |
| 867015    |       | Twin Side Pins                                   | 50               | 86.50/pk  |
| 353838    |       | V-10 Left Hand Side Pins                         | 50               | 68.00/pk  |
| 359654    |       | Maximum+ / Twin Maximum Left Hand Side Pins      | 50               | 74.15/pk  |
| 816080    |       | Twin-Pro Side Pins                               | 50               | 81.35/pk  |
| 807164    |       | Maximum+ / Twin Maximum / V-10 Sidebar Springs   | 100              | 24.70/pk  |
| 807165    |       | Maximum+ / Twin Maximum / V-10 Sidepin Springs   | 100              | 24.70/pk  |
| 867087    |       | Twin Sidepin Springs                             | 100              | 26.80/pk  |
| 867088    |       | Twin Sidebar Springs                             | 100              | 26.80/pk  |
| 868141    |       | Pin Chamber Closing Strips, Mort, Rim, KIK       | 100              | 0.88/ea   |
| 867093    |       | Closing Plugs, Oval Cylinders                    | 100              | 128.75/pk |
| 806346    |       | Pin Chamber Closing Screws - Jumbo, Mogul, Dbolt | 100              | 134.15/pk |

\*Specify Side Code

# Cams & Tailpieces

## Cams & Tailpieces

| Model # | Description                                        | Package Qty. | Price    |
|---------|----------------------------------------------------|--------------|----------|
| 867445  | #1 Adams Rite Cam                                  | 10           | 7.20/ea  |
| 867452  | #2 Sargent Cam                                     | 10           | 7.20/ea  |
| 867446  | #3 Corbin Clover Leaf Cam                          | 10           | 7.20/ea  |
| 867447  | #4 Corbin Beaver Tail Cam                          | 10           | 8.10/ea  |
| 872610  | #5 Yale/Standard Cam                               | 10           | 7.21/ea  |
| 867453  | #6 Schlage "L" Cam                                 | 10           | 17.35/ea |
| 805412  | #7 Segal Type Cam                                  | 10           | 17.35/ea |
| 806471  | #8 Jumbo Corbin Cam                                | 10           | 17.35/ea |
| 907306  | #9 Best 30H Series                                 | 10           | 17.87/ea |
| 353445  | #10 Airteq/Norment Cam                             | 10           | 6.95/ea  |
| 809337  | #11 Airteq/Norment Mogul Cam                       | 10           | 18.50/ea |
| 354945  | #12 Corbin Jumbo Clover Leaf Cam                   | 10           | 18.50/ea |
| 355849  | #13 Sargent Short Cam                              | 10           | 18.50/ea |
| 355850  | #14 Sargent Mogul                                  | 10           | 18.50/ea |
| 872612  | #15 Yale Replacement Cam                           | 10           | 17.35/ea |
| 867450  | Horizontal & Vertical Rim Tailpiece kit            |              | 23.75/ea |
| 867451  | Lazy-motion Rim Tailpiece kit                      |              | 23.75/ea |
| 868958  | Schlage KIK Plug Cap                               | 10           | 3.66/ea  |
| 92C-127 | Schlage KIK Plug Cap Spring                        | 100          | 1.30/ea  |
| 868960  | Schlage KIK Plug Cap Pin                           | 100          | 1.30/ea  |
| 804877  | Schlage Break-off Tailpiece                        | 10           | 7.42/ea  |
| 868654  | Corbin New Style Standard-duty Tailpiece           | 100          | 4.12/ea  |
| 868624  | Rollpin - Corbin                                   | 10           | 1.30/ea  |
| 868231  | Cylinder Plug Retaining Ring                       | 100          | 1.31/ea  |
| 900250  | Sargent 6-line, Arrow Tailpiece (short)            |              | 3.97/ea  |
| 900251  | Sargent 6-line, Arrow Tailpiece (long)             |              | 3.97/ea  |
| 900252  | Sargent 6-line, Arrow Tailpiece retaining ring     |              | 1.30/ea  |
| 900253  | Sargent/Arrow Tailpiece (Med.)                     |              | 3.32/ea  |
| 900254  | Sargent 11-line T-Zone Tailpiece                   |              | 7.42/ea  |
| 900256  | Yale Key-In-Lever Tailpiece                        |              | 9.84/ea  |
| 900257  | Yale Key-In-Lever Roll Pin                         |              | 3.66/ea  |
| 867045  | Oval Cylinder Tailpiece                            | 50           | 5.36/ea  |
| 803169  | Oval Cylinder Tailpiece, 505 Lock Function         |              | 16.80/ea |
| 867046  | Tailpiece Washer                                   | 50           | 5.61/ea  |
| 867090  | Phillips Screws for Cams, Mortise & Oval Tailpiece | 100          | 1.85/ea  |
| 868138  | Slotted Screws for Rim Tailpiece                   | 100          | 1.95/ea  |
| 868134  | Tail Extension for Rim Cylinder                    |              | 17.15/ea |
| 867109  | Break-off Tailpiece for V/H Rim Cylinder           |              | 10.45/ea |
| 868136  | Lazy Motion Tailpiece for Rim Cylinder             |              | 10.15/ea |
| 867454  | Sargent RC Tailpiece (7 Line Lever)                |              | 15.30/ea |
| 867455  | Sargent RC Tailpiece (10 Line Lever)               |              | 15.30/ea |
| 867456  | Sargent RC Tailpiece (11 Line Lever)               |              | 15.30/ea |

## Pin Kits & Tools

### Pin Kits & Tools

| Model No. | Notes | Description                                                 | Price    |
|-----------|-------|-------------------------------------------------------------|----------|
| PK-1      |       | Pin Kit No.1 Full-Size Standard Kit for Twin                | 955.10   |
| PK-IC     |       | Pin Kit-Interchangeable Core Upgrade                        | 895.50   |
| PK-MM     |       | Micro Mini Pin Kit                                          | 209.00   |
| PK-CAM    |       | PK Cam Lock Upgrade                                         | 149.40   |
| MPK       |       | Master Pinning Kit Twin & IC                                | 1,671.20 |
| 869018    |       | Twin Series Cutter Wheel for HPC Code Max CM90Z/.032"       | 591.80   |
| 869017    |       | Twin Series Framon Cutter Wheel                             | 509.10   |
| 867056    |       | Cutter Wheel for PS-7000R                                   | 688.50   |
| KXASDC    |       | Depth Cam for KX-1 ASSA                                     | 193.80   |
| KXASSC    |       | Space Cam for KX-1 ASSA                                     | 193.80   |
| KXAS01    |       | Cam Set for KX-1                                            | 414.05   |
| KXAS02    |       | Cam Set Plus Vise                                           | 699.50   |
| KXAS03    |       | Cam Set Plus Cutter                                         | 891.15   |
| KXAS04    |       | Cam Set (Cutter Vise)                                       | 1,208.85 |
| F2SH050A  |       | ASSA Vise                                                   | 318.35   |
| 807718    |       | ASSA Lock Spray Lubricant                                   | 22.80    |
| 816296    |       | ASSA Lock Spray Cleaner/De-Icer                             | 22.80    |
| PL872630  |       | ASSA Maximum+ Cutaway                                       | 262.55   |
| PS-6000T  |       | Positive Stop Code Key Machine                              | 6,987.90 |
| 907200    |       | PK-1 Pin Kit Box Only                                       | 211.05   |
| 907205    |       | PK-IC Pin Kit Box IC Only                                   | 217.45   |
| 907206    |       | MPK Pin Kit Box Only                                        | 288.10   |
| 907207    |       | Micro Mini Pin Kit Box Only                                 | 96.20    |
| 907208    |       | Pin Kit Cam Lock Upgrade Box Only                           | 96.20    |
| 907009    |       | Clear Deadbolt Mounting Ring                                | 23.00    |
| SGTRCTOOL |       | Shearing Tool for Sargent style Interchangeable Core        | 436.00   |
| CRRCTOOL  |       | Shearing Tool for Corbin Russwin style Interchangeable Core | 436.00   |
| KD-98     |       | ASSA Key Gauge                                              | 42.00    |
| 907044    |       | ASSA Plug Follower                                          | 6.49     |
| 907046    |       | ASSA Screwdriver                                            | 18.23    |



## Rim Cylinders

| Model#/Tailpiece                      | Notes | Description                                            | Comp   | Sub    | SNS    |
|---------------------------------------|-------|--------------------------------------------------------|--------|--------|--------|
| <b>Twin Pro Rim Cylinders</b>         |       |                                                        |        |        |        |
| 6151- (Specify Tailpiece H, V, or L)  | †     | 1-1/8" Rim Cylinder                                    | 154.00 | 144.25 | 137.00 |
| 7151- (Specify Tailpiece H, V, or L)  | †     | Corbin Jumbo Rim Cylinder                              | 291.00 | 281.50 | 274.50 |
| S6151- (Specify Tailpiece H, V, or L) | †     | Special SARGENT Cylinder (Drilled for SARGENT Devices) | 161.50 | 153.50 | 146.50 |

Note: All rim cylinders are supplied with a spring loaded collar.

† Available in special function cylinders, see page 3, add \$34.60.

Note: V = Vertical; H = Horizontal; L = Lazy Motion.

## Mortise and Rim IC Cylinders

| Model#/Cam/Tailpiece                                                               | Notes | Description                             | Comp   | Sub    | SNS    |
|------------------------------------------------------------------------------------|-------|-----------------------------------------|--------|--------|--------|
| <b>Twin Pro Mortise &amp; Rim IC Cylinders</b>                                     |       |                                         |        |        |        |
| 6152IC- (Specify Cam – See below for pricing. For Cams 7-15 add \$5.00 Cyl. price) |       | 1-1/4" IC Mortise Cylinder              | 202.25 | 194.75 | 187.75 |
| 6152IC- (Specify Tailpiece H, V or L)                                              |       | 1-1/4" IC Rim Cylinder                  | 209.00 | 201.50 | 194.50 |
| 7151IC- (Specify Cam)                                                              |       | 1-1/4" Corbin Jumbo IC Mortise Cylinder | 338.50 | 331.00 | 324.00 |
| 7151IC- (Specify Tailpiece H, V or L)                                              |       | 1-1/4" Corbin Jumbo IC Rim Cylinder     | 348.00 | 340.50 | 333.50 |
| <b>Interchangeable Cores Only</b>                                                  |       |                                         |        |        |        |
| 61600IC                                                                            |       | ASSA IC 6 Pin Core Only                 | 118.00 | 112.50 | 105.50 |
| 69060IC                                                                            | †     | Sargent IC 6 Pin Core Only              | 118.00 | 112.50 | 105.50 |
| 61060IC                                                                            |       | Schlage IC 6 Pin Core Only              | 118.00 | 112.50 | 105.50 |
| 68060IC                                                                            |       | Yale Style IC 6 Pin Core Only           | 118.00 | 112.50 | 105.50 |

For temporary cores refer to Red Core on page 2.

† This cylinder requires a modified tailpiece for cylindrical locks or part # SGTRCTOOL for mortise cylinders. See Page 45.

## Key-in-Knob/Lever Cylinders

| Make                  | Model#   | Description                                                                                                                                                                                                                                                                                                               | Comp   | Sub    | SNS    |
|-----------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|--------|
| <b>Schlage</b>        |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61611    | Standard and heavy-duty 6-pin, includes cap, pin, spring and break-off tailpiece. For B series Deadbolts Corbin/Russwin CL3300, CL3400, CL3600, CL3700, CK4700, CL3900 (Must use original manufacturer's tailpiece and stabilizing sleeve). CK4400 for all functions except 29, 55, & 82. Also use for A5 & N5 exit trim. | 114.50 | 107.00 | 100.00 |
| <b>Yale</b>           |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61631    | Standard and heavy-duty                                                                                                                                                                                                                                                                                                   | 114.50 | 107.00 | 100.00 |
| <b>Yale</b>           |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61632    | Key-In-Lever style                                                                                                                                                                                                                                                                                                        | 114.50 | 107.00 | 100.00 |
| <b>Corbin/Russwin</b> |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61651    | Heavy-duty, new style (Not 3400, 3600, 3800 series) Use for CK4200, & UT5200                                                                                                                                                                                                                                              | 114.50 | 107.00 | 100.00 |
| <b>Corbin/Russwin</b> |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61652    | Standard-duty, new style tailpiece included. For CK4300, 5600, & B2, G2, G3 exit trim                                                                                                                                                                                                                                     | 114.50 | 107.00 | 100.00 |
| <b>Corbin/Russwin</b> |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61653    | Russwin cylinder 19F35                                                                                                                                                                                                                                                                                                    | 142.25 | 134.75 | 127.75 |
| <b>Corbin/Russwin</b> |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61654    | Russwin cylinder 25F26, 25F56, 24F15, 67F69, 55F76                                                                                                                                                                                                                                                                        | 142.25 | 134.75 | 127.75 |
| <b>Corbin/Russwin</b> |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61655    | Russwin cylinder 25F65                                                                                                                                                                                                                                                                                                    | 142.25 | 134.75 | 127.75 |
| <b>Sargent</b>        |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61671    | Integra                                                                                                                                                                                                                                                                                                                   | 142.25 | 134.75 | 127.75 |
| <b>Sargent</b>        |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61672    | Heavy-duty 7, 8, 9 lines KIK                                                                                                                                                                                                                                                                                              | 114.50 | 107.00 | 100.00 |
| <b>Sargent</b>        |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61673    | Standard duty 3 tailpieces included 6 Line KIK, 7 Line KIL, 10 Line KIL                                                                                                                                                                                                                                                   | 114.50 | 107.00 | 100.00 |
| <b>Sargent T-Zone</b> |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61673-TZ | T-Zone 11 Line KIL                                                                                                                                                                                                                                                                                                        | 114.50 | 107.00 | 100.00 |
| <b>Arrow</b>          |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61691    | Standard and heavy-duty, 3 tailpiece included for Arrow C, H, L, M, Q, S & W Series Key-in-Knob & Key-in-Lever styles                                                                                                                                                                                                     | 114.50 | 107.00 | 100.00 |
| <b>Arrow</b>          |          |                                                                                                                                                                                                                                                                                                                           |        |        |        |
| Twin Pro              | 61692    | For Arrow deadbolts only, includes tailpieces for double & single cylinders                                                                                                                                                                                                                                               | 114.50 | 107.00 | 100.00 |

# Deadbolts

## 6000 Series Grade 1 Deadbolt Locks

| Model #         | Description                  | Comp   | Sub    | SNS    |
|-----------------|------------------------------|--------|--------|--------|
| <b>Twin Pro</b> |                              |        |        |        |
| 6100            | Single cylinder w/thumbturn  | 298.00 | 289.00 | 284.00 |
| 6100DC          | Double cylinder              | 416.75 | 407.75 | 399.25 |
| 6100NT          | Single cylinder no thumbturn | 268.75 | 261.25 | 254.25 |
| 6100LB          | Single cylinder less bolt    | 179.00 | 171.50 | 164.50 |
| 6100DCLB        | Double cylinder less bolt    | 286.00 | 271.50 | 257.00 |

## M80 Series Grade 2 Deadbolt Locks

| Model #         | Description                 | Comp   | Sub    | SNS    |
|-----------------|-----------------------------|--------|--------|--------|
| <b>Twin Pro</b> |                             |        |        |        |
| 61M80           | Single cylinder w/thumbturn | 148.25 | 140.75 | 133.75 |
| 61M80DC         | Double cylinder             | 232.50 | 217.50 | 203.50 |

## 6000 Series Grade 1 Deadbolt Locks Interchangeable Core

| Model #         | Description        | Comp   | Sub    | SNS    |
|-----------------|--------------------|--------|--------|--------|
| <b>Twin Pro</b> |                    |        |        |        |
| 6100IC          | Single cylinder IC | 387.50 | 380.00 | 373.00 |
| 6100DCIC        | Double cylinder IC | 446.50 | 431.50 | 423.00 |

## 6000 Series Deadbolt Cylinders Only

| Model #         | Description                  | Comp   | Sub    | SNS    |
|-----------------|------------------------------|--------|--------|--------|
| <b>Twin Pro</b> |                              |        |        |        |
| 6181            | Outside cylinder             | 180.75 | 173.25 | 166.25 |
| 6182            | Inside cylinder              | 180.75 | 173.25 | 166.25 |
| 6183            | Inside & Outside cylinder    | 362.00 | 347.00 | 333.00 |
| 6181IC          | Outside IC cylinder          | 291.00 | 283.50 | 276.50 |
| 6182IC          | Inside IC cylinder           | 291.00 | 283.50 | 276.50 |
| 6183IC          | Inside & Outside IC cylinder | 594.25 | 579.75 | 565.25 |

## Auxiliary Locks

### Cam Locks

| Model           | Description                     | Comp  | Sub   | SNS   |
|-----------------|---------------------------------|-------|-------|-------|
| <b>Twin Pro</b> |                                 |       |       |       |
| 6171            | Key Retaining Cam Lock 90°      | 86.00 | 78.25 | 71.50 |
| 7171            | Non-Key Retaining Cam Lock 360° | 93.00 | 85.25 | 78.50 |

### Utility Locks

| Model           | Description  | Comp   | Sub    | SNS    |
|-----------------|--------------|--------|--------|--------|
| <b>Twin Pro</b> |              |        |        |        |
| 6180            | Utility Lock | 116.50 | 108.75 | 102.00 |

### Cabinet Locks

| Model           | Description              | Comp   | Sub    | SNS    |
|-----------------|--------------------------|--------|--------|--------|
| <b>Twin Pro</b> |                          |        |        |        |
| 61700AS-138     | 1-3/8" Door Lock         | 141.00 | 133.25 | 126.50 |
| 61800AS-138     | 1-3/8" Drawer Lock       | 141.00 | 133.25 | 126.50 |
| 61850AS-078     | 7/8" Deadlocking Latch   | 169.25 | 161.50 | 154.75 |
| 61850AS-138     | 1-3/8" Deadlocking Latch | 171.25 | 163.50 | 156.75 |

### Keyswitches With Single Gang Plate

| Model           | Description                        | Comp   | Sub    | SNS    |
|-----------------|------------------------------------|--------|--------|--------|
| <b>Twin Pro</b> |                                    |        |        |        |
| 6700            | Single Gang Plate Bi/LED Momentary | 358.75 | 351.25 | 344.25 |
| 6771            | Single Gang Plate Bi/LED On/Off    | 358.75 | 351.25 | 344.25 |

### Keyswitches With Narrow Stile Plate

| Model           | Description                         | Comp   | Sub    | SNS    |
|-----------------|-------------------------------------|--------|--------|--------|
| <b>Twin Pro</b> |                                     |        |        |        |
| 6700-N          | Narrow Stile Plate Bi/LED Momentary | 317.50 | 310.00 | 303.00 |
| 6771-N          | Narrow Stile Plate Bi/LED On/Off    | 317.50 | 310.00 | 303.00 |

### Mortise Keyswitches With Single Gang Plate

| Model           | Notes | Description                                                              | Comp   | Sub    | SNS    |
|-----------------|-------|--------------------------------------------------------------------------|--------|--------|--------|
| <b>Twin Pro</b> |       |                                                                          |        |        |        |
| 6151MKS         | *     | Single Gang Plate Mortise Bi/LED with One SPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| 6151MKSA        | *     | Single Gang Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| 6151MKS2        | *     | Single Gang Plate Mortise Bi/LED with One DPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| 6151MKS2A       | *     | Single Gang Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |

\* Mortise Keyswitch assemblies can take up to two switches and are supplied with one switch. All switches are listed on page 34.

## Auxiliary Locks

### Mortise Keyswitches With Narrow Stile Plate

| Model           | Notes | Description                                                               | Comp   | Sub    | SNS    |
|-----------------|-------|---------------------------------------------------------------------------|--------|--------|--------|
| <b>Twin Pro</b> |       |                                                                           |        |        |        |
| 6151MKS-N       | *     | Narrow Stile Plate Mortise Bi/LED with One SPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| 6151MKSA-N      | *     | Narrow Stile Plate Mortise Bi/LED with One SPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |
| 6151MKS2-N      | *     | Narrow Stile Plate Mortise Bi/LED with One DPDT Momentary Switch          | 390.25 | 380.75 | 373.75 |
| 6151MKS2A-N     | *     | Narrow Stile Plate Mortise Bi/LED with One DPDT Alternate - On/Off Switch | 390.25 | 380.75 | 373.75 |

\* Mortise Keyswitch assemblies can take up to two switches and are supplied with one switch. All switches are listed below.

### Optional Switches for Mortise Switch Plates

| Model   | Description             | Price  |
|---------|-------------------------|--------|
| ASMKS   | SPDT Momentary          | 85.20  |
| ASMKSA  | SPDT Alternate (ON/OFF) | 85.20  |
| ASMKS2  | DPDT Momentary          | 135.20 |
| ASMKS2A | DPDT Alternate (ON/OFF) | 135.20 |

### Keyswitches

| Model           | Description                | Comp   | Sub    | SNS    |
|-----------------|----------------------------|--------|--------|--------|
| <b>Twin Pro</b> |                            |        |        |        |
| 6700-LP         | Keyswitch Switch Momentary | 262.25 | 254.75 | 247.75 |
| 6771-LP         | Keyswitch Switch On/Off    | 262.25 | 254.75 | 247.75 |



[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

[illegible]





ASSA, Inc.

110 Sargent Drive, P.O. Box 9453  
New Haven, CT 06534-0453

Phone: 800-235-7482 • Fax: 800-892-3256

E-mail: [AssaOrders@assalock.com](mailto:AssaOrders@assalock.com).

Websites: [www.assalock.com](http://www.assalock.com) • [www.assacliq.com](http://www.assacliq.com)



ASSA ABLOY is the  
global leader in door  
opening solutions  
dedicated to satisfying  
end-user needs for  
security, safety and  
convenience.