

## UTC 2018 List Prices

| Part Number   | Product Description   | List Price | Reference           | Group                                    | Published Lead Time (Days) |
|---------------|---|------------|---------------------|--|----------------------------|
| 1005-N        | Mini-Magnapull Pull-Apart Magnetic Contact, Surface Mount.  | 15.04      | Sensors & Detectors | Magnapull Contacts                       | 3                          |
| 1005N-10PKG   | Mini-Magnapull Pull-Apart Magnetic Contact, Surface Mount. 10-Pack  | 157.90     | Sensors & Detectors | Magnapull Contacts                       | 20                         |
| 1015-N        | Recessed Contact w/Wire Leads, 1/4" Diameter, White, 3/8" Gap Size  | 7.83       | Sensors & Detectors | 1015 Series 1/4" w/Leads                 | 3                          |
| 103-20        | Single Action (SPST) Manual Fire Alarm Station w/Hex Reset  | 34.96      | Fire                | 103 Series Manual Fire Alarm Stations    | 3                          |
| 103-21        | Single Action (DPST) Manual Fire Alarm Station w/Hex Reset  | 49.80      | Fire                | 103 Series Manual Fire Alarm Stations    | 20                         |
| 103-22        | Dual Action (SPST) Manual Fire Alarm Station w/Hex Reset  | 51.22      | Fire                | 103 Series Manual Fire Alarm Stations    | 20                         |
| 103-22S       | Dual Action (SPST) Manual Fire Alarm Station w/Hex Reset and NY Stripe  | 69.68      | Fire                | 103 Series Manual Fire Alarm Stations    | 20                         |
| 103-23        | Dual Action (DPST) Manual Fire Alarm Station w/Hex Reset  | 59.72      | Fire                | 103 Series Manual Fire Alarm Stations    | 20                         |
| 103-25        | Red Surface Back Box for 103-20 Through 103-42  | 25.56      | Fire                | Accessories                              | 3                          |
| 103-26        | Replacement Glass Rod for 103-20 Through 103-60   | 5.70       | Fire                | Accessories                              | 20                         |
| 1032-N        | Surface Miniature Flange Mount Contact w/Wire Leads, Closed Loop, White, 5/8" Gap Size  | 6.11       | Sensors & Detectors | 1032 Series Miniature Flange w/Leads     | 3                          |
| 1032W-N       | Surface Miniature Flange Mount Contact w/Wire Leads, Closed Loop, Wide Gap, White, 1" Gap Size  | 6.93       | Sensors & Detectors | 1032 Series Miniature Flange w/Leads     | 3                          |
| 103-31        | Single Action (SPST) Manual Fire Alarm Station w/Key Reset  | 48.40      | Fire                | 103 Series Manual Fire Alarm Stations    | 20                         |
| 103-36        | Replacement Glass Rod for 103-31  | 4.26       | Fire                | Accessories                              | 20                         |
| 103-42        | Dual Action (SPST) Manual Fire Alarm Station w/Key Reset  | 56.46      | Fire                | 103 Series Manual Fire Alarm Stations    | 3                          |
| 1035-N        | Surface Mount Miniature Self-Adhesive Contact w/Wire Leads, Closed Loop, White, Closed Loop. 5/8" Gap Size  | 5.54       | Sensors & Detectors | 1035 Series Miniature w/Leads            | 3                          |
| 1035W-N       | Surface Mount Miniature Self-Adhesive Contact w/Wire Leads, Closed Loop, Wide Gap, White, Closed Loop. 1" Gap Size  | 6.64       | Sensors & Detectors | 1035 Series Miniature w/Leads            | 3                          |
| 103-60        | Weatherproof, Single Action (SPST) Manual Fire Alarm Station w/Key Reset, Back Box  | 134.82     | Fire                | 103 Series Manual Fire Alarm Stations    | 20                         |
| 1038-M        | Surface Mount Magnetic Contact w/Wire Leads, Closed Loop, Brown, Closed Loop. 1" Gap Size   | 3.91       | Sensors & Detectors | 1038 Series w/Leads                      | 3                          |
| 1038-N        | Surface Mount Magnetic Contact w/Wire Leads, Closed Loop, White, Closed Loop. 1" Gap Size   | 3.91       | Sensors & Detectors | 1038 Series w/Leads                      | 3                          |
| 1038T-N       | Surface Screw Mount Terminal Contact, Closed Loop, White, 1" Gap Size. Tape or Screw Mounting   | 5.99       | Sensors & Detectors | 1038T Series Screw w/Terminals           | 3                          |
| 104-15        | 135° Fixed Temperature, Single Circuit  | 18.48      | Fire                | 104 Series Heat Detectors                | 3                          |
| 104-16        | 194° Fixed Temperature, Single Circuit  | 17.48      | Fire                | 104 Series Heat Detectors                | 20                         |
| 1042TW-M      | Industrial Surface Mount Terminal Contact, Closed Loop, Extra Wide Gap, Brown, 3" Gap Size  | 17.93      | Sensors & Detectors | 1045T Series w/Terminals                 | 3                          |
| 1042TW-N      | Industrial Surface Mount Terminal Contact, Closed Loop, Extra Wide Gap, White, 3" Gap Size  | 17.93      | Sensors & Detectors | 1045T Series w/Terminals                 | 3                          |
| 1044TW-N      | Industrial Surface Mount Terminal Contact, SPDT, Extra Wide Gap, White, 3" Gap Size. Single Pole-Double Throw   | 26.15      | Sensors & Detectors | 1045T Series w/Terminals                 | 3                          |
| 1045T-G       | Industrial Surface Mount Terminal Contact, Closed Loop, Grey, 1 1/4" Gap Size   | 12.41      | Sensors & Detectors | 1045T Series w/Terminals                 | 3                          |
| 1045T-M       | Industrial Surface Mount Terminal Contact, Closed Loop, Brown, 1 1/4" Gap Size  | 12.41      | Sensors & Detectors | 1045T Series w/Terminals                 | 3                          |
| 1045T-N       | Industrial Surface Mount Terminal Contact, Closed Loop, White, 1 1/4" Gap Size  | 12.41      | Sensors & Detectors | 1045T Series w/Terminals                 | 3                          |
| 1045W-G       | Industrial Surface Mount Contact w/Wire Leads, Closed Loop, Wide Gap, Grey, 3" Gap Size   | 15.79      | Sensors & Detectors | 1045 Series w/Leads                      | 3                          |
| 1045WG-5PKG   | Surface Mount, Industrial Steel Door Wide Gap, Grey, 5-Pack   | 78.96      | Sensors & Detectors | 1045 Series w/Leads                      | 20                         |
| 1045W-N       | Industrial Surface Mount Contact w/Wire Leads, Closed Loop, Wide Gap, White, 3" Gap Size  | 15.79      | Sensors & Detectors | 1045 Series w/Leads                      | 3                          |
| 1047H-N       | Industrial Surface Mount Contact w/Wire Leads, Higher Security, SPDT, White, Biased for Higher Security Applications. 3/8" to 1 1/4" Gap Size. Single Pole-Double Throw | 45.15      | Sensors & Detectors | 1045 Series w/Leads                      | 3                          |
| 1047T-N       | Industrial Surface Mount Terminal Contact, SPDT, White, 1 1/4" Gap Size. Single Pole-Double Throw   | 18.46      | Sensors & Detectors | 1045T Series w/Terminals                 | 3                          |
| 1055-N        | Recessed Contact w/Wire Leads, 1/4" Diameter, White, 1/2" Gap Size  | 4.64       | Sensors & Detectors | 1055 Series 1/4" w/Leads                 | 3                          |
| 1055W-N       | Recessed Contact w/Wire Leads, 1/4" Diameter, Wide Gap, White, 1 1/4" Gap Size  | 5.59       | Sensors & Detectors | 1055 Series 1/4" w/Leads                 | 3                          |
| 1056          | Magnet, 1/4" Diameter x 1 3/16" Long  | 3.28       | Sensors & Detectors | Individual Magnets                       | 20                         |
| 1057          | Magnet, 3/8" Diameter x 1 1/2" Long   | 6.22       | Sensors & Detectors | Individual Magnets                       | 20                         |
| 1058-N        | 1/4 DIA. STUBBY/CLOSED LOOP, WHITE  | 13.82      | Sensors & Detectors | 1058 Series 1/4" Stubby w/Leads          | 3                          |
| 1060050A      | Pendant Adapter for PTZ, 1 1/4 NPT, Rubber Boot, Gray (used with outdoor pendant)   | 40.00      | PTZ Cameras         | Mounting Accessories                     | 3                          |
| 1065W-N       | Recessed Press Fit switch. 3/8" diameter magnetic contact with Wire Leads, White Finish   | 5.59       | Sensors & Detectors | 1065 Series 3/8" Flanged w/Leads         | 3                          |
| 1070-N        | Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, SPDT, White, 1/2" Gap Size. Single Pole-Double Throw  | 14.62      | Sensors & Detectors | 1075 Series 3/8" Press Fit w/Leads       | 3                          |
| 1072-N        | Recessed Flanged Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size  | 8.65       | Sensors & Detectors | 1072 Series 3/8" Flanged w/Leads         | 3                          |
| 1075-M        | Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Brown, 1/2" Gap Size   | 2.50       | Sensors & Detectors | 1075 Series 3/8" Press Fit w/Leads       | 3                          |
| 1075M-10PKG   | Recessed Mount Press Fit, 3/8" Diameter, Brown. 10-Pack   | 25.01      | Sensors & Detectors | 1075 Series 3/8" Press Fit w/Leads       | 20                         |
| 1075-N        | Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, White, 1/2" Gap Size   | 2.50       | Sensors & Detectors | 1075 Series 3/8" Press Fit w/Leads       | 3                          |
| 1075N-10PKG   | Recessed Mount Press Fit, 3/8" Diameter, White. 10-Pack   | 25.01      | Sensors & Detectors | 1075 Series 3/8" Press Fit w/Leads       | 20                         |
| 1075T-N       | Recessed Press Fit Contact w/Wire w/Terminals, 3/8" Diameter, White, 1/2" Gap Size  | 6.93       | Sensors & Detectors | 1075-T Series 3/8" Press Fit w/Terminals | 3                          |
| 1075W-M       | Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Wide Gap, Brown, 1 1/4" Gap Size   | 4.75       | Sensors & Detectors | 1075 Series 3/8" Press Fit w/Leads       | 3                          |
| 1075W-N       | Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Wide Gap, White, 1 1/4" Gap Size   | 4.75       | Sensors & Detectors | 1075 Series 3/8" Press Fit w/Leads       | 3                          |
| 1076CD-N      | Recessed Steel Door Mount, 3/4" Diameter, DPDT, White   | 36.90      | Sensors & Detectors | 1078C 3/4" w/Leads                       | 3                          |
| 1076CDN-10PKG | Recessed Steel Door Mount, 3/4" Diameter, DPDT, White. 10-Pack  | 369.05     | Sensors & Detectors | 1078C 3/4" w/Leads                       | 3                          |
| 1076CH-N      | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Higher Security, White, Biased for Higher Security Applications. Single Pole-Double Throw                      | 30.68      | Sensors & Detectors | 1078C 3/4" w/Leads                       | 3                          |
| 1076C-M       | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, SPDT, Brown, 3/8" Gap Size. Single Pole-Double Throw   | 18.38      | Sensors & Detectors | 1078C 3/4" w/Leads                       | 3                          |
| 1076C-N       | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, SPDT, White, 3/8" Gap Size. Single Pole-Double Throw   | 18.38      | Sensors & Detectors | 1078C 3/4" w/Leads                       | 3                          |
| 1076CW-M      | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Wide Gap, SPDT, Brown, 3/4" Gap Size. Single Pole-Double Throw   | 30.35      | Sensors & Detectors | 1078C 3/4" w/Leads                       | 3                          |
| 1076CW-N      | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Wide Gap, SPDT, White, 3/4" Gap Size. Single Pole-Double Throw   | 30.35      | Sensors & Detectors | 1078C 3/4" w/Leads                       | 3                          |
| 1076D-G       | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, DPDT, Grey, 1/2" Gap Size. Double Pole-Double Throw  | 31.04      | Sensors & Detectors | 1078 Series 1" w/Leads                   | 3                          |
| 1076D-M       | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, DPDT, Brown, 1/2" Gap Size. Double Pole-Double Throw   | 31.04      | Sensors & Detectors | 1078 Series 1" w/Leads                   | 3                          |
| 1076DM-10PKG  | Recessed Steel Door Mount, 1" Diameter, Brown, DPDT. 10-Pack  | 310.49     | Sensors & Detectors | 1078 Series 1" w/Leads                   | 3                          |
| 1076D-N       | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, DPDT, White, 1/2" Gap Size. Double Pole-Double Throw   | 31.04      | Sensors & Detectors | 1078 Series 1" w/Leads                   | 3                          |

|                |  |        |                     |                                |    |
|----------------|--|--------|---------------------|--------------------------------|----|
| 1076DN-10PKG   | Recessed Steel Door Mount, 1" Diameter, DPDT, 10-Pack  | 310.49 | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1076-G         | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, SPDT, Grey, 1/2" Gap Size. Single Pole-Double Throw   | 18.38  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1076G-10PKG    | Recessed Steel Door Mount, 1" Diameter, Grey, 10-Pack  | 183.60 | Sensors & Detectors | 1078 Series 1" w/Leads         | 20 |
| 1076H-N        | Recessed Steel Door Contact w/Leads, 1" Diameter, High Security, SPDT, White, Biased for Higher Security. 1/2" gap. Single Pole-Double Throw       | 37.42  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1076-M         | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, SPDT, Brown, 1/2" Gap Size. Single Pole-Double Throw  | 18.38  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1076-N         | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, SPDT, White, 1/2" Gap Size. Single Pole-Double Throw  | 18.38  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1076W-M        | Recessed Steel Door Contact w/Leads, 1" Diameter, SPDT, Wide Gap, Brown, 1" Gap Size. Single Pole-Double Throw                                     | 30.35  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1076W-N        | Recessed Steel Door Contact w/Leads, 1" Diameter, SPDT, Wide Gap, White, 1" Gap Size. Single Pole-Double Throw                                     | 30.35  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1077CW-N       | Recessed Steel Door Terminal Contact, 3/4" Diameter, Wide Gap, White, 2" Gap Size (3/4" in Steel)  | 30.07  | Sensors & Detectors | 1078 Series 3/4" w/Leads       | 3  |
| 1078C1-M       | 1078C w/1929 Magnet Brown  | 7.85   | Sensors & Detectors | 1078C 3/4" w/Leads             | 3  |
| 1078C1M-10PKG  | Recessed Steel Door Mount, 3/4" Diameter, w/1929 Magnet, Brown, 10-Pack  | 78.37  | Sensors & Detectors | 1078C 3/4" w/Leads             | 20 |
| 1078C-G        | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Grey, 3/8" Gap Size  | 12.66  | Sensors & Detectors | 1078C 3/4" w/Leads             | 3  |
| 1078CG-10PKG   | Recessed Steel Door Mount, 3/4" Diameter, Grey, 10-Pack  | 126.65 | Sensors & Detectors | 1078C 3/4" w/Leads             | 3  |
| 1078C-M        | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Brown, 3/8" Gap Size   | 12.66  | Sensors & Detectors | 1078C 3/4" w/Leads             | 3  |
| 1078C-N        | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, White, 3/8" Gap Size   | 12.66  | Sensors & Detectors | 1078C 3/4" w/Leads             | 3  |
| 1078CN-10PKG   | Recessed Steel Door Mount, 3/4" Diameter, White, 10-Pack   | 126.65 | Sensors & Detectors | 1078C 3/4" w/Leads             | 3  |
| 1078CT-N       | Recessed Steel Door Terminal Contact, 3/4" Diameter, Brown, 7/8" Gap Size (3/8" in Steel)  | 14.22  | Sensors & Detectors | 1078CT 3/4" w/Terminals        | 3  |
| 1078CTM-10PKG  | Recessed Steel Door Mount, 3/4" Diameter w/Terminal, Brown, 10-Pack  | 142.15 | Sensors & Detectors | 1078CT 3/4" w/Terminals        | 20 |
| 1078CT-N       | Recessed Steel Door Terminal Contact, 3/4" Diameter, White, 7/8" Gap Size (3/8" in Steel)  | 14.22  | Sensors & Detectors | 1078CT 3/4" w/Terminals        | 3  |
| 1078CTN-10PKG  | Recessed Steel Door Mount, 3/4" Diameter w/Terminal, White, 10-Pack  | 142.15 | Sensors & Detectors | 1078CT 3/4" w/Terminals        | 20 |
| 1078CTW-N      | Recessed Steel Door Terminal Contact, 3/4" Diameter, Wide Gap, White, 2" Gap Size (3/4" in Steel)  | 16.78  | Sensors & Detectors | 1078CT 3/4" w/Terminals        | 3  |
| 1078CTWN-10PKG | Recessed Steel Door Mount, 3/4" Diameter w/Terminal, 10-Pack   | 167.87 | Sensors & Detectors | 1078CT 3/4" w/Terminals        | 20 |
| 1078CW-G       | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Wide Gap, Grey, 3/4" Gap Size  | 15.10  | Sensors & Detectors | 1078C 3/4" w/Leads             | 3  |
| 1078CWG-10PKG  | Recessed Steel Door Mount, 3/4" Diameter, Wide Gap Grey, 10-Pack   | 150.95 | Sensors & Detectors | 1078C 3/4" w/Leads             | 20 |
| 1078CW-M       | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Wide Gap, Brown, 3/4" Gap Size   | 15.10  | Sensors & Detectors | 1078C 3/4" w/Leads             | 3  |
| 1078CWM-10PKG  | Recessed Steel Door Mount, 3/4" Diameter, Wide Gap Brown, 10-Pack  | 150.95 | Sensors & Detectors | 1078C 3/4" w/Leads             | 20 |
| 1078CW-N       | Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Wide Gap, White, 3/4" Gap Size   | 15.10  | Sensors & Detectors | 1078C 3/4" w/Leads             | 3  |
| 1078-G         | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Grey, 1/2" Gap Size. Closed Loop  | 12.66  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1078G-10PKG    | Recessed Steel Door Mount, 1" Diameter, Grey, 10-Pack  | 126.65 | Sensors & Detectors | 1078 Series 1" w/Leads         | 20 |
| 1078-M         | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Brown, 1/2" Gap Size. Closed Loop   | 12.66  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1078-N         | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, White, 1/2" Gap Size. Closed Loop   | 12.66  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1078N-10PKG    | Recessed Steel Door Mount, 1" Diameter, White, 10-Pack   | 126.65 | Sensors & Detectors | 1078 Series 1" w/Leads         | 20 |
| 1078W-G        | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, Grey, 1" Gap Size. Closed Loop  | 15.10  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1078W-M        | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, Brown, 1" Gap Size. Closed Loop   | 15.10  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1078W-N        | Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, White, 1" Gap Size. Closed Loop   | 15.10  | Sensors & Detectors | 1078 Series 1" w/Leads         | 3  |
| 1080T-N        | Magnet, 1082T Series, White  | 6.93   | Sensors & Detectors | 1082 Series                    | 20 |
| 1080TN-10PKG   | Magnet for 1082 Series, White 10-Pack  | 69.24  | Sensors & Detectors | 1082 Series                    | 20 |
| 1081-N         | Magnet, 1085 Series, White   | 3.89   | Sensors & Detectors | 1085 Series                    | 20 |
| 1081T-N        | Magnet, 1085T/1087T/1085TW/1087TW, White   | 3.89   | Sensors & Detectors | 1085T Series                   | 20 |
| 1082-G         | Surface Screw Mount Contact w/Wire Leads, Long Gap Series, Closed Loop, Grey, 1" Gap Size  | 11.30  | Sensors & Detectors | 1082 Series Screw w/Leads      | 3  |
| 1082-N         | Surface Screw Mount Contact w/Wire Leads, Long Gap Series, Closed Loop, White, 1" Gap Size   | 11.30  | Sensors & Detectors | 1082 Series Screw w/Leads      | 3  |
| 1082TW-M       | Surface Terminal Contact, Extra Wide Gap, Closed Loop, Brown, 2" Gap Size. Includes Cover, Spacer and Screws                                       | 13.55  | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1084D-N        | Surface Screw Mount Contact w/Wire Leads, DPDT, White, 3/4" Gap Size. Double Pole-Double Throw   | 33.52  | Sensors & Detectors | 1082 Series Screw w/Leads      | 3  |
| 1084-M         | Surface Screw Mount Contact w/Wire Leads, Long Gap Series, SPDT, Brown, 1" Gap Size  | 17.16  | Sensors & Detectors | 1082 Series Screw w/Leads      | 20 |
| 1084TW-G       | Surface Terminal Contact, Extra Wide Gap, SPDT, Grey, 2" Gap Size. Single Pole Double Throw  | 29.95  | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1084TW-M       | Surface Terminal Contact, Extra Wide Gap, SPDT, Brown, 2" Gap Size. Single Pole Double Throw   | 29.95  | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1084TW-N       | Surface Terminal Contact, Extra Wide Gap, SPDT, White, 2" Gap Size. Single Pole Double Throw   | 29.95  | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1085-M         | Surface Screw Mount Contact w/Leads, Brown, 5/8" Gap Size  | 7.14   | Sensors & Detectors | 1085 Series Screw w/Leads      | 3  |
| 1085-N         | Surface Screw Mount Contact w/Leads, White, 5/8" Gap Size  | 7.14   | Sensors & Detectors | 1085 Series Screw w/Leads      | 3  |
| 1085T-G        | Surface Screw Mount Terminal Contact, Closed Loop, Grey, 3/4" Gap Size   | 3.34   | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1085T-M        | Surface Screw Mount Terminal Contact, Closed Loop, Brown, 3/4" Gap Size  | 3.34   | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1085TM-10PKG   | Surface Screw Mount Terminal Brown, 10-Pack  | 27.09  | Sensors & Detectors | 1085T Series Screw w/Terminals | 20 |
| 1085T-N        | Surface Screw Mount Terminal Contact, Closed Loop, White, 3/4" Gap Size  | 3.34   | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1085TN-10PKG   | Surface Screw Mount Terminal, White, 10-Pack   | 27.09  | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1085TW-M       | Surface Screw Mt Terminal Contact, Closed Loop, Wide Gap, Brown, 1 1/2" Gap Size   | 8.48   | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1085TW-N       | Surface Screw Mt Terminal Contact, Closed Loop, Wide Gap, White, 1 1/2" Gap Size   | 8.48   | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1085TWN-10PKG  | Surface Screw Mount Wide Gap, w/Terminal, White, 10-Pack   | 84.99  | Sensors & Detectors | 1085T Series Screw w/Terminals | 20 |
| 1085W-M        | Surface Screw Mount Contact w/Leads, Wide Gap, Brown, 1 1/2" Gap Size  | 9.79   | Sensors & Detectors | 1085 Series Screw w/Leads      | 3  |
| 1085W-N        | Surface Screw Mount Contact w/Leads, Wide Gap, White, 1 1/2" Gap Size  | 9.79   | Sensors & Detectors | 1085 Series Screw w/Leads      | 3  |
| 1085WN-10PKG   | Surface Screw Mount, Wide Gap, 10-Pack   | 97.94  | Sensors & Detectors | 1085 Series Screw w/Leads      | 20 |
| 1086-N         | Surface Screw Mount, Open Loop, White  | 10.14  | Sensors & Detectors | 1085T Series Screw w/Terminals | 20 |
| 1086T-N        | Surface Terminal Mount, White, Open Loop   | 16.30  | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1087T-G        | Surface Screw Mount Terminal Contact, SPDT, Grey, 3/4" Gap Size. Single Pole Double Throw  | 13.55  | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |
| 1087TH-N       | Surface Terminal Contact, Higher Security, SPDT, White, Biased for Higher Security Applications. 3/8" to 1 1/4" Gap Size. Single Pole Double Throw | 32.47  | Sensors & Detectors | 1085T Series Screw w/Terminals | 3  |

|               |  |        |                      |  |    |
|---------------|--|--------|----------------------|--|----|
| 1087T-M       | Surface Screw Mount Terminal Contact, SPDT, Brown, 3/4" Gap Size. Single Pole Double Throw   | 13.55  | Sensors & Detectors  | 1085T Series Screw w/Terminals           | 3  |
| 1087T-N       | Surface Screw Mount Terminal Contact, SPDT, White, 3/4" Gap Size. Single Pole Double Throw   | 13.55  | Sensors & Detectors  | 1085T Series Screw w/Terminals           | 3  |
| 1087TW-N      | Surface Screw Mount Terminal Contact, Wide Gap, SPDT, White, 1 1/2" Gap Size. Single Pole Double Throw   | 30.85  | Sensors & Detectors  | 1085T Series Screw w/Terminals           | 3  |
| 1090-G        | Recessed ANSI Switch, SPDT   | 45.34  | Sensors & Detectors  | Recessed ANSI Switch                     | 3  |
| 1092A-L       | Garage Door Track Mounting Kit for 2505A, Aluminum, Includes (1) 1940 Bracket Kit, (1) 1912 Bracket, (1) 2505A Contact                                 | 61.93  | Sensors & Detectors  | 2500 Series                              | 3  |
| 1094A-L       | Chain Link Fence Mounting Kit for 2507A, Aluminum, Includes (1) 1941 Bracket, (1) 1942 Bracket, (1) 2507AH-L Contact, Mounting Screws and Instructions | 109.26 | Sensors & Detectors  | 2500 Series                              | 3  |
| 1125-M        | Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, Brown, 1/4" Gap Size  | 5.19   | Sensors & Detectors  | 1125 3/8" Stubby Press Fit w/Leads       | 3  |
| 1125-N        | Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/4" Gap Size  | 5.19   | Sensors & Detectors  | 1125 3/8" Stubby Press Fit w/Leads       | 3  |
| 1125T-N       | Recessed Stubby Terminal Contact, White, 1/4" Gap Size   | 3.95   | Sensors & Detectors  | 1125T 3/8" Stubby Magnetic w/Terminals   | 3  |
| 1125TN-10PKG  | Recessed Mount, Stubby, 3/8" Diameter, Terminal. 10-Pack   | 39.35  | Sensors & Detectors  | 1125T 3/8" Stubby Magnetic w/Terminals   | 20 |
| 1125TWM-10PKG | Recessed Mount, Stubby w/Terminals, 3/8" Diameter, Wide Gap, Brown. 10-Pack  | 83.90  | Sensors & Detectors  | 1125T 3/8" Stubby Magnetic w/Terminals   | 20 |
| 1125TW-N      | Recessed Stubby Terminal Wide Gap Contact, White, 3/4" Gap Size  | 8.38   | Sensors & Detectors  | 1125T 3/8" Stubby Magnetic w/Terminals   | 3  |
| 1125WB-N      | Recessed Mount, Stubby 3/8" Diameter, Wide Gap, White  | 3.93   | Sensors & Detectors  | 1125T 3/8" Stubby Magnetic w/Terminals   | 20 |
| 1125W-N       | Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, Wide Gap, White, 3/4" Gap Size  | 2.81   | Sensors & Detectors  | 1125 3/8" Stubby Press Fit w/Leads       | 3  |
| 1125WN-10PKG  | Recessed Mount, Stubby, 3/8" Diameter, Wide Gap, White. 10-Pack  | 28.12  | Sensors & Detectors  | 1125 3/8" Stubby Press Fit w/Leads       | 20 |
| 1130N-10PKG   | Recessed Mount, Stubby, 3/8" Diameter, White. 10-Pack  | 116.47 | Sensors & Detectors  | 1125T 3/8" Stubby Magnetic w/Terminals   | 20 |
| 1135T-N       | SURFACE MOUNT MINI TERMINAL/CLOSED LOOP, WHITE   | 7.90   | Sensors & Detectors  | 1135T Series                             | 20 |
| 113-82        | Standard 4 Square Box, Red   | 106.68 | Fire                 | Accessories                              | 20 |
| 1138T-M       | Surface Mount Terminal Contact, Closed Loop, Brown, 1" Gap Size  | 4.81   | Sensors & Detectors  | 1138T Series w/Terminals                 | 3  |
| 1138T-N       | Surface Mount Terminal Contact, Closed Loop, White, 1" Gap Size  | 4.81   | Sensors & Detectors  | 1138T Series w/Terminals                 | 3  |
| 1138TN-10PKG  | Surface Mount w/Terminal, White. 10-Pack   | 38.24  | Sensors & Detectors  | 1138T Series w/Terminals                 | 3  |
| 1145-M        | Surface Mount Ultra-Miniature Contact w/Wire Leads, Brown, 3/8" Gap Size   | 6.64   | Sensors & Detectors  | 1145 Series Ultra-Miniature w/Leads      | 20 |
| 1145-N        | Surface Mount Ultra-Miniature Contact w/Wire Leads, White, 3/8" Gap Size   | 6.64   | Sensors & Detectors  | 1145 Series Ultra-Miniature w/Leads      | 3  |
| 1171TW-N      | Recessed Contact, 1 1/4" Gap Open Loop, White  | 15.29  | Sensors & Detectors  | 1171 Series                              | 3  |
| 1198-M        | Magnet, 1135T Series, Brown  | 3.76   | Sensors & Detectors  | 1135T Series                             | 20 |
| 1225-N        | Recessed Stubby Wing Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size   | 7.31   | Sensors & Detectors  | 1225 Series 3/8" Stubby Wing Fit w/Leads | 3  |
| 1225W-N       | Recessed Stubby Wing Fit Wide Gap Contact w/Wire Leads, 3/8" Diameter, White, 1" Gap Size  | 8.65   | Sensors & Detectors  | 1225 Series 3/8" Stubby Wing Fit w/Leads | 3  |
| 1275-N7       | Recessed Wing Fit Contact w/Wire 6.95 ft. Leads, 3/8" Diameter, Closed Loop, White,  | 8.06   | Sensors & Detectors  | 1275 Series 3/8" Wing Fit w/Leads        | 20 |
| 1275W-N       | Recessed Wing Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Wide Gap, White, 1 1/4" Gap Size   | 6.76   | Sensors & Detectors  | 1275 Series 3/8" Wing Fit w/Leads        | 3  |
| 1277-N        | Recessed Wing Fit Contact w/Wire Leads, 3/8" Diameter, SPDT, White, 1/2" Gap Size. Single Pole-Double Throw  | 12.75  | Sensors & Detectors  | 1275 Series 3/8" Wing Fit w/Leads        | 20 |
| 1285T-M       | Designer Styled Terminal Contact, Brown, 3/4" Gap Size   | 6.72   | Sensors & Detectors  | 1285T Series Designer Styled w/Terminals | 3  |
| 1285T-N       | Designer Styled Terminal Contact, White, 3/4" Gap Size   | 6.72   | Sensors & Detectors  | 1285T Series Designer Styled w/Terminals | 3  |
| 1285TW-N      | Designer Styled Terminal Contact, Wide Gap, White, 1 1/2" Gap Size   | 9.26   | Sensors & Detectors  | 1285T Series Designer Styled w/Terminals | 3  |
| 13-286        | Lens DS9241 PIR, Long Range Barrier, 3-Pack  | 24.11  | Wireless             | Accessories                              | 20 |
| 13-438        | Overhead Garage Door Switch  | 27.34  | Sensors & Detectors  | 2200 Series Floor Mount                  | 20 |
| 13-453        | Interior Speaker, Surface Mount: 8 Ohm, 15W RMS w/20W Peak (Not Investigated By UL)  | 11.74  | Sentrol              | Hardwire Speakers and Sirens             | 3  |
| 13-454        | Interior Speaker, Recess Mount: 8 Ohm, 15W RMS w/20W Peak. (Not Investigated By UL)  | 25.41  | Sentrol              | Hardwire Speakers and Sirens             | 20 |
| 13-469        | Concord Express Dual Tone Siren: This small interior siren is Compatible w/Concord Express Only. Includes siren driver. Provides status and alarms     | 16.61  | Sentrol              | Hardwire Speakers and Sirens             | 3  |
| 13-508X       | 8-zone Hardwire-to-Wireless Universal Translator, UL 1023 Residential Burg listing   | 158.21 | Wireless             | Translators                              | 3  |
| 13-524X       | Universal Wireless-to-Wireless Translator, UL 1023 Residential Burg listing  | 158.21 | Wireless             | Translators                              | 3  |
| 13-552        | Honeywell to 319.5 Wireless Translator   | 121.80 | Wireless             | Accessories                              | 20 |
| 13-553        | 12VDC Transformer  | 10.50  | Wireless             | Accessories                              | 20 |
| 13-949        | Interior Piezo Siren: High Volume, Low-Current Interior Siren. Built-In Tamper Switch, 109 DB, 5-14VDC. UL Listings Approved                           | 23.27  | Sentrol              | Hardwire Speaker and Siren               | 3  |
| 13-950        | Exterior Piezo Siren: New Low-Current Exterior Siren, 111 DB, 5-14VDC  | 27.97  | Sentrol              | Hardwire Speaker and Siren               | 3  |
| 13-CT32       | Programmable Communicating Thermostat  | 239.40 | Interactive Services | Z-Wave Devices                           | 3  |
| 1802          | Magnet, 1/2" x 1/4"  | 4.05   | Sensors & Detectors  | Individual Magnets                       | 20 |
| 1830-10PKG    | Rare Earth Standard Gap Magnet. 10-Pack  | 38.43  | Sensors & Detectors  | Individual Magnets                       | 20 |
| 1835-10PKG    | Rare Earth Wide Gap Magnet. 10-Pack  | 47.69  | Sensors & Detectors  | Individual Magnets                       | 3  |
| 1838-N        | Replacement Magnet   | 2.90   | Sensors & Detectors  | ShatterPoint Tru-Dual Technology         | 20 |
| 1838TN        | Magnet, 1038T Series, White  | 1.85   | Sensors & Detectors  | 1038T Series                             | 20 |
| 1840-N        | Rare Earth Magnet for Steel Doors, 1 5/8" Diameter x 5/8" Long, White  | 7.31   | Sensors & Detectors  | Individual Magnets                       | 3  |
| 1840N-10PKG   | Rare Earth Squish Channel Door Magnet. 10-Pack   | 72.93  | Sensors & Detectors  | Individual Magnets                       | 3  |
| 1901-N        | Empty Shell, 1085 Series, White  | 0.74   | Sensors & Detectors  | 1085 Series                              | 20 |
| 1902N-10PKG   | Empty Shell, 1075 Series, White, 10-Pack   | 7.35   | Sensors & Detectors  | 1075 Series                              | 20 |
| 1905          | RTV Mounting Compound  | 14.07  | Sensors & Detectors  | Accessories                              | 3  |
| 1906-M        | Spacer for 1082/1085 Series, Brown   | 1.20   | Sensors & Detectors  | Brackets and Spacers                     | 20 |
| 1906-N        | Spacer, 1085 Series, White   | 1.20   | Sensors & Detectors  | 1085 Series                              | 20 |
| 1906T-G       | Spacer, 1085T Series, Grey   | 1.32   | Sensors & Detectors  | 1085T Series                             | 20 |
| 1906T-N       | Spacer, 1085T Series, White  | 1.32   | Sensors & Detectors  | 1085T Series                             | 20 |
| 1908C-N       | Adaptor, 3/8" to 3/4", White Use to Adapt Over-Drilled Holes and to Facilitate Wiring, 10-Pack   | 0.67   | Sensors & Detectors  | Accessories                              | 3  |
| 1909-N        | Cover, 1085T Series, White   | 0.57   | Sensors & Detectors  | 1085T Series                             | 20 |
| 19102-L       | Z Bracket, 1045/1045T Series, Aluminum, Refer to Interlogix Catalog for Dimensions   | 3.97   | Sensors & Detectors  | 1045/1045T Series                        | 20 |
| 1910-L        | Z Bracket for 1082/1085T/1285T Series, Aluminum  | 2.67   | Sensors & Detectors  | Brackets and Spacers                     | 20 |
| 1911-L        | L Bracket, 2200 Series   | 6.09   | Sensors & Detectors  | 2200 Series                              | 3  |
| 19122-L       | L Bracket, 1045/1045T Series, Aluminum   | 12.58  | Sensors & Detectors  | 1045/1045T Series                        | 20 |
| 1912-L        | L Bracket for 2207-AH/2215/2505 Series, Aluminum   | 2.94   | Sensors & Detectors  | Brackets and Spacers                     | 3  |
| 1913-L        | Spacer, 2500 Series, Aluminum, Anodized Finish   | 8.46   | Sensors & Detectors  | 2500 Series                              | 3  |
| 1914-G        | Spacer, 1045/1045T Series, Grey  | 0.57   | Sensors & Detectors  | 1045/1045T Series                        | 20 |
| 1914-M        | Spacer, 1045/1045T Series, Brown   | 0.57   | Sensors & Detectors  | 1045/1045T Series                        | 20 |
| 1914-N        | Spacer, 1045/1045T Series, White   | 0.57   | Sensors & Detectors  | 1045/1045T Series                        | 20 |
| 1920D-L       | Magnet, 2500 Series, Double Strength, Aluminum, Anodized Finish  | 30.14  | Sensors & Detectors  | 2500 Series                              | 3  |
| 1920-L        | Magnet for 2505, Aluminum, Anodized Finish   | 19.97  | Sensors & Detectors  | 2500 Series                              | 20 |
| 1921C-M       | Extra Magnet, 1078C Series, Brown, 3/4" Diameter x 1 9/16" Depth   | 6.93   | Sensors & Detectors  | 1078C Series                             | 20 |
| 1921C-N       | Extra Magnet, 1078C Series, White, 3/4" Diameter x 1 9/16" Depth   | 6.93   | Sensors & Detectors  | 1078C Series                             | 3  |

|               |  |                              |                         |    |
|---------------|--|------------------------------|-------------------------|----|
| 1921-M        | Extra Magnet, 1078 Series, Brown, 1" Diameter for Steel Doors, 1/2" Depth  | 6.93 Sensors & Detectors     | 1078 Series             | 20 |
| 1921-N        | Extra Magnet, 1078 Series, White, 1" Diameter for Steel Doors, 1/2" Depth  | 6.93 Sensors & Detectors     | 1078 Series             | 3  |
| 1922-B        | Thin Magnet, 1078 Series, White  | 6.93 Sensors & Detectors     | 1078 Series             | 3  |
| 1923          | Magnet, 3/8" Diameter x 2 1/2" Long  | 8.95 Sensors & Detectors     | Individual Magnets      | 3  |
| 1924-M        | Magnet, 1075 Series, Brown   | 3.89 Sensors & Detectors     | 1075 Series             | 20 |
| 1924-N        | Magnet, 1075 Series, White   | 3.89 Sensors & Detectors     | 1075 Series             | 20 |
| 1927-M        | Magnet, 1035 Series, Brown   | 1.85 Sensors & Detectors     | 1035 Series             | 20 |
| 1927-N        | Magnet, 1035 Series, White   | 1.85 Sensors & Detectors     | 1035 Series             | 3  |
| 1932CM-10PKG  | Empty Shell, 1078C Series, Brown, 10-Pack  | 8.19 Sensors & Detectors     | 1078C Series            | 20 |
| 1932C-N       | Empty Shell, 1078C Series, White   | 0.82 Sensors & Detectors     | 1078C Series            | 20 |
| 1932-N        | Empty Shell, 1078 Series, White, 1" Diameter   | 0.90 Sensors & Detectors     | 1078 Series             | 3  |
| 1933-G        | Magnet, 1045/1045T Series, Grey  | 6.93 Sensors & Detectors     | 1045/1045T Series       | 20 |
| 1933-N        | Magnet, 1045/1045T Series, White   | 6.93 Sensors & Detectors     | 1045/1045T Series       | 20 |
| 1934-G        | Magnet for 1042TW, Grey  | 10.33 Sensors & Detectors    | 1045/1045T Series       | 20 |
| 1934-M        | Magnet for 1042TW, Brown   | 10.33 Sensors & Detectors    | 1045/1045T Series       | 20 |
| 1934-N        | Magnet for 1042TW, White   | 10.33 Sensors & Detectors    | 1045/1045T Series       | 20 |
| 1937-G        | Magnet, 1032 Series, Grey, Includes Magnet and Tape  | 3.89 Sensors & Detectors     | 1032 Series             | 20 |
| 1937-N        | Magnet, 1032 Series, White, Includes Magnet and Tape   | 3.89 Sensors & Detectors     | 1032 Series             | 20 |
| 1937N-10PKG   | Magnet for 1032 Series, White, 10-Pack   | 38.89 Sensors & Detectors    | 1032 Series             | 20 |
| 19401-L       | Garage Door Track Bracket for 1082T-W/1285T-W/2215 Series, Aluminum  | 12.60 Sensors & Detectors    | Brackets and Spacers    | 3  |
| 1940-L        | Garage Door Bracket for 1082TW/1285T-W/2505 Series, Aluminum, Mounts on Wheel Tracks   | 12.60 Sensors & Detectors    | Brackets and Spacers    | 3  |
| 1941-L        | Chain Link Fence Bracket, 2500 Series, Aluminum, Anodized Finish, 1 3/8" to 2 1/2" Posts   | 15.41 Sensors & Detectors    | 2500 Series             | 3  |
| 1942-L        | Chain Link Fence Bracket, 2500 Series, Aluminum, Anodized Finish for 2 1/2" to 4" Posts  | 15.41 Sensors & Detectors    | 2500 Series             | 3  |
| 1943-L        | Spacer, 2700 Series, Aluminum  | 16.91 Sensors & Detectors    | 2700 Series             | 3  |
| 19441-L       | Z Bracket for 2800T, Aluminum  | 16.07 Sensors & Detectors    | 2800T Series            | 3  |
| 19442-L       | L Bracket for 2707A, Aluminum  | 15.41 Sensors & Detectors    | 2700 Series             | 3  |
| 19443-M       | L Bracket for 2800T, Brown   | 18.06 Sensors & Detectors    | 2800T Series            | 3  |
| 1944-L        | Z Bracket, 2700 Series, Aluminum   | 16.91 Sensors & Detectors    | 2700 Series             | 3  |
| 1946-N        | Magnet, 1125 Series, White   | 3.89 Sensors & Detectors     | 1125 Series             | 20 |
| 1958-L        | Magnet, 2200 Series for 2202A, 2204A, 2205A, 2207A   | 19.15 Sensors & Detectors    | 2200 Series             | 3  |
| 1961-L        | L Bracket for 2727A, Aluminum  | 12.08 Sensors & Detectors    | 2700 Series             | 3  |
| 1968-B        | Spacer for 2505A, Black  | 2.56 Sensors & Detectors     | 2500 Series             | 3  |
| 1969-B        | Spacer for 2700 Series   | 2.94 Sensors & Detectors     | 2700 Series             | 3  |
| 1979N-10PKG   | Magnet, 1285T, White, 10-Pack  | 38.89 Sensors & Detectors    | 1285T Series            | 20 |
| 1980-100      | Stainless Steel Flex Cable, 100' Roll, 3/16" ID, 9/32" OD  | 329.15 Sensors & Detectors   | Accessories             | 3  |
| 1980-25       | Stainless Steel Flex Cable, 25' Roll, 3/16" ID, 9/32" OD   | 78.46 Sensors & Detectors    | Accessories             | 3  |
| 1980-50       | Stainless Steel Flex Cable, 50' Roll, 3/16" ID, 9/32" OD   | 164.56 Sensors & Detectors   | Accessories             | 3  |
| 1982-L        | Universal Magnet, 2200 Series, Aluminum for 2202AU, 2204AU, 2205AU, 2207AU   | 19.15 Sensors & Detectors    | 2200 Series             | 3  |
| 1989-N        | Spare Cover, 1285T Series, White   | 0.90 Sensors & Detectors     | 1285T Series            | 20 |
| 2000          | Solution 2000 Glassbreak Detector. Features a Round, Low-Profile Design. It Has 25' Range and Can Be Wall Or Ceiling Mounted. Status and Alarm LEDs Are Visible Through the Grille. 10-14Vs AC or DC   | 65.29 NetworX                | Glassbreak              | 3  |
| 2000-BP       | Solution 2000 Glassbreak Detector, Bulk Pack Bulk Pack of P/N 2000. Must Be Ordered as a 50-Pack   | 58.76 NetworX                | Glassbreak (Bulk Packs) | 3  |
| 204-12/24V    | Power Supervision Relay for 12VDC and 24VDC Systems for Use w/4-Wire Smoke Detectors. Contact Rating (Resistive) 2A @ 26VDC or 115 VAC. Voltage 8.5 - 33 V DC. UL and FM Listed  | 26.62 Fire                   | ESL Relays              | 3  |
| 204-12/24VCAN | Power Supervision Relay for 12VDC and 24VDC Systems, Canada for Use w/4-Wire Smoke Detectors. Contact Rating (Resistive) 2A @ 26VDC or 115 VAC. Voltage 8.5 - 33VDC. ULC Listed  | 26.62 Fire                   | ESL Relays              | 20 |
| 204-6V        | Power Supervision Relay for 6VDC Systems for Use w/4-Wire Smoke Detectors. UL and FM Listed  | 26.62 Fire                   | ESL Relays              | 20 |
| 2100          | Solution 2100 Glassbreak Detector. Has 20' Range and Is Designed to Be Recess-Mounted In A Wall Of Ceiling, Making It Ideal for Flush-Mount Or Pre-Wire Applications. It Features Alarm/Status LEDs and Alarm Memory LED. 10-14Vs AC or DC               | 58.78 NetworX                | Glassbreak              | 3  |
| 2100-BP       | Solution 2100 Glassbreak Detector, Bulk Pack Bulk Pack of P/N 2100. Must Be Ordered as a 50-Pack   | 52.90 NetworX                | Glassbreak (Bulk Packs) | 3  |
| 21026665      | Kidde RemoteLync Wireless 640TVL Indoor Monitoring Camera  | 320.00 Network Fixed Cameras | Cameras                 | 20 |
| 2105A-G       | Magnapull Heavy Duty Magnetic Pull-Apart Cord, Closed Loop, Grey, Protect Boats, Trailers and Heavy Equipment. Durable, Heavy Gauge Construction. 3' Stainless Steel Armored Cable. Closed Loop  | 77.91 Sensors & Detectors    | Magnapull Contacts      | 3  |
| 2106          | Cover Plate for 2100, 6-Pack   | 15.25 NetworX                | Glass Break Accessories | 20 |
| 2107A-G       | Magnapull Heavy Duty Magnetic Pull-Apart Cord, SPDT, Grey, Protect Boats, Trailers and Heavy Equipment. Durable, Heavy Gauge Construction. 3' Stainless Steel Armored Cable. Single Pole-Double Throw  | 60.82 Sensors & Detectors    | Magnapull Contacts      | 3  |
| 211-10PKG     | Replaceable Optical Chambers for ESL Smoke Detectors for ESL 300, 400, 500, 500N, 700 and TS7 Smokes, 10-Pack  | 23.80 Fire                   | Accessories             | 20 |
| 2120          | Solution 2120 Glassbreak Detector. A double-gang version of the 2100, it provides a technology upgrade for the replacement of older double-gang sized detectors that have been flush-mounted. It has 20' range with alarm/status LEDs & alarm memory LED | 76.76 NetworX                | Glassbreak              | 3  |
| 2200          | Solution 2200 Glassbreak Detector. Features A Patented, Microprocessor-Based 3X3 Technology That Will Detect All Glass Types. It Has 20' Range and Can Be Wall or Ceiling Mounted. It Features Alarm/Status LEDs and Alarm Memory LED. 10-14Vs AC or DC  | 46.31 NetworX                | Glassbreak              | 3  |
| 2200-BP       | Solution 2200 Glassbreak Detector, Bulk Pack Bulk Pack of P/N 2200. Must Be Ordered as a 50-Pack   | 41.69 NetworX                | Glassbreak (Bulk Packs) | 20 |
| 2202A-L       | Overhead Door Floor Mount Contact w/Aluminum Housing, Closed Loop, 3" Gap Size. 18" Stainless Steel Armored Cable  | 30.16 Sensors & Detectors    | 2200 Series Floor Mount | 3  |
| 2202AU-L      | Overhead Door Floor Mount Contact w/Universal Magnet, Closed Loop, 3" Gap Size. 18" Stainless Steel Armored Cable  | 30.16 Sensors & Detectors    | 2200 Series Floor Mount | 3  |
| 2204AD-L      | Overhead Door Floor Mount Contact w/Aluminum Housing, DPDT, 3" Gap Size. Double Pole-Double Throw. 18" Stainless Steel Armored Cable   | 78.41 Sensors & Detectors    | 2200 Series Floor Mount | 3  |
| 2204A-L       | Overhead Door Floor Mount Contact w/Aluminum Housing, SPDT, 3" Gap Size. Single Pole-Double Throw. 18" Stainless Steel Armored Cable   | 44.75 Sensors & Detectors    | 2200 Series Floor Mount | 3  |
| 2204AU-L      | Overhead Door Floor Mount Contact w/Universal Magnet, SPDT, 3" Gap Size. Single Pole-Double Throw. 18" Stainless Steel Armored Cable   | 44.75 Sensors & Detectors    | 2200 Series Floor Mount | 3  |
| 2205A-L       | Overhead Door Extra Heavy Duty Floor Mount Contact w/Aluminum Housing, Closed Loop, Aluminum Bar Stock. 3" Gap Size. 3' Stainless Steel Armored Cable  | 59.20 Sensors & Detectors    | 2200 Series Floor Mount | 3  |
| 2205AU-L      | Overhead Door Extra Heavy Duty Floor Mount Contact w/Universal Magnet, Closed Loop, Aluminum Bar Stock. 3" Gap Size. 3' Stainless Steel Armored Cable  | 51.74 Sensors & Detectors    | 2200 Series Floor Mount | 3  |
| 2207AD-L      | Overhead Door Extra Heavy Duty Floor Mount Contact w/Aluminum Housing, DPDT, Aluminum Bar Stock. 3" Gap Size. Double Pole-Double Throw. 3' Stainless Steel Armored Cable.  | 103.17 Sensors & Detectors   | 2200 Series Floor Mount | 3  |
| 2207AH-L      | Overhead Door Higher Security Floor Mount Contact, SPDT, Biased for Higher Security. 3/4" to 2 1/2" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable   | 89.02 Sensors & Detectors    | 2200 Series Floor Mount | 3  |
| 2207A-L       | Overhead Door Extra Heavy Duty Floor Mount Contact w/Aluminum Housing, SPDT, Aluminum Bar Stock. 3" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable   | 64.18 Sensors & Detectors    | 2200 Series Floor Mount | 3  |
| 2207AU-L      | Overhead Door Extra Heavy Duty Floor Mount Contact w/Universal Magnet, SPDT, Aluminum Bar Stock. 3" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable   | 67.89 Sensors & Detectors    | 2200 Series Floor Mount | 3  |

|                |  |        |                     |  |    |
|----------------|--|--------|---------------------|--|----|
| 2302A-L        | Curtain Door Track Mount Contact w/Armored Cable, Up to 3" Gap Size. Closed Loop; Normally Open. Form A  | 71.55  | Sensors & Detectors | 2302 Series for Curtain Doors                    | 3  |
| 2304A-L        | Curtain Door Track Mount Contact w/Armored Cable, SPDT, Up to 3" Gap Size. Open or Closed Loop; Single Pole-Double Throw. Form C   | 87.76  | Sensors & Detectors | 2302 Series for Curtain Doors                    | 3  |
| 2315A-L        | Overhead/Panel Door Track Mount Contact w/Armored Cable, Closed Loop, Up to 3" Gap Size. Closed Loop; Normally Open. 2' Stainless Steel Armored Cable. Form A  | 58.95  | Sensors & Detectors | 2315 Series for Panel/Sectional Doors            | 3  |
| 2317A-L        | Overhead/Panel Door Track Mount Contact w/Armored Cable, SPDT, Up to 3" Gap Size. Open or Closed Loop; Single Pole-Double Throw. 2' Stainless Steel Armored Cable. Form C  | 55.73  | Sensors & Detectors | 2315 Series for Panel/Sectional Doors            | 3  |
| 2325A-L        | Overhead/Panel Door Track Mount Contact w/Armored Cable, Up to 3" Gap Size. Closed Loop; Normally Open. 2' Stainless Steel Armored Cable. Form A   | 73.40  | Sensors & Detectors | 2315 Series for Panel/Sectional Doors            | 3  |
| 2327A-L        | Overhead/Panel Door Track Mount Contact w/Armored Cable, SPDT, Up to 3" Gap Size. Open or Closed Loop; Single Pole-Double Throw. 2' Stainless Steel Armored Cable. Form C  | 69.49  | Sensors & Detectors | 2315 Series for Panel/Sectional Doors            | 3  |
| 2505A-L        | Aluminum Housing Armored Cable Contact, Closed Loop, Wide Gap, 3" Gap Size   | 49.33  | Sensors & Detectors | 2500 Series Aluminum Housing w/Armored Cable     | 3  |
| 2507A*-LCFB30  | Aluminum Housing 2507 Magnetic Contact, SPDT, 30FT Jacketed Lead   | 162.25 | Sensors & Detectors | 2500 Series Aluminum Housing w/Armored Cable     | 20 |
| 2507AD-L       | Aluminum Housing Armored Cable Contact, DPDT, Wide Gap, 1 1/2" Gap Size. Double Pole-Double Throw  | 85.01  | Sensors & Detectors | 2500 Series Aluminum Housing w/Armored Cable     | 3  |
| 2507AH-L       | Aluminum Housing Armored Cable Contact, SPDT, Higher Security, Wide Gap, Biased for Higher Security Applications. 3/4" to 2 1/2" Gap Size. Single Pole-Double Throw  | 102.42 | Sensors & Detectors | 2500 Series Aluminum Housing w/Armored Cable     | 3  |
| 2507A-L        | Aluminum Housing Armored Cable Contact, SPDT, Wide Gap, 3" Gap Size. Single Pole-Double Throw  | 63.88  | Sensors & Detectors | 2500 Series Aluminum Housing w/Armored Cable     | 3  |
| 2507-L20       | Aluminum Housing 2507 Magnetic Contact, SPDT, 20FT Jacketed Lead   | 78.94  | Sensors & Detectors | 2500 Series Aluminum Housing w/Armored Cable     | 3  |
| 2507-L6        | Aluminum Housing 2507 Magnetic Contact, SPDT, 6FT Jacketed Lead  | 57.46  | Sensors & Detectors | 2500 Series Aluminum Housing w/Armored Cable     | 20 |
| 250-COPLT-5PKG | Carbon Monoxide Accessory, Mounting Plate Adapts 250-CO to 240-COe Footprint, 5-Pack, White  | 19.90  | Fire                | CO Accessories                                   | 3  |
| 2515A-L        | Maxi-Gap Extra Wide Gap Overhead Door Contact, Up to 6" Gap Size. Closed Loop; Normally Open. 1.5' Stainless Steel Armored Cable   | 77.93  | Sensors & Detectors | 2515A Maxi-Gap Industrial Extra Wide Gap         | 3  |
| 260-CO         | Carbon Monoxide (CO) Detector, 12 or 24 VDC, 10-year end-of-life signal, built in sounder, tandem operation, UL 2075 and 2034 compliant, hush/test button  | 117.02 | Fire                | Carbon Monoxide Detection                        | 3  |
| 2706AP-L       | High Security Contacts w/Armored Cable, Triple Biased, SPDT, Remote Test-Protective Loop, 3/16" to 5/8" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable   | 236.40 | Sensors & Detectors | 2700 Series High Security w/Cable                | 3  |
| 2706AS-L       | High Security Contacts w/Armored Cable, Triple Biased, SPDT, Remote Test-Supervised Loop, 3/16" to 5/8" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable   | 278.63 | Sensors & Detectors | 2700 Series High Security w/Cable                | 3  |
| 2707AD-L       | High Security Contacts w/Armored Cable, Triple Biased, DPDT, 3/16" to 5/8" Gap Size. Double Pole-Double Throw. 3' Stainless Steel Armored Cable  | 360.32 | Sensors & Detectors | 2700 Series High Security w/Cable                | 3  |
| 2707AD-L5      | 2707Ad L5 W/5' Armored Cable   | 752.20 | Sensors & Detectors | 2700 Series High Security w/Cable                | 20 |
| 2707A-L        | High Security Contacts w/Armored Cable, Triple Biased, SPDT, 3/16" to 5/8" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable  | 184.32 | Sensors & Detectors | 2700 Series High Security w/Cable                | 3  |
| 2707A-L39      | High Security Contacts w/Armored Cable, Triple Biased, SPDT, 3/16" to 5/8" Gap Size. Single Pole-Double Throw. 15' Stainless Steel Armored Cable   | 406.18 | Sensors & Detectors | 2700 Series High Security w/Cable                | 20 |
| 2727A-L        | High Security Contacts, Triple Biased, SPDT, Overhead Door Contact, 11/16" to 2" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable  | 259.31 | Sensors & Detectors | 2700 Series High Security w/Cable                | 3  |
| 2727AL-CL      | High Security O/H Door Triple Bias/SPDT  | NC     | Sensors & Detectors | 2700 Series                                      | 20 |
| 2747A-L        | High Security Contacts, Triple Biased, SPDT, Gate Contact, 11/16" to 2" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable   | 249.31 | Sensors & Detectors | 2700 Series High Security w/Cable                | 3  |
| 2757D-L        | High Security Contacts, Triple Biased, DPDT, ANSI Recessed, 0" to 3/8" Gap Size. Double Pole-Double Throw. 3' Vinyl-Jacketed Cable   | 448.90 | Sensors & Detectors | 2700 Series High Security w/Cable                | 3  |
| 2757-L         | High Security Contacts, Triple Biased, SPDT, ANSI Recessed, 0" to 3/8" Gap Size. Single Pole-Double Throw. 3' Vinyl-Jacketed Cable   | 271.13 | Sensors & Detectors | 2700 Series High Security w/Cable                | 3  |
| 2767-L         | High Security Contacts, Triple Biased, SPDT, ANSI Adjustable Recessed, Both Switch and Magnet are Adjustable for Versatile Alignment. 0" to 3/8" Gap Size. Single Pole-Double Throw. 3' Vinyl-Jacketed Cable   | 298.96 | Sensors & Detectors | 2700 Series High Security w/Cable                | 3  |
| 2804T-M        | Explosion-Proof Terminal Contacts, Safe & Vault, Triple Biased, SPDT. UL listed for safe and vault; listed for hazardous location classes Explosion-proof; UL listed for hazardous location classes Class I Groups C, D and Class II Groups E, F & G | 355.40 | Sensors & Detectors | 2800T Series Explosion-Proof w/Terminals         | 3  |
| 2807T-M        | Explosion-Proof Terminal Contacts, Triple Biased High Security, SPDT, Single Pole-Double Throw. Explosion-proof; UL Listed for Hazardous Location Classes Class I Groups C, D and Class II Groups E, F and G   | 324.66 | Sensors & Detectors | 2800T Series Explosion-Proof w/Terminals         | 3  |
| 2808T-M        | HIGH SECURITY EXPLOSION PROOF/SPDT   | 398.10 | Sensors & Detectors | 2800T Series Explosion-Proof w/Terminals         | 3  |
| 2844TW-M       | Explosion-Proof Conduit Fitting Terminal Contacts, Closed Loop, Wide Gap, Up to 2.5" Gap Size  | 183.83 | Sensors & Detectors | 2840T Series Explosion-Proof Conduit w/Terminals | 3  |
| 2845T-M        | Explosion-Proof Conduit Fitting Terminal Contacts, Closed Loop, Wide Gap, Up to 1" Gap Size  | 132.62 | Sensors & Detectors | 2840T Series Explosion-Proof Conduit w/Terminals | 3  |
| 2847T-M        | Explosion-Proof Conduit Fitting Terminal Contacts, SPDT, Up to 1" Gap Size. Single Pole-Double Throw   | 143.22 | Sensors & Detectors | 2840T Series Explosion-Proof Conduit w/Terminals | 3  |
| 3005-M         | Recessed Roller Plunger Contact with Wire Leads, Brown. Works as a plunger or ball switch; flanges for positive retention. Includes spacer and mounting screws. Three different mounting configurations. 1', #22 wire leads. Closed Loop. UL listed  | 4.58   | Sensors & Detectors | Recessed Roller Plunger Contacts                 | 3  |
| 3005-N         | Recessed Roller Plunger/Closed Loop, White   | 4.58   | Sensors & Detectors | Recessed Roller Plunger Contacts                 | 3  |
| 3005N-10PKG    | Recessed Roller Plunger, White. 10-Pack  | 45.84  | Sensors & Detectors | Recessed Roller Plunger Contacts                 | 3  |
| 3008-M         | Recessed Roller Plunger, Shorty, Brown   | 7.90   | Sensors & Detectors | Recessed Roller Plunger Contacts                 | 3  |
| 3008M-10PKG    | Recessed Roller Plunger, Shorty, Brown. 10-Pack  | 82.89  | Sensors & Detectors | Recessed Roller Plunger Contacts                 | 3  |
| 3008-W         | Recessed Roller Plunger, Shorty, White   | 7.90   | Sensors & Detectors | Recessed Roller Plunger Contacts                 | 3  |
| 3008W-10PKG    | Recessed Roller Plunger, Shorty, Wide Gap, White. 10-Pack  | 82.89  | Sensors & Detectors | Recessed Roller Plunger Contacts                 | 3  |
| 30121-N        | Recessed Plunger Clip Mount, White   | 10.90  | Sensors & Detectors | Recessed Pin Plunger Contacts                    | 3  |
| 3012-N         | Recessed Plunger Clip Mount White.   | 10.19  | Sensors & Detectors | Recessed Pin Plunger Contacts                    | 3  |
| 3012N-10PKG    | Recessed Plunger Clip Mount White. 10-Pack   | 101.87 | Sensors & Detectors | Recessed Pin Plunger Contacts                    | 3  |
| 3015-N         | Recessed Pin Plunger White   | 8.74   | Sensors & Detectors | Recessed Pin Plunger Contacts                    | 3  |
| 3015N-10PKG    | Recessed Pin Plunger White. 10-Pack  | 91.69  | Sensors & Detectors | Recessed Pin Plunger Contacts                    | 3  |
| 3025T-M        | Self-Adjusting Tamper Terminal Contact, Closed Loop, Brown, Plunger Self-Adjusts to Proper Reach. Screw-On Wire Terminals. Closed Loop. UL Listed  | 10.50  | Sensors & Detectors | Recessed Pin Plunger Contacts                    | 3  |
| 3025TM-10PKG   | Self-Adjusting Tamper Terminal Contact, Closed Loop, Brown, Plunger Self-Adjusts to Proper Reach. Screw-On Wire Terminals. Closed Loop. UL Listed, 10-Pack   | 104.96 | Sensors & Detectors | Recessed Pin Plunger Contacts                    | 3  |
| 3027-M         | Recessed Pin Plunger, Self-Adjusting, SPDT, Brown  | 15.79  | Sensors & Detectors | Recessed Pin Plunger Contacts                    | 3  |
| 3040CT-W       | Panic Switch, Cold Temperature, Surface Mount, SPDT, LED, Red LED; Latching LED Circuit. 12' Jacketed Leads. Single Pole-Double Throw. UL Listed   | 58.09  | Sensors & Detectors | Panic Switches                                   | 3  |

|               |  |         |                          |  |    |
|---------------|--|---------|--------------------------|--|----|
| 3040-W        | Panic Switch w/Terminals, Surface Mount, SPDT, LED, Red LED; Latching LED Circuit. Screw Terminals. Single Pole-Double Throw. UL Listed  | 46.43   | Sensors & Detectors      | Panic Switches   | 3  |
| 3045CT-W      | Panic Switch, Cold Temperature, SPST, Surface Mount, 12' Jacketed Leads. Single Pole-Single Throw  | 38.49   | Sensors & Detectors      | Panic Switches   | 3  |
| 3045-W        | Panic Switch w/Terminals, SPST, Surface Mount, Screw Terminals. Single Pole-Single Throw   | 22.60   | Sensors & Detectors      | Panic Switches   | 3  |
| 3555-B        | Bill Trap, Black, SPDT   | 50.38   | Sensors & Detectors      | Bill Trap  | 3  |
| 360FM         | 360 Detector Flush Mount Kit   | 8.40    | Sensors & Detectors      | Accessory  | 20 |
| 385001001     | Installation wrench, 1/8", Model T-5xx, T-7xx, 1xxx, 97x, 94x, 84x, 82x and 43x readers  | 26.26   | Readers                  | GE Transition Series Readers & Accessories   | 20 |
| 3-BTSEN       | BATTERY DISTRIBUTION MODULE  | 217.24  | Fire                     | Accessories  | 20 |
| 405-01        | Polarity Reversal Relay, 24VDC for Use w/2 or 4-Wire Smoke Detectors. 1 Circuit. Enables Any Control Panel to Trip All ESL Sounder Smoke Detectors On a Loop When Alarm is Detected. UL Listed. CSFM   | 54.52   | Fire                     | ESL Relays   | 3  |
| 405-03        | Polarity Reversal Relay, 12VDC for Use w/2 or 4-Wire Smoke Detectors. 1 Circuit. Enables Any Control Panel to Trip All ESL Sounder Smoke Detectors On a Loop When Alarm is Detected. UL Listed   | 53.56   | Fire                     | ESL Relays   | 3  |
| 405-05        | Polarity Reversal Module, 12/24VDC, 4-Wire Smoke Detectors Only. Enables Any Control Panel to Trip All ESL Sounder Smoke Detectors On a Loop When Alarm is Detected. UL, MEA and CSFM Listed   | 52.32   | Fire                     | ESL Relays   | 3  |
| 405-06        | DPDT Fire Auxiliary Relay, Allows Smoke Detectors to Initiate Two Auxiliary Functions. 12/24VDC. UL, MEA and CSFM Listed   | 46.16   | Fire                     | ESL Relays   | 20 |
| 439D-8AW-R    | Fire Alarm Bell, 8", Hazardous Location, 24VDC, Red  | 96.40   | Fire                     | Notification Appliances  | 20 |
| 470677001     | Mounting Plate, gray, Mullion Transition reader on single-width USA electrical box   | 15.76   | Readers                  | GE Transition Series Readers & Accessories   | 3  |
| 470677002     | Mounting Plate, black, Mullion Transition reader on single-width USA electrical box  | 15.76   | Readers                  | GE Transition Series Readers & Accessories   | 3  |
| 470677003     | Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box   | 15.76   | Readers                  | GE Transition Series Readers & Accessories   | 3  |
| 4I4O-ID       | Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Horns, Bells, Sirens, Etc.) | 120.39  | NetworX                  | PinPoint Addressable Systems   | 20 |
| 5-0001        | 15 Watt Interior Speaker   | 16.61   | NetworX                  | Control Panel Accessories  | 20 |
| 500-PLT-5PKG  | 6" Base Adapter Plate. Covers 400 Series Foot Print, 5-Pack  | 13.10   | Fire                     | Accessories  | 20 |
| 501R          | N/A - Rack Card Enclosure, 1 Card  | 122.50  | Fiber Optic Transmission | Fiber Optic Accessories  | 3  |
| 502R          | N/A - Rack Card Enclosure, 2 Cards   | 162.50  | Fiber Optic Transmission | Fiber Optic Accessories  | 3  |
| 503H          | N/A - Horizontal 3-Card Rack, 1 RU, 19-inch  | 561.26  | Fiber Optic Transmission | Fiber Optic Accessories  | 20 |
| 503R          | N/A - Rack Card Enclosure, 3 Cards   | 243.76  | Fiber Optic Transmission | Fiber Optic Accessories  | 20 |
| 5150C-M       | Shock Sensor w/Coil Cord, Brown, 3'  | 28.81   | Sensors & Detectors      | 5150 Series  | 3  |
| 5150C-W       | Shock Sensor w/Coil Cord, White, 3'  | 28.81   | Sensors & Detectors      | 5150 Series  | 3  |
| 5150-M        | Shock Sensor, 2-Wire, Brown  | 19.38   | Sensors & Detectors      | 5150 Series  | 3  |
| 5150-W        | Shock Sensor, 2-Wire, White  | 19.38   | Sensors & Detectors      | 5150 Series  | 3  |
| 515PS1        | N/A - Internal Redundant Power Supply for 515R1  | 967.50  | Fiber Optic Transmission | Fiber Optic Accessories  | 3  |
| 515R1         | Card Cage, 15 Slots w/PS. Can also be used for SymNet-5R Units   | 1462.50 | Fiber Optic Transmission | Fiber Optic Accessories  | 3  |
| 517EPS1       | N/A - External Power Supply for (2) 517R1  | 1381.26 | Fiber Optic Transmission | Fiber Optic Accessories  | 3  |
| 517R1         | N/A - Hi-Density Card Cage, 17 Slots   | 581.26  | Fiber Optic Transmission | Fiber Optic Accessories  | 3  |
| 51FP-1        | N/A - Card Cage Filler Panel, 1 Slot   | 41.26   | Fiber Optic Transmission | Fiber Optic Accessories  | 3  |
| 51FP-2        | N/A - Card Cage Filler Panel, 2 Slots  | 48.76   | Fiber Optic Transmission | Fiber Optic Accessories  | 3  |
| 51FP-4        | N/A - Card Cage Filler Panel, 4 Slots  | 57.50   | Fiber Optic Transmission | Fiber Optic Accessories  | 20 |
| 521226001     | EMEA/ Dual Gang Mounting plate for 520/525 Transition Reader, Light Gray   | 52.50   | Readers                  | GE Transition Series Readers & Accessories   | 20 |
| 521227001     | EMEA/ Dual Gang Mounting plate for 520/525 Transition Reader, Charcoal Gray  | 52.50   | Readers                  | GE Transition Series Readers & Accessories   | 20 |
| 521228001     | EMEA/ Dual Gang Mounting plate for 520/525 Transition Reader, Black  | 52.50   | Readers                  | GE Transition Series Readers & Accessories   | 20 |
| 521NB         | Photoelectric 2-Wire Smoke Detector with CleanMe, S09A Compatible.   | 55.19   | FIRE                     | 500 Series Photoelectric Smoke Detectors, Two-Wire   | 3  |
| 521NBXT       | Photoelectric 2-Wire Smoke Detector with CleanMe, 6.5 to 20 VDC, S9A Compatible.   | 59.07   | FIRE                     | Photoelectric 2-Wire Smoke Detector with CleanMe, heat sensor and 6.5 to 20 VDC, S9A Compatible. | 3  |
| 521NC         | Photoelectric 2-Wire Smoke Detector with CleanMe, 8.5 to 33VDC, S10A Compatible.   | 55.19   | FIRE                     | 500 Series Photoelectric Smoke Detectors, Two-Wire   | 3  |
| 521NCRXT      | Photoelectric 2-Wire Smoke Detector w/CleanMe, Heat Sensor and Auxiliary Relay, 8.5 - 33 VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. Auxiliary Relay  | 81.84   | Fire                     | 500N Series Photoelectric Smoke Detectors, Two-Wire  | 3  |
| 521NCSXT      | Photoelectric 2-Wire Smoke Detector w/CleanMe, Heat Sensor and Sounder, 8.5 - 33 VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. 85DB Sounder   | 68.10   | Fire                     | 500N Series Photoelectric Smoke Detectors, Two-Wire  | 3  |
| 521NCXT       | Photoelectric 2-Wire Smoke Detector with CleanMe and heat sensor, 8.5 to 33 VDC, S10A Compatible.  | 59.07   | FIRE                     | 500 Series Photoelectric Smoke Detectors, Two-Wire   | 3  |
| 5402-W        | Metal Enclosure, Assault Sensor, 2-Wire, Includes Lithium Battery, Grey  | 66.13   | Sensors & Detectors      | 5402/5422 Metal Enclosure  | 3  |
| 5414-W        | Glassbreak Shock Sensor, 2-Wire, Tamper, White, Closed Loop, Lithium Powered, UL Listed  | 62.41   | Sensors & Detectors      | 5400 Series Glassbreak Shock Sensors   | 3  |
| 5415A-W       | Glassbreak Shock Sensor, 2-Wire, Tamper, White, Closed Loop, Lithium Powered w/Reed Switch and Magnet. UL Listed   | 70.37   | Sensors & Detectors      | 5400 Series Glassbreak Shock Sensors   | 3  |
| 541NB         | Photoelectric 4-Wire Smoke Detector, 6 - 33VDC. Base unit  | 71.56   | Fire                     | 500N Series Photoelectric Smoke Detectors, Four Wire   | 3  |
| 541NBXT       | Photoelectric 4-Wire Smoke Detector w/Heat Sensor, 6 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors   | 76.38   | Fire                     | 500N Series Photoelectric Smoke Detectors, Four Wire   | 3  |
| 541NBXT-10PKG | Photoelectric 4-Wire Smoke Detector w/Heat Sensor, 1 Set of Literature Per Box, Not Individually Packaged, 10-Pack   | 741.76  | Fire                     | 500N Series Photoelectric Smoke Detectors, Four Wire   | 20 |
| 541NCRXT      | Photoelectric 4-Wire Smoke Detector w/Heat Sensor and Auxiliary Relay, 8.5 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. Auxiliary Relay  | 82.70   | Fire                     | 500N Series Photoelectric Smoke Detectors, Four Wire   | 20 |
| 541NCSRH      | Photoelectric 4-Wire Smoke Detector w/Isolated Heat Sensor, Sounder and Auxiliary Relay, 8.5 - 33VDC. Isolated Heat Sensor. Auxiliary Relay. 85DB Sounder  | 93.72   | Fire                     | 500N Series Photoelectric Smoke Detectors, Four Wire   | 3  |
| 541NCSRXT     | Photoelectric 4-Wire Smoke Detector w/Heat Sensor, Sounder and Auxiliary Relay, 8.5 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. Auxiliary Relay. 85DB Sounder   | 91.52   | Fire                     | 500N Series Photoelectric Smoke Detectors, Four Wire   | 3  |
| 541NCSXT      | Photoelectric 4-Wire Smoke Detector w/Heat Sensor and Sounder, 8.5 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. 85DB Sounder   | 84.90   | Fire                     | 500N Series Photoelectric Smoke Detectors, Four Wire   | 3  |
| 541NCSXTE     | Photoelectric 4-Wire Smoke Detector w/Heat Sensor, Sounder, and End of Line Relay, 8.5 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. End of line Relay. 85DB Sounder  | 89.32   | Fire                     | 500N Series Photoelectric Smoke Detectors, Four Wire   | 3  |
| 541NCXTE      | Photoelectric 4-Wire Smoke Detector w/Heat Sensor and End of Line Relay, 8.5 - 33VDC. Smart Dual Fixed/Rate of Rise Heat Sensors. End of Line Relay  | 82.70   | Fire                     | 500N Series Photoelectric Smoke Detectors, Four Wire   | 3  |
| 5422-W        | Glassbreak Shock Sensor, 4-wire, loop powered, latch LED only, UL Metal Enclosure, White   | 71.13   | Sensors & Detectors      | 5400 Series Glassbreak Shock Sensors   | 3  |

|                     |  |         |                     |  |    |
|---------------------|--|---------|---------------------|--|----|
| 5501-M              | Processor for Moisture Sensor, Brown, Accommodates Up to 4 Detectors. Includes 2 Long-Life Lithium Batteries. Closed Loop, Terminal Connection   | 87.72   | Sensors & Detectors | Moisture Sensors                             | 3  |
| 5515-G              | Surface Mount Moisture Sensor, Grey, 10' Lead  | 34.52   | Sensors & Detectors | Moisture Sensors                             | 3  |
| 560NSR-20PK         | 500N Wireless Conventional, Sounder, No Batteries, Bulk Packed, UL Recognized 560NS, 20-Pack   | 1236.80 | Fire                | 500N Wireless                                | 20 |
| 560NSTR-20PKG       | 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 560NSTR, 20-Pack   | 1317.02 | Fire                | 500N Wireless                                | 20 |
| 560NSTTR            | 500N Wireless Conventional, Sounder, Thermal, 0 Batteries, UL Recognized 560NSTR   | 65.86   | FIRE                | Fire   | 20 |
| 5620-W              | ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed  | 57.62   | Sensors & Detectors | ShatterPoint Tru-Dual Technology             | 3  |
| 562NSR-20PKG        | 500N Wireless Conventional, Sounder, 2 Batteries, Short Slot, Bulk Packed, UL Recognized 560NSR, 20-Pack   | 1008.06 | Fire                | 500N Wireless                                | 20 |
| 5709C-W             | ShatterPro Hand-Held Glassbreak Tester, Hand-held Tester w/Real Glassbreak Sounds  | 102.69  | Sensors & Detectors | Tester                                       | 3  |
| 570NR-20PKG         | 500N Wireless Conventional, Commercial, 0 Batteries, Bulk Packed, UL Recognized (570NR), 20-Pack   | 1236.90 | Fire                | 500N Wireless                                | 20 |
| 570NSTR-20PKG       | 500N Wireless Conventional, Commercial, Sounder, Thermal, 0 Batteries, Bulk Packed, UL Recognized 570NSTR, 20-Pack   | 1295.70 | Fire                | 500N Wireless                                | 20 |
| 570NTR-20PKG        | 500N Wireless Conventional, Commercial, Thermal, 0 Batteries, Bulk Packed, UL Recognized 570NTR, 20-Pack   | 1251.60 | Fire                | 500N Wireless                                | 20 |
| 572NSTR-20PKG       | 500N Wireless Conventional, Commercial, Sounder, Thermal, 2 Batteries, Bulk Packed, UL Recognized (570NSTR), 20-Pack   | 2058.00 | Fire                | 500N Wireless                                | 20 |
| 5812A-W             | Rectangle Acoustic Sensor, UL Listed, Tamper   | 58.78   | Sensors & Detectors | ShatterPro II Acoustic                       | 3  |
| 5812NT              | ShatterPro 3 Glassbreak Sensor (Rectangular Housing) form A. 3' - 35' Adjustable Range   | 58.78   | Sensors & Detectors | ShatterPro 3 Acoustic                        | 3  |
| 5812-RND            | Round Acoustic Glassbreak form A   | 41.56   | Sensors & Detectors | ShatterPro 3 Acoustic                        | 3  |
| 5815A-W             | Rectangle Acoustic Glassbreak Sensor, ULC Listed, Tamper form C  | 84.80   | Sensors & Detectors | ShatterPro II Acoustic                       | 20 |
| 5815NT              | ShatterPro 3 Glassbreak Sensor w/Tamper (Rectangular Housing) form C. Tamper Switch. 3' - 35' Adjustable Range   | 65.29   | Sensors & Detectors | ShatterPro 3 Acoustic                        | 3  |
| 5820A-W             | Recessed ShatterPro II Glassbreak Sensor, 1" Recessed Mounting   | 85.22   | Sensors & Detectors | ShatterPro II Acoustic                       | 3  |
| 5822A-W             | Recessed ShatterPro II Glassbreak w/Tamper, Includes Tamper Switch. 1" Recessed Mounting. UL Listed  | 87.72   | Sensors & Detectors | ShatterPro II Acoustic                       | 3  |
| 5825A-W             | Single Gang Box Shatterpro II  | 87.72   | Sensors & Detectors | Shatterpro II Acoustic                       | 3  |
| 584503-W            | Wireless ShatterPro, 3V, Transmitter Not Included  | 100.28  | Sensors & Detectors | Wireless ShatterPro                          | 3  |
| 584509-W            | Wireless ShatterPro, 9V, Transmitter Not Included  | 110.29  | Sensors & Detectors | Wireless ShatterPro                          | 20 |
| 5845-ID             | Addressable ShatterPro® Glassbreak Sensor. Featuring Pattern Recognition Technology for superior detection & false alarm immunity, it protects all glass types up to a thickness of 1/4". It has a range of 20' and can be wall or ceiling mounted | 130.20  | Sensors & Detectors | Wireless ShatterPro                          | 3  |
| 59-743-01-95R-3Z2   | Concord Integrated RF32 CPU (Board Only)   | 347.84  | Wireless            | Accessories                                  | 20 |
| 59-851-03           | Concord 4 Commercial Sub Assembly, PCB   | 290.89  | Wireless            | Accessories                                  | 20 |
| 59-851-95R-AR       | Concord 4 CPU Advanced Replacement   | 176.93  | Wireless            | Accessories                                  | 3  |
| 5U5-BE-STD          | Nice Duc Connector Pack, Standard Size, Beige  | 25.14   | Sensors & Detectors | Nice-Duc Connector Packs                     | 20 |
| 5U5-BR-STD          | Nice Duc Connector Pack, Standard Size, Brown  | 25.14   | Sensors & Detectors | Nice-Duc Connector Packs                     | 3  |
| 5U5-OW-STD          | Nice Duc Connector Pack, Standard Size, Off-White  | 25.14   | Sensors & Detectors | Nice-Duc Connector Packs                     | 3  |
| 5U5-WH-STD          | Nice Duc Connector Pack, Standard Size, White  | 25.14   | Sensors & Detectors | Nice-Duc Connector Packs                     | 3  |
| 600-1019            | SuperBus 2000 2AMP Power Supply  | 187.17  | Wireless            | Accessories                                  | 3  |
| 600-1021-95R        | Concord 4 Board w/Enclosure  | 204.31  | Wireless            | Accessories                                  | 3  |
| 600-1023            | Class 2 Transformer, 16.5V, 40VA   | 19.97   | Wireless            | Accessories                                  | 3  |
| 600-1023-CN         | Class 2 Transformer, 16.5V, 40VA (Canada)  | 19.97   | Wireless            | Accessories                                  | 3  |
| 600-1024            | Class 2 Transformer, 16.5V, 40VA, w/Power Line Carrier   | 42.04   | Wireless            | Accessories                                  | 3  |
| 600-1025-01-95R     | SB2000 Transceiver, 319.5 MHz SAW  | 188.90  | Wireless            | Accessories                                  | 3  |
| 600-1030            | Transformer, 12VDC, 500MA  | 14.11   | Wireless            | Accessories                                  | 20 |
| 600-1040            | Concord 4 Commercial Panel   | 310.04  | Wireless            | Control Panels                               | 3  |
| 600-1048-XT-LTE-AT  | ALARM.COM SIMON XT/XTI/XT5 LTE MODULE, AT&T  | 312.90  | Wireless            | Simon XT                                     | 3  |
| 600-1048-XT-LTE-TL  | ALARM.COM XTXTI/XT5 LTE MODULE, TELUS - CANADA ONLY  | 312.90  | Wireless            | Simon XT                                     | 3  |
| 600-1048-XT-LTE-VZ  | ALARM.COM SIMON XT LTE MODULE, VERIZON   | 312.90  | Wireless            | Simon XT                                     | 20 |
| 600-1053-4-ZX-AT    | Concord 4, AT&T 3G Alarm.Com Kit, with Zwave   | 378.00  | Wireless            | Concord 4                                    | 3  |
| 600-1053-4-ZX-RG    | Concord 4, Rogers 3G Alarm.Com Kit, with Zwave   | 378.00  | Wireless            | Concord 4                                    | 20 |
| 600-1053-LTE-AT     | ALARM.COM CONCORD4 LTE MODULE, AT&T  | 360.00  | Wireless            | Concord                                      | 3  |
| 600-1053-LTE-VZ     | CONCORD 4, VOLTE MODULE AND GATEWAY KIT (VERIZON)  | 378.00  | Wireless            | Concord                                      | 3  |
| 600-1061            | Door Kit for Simon XT New Look   | 3.55    | Wireless            | Simon XT                                     | 20 |
| 600-1061-PK         | Door Kit for Simon XT New Look, 25 Pack  | 81.90   | Wireless            | Simon XT                                     | 20 |
| 600-1063-60-362N-10 | Replacement Enclosure for Part Number 60-362N-10-319.5, 5 Pack, White  | 15.23   | Sensors & Detectors | Wireless Crystal Standard Door/Window Sensor | 3  |
| 600-1063-60-362N-11 | Replacement Enclosure for Part Number 60-362N-11-319.5, 5 Pack, Brown  | 15.23   | Sensors & Detectors | Wireless Crystal Standard Door/Window Sensor | 3  |
| 600-1064-95R        | 4-Button Micro Keyfob, Provides Portable Control of the Security System, LED Confirms RF Transmission, Battery Included, Large Buttons in Miniature Overall Size, Black  | 31.65   | Wireless            | Accessories                                  | 3  |
| 600-1064-95R-PK     | 4-Button Micro Keyfob, Provides Portable Control of the Security System, LED Confirms RF Transmission, Battery Included, Large Buttons in Miniature Overall Size, Black, 25 Pack   | 791.18  | Wireless            | Accessories                                  | 3  |
| 600-1068-1          | Replacement Accessories, Personal Panic Device, White, 5-Pack  | 210.00  | Sensors & Detectors | Accessories                                  | 3  |
| 600-1068-2          | Replacement Accessories, Personal Panic Device, Black, 5-Pack  | 210.00  | Sensors & Detectors | Accessories                                  | 20 |
| 600-1069            | 3V Coin Lithium Battery, 10-Pack   | 42.00   | Sensors & Detectors | Batteries                                    | 3  |
| 600-1070            | Concord LCD Key Pad with 2 Way Voice   | 178.50  | Wireless            | Concord                                      | 20 |
| 600-1070-E          | Concord Enhanced LCD Keypad with Two-Way Voice   | 132.30  | Wireless            | Concord                                      | 3  |
| 600-6520-95         | Wireless Carbon Monoxide Alarm. Replaces 60-652-95   | 198.45  | Wireless            | Carbon Monoxide Detection                    | 3  |
| 600-729-1           | MDWS magnet and spares--10 pack, white   | 50.40   | Wireless            | Accessories                                  | 20 |
| 600-729-3           | MDWS magnet and spares--10 pack, brown   | 50.40   | Wireless            | Accessories                                  | 20 |
| 600-745-1           | MDWS Case--10 pack, white  | 25.20   | Wireless            | Accessories                                  | 20 |
| 600-9400-IMAG       | Image Sensor   | 262.50  | Wireless            | PirCam                                       | 3  |
| 600-9400-IMAG-KIT   | Image Sensor w/Zigbee Daughter Board   | 285.60  | Wireless            | PirCam                                       | 3  |
| 600-9400-ZB         | Zigbee Daughter Board  | 35.70   | Wireless            | PirCam                                       | 3  |
| 600-CL              | Camlock w/keys for NetworX Enclosures  | 9.51    | NetworX             | Control Panel Accessories                    | 3  |
| 600-XTI-BAT         | Simon XTI Battery, 6VDC, 2100Mah., NIMH  | 53.55   | Wireless            | Simon Xti                                    | 3  |
| 600-XTI-TEMPLATE-00 | Grey, Gradient. Replacement Template for Simon XTI   | 16.80   | Wireless            | Simon Xti                                    | 20 |
| 600-XTI-TEMPLATE-01 | Dark Grey, Waves. Replacement Template for Simon XTI   | 16.80   | Wireless            | Simon Xti                                    | 20 |
| 600-XTI-TEMPLATE-02 | Light Grey, Waves. Replacement Template for Simon XTI  | 16.80   | Wireless            | Simon Xti                                    | 20 |
| 600-XTI-TEMPLATE-03 | Grey, Silk. Replacement Template for Simon XTI   | 16.80   | Wireless            | Simon Xti                                    | 20 |
| 600-XTI-TEMPLATE-04 | Grey, Abstract. Replacement Template for Simon XTI   | 16.80   | Wireless            | Simon Xti                                    | 20 |
| 600-XTI-TEMPLATE-05 | Blue, Lines, Gradient. Replacement Template for Simon XTI  | 16.80   | Wireless            | Simon Xti                                    | 20 |
| 600-XTI-TEMPLATE-06 | Black-Blue, Gradient. Replacement Template for Simon XTI   | 16.80   | Wireless            | Simon Xti                                    | 20 |
| 600-XTI-TEMPLATE-07 | Blue, Gradient. Replacement Template for Simon XTI   | 16.80   | Wireless            | Simon Xti                                    | 20 |
| 600-XTI-TEMPLATE-08 | White - Replacement Template for Simon Xti   | 25.20   | Wireless            | Simon Xti                                    | 20 |
| 60-188-25PKG        | Magnet Spacers, White, 25-Pack   | 12.64   | Wireless            | Accessories                                  | 3  |
| 60-189-20PKG        | Door/Window Sensor Spacer, White, 20-Pack  | 12.64   | Wireless            | Accessories                                  | 3  |
| 60-190-25PKG        | Crystal Sensor Magnet Spacer, Brown, 25-Pack   | 12.64   | Wireless            | Accessories                                  | 20 |
| 60-191-20PKG        | Door/Window Sensor Spacer, Brown, 20-Pack  | 12.64   | Wireless            | Accessories                                  | 20 |
| 60-252              | Interior Speaker/Piezo Combination Mount: Voice, Status and Alarms. UL Listed  | 44.10   | Wireless            | Hardwire Speakers and Sirens                 | 3  |
| 60-260              | Crystal Sensor Case, White, 5-Pack   | 12.79   | Wireless            | Accessories                                  | 3  |
| 60-261              | Crystal Sensor Case, Brown, 5-Pack   | 12.79   | Wireless            | Accessories                                  | 3  |
| 60-278              | Siren/Piezo Combination-Surface Mount Enclosure (Interior): Provides Low-Volume Status Beeps and Full-Volume Alarm Sounds. Includes Speaker and Piezo  | 76.52   | Wireless            | Hardwire Speakers and Sirens                 | 20 |

|                     |   |         |          |  |    |
|---------------------|---|---------|----------|--|----|
| 60-290              | 451 Single Door Access Point Manager: Operates Independently of Controllers or a Central Computer, Using Its Own Microprocessor, Database and Clock. 500 Card Capacity. Includes Battery Cable  | 804.43  | Wireless | 451 Point Managers                                       | 20 |
| 60-362N-10-319.5    | Crystal Standard Door/Window Sensor, White  | 41.71   | Wireless | Wireless Crystal Standard Door/Window Sensor             | 3  |
| 60-362N-10-319.5-PK | Crystal Standard Door/Window Sensor, White, 25-Pack   | 1042.65 | Wireless | Wireless Crystal Standard Door/Window (Bulk Pack) Sensor | 3  |
| 60-362N-11-319.5    | Crystal Standard Door/Window Sensor, Brown  | 41.71   | Wireless | Wireless Crystal Standard Door/Window Sensor             | 3  |
| 60-362N-29-319.5    | Door/Window Sensor, 319.5, UV White   | 41.71   | Wireless | Wireless Crystal Standard Door/Window Sensor             | 20 |
| 60-452-10-319.5     | Crystal Pendant Panic Sensor: Allows a Person to Wear a Sensor that Can Activate a Panic Alarm. Can Be Worn Around Neck. Recessed Panic Button Prevents False Alarms  | 86.71   | Wireless | Wireless Panic Sensor                                    | 3  |
| 60-458-10-319.5     | Crystal Single-Button Panic Sensor: Allows a Person to Activate an Emergency Alarm. Single Button Press for Easy Alarm Activation   | 76.52   | Wireless | Wireless Panic Sensor                                    | 3  |
| 60-462-10-319.5     | Crystal Glass Guard Sensor, White   | 121.21  | Wireless | Crystal Glass Guard                                      | 3  |
| 60-499-10-319.5     | Crystal Slim Line Door/Window Sensor, White   | 85.85   | Wireless | Crystal Slim Line Door/Window Sensor                     | 20 |
| 60-499-11-319.5     | Crystal Slim Line Door/Window Sensor, Brown   | 85.85   | Wireless | Crystal Slim Line Door/Window Sensor                     | 20 |
| 60-504-10-319.5     | Crystal Freeze Sensor, White: Detects Furnace Failure By Signaling the Panel When Air Temperature Falls Below 45° F. Monitors Up to 900 Sq. Ft  | 95.95   | Wireless | Crystal Environmental                                    | 3  |
| 60-511-01-95        | DS9241 Crystal PIR Motion Sensor: Passive Infrared Detection Inside an Enclosed Structure. 3 Sensitivity Settings. 40' X 40' Standard Coverage Pattern. Includes Masking Kit to Adjust Coverage Pattern. Optional Lenses Available                      | 213.09  | Wireless | Wireless Crystal PIR Motion Sensor                       | 3  |
| 60-511-02-95        | DS9241 Pet Crystal PIR Motion. Passive infrared detection inside enclosed structure. 3 sensitivity settings & 40' x 40' standard coverage pattern. Includes masking kit to adjust coverage pattern. For use with pets up to 40 lbs                      | 213.09  | Wireless | Wireless Crystal PIR Motion Sensor                       | 3  |
| 60-515              | 9VAC Class II Transformer for Repeater When No Backup Battery is Required   | 18.90   | Wireless | Accessories  | 3  |
| 60-555-10           | Crystal Sensor Magnet. Includes Plastic and Mounting Bracket, White, 10-Pack  | 38.33   | Wireless | Accessories  | 20 |
| 60-555-11           | Crystal Sensor Magnet. Includes Plastic and Mounting Bracket, Brown, 10-Pack  | 38.33   | Wireless | Accessories  | 20 |
| 60-568              | Barcode Swipe Reader, Weather Resistant. Reads Cards from Right to Left or Left to Right. Optional Wiegand and Magnetic-Stripe Output   | 546.59  | Wireless | Barcode Reader   | 20 |
| 60-578-10-95        | Crystal Water-Resistant Pendant Panic. Allows a person to wear a sensor that can activate a panic alarm. Recessed panic button prevents false alarms. Optional wall mount bracket available. Compatible with all panels. Use with Quik Bridge Receivers | 84.74   | Wireless | Wireless Panic Sensor                                    | 3  |
| 60-597-95           | HiTech Hand-Held Wireless Crystal Touchpad. Provides Remote Operational Control of the Panel: Arm/Disarm, Bypass Sensors, Control Lights, Activate Panic Alarms and Report System Status. Includes Battery and Wall Mount Bracket                       | 130.70  | Wireless | Wireless Hand-Held Touchpad                              | 3  |
| 60-600              | 1.5VDC AA Alkaline Battery, 6-Pack  | 7.52    | Wireless | Batteries  | 3  |
| 60-606-319.5        | 4-Button Crystal Keychain Touchpad. Light Control Capability  | 80.14   | Wireless | Wireless Keychain Touchpad                               | 20 |
| 60-619              | 3.6VDC Full Size AA Lithium Battery, 6-Pack   | 72.03   | Wireless | Batteries  | 3  |
| 60-620-01           | SuperBus 2000 Energy Saver Module: Monitor and Control Home Heating and Cooling. Analog Thermostats Only  | 78.94   | Wireless | Peripherals  | 3  |
| 60-639-95R          | Indoor Saw PIR Motion Sensor: Two Sensitivity Settings. Small and Unobtrusive. Optional Pet Alley Lens. 35' X 40' Coverage Area. Masking Kit Included   | 181.10  | Wireless | Wireless Indoor SAW PIR Motion Sensor                    | 3  |
| 60-641-95           | Crystal Long-Life Door/Window Sensor, White   | 82.47   | Wireless | Wireless Crystal Long-Life Door/Window Sensor            | 3  |
| 60-660-01-95R       | Quik Bridge Supervised 8-Channel Loop Receiver. Receiver allows up to 16 Learn Mode wireless sensors (2/channel) to be used. Powered from hardwire panel. Quik Bridge Receivers aren't compatible with Simon panels. Compatible with SAW & Crystal      | 157.35  | Wireless | Quik Bridge Receiver                                     | 3  |
| 60-670-11-95R       | SAW Door/Window Sensor, Brown   | 68.69   | Wireless | Wireless SAW Door/Window Sensor                          | 3  |
| 60-670-29-95R       | SAW Door/Window Sensor, UV White  | 68.69   | Wireless | Wireless SAW Door/Window Sensor                          | 20 |
| 60-670-95R          | SAW Door/Window Sensor, White   | 68.69   | Wireless | Wireless SAW Door/Window Sensor                          | 3  |
| 60-670-95R-PK       | SAW Door/Window Sensor, White, 25-Pack  | 1500.91 | Wireless | Wireless SAW Door/Window (Bulk Pack) Sensor              | 3  |
| 60-677              | Interrogator 200 Audio Verification Module: Add Two-Way Voice Capability to a Concord Panel. Gives the Central Station Operator the Ability to Hear What is Happening During an Alarm and to Speak Directly to the People On the Premises               | 71.82   | Wireless | Peripherals  | 3  |
| 60-680              | 12VDC, 7.0AH Backup Battery. Provides 24 Hours Backup Power to the Panel and Hardwire Devices When AC is Out  | 51.18   | Wireless | Batteries  | 3  |
| 60-681              | 12VDC, 4AH Backup Battery. Provides 24 Hours Backup Power to the Panel and to Hardwire Devices When AC is Out   | 26.65   | Wireless | Battery  | 3  |
| 60-694-95R          | 5-Button SAW Keychain Touchpad: Light Control Capability. Provides Single Button Panic Control  | 80.14   | Wireless | Wireless Keychain Touchpad                               | 20 |
| 60-699              | 3V 190 mAh Coin Lithium Battery, 10-Pack  | 25.56   | Wireless | Battery  | 3  |
| 60-709              | Pet Alley Lens/Mask Kit, 3-Pack   | 18.98   | Wireless | Accessories  | 3  |
| 60-710              | 1.5VDC AAA Alkaline Battery for Use w/Simon Hand-Held and TouchTalk Two-Way Touchpads, 6-Pack   | 10.25   | Wireless | Battery  | 3  |
| 60-711              | 12V Alkaline Battery for Keychain Touchpads, 6-Pack   | 11.53   | Wireless | Battery  | 3  |
| 60-713              | 9VDC UltraLife Lithium Battery  | 15.06   | Wireless | Batteries  | 3  |
| 60-714-10PKG        | SAW Door/Window Sensor Terminal Block, 10-Pack  | 20.10   | Wireless | Accessories  | 3  |
| 60-715              | SAW Sensor Spacer, White, 20-Pack   | 12.64   | Wireless | Accessories  | 3  |
| 60-716-11-25PKG     | SAW Sensor Magnet Spacer, Brown, 25-Pack  | 12.64   | Wireless | Accessories  | 20 |
| 60-716-25PKG        | SAW Sensor Magnet Spacer, White, 25-Pack  | 12.64   | Wireless | Accessories  | 20 |
| 60-719              | ToolBox Modem Kit: Recommended Modem for Remote Programmer. Includes Instructions   | 638.88  | Wireless | Programming Products                                     | 3  |
| 60-721-3-XT         | Simon XT Semi-Flush Mount Kit   | 18.90   | Wireless | Simon XT   | 20 |
| 60-729              | Micro Magnet, White, 10-Pack  | 38.33   | Wireless | Accessories  | 3  |
| 60-729-11           | Micro Magnet, Brown, 10-Pack  | 38.33   | Wireless | Accessories  | 20 |
| 60-733              | 3V Button Top Lithium Battery for HiTech Hand-Held Wireless Touchpads, AP750W PIR Motion Sensors, ShatterPro Sound Sensors, Shock Sensors, ESL Wireless Smoke Sensors and Wireless SAW Smoke Sensors, 6-Pack  | 43.49   | Wireless | Battery  | 3  |
| 60-734-01           | Concord Hybrid Control Panel: 8-Zone Hardwire Panel. Optional Wireless Receivers Available. Requires SuperBus 2000 Peripherals. Battery, Transformer, Phone Cord, Jack, Lock Set and Owner's Video Ordered Separately                                   | 222.31  | Wireless | Control Panels   | 3  |
| 60-741-43-EUR       | Recessed Micro Door/Window Sensor   | 81.90   | Wireless | Wireless Crystal Standard Door/Window Sensor             | 20 |
| 60-742-95R          | Saw Freeze Sensor: Only Compatible w/Simon and Caregard; Not Compatible w/Any Other Control Panel. Detects Furnace Failure When Temperature Drops Below 41° F. Batteries Included   | 89.25   | Wireless | SAW Environmental  | 3  |
| 60-744-95R          | Saw Water Sensor: Detects Water Leaks in Homes and Businesses. Consists of a Detector and a Transmitter. Not Compatible w/Advent Home Navigator, Advent Commercial, Advent Commercial Fire and Concord Ultra. Batteries Included                        | 101.01  | Wireless | SAW Environmental  | 3  |
| 60-745              | Micro Case, White, 5-Pack   | 12.79   | Wireless | Accessories  | 20 |
| 60-745-11           | Micro Case, Brown, 5-Pack   | 12.79   | Wireless | Accessories  | 20 |
| 60-746-01           | SuperBus 2000 LCD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2X16 Liquid Crystal Display. Allows for On-Site Installer Programming  | 165.00  | Wireless | Hardwire Touchpad  | 3  |
| 60-756              | Combo Input/Output Snapcard: 3 Hardwire Inputs, 1 Two-Wire Smoke Input, 2 Form-C Relay Outputs. 2K Ohm Resistors Included   | 66.89   | Wireless | Peripherals  | 3  |
| 60-757              | 8-Zone Input Expansion Snapcard: 6 Hardwire Inputs, 2 Two-Wire Smokes. 2K Ohm Resistors Included  | 66.89   | Wireless | Peripherals  | 3  |



|                     |   |         |                          |   |    |
|---------------------|---|---------|--------------------------|---|----|
| 60-758              | 4-Zone Output Snapcard: 4 Form-C Relay Outputs  | 74.34   | Wireless                 | Peripherals                                       | 3  |
| 60-760-01-95R       | Quik Bridge Supervised 1-Channel Receiver: Supervised 1-Channel Capability. Quik Bridge Receivers Are Not Compatible w/Simon Panels. Compatible w/SAW and Crystal Sensors   | 53.15   | Wireless                 | Receivers   | 20 |
| 60-760-95R          | Quik Bridge Non-Supervised 2-Channel Receiver: Non-supervised 2-Channel Receiver Enables Use of Up to 4 Wireless Learn Mode Sensors. Quik Bridge Receivers Are Not Compatible w/Simon Panels. Compatible w/SAW and Crystal Sensors                        | 58.70   | Wireless                 | Quik Bridge Receiver                              | 3  |
| 60-761              | 24VAC, 30VA Class II Transformer: Provides Primary Power to the Panel   | 21.57   | Wireless                 | Accessories                                       | 3  |
| 60-763              | Lock and Key Set for Enclosures: Included in Concord Packages   | 7.35    | Wireless                 | Accessories                                       | 3  |
| 60-770              | SuperBus 2000 4 Relay Output Module. Adds 4 Programmable Relay Outputs. 2K Ohm Resistors Included   | 103.05  | Wireless                 | Peripherals                                       | 3  |
| 60-774              | SuperBus 2000 8-Zone Input Module. Adds 8 Additional Supervised Hardwire Zones. 2K Ohm Resistors Included   | 103.05  | Wireless                 | Peripherals                                       | 3  |
| 60-777-01           | SuperBus 2000 Phone Interface/Voice Module: Adds Phone Control, On-Premise Voice Annunciation and Voice Zone Descriptors. Requires 8 Ohm Speaker  | 218.23  | Wireless                 | Peripherals                                       | 3  |
| 60-778              | 24VAC, 50VA Class II Transformer: Provides Primary Power to the Panel   | 43.03   | Wireless                 | Accessories                                       | 3  |
| 60-781              | 12VDC, 17AH Backup Battery. Provides 24 Hours Backup Power to the Panel and to Hardwire Devices When AC is Out  | 118.10  | Wireless                 | Batteries   | 3  |
| 60-783-02           | SuperBus 2000 Automation Module w/RS232: Integrates Concord w/Energy Management Systems, Lighting Controls and Audio/Video Systems. For Concord Panels w/Software Version of 2.5 or Later. Not Compatible w/Concord Express. Not UL Listed                | 118.04  | Wireless                 | Peripherals                                       | 3  |
| 60-789              | Phone Line Monitor Card. Monitors voltage of the phone line connected to a Concord. If low line voltage is detected, it initiates a trouble message. Easy installation. For Concord panels with software ver 2.5 or later. Not compatible with Express    | 14.60   | Wireless                 | Accessories                                       | 20 |
| 60-791              | Installation Programming Cable. Quick Plug Cable for Programming Touchpads  | 11.99   | Wireless                 | Accessories                                       | 3  |
| 60-792-01-95R-16Z   | Concord RF16 Integrated Control Panel: Integrated 16-Zone Wireless/8-Zone Hardwire Panel. Compatible w/SAW and Crystal Sensors. Requires SuperBus 2000 Peripherals. Battery, Transformer, Phone Cord, Jack, Lock Set and Owner's Video Ordered Separately | 308.87  | Wireless                 | Control Panels                                    | 20 |
| 60-792-01-95R-32Z   | Concord RF32 Integrated Control Panel: Integrated 32-Zone Wireless/8-Zone Hardwire Panel. Compatible w/SAW and Crystal Sensors. Requires SuperBus 2000 Peripherals. Battery, Transformer, Phone Cord, Jack, Lock Set and Owner's Video Ordered Separately | 366.81  | Wireless                 | Control Panels                                    | 3  |
| 60-793              | Panel or Expansion Enclosure: Concord Metal Panel Enclosure. Can Also Hold Up to Six Single-Sized SuperBus Modules  | 40.93   | Wireless                 | Accessories                                       | 3  |
| 60-800              | Enclosure, Phone Interface Module or Input/Output Modules: Enclosure for External Mounting of Phone Interface Module or Up to (2) Input or Output Modules   | 15.27   | Wireless                 | Accessories                                       | 20 |
| 60-807-01-95R       | Indoor SAW PIR Pet Immune Motion Sensor w/Lithium Battery   | 185.64  | Wireless                 | Wireless Indoor SAW PIR Motion Sensor             | 3  |
| 60-807-29-95R       | Indoor Saw PIR Pet Immune Motion Sensor White: Two Sensitivity Settings. Small and Unobtrusive. False Alarm Immunity for Pets Having a Combined Weight of Up to 40 Pounds. 35' X 40' Coverage Area  | 167.14  | Wireless                 | Wireless Indoor SAW PIR Motion Sensor             | 3  |
| 60-807-95R          | Indoor Saw PIR Pet Immune Motion Sensor: Two Sensitivity Settings. Small and Unobtrusive. False Alarm Immunity for Pets Having a Combined Weight of Up to 40 Pounds. 35' X 40' Coverage Area  | 167.14  | Wireless                 | Wireless Indoor SAW PIR Motion Sensor             | 3  |
| 60-807-95R-PK       | Indoor SAW PIR Pet Immune Motion Sensor, 10-Pack  | 1587.79 | Wireless                 | Wireless Indoor SAW PIR Motion Sensor             | 3  |
| 60-813-09           | 3.6VDC ½ Size AA Lithium Battery for Water-Resistant Pendant Panic Sensors and Double/Single-Button Panic Sensors, 9-Pack   | 70.50   | Wireless                 | Batteries   | 3  |
| 60-814              | 9VDC Eveready Energizer Alkaline Battery, 3-Pack  | 13.42   | Wireless                 | Battery   | 20 |
| 60-816              | Commercial Panel or Expansion Enclosure: Commercial Metal Panel Enclosure. Can Also Be Used to Mount Additional SuperBus Modules. Includes Hardware   | 127.60  | Wireless                 | Accessories                                       | 20 |
| 60-817              | Commercial Bus Module Mounting Kit: Used for Mounting Up to 4 Add-On Peripherals. Rail-Mounted Inside the Enclosure   | 30.51   | Wireless                 | Accessories                                       | 20 |
| 60-822              | 16.5VAC, 25VA Class II Transformer: Provides Primary Power to the Panel. Included in Express Packages. You Must Use This Transformer w/Concord Express. UL Listed   | 20.77   | Wireless                 | Accessories                                       | 3  |
| 60-822-CN           | 16.5VAC, 25VA Class II Transformer (Canadian): Provides Primary Power to the Panel, CSA Listed  | 20.77   | Wireless                 | Accessories                                       | 20 |
| 60-823              | 24VAC, 100VA Class II Transformer: Provides Primary Power to the Panel. Includes Line Carrier and Circuit Breaker   | 116.17  | Wireless                 | Accessories                                       | 20 |
| 60-831-10           | SAW Sensor Magnet w/Plastic, White, 10-Pack   | 38.33   | Wireless                 | Accessories                                       | 20 |
| 60-832-95R          | 2-Button Encrypted SAW Keychain Touchpad: Encryption Provides Increased Security of Wireless Communications. Compatible w/Concord Express, Concord (Version 2.0 or Higher), Concord Commercial (Version 2.0 or Higher) and Simon 3                        | 76.52   | Wireless                 | Wireless Keychain                                 | 20 |
| 60-836              | Superbus 2000 Voice Module: Expand the Panel w/Advanced Voice Messaging Functions. Digital Voice Chip Has a Vocabulary of Over 220 Words. Requires 8 Ohm Speaker  | 129.82  | Wireless                 | Peripherals                                       | 3  |
| 6083-N              | Swivel Bracket for 6180/6190 Series   | 46.43   | Sensors & Detectors      | Brackets  | 20 |
| 60-846              | Recessed Micro Door/Window Sensor Case, White, 5-Pack   | 19.17   | Wireless                 | Accessories                                       | 20 |
| 60-846-11           | Recessed Micro Door/Window Sensor Case, Brown, 5-Pack   | 19.17   | Wireless                 | Accessories                                       | 20 |
| 60-873-95           | ShatterPro Crystal Glassbreak Sensor: 360° Room Coverage, Up to 20' Away. Pattern Recognition Technology Ignores Most False Alarm Sounds  | 163.65  | Wireless                 | Wireless Crystal Glassbreak/Sound Motion Sensor   | 3  |
| 60-880-95           | AP750W Crystal PIR Motion Sensor: Passive Infrared Detection Inside an Enclosed Structure. Coverage Area and Sensitivity Modes Are Field-Selectable. 33' or 50' Coverage Area. Cover-Activated Tamper   | 194.21  | Wireless                 | Wireless Crystal PIR Motion Sensor                | 20 |
| 60-882-09           | 3.6V Lithium Battery w/Leads, 9-Pack  | 76.61   | Wireless                 | Batteries   | 3  |
| 60-886-11-95        | Crystal Shock Sensor, Brown   | 115.23  | Wireless                 | Wireless Window Mount Crystal Shock Motion Sensor | 3  |
| 60-886-95           | Crystal Shock Sensor, White   | 115.23  | Wireless                 | Wireless Window Mount Crystal Shock Motion Sensor | 3  |
| 60-898-ITI          | Simon 3 Class II Transformer: Provides Primary Power to the Panel. No X10 Capability. UL Listed   | 12.03   | Wireless                 | Accessories                                       | 3  |
| 60-899              | Simon XT Transformer  | 48.51   | Wireless                 | Simon XT  | 3  |
| 60-899-2WTTXFMR     | Talking Touchscreen Power Supply, 6VDC w/25' Cable  | 33.60   | Wireless                 | Simon XT  | 20 |
| 60-906-43-EUR       | Micro Multipurpose Panic Button, 433 Mhz, NX-476-I  | 109.20  | Wireless                 | Panic Button                                      | 20 |
| 60-914              | 6VDC, 1.2AH 24-Hour Rechargeable Backup Battery. Included w/All Simon 3 and Simon XT Panels. Provides 24 Hours Backup Power to the Panel and to Hardwire Devices When AC Power is Out   | 21.76   | Wireless                 | Battery   | 3  |
| 60-924-3-C4TS       | Concord 4 Touch Screen, 3.5 INCH  | 199.50  | Wireless                 | Accessories                                       | 3  |
| 60-924-3-C4TS5      | CONCORD 5" TOUCHSCREEN  | 190.00  | Wireless                 | Concord   | 3  |
| 60-924-BAT4SIMONTS5 | Replacement Battery for Simon 5" TouchScreen  | 40.00   | Wireless                 | Simon   | 3  |
| 60-924-RF-TS        | Simon XT Talking Touchscreen, White, w/PS   | 245.70  | Wireless                 | Simon XT  | 20 |
| 60-924-RF-TS5       | SIMON 5" TOUCHSCREEN  | 210.00  | Wireless                 | Simon   | 3  |
| 60-924-RF-TS-N      | Simon XT Talking Touchscreen, White, w/o PS   | 226.80  | Wireless                 | Simon XT  | 3  |
| 60-925              | Allegro Panel Backup Battery. Included w/Allegro Control Panel  | 24.21   | Wireless                 | Battery   | 3  |
| 60-928              | Multi-Purpose Housing: Rugged Plastic Enclosure Designed to Hold a Variety of Circuit Boards. It Can Be Adapted for Many Different Installation Situations  | 40.38   | Wireless                 | Accessories                                       | 20 |
| 60-968              | Help Button Accessory Kit: Includes Plastic Adaptors, Fittings and Wristbands for the Crystal or SAW Micro Wristwatch Panic Buttons, Part Number 60-906-95  | 12.20   | Wireless                 | Accessories                                       | 3  |
| 60-978              | Linegrabber Line Seizure Module: The Linegrabber Module Easily Attaches to Existing Telephone Devices, Providing a Simple Solution to Line Seizure Needs in Homes w/More Than One Telephone Device  | 31.50   | Wireless                 | Accessories                                       | 20 |
| 60-983              | ATP1000 Alphanumeric Touchpad: Large 2X16 Liquid Crystal Display w/Adjustable Contrast and Brightness. Swing-Down, Removable Door. Police, Fire and Auxiliary Panic Buttons. Allows for On-Site Installer Programming                                     | 131.96  | Wireless                 | Hardwire Touchpad                                 | 3  |
| 613P                | N/A - Power Adapter, 100-240VAC In, 13.5VDC Out   | 57.50   | Fiber Optic Transmission | Fiber Optic Accessories                           | 3  |

|                     |  |        |                          |   |    |
|---------------------|--|--------|--------------------------|---|----|
| 614P                | N/A - Power Adapter, 100-240VAC In, 13.5VDC 2.7A Out   | 81.26  | Fiber Optic Transmission | Fiber Optic Accessories   | 3  |
| 6530UCM             | 360 PIR  | 75.60  | Sensors & Detectors      | Fresnel PIR   | 3  |
| 6540U               | 12M 40' PIR  | 31.48  | Sensors & Detectors      | Fresnel PIR   | 3  |
| 6540UPI             | 12M 40' PIR PI   | 31.48  | Sensors & Detectors      | Fresnel PIR   | 3  |
| 6545U-BP            | Bracket, 10-Pack   | 17.01  | Sensors & Detectors      | Fresnel PIR   | 3  |
| 6545U-CL            | Curtain Lens, 10-Pack  | 30.24  | Sensors & Detectors      | Fresnel PIR   | 20 |
| 6545U-LR            | Long-Range Lens, 25M, 10-Pack  | 30.24  | Sensors & Detectors      | Fresnel PIR   | 20 |
| 6550U               | 15M 50' PIR  | 34.84  | Sensors & Detectors      | Fresnel PIR   | 3  |
| 701U                | 6" Mounting Base for 711U and 711UT, 6" Base, 3 Terminals  | 14.08  | Fire                     | 700 Series Mounting Bases   | 3  |
| 701U-10PKG          | 6" Mounting Base for 711U and 711UT, 10-Pack   | 129.66 | Fire                     | 700 Series Mounting Bases   | 20 |
| 702E-10PKG          | 4" Universal Mounting Base 700 Series w/6 Terminals for All Heads, 10-Pack   | 154.48 | Fire                     | 700 Series Mounting Bases   | 20 |
| 702RU               | 6" Mounting Base for 731U, 6" Base, 6 Terminals for All Heads for Use w/heads and Relays Only  | 18.24  | Fire                     | 700 Series Mounting Bases   | 20 |
| 702U                | 6" Universal Mounting Base, 700 Series, 6 Terminals for All Heads  | 18.24  | Fire                     | 700 Series Mounting Bases   | 3  |
| 711U                | 2-Wire Photoelectric Smoke Detector, 12/24VDC. S10A Compatible   | 73.74  | Fire                     | 700 Series Detachable Photoelectric Head and Base Smoke Detectors | 3  |
| 721U                | 2-Wire Fast Response Photoelectric Smoke Detector, w/Remote Alarm/Trouble LED. 12/24VDC, S10A Compatible   | 81.70  | Fire                     | 700 Series Detachable Photoelectric Head and Base Smoke Detectors | 20 |
| 721U-10PKG          | 2-Wire Fast Response Photoelectric Smoke Detector w/Remote Alarm/Trouble LED, 1 Set of Literature Per Box, Not Individually Packaged. S10A Compatible, 10-Pack   | 802.10 | Fire                     | 700 Series Detachable Photoelectric Head and Base Smoke Detectors | 20 |
| 721UT               | 2-Wire Fast Response Photoelectric Smoke Detector, w/Remote Alarm/Trouble LED, and Heat Sensors, 12/24VDC. Fast Response Photoelectric Smoke/Heat Algorithms. Remote Alarm/Trouble LED. S10A Compatible  | 85.68  | Fire                     | 700 Series Detachable Photoelectric Head and Base Smoke Detectors | 3  |
| 731U                | 2-Wire Photoelectric Smoke Detector w/Auxiliary Relay, 12/24VDC. Form C Auxiliary Relay. S11A Compatible   | 96.56  | Fire                     | 700 Series Detachable Photoelectric Head and Base Smoke Detectors | 3  |
| 741UT               | 4-Wire Fast Response Photoelectric Smoke Detector and Heat Sensors, 12/24VDC. Fast Response Photoelectric Smoke/Heat Algorithms. Not Listed FM. Remote Alarm and Trouble LED   | 95.88  | Fire                     | 700 Series Detachable Photoelectric Head and Base Smoke Detectors | 3  |
| 80-006-10-20PKG     | Shock/Freeze Spacer, Grey, 20-Pack   | 63.67  | Wireless                 | Accessories   | 20 |
| 800-1031            | Concord 4 Wireless Micro DWS Pkg   | 422.10 | Wireless                 | Concord 4 Package w/ATP1000 Touchpad                              | 20 |
| 800-1037-4          | Kit, Concord 4, ATP1000 Alpha Touchpad, RJ31X Jack, Phone Cord, Three Learn Mode Door Window Sensors, PIR SAW Pet Immune, Lock and Key Set   | 352.80 | Wireless                 | Concord 4 Package w/ATP1000 Touchpad                              | 3  |
| 80-043              | 1251e Single Door Firmware Upgrade Kit   | 116.80 | Wireless                 | Accessories   | 20 |
| 80-088              | Rechargeable NICAD Battery Pack for RF Commander and Hardwire Commander, 280 mAh   | 34.97  | Wireless                 | Batteries   | 20 |
| 800-964-4-CN        | Concord 4: Kit w/FTP 1000 Fixed English Touchpad   | 246.92 | Wireless                 | Packages (Canada)   | 20 |
| 800-973-4-CN        | Canadian Concord 4 Hardwire Package F11 w/FTP 1000 Touchpad  | 258.20 | Wireless                 | Concord 4 Package (Canada)  | 20 |
| 800-976-4           | Concord 4 Wireless Crystal Package G4 w/FTP 1000 Touchpad  | 534.68 | Wireless                 | Concord 4 Package w/FTP 1000 Touchpad                             | 20 |
| 80-116              | Wall-Mount Bracket for Water-Resistant Pendant Panic Sensor, 5-Pack  | 16.63  | Wireless                 | Accessories   | 3  |
| 80-213-3-XT         | Simon XT Demonstration Kit: Battery, Transformer, Phone Cord, Owner's Guide, (2) SAW Door/Window Sensors and (1) 4-Button SAW Keychain Touchpad  | 506.46 | Wireless                 | Simon XT  | 20 |
| 80-213-3-XTI        | Simon XTI Demonstration Kit: Battery, Transformer, Phone Cord, Owner's Guide, (2) SAW Door/Window Sensors and (1) 4-Button SAW Keychain Touchpad   | 842.10 | Wireless                 | Simon XTI   | 20 |
| 80-265              | Concord Hybrid Starter Package H12: Includes Concord Hybrid 8-Zone Hardwire Panel, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set  | 315.95 | Wireless                 | Concord Starter Package   | 20 |
| 80-265-4            | Concord 4: Hybrid Control, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack, Lock and Key Set   | 275.75 | Wireless                 | Concord 4 Package   | 3  |
| 80-268              | Concord RF16 Integrated Starter Package H14: Includes Concord RF16 Integrated 16-Zone Panel, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set  | 349.86 | Wireless                 | Concord Starter Package   | 20 |
| 80-269              | Concord RF32 Integrated Starter Package H15: Includes Concord RF32 Integrated 32-Zone Panel, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set  | 396.65 | Wireless                 | Concord Starter Package   | 20 |
| 80-517-3N-XT        | Simon XT SAW Package A5 w/o X10: Control, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) SAW Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor, (1) 4-Button SAW Keychain Touchpad  | 420.34 | Wireless                 | Simon XT  | 3  |
| 80-517-3N-XTI       | Simon XTI SAW Package A5 w/o X10: Control, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) SAW Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor, (1) 4-Button SAW Keychain Touchpad   | 504.34 | Wireless                 | Simon XTI   | 20 |
| 80-632-3N-XT        | Simon XT Starter Package A1 w/o X10: Battery, Transformer, RJ31X Jack and Video  | 262.71 | Wireless                 | Simon XT  | 3  |
| 80-632-3N-XT5       | Simon XTI 5-Inch Starter Pkg   | 346.71 | Wireless                 | Simon XTI   | 3  |
| 80-632-3N-XT-BR     | Portuguese Simon XT Starter Package A1 w/o X10: Battery, Transformer, RJ31X Jack   | 262.71 | Wireless                 | Simon XT  | 20 |
| 80-632-3N-XTI       | Simon XTI Starter Package A1 w/o X10: Battery, Transformer, RJ31X Jack and Video   | 346.71 | Wireless                 | Simon XTI   | 3  |
| 80-632-3N-XT-MX     | Spanish Simon XT Starter Package A1 w/o X10: Battery, Transformer, RJ31X Jack  | 262.71 | Wireless                 | Simon XT  | 3  |
| 80-638              | Express Wireless Crystal Package G4: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (3) Wireless Crystal Door/Window Sensors, (1) Wireless SAW Pet Immune PIR | 504.69 | Wireless                 | Concord Express Wireless Crystal Package                          | 20 |
| 80-649-3D-XT-GSM-AT | Simon XT 311 Kit w/Z-Wave, GSM for ATT Network   | 738.70 | Wireless                 | Simon XT  | 20 |
| 80-649-3N-XT        | Simon XT Crystal Package C5 w/o X10: Control, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor, (1) 4-Button SAW Keychain Touchpad  | 430.56 | Wireless                 | Simon XT  | 3  |
| 80-649-3N-XT5       | Simon XTI 5-Inch Cry Pkg   | 514.56 | Wireless                 | Simon XTI   | 3  |
| 80-649-3N-XTI       | Simon XTI Crystal Package C5 w/o X10: Control, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor, (1) 4-Button SAW Keychain Touchpad   | 514.56 | Wireless                 | Simon XTI   | 3  |
| 80-649-3N-XT-TS     | Simon XT w/Two-Way Talking Touch Screen Kit: (1) Simon XT Two-Way Talking Touch Screen, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4-Button SAW Keychain Touchpad   | 563.85 | Wireless                 | Simon XT  | 20 |
| 80-706-4            | Concord 4: SB2000 2x16 LCD Alpha Touchpad, RJ31X, Phone Cord, MPI-35 Speaker, AP750W PIR, 4-Button Keyfob, (2) Learn Mode Door/Window Sensor-White, Lock and Key Set   | 491.80 | Wireless                 | Concord 4 Package w/SB2000 Touchpad                               | 20 |
| 80-837              | Concord Wireless SAW Package. Includes 16-zone panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (2)SAW D/W Sensors, (1) SAW Pet PIR Motion, (1) 4-Button SAW Keyfob, (1)hardwire speaker. Battery and transformer sold separately                   | 551.54 | Wireless                 | Concord Wireless SAW Package                                      | 20 |
| 80-840              | Concord RF16 Integrated ATP1000 Starter Package: Includes Concord RF16 Integrated 16-Zone Panel, ATP1000 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set  | 349.86 | Wireless                 | Concord Starter Package   | 20 |
| 80-842              | Express ATP1000 Starter Package: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, ATP1000 2x16 LCD Touchpad, Transformer, Phone Cord, RJ31X Jack, Battery, Lock Set and Owner's Video Sold Separately  | 231.00 | Wireless                 | Concord Express Starter Package                                   | 3  |
| 80-843              | Concord ATP1000 Hybrid Starter Package: Includes Concord Hybrid 8-Zone Hardwire Panel, ATP1000 2x16 LCD Touchpad, Phone Cord, Jack and Lock Set  | 315.95 | Wireless                 | Concord Starter Package   | 20 |
| 80-843-4            | Concord 4: ATP1000 2x16 LCD Touchpad, Phone Cord, RJ31X Jack, Lock and Key Set for Enclosure   | 249.90 | Wireless                 | Concord 4 Package w/ATP1000 Touchpad                              | 3  |
| 80-860-4            | Concord 4: ATP1000 Alpha Touchpad, RJ31X Jack, Phone Cord, (3) Learn Mode Door/Window Sensors, PIR Crystal, Lock and Key Set   | 357.00 | Wireless                 | Concord 4 Package w/ATP1000 Touchpad                              | 3  |
| 80-871              | Concord Wireless Crystal Package. Includes Control with 16-zone panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (2)Crystal D/W Sensors, (1)Crystal PIR Motion, (1) hardwire speaker. Battery, transformer & Owner's Video sold separately          | 535.31 | Wireless                 | Concord Wireless Crystal Package                                  | 20 |
| 80-874              | Concord Wireless Crystal Package. Includes Panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (3) Crystal D/W Sensors, (1) hardwire speaker. Battery, transformer and Owner's Video sold separately   | 572.04 | Wireless                 | Wireless Crystal Packages   | 20 |

|                 |   |         |                          |                                      |    |
|-----------------|---|---------|--------------------------|--------------------------------------|----|
| 80-874-4        | Concord 4: SB2000 2x16 LCD Touchpad, RJ31X, Phone Cord, Learn Mode Door/Window Sensor, MPI-35 Speaker, Lock and Key Set   | 547.45  | Wireless                 | Packages w/SB2000 Touchpad           | 20 |
| 80-922-1        | Repeater Kit 319.5, with Crystal Transmitter  | 136.50  | Wireless                 | Repeater                             | 3  |
| 80-936          | SuperBus Transceiver w/Enclosure  | 188.90  | Wireless                 | Accessories                          | 3  |
| 80-953-4        | Concord 4 Panel: SB2000 2x16 LCD Touchpad, Transformer, Phone Cord and RJ31X Jack   | 293.69  | Wireless                 | Concord 4 Package w/SB2000 Touchpad  | 3  |
| 80-966-4        | Concord 4: ATP1000 2x16 LCD Touchpad, Transformer, Phone Cord and RJ31X Jack  | 246.92  | Wireless                 | Concord 4 Package w/ATP1000 Touchpad | 3  |
| 80-968-4        | Concord 4: ATP1000 2x16 Alphanumeric Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren and (1) Hardwire Pet Immune PIR Motion Detector                                     | 252.19  | Wireless                 | Concord 4 Package w/ATP1000 Touchpad | 3  |
| 80-968-4-1070   | Concord 4 Hardware PKG W/ 600-1070  | 241.69  | Wireless                 | Concord                              | 3  |
| 80-978-4        | Concord 4: ATP1000 2x16 Alphanumeric Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR Motion Detector and (1) 2-Button SAW Keychain Touchpad | 310.55  | Wireless                 | Concord 4 Package w/ATP1000 Touchpad | 3  |
| 897B-109        | Strobe - Beige Surface Box - Handy Box  | 27.20   | Fire                     | Notification Appliances              | 20 |
| A2300SHR-M      | FM Audio Self Healing Ring-Master 850NM, MM   | 2970.00 | IFS Transmission         | Audio (EBS) Self-Healing Ring        | 20 |
| A2300SHR-R      | FM Audio Self Healing Ring-Remote 850NM, MM   | 2970.00 | IFS Transmission         | Audio (EBS) Self-Healing Ring        | 20 |
| A2325SHR-M      | FM Audio Self Healing Ring-Master 1300NM, SM  | 2970.00 | IFS Transmission         | Audio (EBS) Self-Healing Ring        | 20 |
| A2325SHR-R      | FM Audio Self Healing Ring-Master 1300NM, SM  | 2970.00 | IFS Transmission         | Audio (EBS) Self-Healing Ring        | 20 |
| AB451           | Amber Top Mount Strobe for AS395  | 60.40   | Sentrol                  | Sirens                               | 20 |
| ANT-CBL-60CM    | rp-sma to n-male cfd-200 antenna cable 0.6 m length 0.5db loss 50 ohms  | 24.00   | IFS Transmission         | Network                              | 20 |
| ANT-CBL-6M      | rp-sma to n-male cfd-200 antenna cable 6 m length 3.5db loss 50 ohms  | 60.00   | IFS Transmission         | Network                              | 20 |
| ANT-OMN-2G-15DB | 2.4ghz omi-directional antenna point to point 15 dbi general purpose 360 degrees  | 400.00  | IFS Transmission         | Network                              | 20 |
| ANT-PNL-2G-18DB | 2.4ghz uni-directional flat panel point to point 18 dbi 30h/25v degrees   | 200.00  | IFS Transmission         | Network                              | 20 |
| ANT-PNL-2G-9DB  | 2.4ghz uni-directional flat panel point to point 9 dbi 75h/75v degrees  | 120.00  | IFS Transmission         | Network                              | 20 |
| ANT-UNI-2G-21DB | 2.4ghz uni-directional grid point to point 21 dbi 9h/8v degrees   | 360.00  | IFS Transmission         | Network                              | 20 |
| AP669           | Mirror Optic PIR, Ceiling Mount, Two 180 Mirror Segments, Two Pyres and Two ASICs for Superior Detection. 18 Full Curtains. 60' Diameter Range, 360' Degree Coverage. 12 or 24V. Form C, Tamper, White. UL, ULC Listed              | 200.66  | Sensors & Detectors      | AP Series Mirror Optic PIR           | 20 |
| AP669BP         | AP669 Base Plate  | 18.21   | Sensors & Detectors      | AP Series Mirror Optic PIR           | 3  |
| AP669RK         | AP669 Recessed Mounting Kit for Semi-Recessed Ceiling Mounting  | 42.34   | Sensors & Detectors      | AP Series Mirror Optic PIR           | 3  |
| AR1000          | FM Audio Receiver, MM, 1 Fiber  | 400.00  | IFS Transmission         | Audio Transmitters & Receivers       | 3  |
| AR1000-R3       | FM Audio Receiver, MM, 1 Fiber, Rack Mount  | 400.00  | IFS Transmission         | Audio Transmitters & Receivers       | 3  |
| AR1030          | FM Audio Receiver, SM or MM, 1 Fiber  | 790.00  | IFS Transmission         | Audio Transmitters & Receivers       | 20 |
| AR1030-R3       | FM Audio Receiver, SM or MM, 1 Fiber, Rack Mount  | 790.00  | IFS Transmission         | Audio Transmitters & Receivers       | 20 |
| AR2000          | FM Audio Transceiver, MM, 2 Fibers  | 790.00  | IFS Transmission         | Audio Transceivers                   | 20 |
| AR2000-R3       | FM Audio Transceiver, MM, 2 Fibers, Rack Mount  | 790.00  | IFS Transmission         | Audio Transceivers                   | 20 |
| AR2010WDMA      | FM Audio Transceiver, MM, 1 Fiber, "A" End  | 1450.00 | IFS Transmission         | Audio Transceivers                   | 20 |
| AR2010WDMB-R3   | FM Audio Transceiver, MM, 1 Fiber, "B" End, Rack Mount  | 1450.00 | IFS Transmission         | Audio Transceivers                   | 20 |
| AR2025          | FM Audio Transceiver, SM, 2 Fibers  | 1980.00 | IFS Transmission         | Audio Transceivers                   | 20 |
| AR2025-R3       | FM Audio Transceiver, SM, 2 Fibers, Rack Mount  | 1980.00 | IFS Transmission         | Audio Transceivers                   | 20 |
| AT1000          | FM Audio Transmitter, MM, 1 Fiber   | 400.00  | IFS Transmission         | Audio Transmitters & Receivers       | 3  |
| AT1000-R3       | FM Audio Transmitter, MM, 1 Fiber, Rack Mount   | 400.00  | IFS Transmission         | Audio Transmitters & Receivers       | 20 |
| AT1025          | FM Audio Transmitter, SM, 1 Fiber   | 1450.00 | IFS Transmission         | Audio Transmitters & Receivers       | 20 |
| AT1025-R3       | FM Audio Transmitter, SM, 1 Fiber, Rack Mount   | 1450.00 | IFS Transmission         | Audio Transmitters & Receivers       | 20 |
| AV-3G           | Advisor 3G Cellular Modem (Requires AVO-3GANT)  | 272.00  | Wireless                 | Advisor                              | 20 |
| AV-3G-V         | 3G Modem, Antenna, Service Kit for AdvisorOne   | 244.00  | Wireless                 | Advisor                              | 20 |
| AVO-1037-3-310  | AdvisorOne 100zone, 319MHz, 7", PSTN, BT, WIFI, 3/1 Kit   | 758.00  | Wireless                 | Advisor                              | 3  |
| AVO-1037-4-310  | AdvisorOne, 100Z,319, PSTN, BT, WIFI, Z-Wave 3/1  | 816.00  | Wireless                 | Advisor                              | 3  |
| AVO-3GANT       | AdvisorONE 3G Antenna   | 20.00   | Wireless                 | Advisor                              | 3  |
| AVO-BAT28A      | Advisor One Battery, 7.2V 2.8AH   | 58.00   | Wireless                 | Advisor                              | 20 |
| AVO-BTWIFI      | AdvisorOne Bluetooth WiFi Module  | 98.00   | Wireless                 | Advisor                              | 20 |
| AVO-PSTN        | AdvisorOne PSTN Module  | 36.00   | Wireless                 | Advisor                              | 20 |
| AVO-ZW          | AdvisorOne Z-Wave Module  | 58.00   | Wireless                 | Advisor                              | 3  |
| AV-PS12V        | Advisor One Power Supply 12VDC  | 50.00   | Wireless                 | Advisor                              | 20 |
| AV-SD4          | Advisor SD Card 4GB   | 28.00   | Wireless                 | Advisor                              | 3  |
| AV-TS-25CABLE   | Advisor Touch Screen Cable, 25 ft   | 28.00   | Wireless                 | Advisor                              | 3  |
| AV-TS7          | Advisor 7 inch Touchscreen, BT, WIFI  | 496.00  | Wireless                 | Advisor                              | 20 |
| B-1245          | 12V, 4AMP Backup Battery  | 32.51   | NetworX                  | Control Panel Accessories            | 20 |
| B701VER-RST     | MM - Video, Wideband - 35 MHz, Rx, Rack   | 593.76  | Fiber Optic Transmission | Transmitters and Receivers           | 20 |
| B701VET-EST     | MM - Video, Wideband - 35 MHz, Tx, Can  | 518.76  | Fiber Optic Transmission | Transmitters and Receivers           | 20 |
| B741AVR-RSTL    | MM - Video & Audio, Digitally Processed, Rx, Rack   | 1356.26 | Fiber Optic Transmission | Transmitters and Receivers           | 20 |
| B741AVT-RSTL    | MM - Video & Audio, Digitally Processed, Tx, Rack   | 1356.26 | Fiber Optic Transmission | Transmitters and Receivers           | 20 |
| BB-1GS          | Barrier Bar Perimeter Alarm Switch. Fits Windows 12" to 40", Plastic Bar  | 48.41   | Sensors & Detectors      | Barrier Bar Perimeter Alarm Switches | 3  |
| BB-2            | Barrier Bar Mercury Tilt Switch. Fits Windows 12" to 40". For Use w/Tilt-Style Windows Often Found in Basements, Plastic Bar  | 165.56  | Sensors & Detectors      | Barrier Bar Perimeter Alarm Switches | 20 |
| BB-2XL          | Barrier Bar Mercury Tilt Switch, Reinforced, 20-Pack, Fits Windows 12" to 40". For Use w/Tilt-Style Windows Often Found in Basements. Metal Reinforced Bar. Ordered in Quantities of 20; Price Shown is for One (1) Unit            | 156.26  | Sensors & Detectors      | Barrier Bar Perimeter Alarm Switches | 20 |
| CAT30KEY        | Replacement Keys  | 5.29    | NetworX                  | Control Panel Accessories            | 3  |
| CYB-2103        | CyberDome II Flush Housing Smoke Acrylic Dome   | 200.00  | PTZ Cameras              | Lower Dome Assemblies                | 20 |
| CYB-2202        | CyberDome II Pendant Housing Clear Acrylic Dome   | 200.00  | PTZ Cameras              | Lower Dome Assemblies                | 3  |
| CYB-2203        | CyberDome II Pendant Housing Smoke Acrylic Dome   | 200.00  | PTZ Cameras              | Lower Dome Assemblies                | 3  |
| CYB-2402        | CyberDome II Rugged Housing Clear Acrylic Dome  | 240.00  | PTZ Cameras              | Lower Dome Assemblies                | 20 |
| CYB-2403        | CyberDome II Rugged Housing Smoke Acrylic Dome  | 240.00  | PTZ Cameras              | Lower Dome Assemblies                | 20 |
| CYB-2423        | CyberDome II Rugged Housing Smoke Polycarbonate Dome  | 290.00  | PTZ Cameras              | Lower Dome Assemblies                | 3  |
| CYB-2523        | CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome  | 340.00  | PTZ Cameras              | Lower Dome Assemblies                | 20 |
| D1010           | RS232/RS422: Data Transceiver, MM, 2 Fibers   | 400.00  | IFS Transmission         | RS232/422 Transceivers               | 3  |
| D1010-R3        | RS232/RS422: Data Transceiver, MM, 2 Fibers, Rack Mount   | 400.00  | IFS Transmission         | RS232/422 Transceivers               | 20 |
| D1020-R3        | RS232/RS422: Data Transceiver, MM, 2 Fibers, LD, Rack Mount   | 930.00  | IFS Transmission         | RS232/422 Transceivers               | 20 |
| D1030           | RS232/RS422: Data Transceiver, SM, 2 Fibers   | 1250.00 | IFS Transmission         | RS232/422 Transceivers               | 3  |
| D1030-R3        | RS232/RS422: Data Transceiver, SM, 2 Fibers, Rack Mount   | 1250.00 | IFS Transmission         | RS232/422 Transceivers               | 20 |
| D1300           | RS485: (2 Wire) Data Transceiver, MM, 2 Fibers  | 660.00  | IFS Transmission         | RS485 2-Wire Transceivers            | 3  |
| D1300-R3        | RS485: (2 Wire) Data Transceiver, MM, 2 Fibers, Rack Mount  | 660.00  | IFS Transmission         | RS485 2-Wire Transceivers            | 3  |
| D1315           | RS485: (4 Wire) Data Transceiver, MM, 2 Fibers  | 790.00  | IFS Transmission         | RS485 4-Wire Transceivers            | 3  |
| D1315-R3        | RS485: (4 Wire) Data Transceiver, MM, 2 Fibers, Rack Mount  | 790.00  | IFS Transmission         | RS485 4-Wire Transceivers            | 20 |
| D1315-SM        | RS485: (4 Wire) Data Transceiver, SM, 2 Fibers  | 2110.00 | IFS Transmission         | RS485 4-Wire Transceivers            | 20 |
| D1315-SM-R3     | RS485: (4 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount  | 2110.00 | IFS Transmission         | RS485 4-Wire Transceivers            | 20 |
| D1315WDMAR3     | RS485: (4 Wire) Data Transceiver, MM, 1 Fiber, "A" End, Rack Mount  | 1290.00 | IFS Transmission         | RS485 4-Wire Transceivers            | 20 |
| D1320           | RS485: (2 Wire) Data Transceiver, MM, 2 Fibers, LD  | 1450.00 | IFS Transmission         | RS485 2-Wire Transceivers            | 20 |

|                 |  |         |                     |  |    |
|-----------------|--|---------|---------------------|--|----|
| D1325           | RS485: (2 Wire) Data Transceiver, SM, 2 Fibers                               | 1910.00 | IFS Transmission    | RS485 2-Wire Transceivers  | 20 |
| D1325-R3        | RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount                   | 1910.00 | IFS Transmission    | RS485 2-Wire Transceivers  | 20 |
| D1810           | Bi-Directional Contact Closure Transceiver, MM, 2 Fibers                     | 660.00  | IFS Transmission    | Bi-directional Contact Closure Transceiver                               | 3  |
| D1810-R3        | Bi-Directional Contact Closure Transceiver, MM, 2 Fibers, Rack Mount         | 660.00  | IFS Transmission    | Bi-directional Contact Closure Transceiver                               | 20 |
| D19120SHR       | RS232/422/485: Digital Self Healing Ring,1300 NM, MM                         | 2370.00 | IFS Transmission    | RS232/422/485 Self-Healing Ring Bi-directional Data Transceiver          | 20 |
| D19130SHR       | RS232/422/485: Digital Self Healing Ring, SM, 2 Fibers                       | 2640.00 | IFS Transmission    | RS232/422/485 Self-Healing Ring Bi-directional Data Transceiver          | 20 |
| D19130SHR-R3    | RS232/422/485: Digital Self Healing Ring, SM, 2 Fibers, Rack Mount           | 2640.00 | IFS Transmission    | RS232/422/485 Self-Healing Ring Bi-directional Data Transceiver          | 20 |
| D2100           | RS232/RS422: Data Repeater, MM, 2 Fibers                                     | 990.00  | IFS Transmission    | RS232/422 Repeater   | 20 |
| D2100-R3        | RS232/RS422: Data Repeater, MM, 2 Fibers, Rack Mount                         | 990.00  | IFS Transmission    | RS232/422 Repeater   | 20 |
| D2125           | RS232/RS422: Data Repeater, SM, 2 Fibers                                     | 3030.00 | IFS Transmission    | RS232/422 Repeater   | 20 |
| D2300           | RS485: (2 Wire) Data Repeater, MM, 2 Fibers                                  | 1060.00 | IFS Transmission    | RS485 2-Wire Repeaters   | 3  |
| D2300CPS        | RS485: (2 Wire) Data Repeater, MM, 2 Fibers                                  | 1060.00 | IFS Transmission    | RS485 2-Wire Repeaters   | 3  |
| D2315-1300      | RS485: (4 Wire) Data Repeater, MM, 2 Fibers, LD                              | 2900.00 | IFS Transmission    | RS485 4-Wire Repeaters   | 20 |
| D2325           | RS485: (2 Wire) Data Repeater, SM, 2 Fibers                                  | 3690.00 | IFS Transmission    | RS485 2-Wire Repeaters   | 20 |
| D2325CPS        | RS485: (2 Wire) Data Repeater, SM, 2 Fibers, Cerberus                        | 3690.00 | IFS Transmission    | Siemens Cerberus Pyrotronics (RS485 Repeater)                            | 3  |
| D3420WDMA       | 4 Channel Contact Mapping Transceiver, MM, 1 Fiber, "A" End                  | 1190.00 | IFS Transmission    | Contact Mapping Transmitters & Receivers (4 Contact Channels per Module) | 20 |
| D3420WDMA-SP    | 4 Channel Contact Mapping Transceiver, MM, 1 Fiber, "A" End                  | 1190.00 | IFS Transmission    | Contact Mapping Transmitters & Receivers (4 Contact Channels per Module) | 20 |
| D3420WDMB       | 4 Channel Contact Mapping Transceiver, MM, 1 Fiber, "B" End                  | 1190.00 | IFS Transmission    | Contact Mapping Transmitters & Receivers (4 Contact Channels per Module) | 20 |
| D3420WDMB-SP-R3 | 4 Channel Contact Mapping Transceiver, MM, 1 Fiber, "B" End, Rack Mount      | 1190.00 | IFS Transmission    | Contact Mapping Transmitters & Receivers (4 Contact Channels per Module) | 20 |
| D7120           | 10/100 Ethernet Transceiver, MM Laser, 2 Fibers                              | 990.00  | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 3  |
| D7120-R3        | 10/100 Ethernet Transceiver, MM Laser, 2 Fibers, Rack Mount                  | 990.00  | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 3  |
| D7120-R3-C      | 10/100 Ethernet Transceiver, MM Laser, 2 Fibers, Rack Mount, Conformal Coat  | 1140.00 | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 20 |
| D7120WDMA       | 10/100 Ethernet Transceiver, MM Laser, 1 Fiber, "A" End                      | 1980.00 | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 20 |
| D7120WDMA-R3    | 10/100 Ethernet Transceiver, MM Laser, 1 Fiber, "A" End, Rack Mount          | 1980.00 | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 3  |
| D7120WDMB       | 10/100 Ethernet Transceiver, MM Laser, 1 Fiber, "B" End                      | 1980.00 | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 3  |
| D7120WDMB-R3    | 10/100 Ethernet Transceiver, MM Laser, 1 Fiber, "B" End, Rack Mount          | 1980.00 | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 20 |
| D7130WDMA       | 10/100 Ethernet Transceiver, SM Laser, 1 Fiber, "A" End                      | 2240.00 | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 20 |
| D7130WDMA-R3    | 10/100 Ethernet Transceiver, SM Laser, 1 Fiber, "A" End, Rack Mount          | 2240.00 | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 20 |
| D7130WDMB       | 10/100 Ethernet Transceiver, SM Laser, 1 Fiber, "B" End                      | 2240.00 | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 20 |
| D7130WDMB-R3    | 10/100 Ethernet Transceiver, SM Laser, 1 Fiber, "B" End, Rack Mount          | 2240.00 | IFS Transmission    | Ethernet Optical Transceiver (10/100 Mbps Auto-sensing)                  | 20 |
| D8030WDMB       | 8 Channel Data Transceiver, SM, 1 Fiber, "B" End                             | 5270.00 | IFS Transmission    | 8 Channel Data Multiplexer   | 20 |
| D9110           | RS232: Data Repeater, MM, 2 Fibers, Db25                                     | 1120.00 | IFS Transmission    | RS232 Repeaters (DB25 Data Connector)                                    | 20 |
| D9130           | RS232: Data Repeater, SM Laser, 2 Fibers, Db25                               | 2370.00 | IFS Transmission    | RS232 Repeaters (DB25 Data Connector)                                    | 3  |
| DD669-U         | 20 m Ceiling Mount Dual Motion Sensor NO/NC Alarm Output, USA                | 210.00  | Sensors & Detectors | Motion Sensor  | 3  |
| DDI602U-F1      | Outdoor Dual Technology Detector 10.525Ghz 10/20/30m, 33/66/98ft Selectable  | 409.50  | Sensors & Detectors | Outdoor PIR  | 3  |
| DE7100-SS       | Three Port Ethernet Switch, (2) 1300Nm, (1) Cat                              | 950.00  | IFS Transmission    | Ethernet Three Port Switch (10/100 Mbps)                                 | 20 |
| DE7210M         | Mini Optical Ethernet Media Converter, MM, (1) 1300Nm                        | 540.00  | IFS Transmission    | Mini Ethernet Two Port Media Converter (10/100 Mbps)                     | 3  |
| DE7210MWDMA     | Mini Ethernet Media Converter, 1310/1550Nm, MM, "A" End                      | 930.00  | IFS Transmission    | Mini Ethernet Two Port Media Converter (10/100 Mbps)                     | 3  |
| DE7210MWDMB     | Mini Ethernet Media Converter, 1310/1550Nm, MM, "B" End                      | 930.00  | IFS Transmission    | Mini Ethernet Two Port Media Converter (10/100 Mbps)                     | 20 |
| DE7230M         | Mini Optical Ethernet Media Converter,SM, (1) 1300Nm                         | 660.00  | IFS Transmission    | Mini Ethernet Two Port Media Converter (10/100 Mbps)                     | 20 |
| DECR3000        | 8 Channel Contact Closure to Ethernet Receiver, 10/100 Receiver Elec         | 660.00  | IFS Transmission    | 8 Channel Contact Closure Over Ethernet                                  | 20 |
| DECT3000        | 8 Channel Contact Closure to Ethernet Transmitter, 10/100 Transmitter Elec   | 660.00  | IFS Transmission    | 8 Channel Contact Closure Over Ethernet                                  | 20 |
| DH-ARMC         | Replacement Cone, Extension Rod and Catchplate, Chrome                       | 34.94   | Fire                | Accessories  | 3  |
| DH-BPB          | Back Plate, Brass  | 10.12   | Fire                | Accessories  | 20 |
| DH-BPC          | Back Plate, Chrome   | 8.80    | Fire                | Accessories  | 3  |
| DH-ER1B         | 1" Extension Rod, Brass  | 8.80    | Fire                | Accessories  | 20 |
| DH-ER1C         | 1" Extension Rod, Chrome   | 7.52    | Fire                | Accessories  | 3  |
| DH-ER3C         | 3" Extension Rod, Chrome   | 11.30   | Fire                | Accessories  | 3  |
| DHF-1224C       | Semi-Flush Mount, Chrome, 12 or 24V DC/AC                                    | 92.88   | Fire                | Semi-Flush Mount   | 3  |
| DHF-24120C      | Semi-Flush Mount Door Holder, Chrome, 24 or 120VDC/AC                        | 92.88   | Fire                | Semi-Flush Mount   | 3  |
| DHFM1-1224      | Floor Mount Door Holder, Stainless Steel, Single Coil, 12 or 24VDC/AC        | 135.68  | Fire                | Floor Mount, UL Listed   | 3  |
| DHFM1-24120     | Floor Mount Door Holder, Stainless Steel, Single Coil, 24 or 120VDC/AC       | 135.68  | Fire                | Floor Mount, UL Listed   | 3  |
| DHFM2-1224      | Floor Mount Door Holder, Stainless Steel, Dual Coil, 12 or 24VDC/AC          | 218.12  | Fire                | Floor Mount, UL Listed   | 20 |
| DHFM2-24120     | Floor Mount Door Holder, Stainless Steel, Dual Coil, 24 or 120VDC/AC         | 218.12  | Fire                | Floor Mount, UL Listed   | 3  |
| DHR-1224C       | Recess Mount Door Holder, Chrome, 12 or 24VDC/AC, Includes 3" Extension Rod  | 102.88  | Fire                | Recess Mount   | 3  |
| DHR-24120C      | Recess Mount Door Holder, Chrome, 24 or 120VDC/AC, Includes 3" Extension Rod | 102.88  | Fire                | Recess Mount   | 3  |
| DHS-1224B       | Surface Mount Door Holder, Brass, 12 or 24VDC/AC                             | 119.46  | Fire                | Surface Mount  | 20 |
| DHS-1224C       | Surface Mount Door Holder, Chrome, 12 or 24VDC/AC                            | 102.88  | Fire                | Surface Mount  | 3  |
| DHS-24120C      | Surface Mount Door Holder, Chrome, 24 or 120VDC/AC                           | 102.88  | Fire                | Surface Mount  | 3  |
| DHW             | Extension Rod Wrenches   | 3.96    | Fire                | Accessories  | 20 |
| DI601           | Outdoor PIR 10/20/30m, 33/66/98ft Selectable                                 | 252.00  | Sensors & Detectors | Outdoor PIR  | 3  |
| DI601-WT        | Walk Tester for DI601 and DDI602 Series                                      | 197.38  | Sensors & Detectors | Tester   | 20 |
| DR3010          | 8 Channel Contact Receiver, MM, 1 Fiber                                      | 930.00  | IFS Transmission    | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 3  |
| DR3010-B-R3     | 8 Channel Contact Receiver, MM, 1 Fiber, Battery Back-Up, Rack Mount         | 1080.00 | IFS Transmission    | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 20 |

|                  |  |                             |  |    |
|------------------|--|-----------------------------|--|----|
| DR3010-R3        | 8 Channel Contact Receiver, MM, 1 Fiber, Rack Mount  | 930.00 IFS Transmission     | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 3  |
| DR3030           | 8 Channel Contact Receiver, SM, 1 Fiber  | 1190.00 IFS Transmission    | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 20 |
| DR3030-R3        | 8 Channel Contact Receiver, SM, 1 Fiber, Rack Mount  | 1190.00 IFS Transmission    | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 20 |
| DR-BUBBLE        | Replacement Bubble Dome for Rugged Domes   | 38.00 Analog Fixed Cameras  | Accessories - Replacement Parts  | 20 |
| DR-EP            | Extendable Pendant Mount for Rugged Dome (pipe not included)   | 106.00 Analog Fixed Cameras | Accessories - Mounting Hardware  | 20 |
| DR-FM            | Flush Mount for Rugged Dome  | 54.00 Analog Fixed Cameras  | Accessories - Mounting Hardware  | 20 |
| DR-ICM           | Inside Corner Mount for UltraView Rugged Dome  | 74.00 Analog Fixed Cameras  | Accessories - Mounting Hardware  | 20 |
| DR-PDM           | Pendant Mount for Rugged Dome  | 96.00 Analog Fixed Cameras  | Accessories - Mounting Hardware  | 20 |
| DR-PM            | Pendant Mount for Rugged Dome  | 106.00 Analog Fixed Cameras | Accessories - Mounting Hardware  | 20 |
| DR-RCM           | Corner Mount for UltraView Rugged Dome   | 106.00 Analog Fixed Cameras | Accessories - Mounting Hardware  | 20 |
| DR-RWM           | Wall Mount for Rugged Dome   | 106.00 Analog Fixed Cameras | Accessories - Mounting Hardware  | 20 |
| DR-RWM-AD        | adapter plate for dome to dr-rwm wall mount for rugged dome  | 10.00 Analog Fixed Cameras  | TRUVISION  | 3  |
| DS-82-POE-PCB    | DS-82-POE-PCB 8 Port Network Module With Poe Module Only   | 410.00 IFS Transmission     | Network  | 20 |
| DST-100          | Tape, Double-Sided Foam, 1/2" X 1/2"   | 19.19 NetworX               | Control Panel Accessories  | 3  |
| DT3010           | 8 Channel Contact Transmitter, MM, 1 Fiber   | 930.00 IFS Transmission     | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 3  |
| DT3010-R3        | 8 Channel Contact Transmitter, MM, 1 Fiber, Rack Mount   | 930.00 IFS Transmission     | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 3  |
| DT3020           | 8 Channel Contact Transmitter, 1300Nm, MM, 1 Fiber   | 1190.00 IFS Transmission    | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 20 |
| DT3020-R3        | 8 Channel Contact Transmitter, 1300Nm, MM, 1 Fiber, Rack Mount   | 1190.00 IFS Transmission    | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 20 |
| DT3025           | 8 Channel Contact Transmitter, SM, 1 Fiber   | 1850.00 IFS Transmission    | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 20 |
| DT3025-R3        | 8 Channel Contact Transmitter, SM, 1 Fiber, Rack Mount   | 1850.00 IFS Transmission    | Contact Mapping Transmitters & Receivers (8 Contact Channels per Module) | 20 |
| DV1201A          | Structural Vibration Sensor for Vaults and Safes   | 370.25 Sensors & Detectors  | DV Series Structural   | 3  |
| DV1204A          | Damp Resistant Mounting Box. Use to Protect Sensor from Vandalism or High Humidity                             | 275.52 Sensors & Detectors  | Accessories  | 20 |
| DV1212A          | Tack Plate. Use for Weld Mounts When Drilling in Steel is Prohibitive  | 43.51 Sensors & Detectors   | Accessories  | 20 |
| DV1221A          | Structural Vibration Sensor for ATMs and Night Deposit Safes   | 370.25 Sensors & Detectors  | DV Series Structural   | 3  |
| DV1228A          | Metal Junction Box w/Tamper, Steel Insert Protects from Drilling, Tamper to Protect from Opening               | 101.07 Sensors & Detectors  | Accessories  | 20 |
| ES2001-4P-4T     | 8 Port Fast Ethernet Switch With 4 Ports Poe And 4 Ports Non-Poe   | 230.00 IFS Transmission     | Network  | 20 |
| ES2402-16P-2C    | 16-port fast ethernet PoE-at web smart switch plus 2 gigabit tp / sfp combo uplink ports                       | 980.00 IFS Transmission     | Network  | 20 |
| ES2402-24P-2C    | 24-port fast ethernet PoE-at web smart switch plus 2 gigabit tp / sfp combo uplink ports                       | 1380.00 IFS Transmission    | Network  | 20 |
| ES2402-8P-2C     | 8-port fast ethernet PoE-at web smart switch plus 2 gigabit tp / sfp combo uplink ports                        | 680.00 IFS Transmission     | Network  | 20 |
| ES3001-4P-4T     | 8 Port Gigabit Ethernet Switch With 4 Ports Poe Plus And 4 Ports Non-Poe                                       | 360.00 IFS Transmission     | Network  | 3  |
| ES3002-4P-4T     | 8-port GigE Ethernet with 4-port PoE PLUS Injector Unmanaged Switch  | 260.00 IFS Transmission     | Network  | 3  |
| ESP-300          | Ethernet Surge Protector (10/100/1000Mbps) 20KVA   | 84.00 IFS Transmission      | Network  | 3  |
| EV1012           | PIR, DSP, 12m, 9C  | 50.40 Sensors & Detectors   | Motion Sensor  | 3  |
| EV1012PI         | PIR, DSP, 12m, 9C PI   | 50.40 Sensors & Detectors   | Motion Sensor  | 3  |
| EV1116           | PIR, DSP, 16m, 11C   | 63.00 Sensors & Detectors   | Motion Sensor  | 3  |
| FP1101           | Fiberpak - Fixed Camera Video Transmission Kit, MM, 1 Fiber  | 530.00 IFS Transmission     | FiberPAK Video Transmission Kits   | 3  |
| GEA-102          | PTZ Wall Mount, Cast Aluminum  | 168.00 PTZ Cameras          | Mounting Accessories   | 3  |
| GEA-104          | PTZ Parapet Swing-Arm Mount  | 694.00 PTZ Cameras          | Mounting Accessories   | 3  |
| GEA-105          | PTZ Corner-Mount Adapter   | 106.00 PTZ Cameras          | Mounting Accessories   | 3  |
| GEA-106          | PTZ Pole-Mount Adapter   | 84.00 PTZ Cameras           | Mounting Accessories   | 3  |
| GEA-107          | PTZ Roof-Mount Adapter   | 264.00 PTZ Cameras          | Mounting Accessories   | 3  |
| GEA-201          | Ground Loop Isolator Cable   | 96.00 PTZ Cameras           | Mounting Accessories   | 20 |
| GEC-16VARHUB-4   | 16-CH UTP Active Video Receiver w/AVC, AR4   | 3510.00 IFS Transmission    | VTP-AR4 Series   | 20 |
| GEC-16VARHUB-6.5 | 16-CH UTP Active Video Receiver w/AVC, AR6   | 4990.00 IFS Transmission    | VTP-AR6 Series   | 20 |
| GEC-16VPHUB      | 16-CH UTP Passive Video Balun Hub, 19", 1U RM  | 910.00 IFS Transmission     | VTP-H Series   | 20 |
| GEC-1AVT         | UTP Active Video Transmitter   | 300.00 IFS Transmission     | VTP-1AV Series   | 20 |
| GEC-32VPHUB      | 32-CH UTP Passive Video Balun Hub, 19", 1U RM  | 1750.00 IFS Transmission    | VTP-H Series   | 20 |
| GEC-4VARHUB-4    | 4-CH UTP Active Video Receiver w/AVC, AR4  | 960.00 IFS Transmission     | VTP-AR4 Series   | 20 |
| GEC-PVTC-FCSFP   | UTP Passive Video Balun, Female BNC, w/Surge Protection  | 58.00 IFS Transmission      | VTP-B Series   | 20 |
| GEC-PVTC-M       | UTP Passive Video Balun, Male BNC, Screwless Terminal  | 32.00 IFS Transmission      | VTP-B Series   | 3  |
| GEC-PVTC-MC      | UTP Passive Video Balun, Coax w/Male BNC   | 34.00 IFS Transmission      | VTP-B Series   | 3  |
| GEC-PVTC-MRTSP   | UTP Passive Video Balun, Right Angle, Male BNC w/Surge Protection  | 50.00 IFS Transmission      | VTP-B Series   | 20 |
| GEC-RPK          | UTP Rack Panel Kit Supports Up to Three 4-port Hubs  | 30.00 IFS Transmission      | UTP  | 20 |
| GEC-VPDBC        | UTP Passive VDP Balun Combiner   | 56.00 IFS Transmission      | VDP-B Series   | 20 |
| GE-DS-242-POE    | 24-Port 10/100+2 GigE TP/SFP Full PoE Managed Switch   | 1700.00 IFS Transmission    | Network  | 20 |
| GE-DS-82         | 8-Port 10/100+2 GigE TP/SFP Managed Switch   | 700.00 IFS Transmission     | Network  | 20 |
| GE-DS-82-POE     | 8-Port 10/100+2 GigE TP/SFP Full PoE Managed Switch  | 890.00 IFS Transmission     | Network  | 20 |
| GE-DSG-244       | 24-Port 10/100/1000 w/4 Shared SFP Managed Switch  | 1790.00 IFS Transmission    | Network  | 20 |
| GE-DSGH-5        | 5-Port 10/100/1000 Industrial Unmanaged Switch   | 400.00 IFS Transmission     | Network  | 20 |
| GE-DSGH-8        | 8-Port 10/100/1000 Industrial Unmanaged Switch   | 550.00 IFS Transmission     | Network  | 20 |
| GE-DSH-82-POE    | 8-Port 10/100+2 GigE TP/SFP Industrial Full PoE Managed Switch   | 1750.00 IFS Transmission    | Network  | 20 |
| GE-DSSG-244      | 24-Port Fiber GigE SFP Slots w/8 Shared 10/100/1000Base-T Stackable Managed Switch                             | 2400.00 IFS Transmission    | Network  | 20 |
| GEL-SWM          | Wall Mount Bracket for TruVision and UltraView Monitors Up to 20", 3-Way Adjustable, 75mm X 75mm VESA          | 42.00 Monitors              | TruVision Accessories  | 3  |
| GS600-W          | Inertia Shock Sensor, Mini, White  | 27.87 Sensors & Detectors   | GS600 Series   | 3  |
| GS610-W          | Inertia Shock Sensor, White, 10-15 VDC. Designed for Use w/Analyzer Modules. 6' Jacketed Cable                 | 33.05 Sensors & Detectors   | GS600 Series   | 3  |
| GS614-W          | Single Zone Analyzer   | 73.02 Sensors & Detectors   | GS600  | 3  |
| GS615-W          | Single Zone Analyzer, Terminal Reset   | 99.41 Sensors & Detectors   | GS600  | 3  |
| GT-2             | Glass Break Tester   | 142.21 NetworX              | Glass Break Accessories  | 3  |
| HDX-135          | 135°F (57°C) Rate-of-Rise Heat Sensor, Wireless  | 104.18 Fire                 | HDX Series   | 3  |
| HDX-135-345      | 135°F (57°C) Rate-of-Rise Heat Sensor, 345 MHz Wireless, Compatible with Honeywell and 2GIG Wireless Receivers | 115.48 Fire                 | HDX SERIES   | 3  |
| HDX-135Z         | 135°F (57°C) Rate-of-Rise Heat & Freeze Sensor, Wireless   | 121.86 Fire                 | HDX Series   | 3  |
| HDX-200          | 200°F (93°C) Rate-of-Rise Heat Sensor, Wireless  | 110.99 Fire                 | HDX SERIES   | 3  |
| HLG-240-48       | 48VDC High Temperature Industrial Power Supply   | 290.00 IFS Transmission     | Power Supplies   | 3  |
| IDB-2202         | Legend Pendant Housing Clear Acrylic Dome  | 190.00 PTZ Cameras          | Lower Dome Assemblies  | 20 |

|                  |  |         |                      |   |    |
|------------------|--|---------|----------------------|---|----|
| IDB-2323         | Legend Smoke Polycarbonate Dome  | 200.00  | PTZ Cameras          | Lower Dome Assemblies                     | 20 |
| IDH-6201         | Legend IP Pendant Mount Housing, Coax/UTP  | 714.00  | PTZ Cameras          | Housings                                  | 20 |
| IS-ZW-AM-1       | Appliance Module, Z-Wave, Interactive Services   | 88.20   | Interactive Services | Z-Wave Devices                            | 3  |
| IS-ZW-AUX-1      | Auxiliary Module, Z-Wave, Interactive Services   | 37.80   | Interactive Services | Z-Wave Devices                            | 20 |
| IS-ZW-DS-1       | Dimmer Switch, Z-Wave, Interactive Services  | 94.50   | Interactive Services | Z-Wave Devices                            | 3  |
| IS-ZW-LM-1       | Lamp Module, Z-Wave, Interactive Services  | 92.40   | Interactive Services | Z-Wave Devices                            | 3  |
| IS-ZW-OM-1       | Outdoor Module, Z-Wave, Interactive Services   | 98.70   | Interactive Services | Z-Wave Devices                            | 3  |
| IS-ZW-RC-2       | Remote Control, Z-Wave, Interactive Services   | 94.50   | Interactive Services | Z-Wave Devices                            | 20 |
| IS-ZW-TSTAT-300  | Advanced Thermostat, Z-Wave  | 239.40  | Interactive Services | Z-Wave Devices                            | 20 |
| IS-ZW-WR-1       | Wall Receptacle, Z-Wave, Interactive Services  | 100.80  | Interactive Services | Z-Wave Devices                            | 3  |
| IS-ZW-WS-1       | Wall Switch, Z-Wave, Interactive Services  | 92.40   | Interactive Services | Z-Wave Devices                            | 3  |
| JDS-100          | Siren Driver, Yelp/Steady, 6-18VDC, High Power 2-Channel Siren Driver, Remote Trigger. 6 - 18VDC. Up to 125DB Output   | 71.96   | Sentrol              | Siren Drivers                             | 3  |
| JDS-102          | Siren Driver, Yelp/Bell, 6-15VDC, 2-Channel Siren Driver, Remote Trigger. 6 - 15VDC. Up to 115DB Output  | 77.68   | Sentrol              | Siren Drivers                             | 20 |
| JDS-108          | Siren Driver, 8 Sounds, 6-18VDC, Unique Siren Driver w/8 Distinctive Channels and Sounds, Including Rapid Yelp, Standard Yelp, Hi-Lo Sweep, European Hi-Lo, Steady, Pulsing Horn, Steady Horn, and Synthesized Bell. 6 - 18VDC. Up to 115DB Output | 95.10   | Sentrol              | Siren Drivers                             | 3  |
| KLC-PS-4         | Power Supply, GEL-15DV, GEL-17DV, GEL-19DV Series  | 50.00   | Monitors             | Monitor Accessories                       | 20 |
| KTB-2            | Camera Mount, Metal  | 24.00   | Analog Fixed Cameras | Accessories - Mounting Hardware           | 20 |
| KTD-00-348       | Rack-Mount Ears for KTD-348 Switcher Chassis, 2 Rack Units   | 56.00   | Matrix Switchers     | Crosspoint 32 Field-Expansion Accessories | 20 |
| KTD-313          | Data Converter, AD Manchester, Diamond Protocol to Digiplex, 2-Way   | 316.00  | Digiplex Interfaces  | Data Interfaces                           | 3  |
| KTD-313-1        | Code Converter, RS422 Interface  | 316.00  | Digiplex Interfaces  | Data Interfaces                           | 20 |
| KTD-405          | Three-Axis Variable-Speed Controller Keypad. Controls 2,048 PTZ Sites, 256 Switched Monitors, Multiplexers, DVMRe, DVR, VCR  | 1366.00 | System Control       | Controller Keypads                        | 3  |
| KTD-405-2D       | Variable-Speed Desktop Keypad, 37 Key, 2-Axis Joystick, Calibur/Digiplex   | 770.00  | System Control       | Controller Keypads                        | 3  |
| KTD-83           | RS422 Data Signal Distributor, Provides 6 Separate RS422 Outputs From Single Input   | 316.00  | Digiplex Interfaces  | Data Interfaces                           | 3  |
| KTD-83-16        | RS422 Data Signal Distributor, Provides 16 Separate RS422 Outputs From Single Input  | 526.00  | Digiplex Interfaces  | Data Interfaces                           | 3  |
| KTL-2.7-13.5VA   | 2.7-13.5mm, f 1.3, Varifocal, DC Auto Iris Lens  | 194.00  | Analog Fixed Cameras | Accessories - Lens                        | 3  |
| KTL-2.7-13.5VM   | 2.7-13.5mm, f 1.3, Varifocal Manual Iris Lens  | 156.00  | Analog Fixed Cameras | Accessories - Lens                        | 20 |
| KTP-24           | 24 VAC/100 VA Outdoor Power Supply   | 208.00  | PTZ Cameras          | Power Supplies                            | 3  |
| KTP-24-16-200    | Indoor Power Supply, 16 Fused 24 VAC Outputs, 200VA  | 284.00  | PTZ Cameras          | Power Supplies                            | 3  |
| KTP-24-4I-200    | Indoor Power Supply, 4 Isolated and Fused 24 VAC Outputs, 200VA  | 190.00  | PTZ Cameras          | Power Supplies                            | 20 |
| KTP-24-4I-400    | Indoor Power Supply, 4 Isolated and Fused 24 VAC Outputs, 400VA  | 326.00  | PTZ Cameras          | Power Supplies                            | 20 |
| KTP-24-8         | 24 VAC Multiple-Output Power Supply, 8 Isolated Outputs, 24 VA Per Output  | 334.00  | PTZ Cameras          | Power Supplies                            | 3  |
| KTP-24-8-100     | Indoor Power Supply, 8 Fused 24 VAC Outputs, 100VA   | 180.00  | PTZ Cameras          | Power Supplies                            | 20 |
| KTP-24-8I-400    | Indoor Power Supply, 8 Isolated and Fused 24 VAC Outputs, 400VA  | 326.00  | PTZ Cameras          | Power Supplies                            | 20 |
| KTS-250-16       | 16-channel Distribution Amplifier, 4 Outputs per Channel   | 1330.00 | Video Signals        | Video Signal Devices                      | 3  |
| MA-2             | Piezo Sounder, 2 Tone, 4-24VDC, Piezo Pre-Alarm Sounder. Up to 100DB Output. 25 mA Maximum Current Draw  | 27.20   | Sentrol              | Sirens                                    | 3  |
| MC100FX-TX-POE   | Ethernet to Fiber (2MM) 10/100 w/PoE Injector Media Converter  | 350.00  | IFS Transmission     | Network                                   | 20 |
| MC201-1P/1FS     | Fast Ethernet/PoE-AF to Fiber Media Converter SM - 15km  | 450.00  | IFS Transmission     | Network                                   | 3  |
| MC250-1T/1S      | Fast Ethernet To SFP Industrial Media Converter (-40 To 75 Degree C)   | 400.00  | IFS Transmission     | Network                                   | 3  |
| MC250-4T/1CXT    | 4-Port Fast Ethernet to 1 Port Coax/ UTP Industrial Media Converter  | 500.00  | IFS Transmission     | Network                                   | 20 |
| MC250-4T/1FM     | 4-Port Fast Ethernet To 1-Port mm Fiber Industrial Media Converter - 2km (-40 To 75 Degree C)  | 440.00  | IFS Transmission     | Network                                   | 3  |
| MC250-4T/1FS     | 4-Port Fast Ethernet To 1-Port SM Fiber Industrial Media Converter - 15km (-40 To 75 Degree C)   | 500.00  | IFS Transmission     | Network                                   | 20 |
| MC250-4T/2S      | 4-Port Fast Ethernet To 2-Port SFP Fiber Industrial Media Converter (-40 To 75 Degree C)   | 350.00  | IFS Transmission     | Network                                   | 3  |
| MC251-4P/1CXT    | 4-Port Fast Ethernet/POE-AF To 1-Port COAX/UTP Industrial Media Converter (-40 To 75 Degree C)   | 590.00  | IFS Transmission     | Network                                   | 3  |
| MC251-4P/1S      | 4-Port Fast Ethernet/POE-AF To 1-Port SFP Industrial Media Converter (-40 To 75 Degree C)  | 650.00  | IFS Transmission     | Network                                   | 3  |
| MC252-1P-1CX     | 1-Port Fast Ethernet/POE-AF To 1-Port COAX Industrial Media Converter (-40 To 75 Degree C) Camera End  | 450.00  | IFS Transmission     | Network                                   | 20 |
| MC252-1T-1CXP    | 1-Port Fast Ethernet To 1-Port COAX/POE-AF Industrial Media Converter (-40 To 75 Degree C) Switch End  | 450.00  | IFS Transmission     | Network                                   | 20 |
| MC252-R10        | 10 channel mc252 rack mounting plate   | 100.00  | IFS Transmission     | Network                                   | 20 |
| MC350-1T-2S      | GIGABIT Ethernet To 2-Port SFP Industrial Media Converter (-40 To 75 Degree C)   | 550.00  | IFS Transmission     | Network                                   | 20 |
| MC350-4T-2S      | 4-Port Gigabit Ethernet To 2-Port SFP Fiber Industrial Media Converter (-40 To 75 Degree C)  | 630.00  | IFS Transmission     | Network                                   | 3  |
| MC352-1P/1S      | GIGABIT Ethernet To SFP Industrial Media Converter With POE-AT (-40 To 75 Degree C)  | 750.00  | IFS Transmission     | Network                                   | 3  |
| MC352-4P-2S      | 4-Port GIGABIT Ethernet To 2-Port SFP Industrial Media Converter With POE-AT (-40 To 75 Degree C)  | 1050.00 | IFS Transmission     | Network                                   | 3  |
| MC355-1T/1S      | Gigabit Ethernet to SFP Industrial Managed Media Converter (-30 to 75 Degrees C)   | 500.00  | IFS Transmission     | Network                                   | 3  |
| MC-4TX1FXMM-2KM  | 4 Ethernet to 1 Fiber (2MM) 10/100 Industrial Media Converter - 2km  | 440.00  | IFS Transmission     | Network                                   | 20 |
| MC-4TX1FXSM-15KM | 4 Ethernet to 1 Fiber (2SM) 10/100 Industrial Media Converter - 15km   | 500.00  | IFS Transmission     | Network                                   | 20 |
| MC-4TX2FX        | 4 Ethernet to 2 Fiber (2MM) 10/100 Industrial Drop-and-Repeat Media Converter - 2km  | 560.00  | IFS Transmission     | Network                                   | 20 |
| MCR200-1T/1CX    | Fast Ethernet to Coax Media Converter - 3km  | 300.00  | IFS Transmission     | Network                                   | 3  |
| MCR200-1T-1TW    | Fast Ethernet to Twisted Pair Media Converter  | 300.00  | IFS Transmission     | Network                                   | 3  |
| MCR205-1T/1S     | Fast Ethernet to SFP Managed Media Converter   | 300.00  | IFS Transmission     | Network                                   | 3  |
| MCR300-1T/1S     | Gigabit Ethernet to SFP Media Converter  | 400.00  | IFS Transmission     | Network                                   | 3  |
| MCR300-1T-2S     | Gigabit Ethernet to 2-Port SFP Media Converter   | 460.00  | IFS Transmission     | Network                                   | 20 |
| MCR-R15          | Rack for Media Convertors, 15 Open Slots   | 700.00  | IFS Transmission     | Network                                   | 3  |
| MCR-RPS          | Redundant 130 Watt PSU for Media Converter Rack  | 350.00  | IFS Transmission     | Network                                   | 20 |
| MD2-1500         | 2" Mini-Dome High Resolution Color Camera w/24VAC Adapter, 3-Axis, 520 TVL, 12VDC  | 290.00  | Analog Fixed Cameras | Plastic Dome Camera                       | 20 |
| MPI-11           | Siren Driver, Yelp/Steady, 6-15VDC, Small But Powerful 2-Channel Siren Driver. 6 - 15VDC. Up to 115DB Output   | 42.00   | Sentrol              | Siren Drivers                             | 3  |
| MPI206           | Accessory Relay Board, Universal form "C" Relay Board. Ideal for Sirens, Lights and LowVage Applications. Non-Maintained On/Off, Using a Selectable Positive Or Negative Trigger Source. 12VDC   | 37.12   | NetworX              | Control Panel Accessories                 | 20 |
| MPI267           | Power Disconnect Low Battery Cutoff Module, Drops Battery Out At 7.5Vs DC. Ac/DC Power Disconnect Switch On Board. Low Battery Disconnect Relay On Board   | 64.38   | NetworX              | Control Panel Accessories                 | 20 |
| MPI-30           | Speaker, 8 Ohm, Rectangular Horn, Industry's Most Popular and Dependable Horn-Style Speaker. Rated 30 Watts Nominal, 50 Watts Peak. Swivel Mounting Bracket, Light Beige   | 35.08   | Sentrol              | Speakers                                  | 3  |
| MPI-34           | Speaker, 8 Ohm, Bail Bracket, High-Performance Speaker. Bell-Type Design. Rated 30 Watts Nominal, 50 Watts Peak. Bail-Type Metal Mounting Bracket, Light Beige   | 36.08   | Sentrol              | Speakers                                  | 3  |
| MPI-36           | Siren/Speaker, Surface Mount, 2-Channel (Yelp/Steady) Siren/Speaker in MPI-35 Housing. 6 - 13.8VDC, 350 mA Current Draw. Up to 106DB Output. UL Listed, White  | 24.64   | Sentrol              | Siren/Speakers                            | 20 |
| MPI-37           | Siren/Speaker, Round Horn, 2-Channel (Yelp/Steady) Siren/Speaker in MPI-8 Housing. 6 - 13.8VDC, 800 mA Current Draw. Up to 106DB Output. UL Listed, Light Beige  | 19.20   | Sentrol              | Siren/Speakers                            | 3  |
| MPI-38           | Siren/Speaker, Rectangular Horn, 2-Channel (yelp/steady) Siren/Speaker. 6 - 13.8VDC, 1.6 A Current Draw. Up to 112DB Output, Light Beige   | 31.16   | Sentrol              | Siren/Speakers                            | 3  |
| MPI-39           | Speaker, 8 Ohm, Rectangular Horn, Tamper, Universal Horn-Style Speaker. Rated 30 Watts Peak. Tilt-Type Mounting Bracket and Provision for Plunger Tamper Switch, Light Beige   | 28.86   | Sentrol              | Speakers                                  | 3  |
| MPI-47           | Piezo Siren, High/Low, Surface Mount, Single Aternating High/Low Sound. Surface Mount. 6 - 13.8VDC Output. Current Draw 175 mA. Up to 106DB Output, White  | 36.08   | Sentrol              | Sirens                                    | 3  |
| MPI-47B          | Piezo Siren, Screamer w/Bracket, Wall Mount, 2" Diameter, 2" x 2.75" bracket. 6 - 13.8VDC Output. Current draw 175 mA. Up to 106DB Output, White   | 24.00   | Sentrol              | Sirens                                    | 3  |
| MPI-47C          | Piezo Siren, Screamer w/Round Faceplate, Ceiling Mount, 2" Diameter, 3" Diameter. 6 - 13.8VDC Output. Current Draw 175 mA. Up to 106DB Output, White   | 24.00   | Sentrol              | Sirens                                    | 3  |

|                  |   |         |                     |                                     |    |
|------------------|---|---------|---------------------|-------------------------------------|----|
| MPI-47E          | Piezo Siren, Screamer w/4.5" x 2.75" Rectangular Faceplate, 2" Diameter. 6 - 13.8VDC Output. Current Draw 175 mA. Up to 106DB Output, White   | 24.00   | Sentrol             | Sirens                              | 3  |
| MPI-8            | Speaker, 8 Ohm, Round Horn, 15 W, Economical Horn-Style Speaker. Rated 8 Watts Nominal, 15 Watts Peak. Metal Tilt Mounting Base, Light Beige  | 12.76   | Sentrol             | Speakers                            | 3  |
| MS-POE           | PoE 15.4W Mid-span Injector (IEEE 802.3af)  | 70.00   | IFS Transmission    | Network                             | 20 |
| N890135          | Wiegand Black Swipe Card Reader: Red/Green LED. Maintenance Free, Vandal and Weather Resistant. Self-Contained Electronics  | 387.60  | Wireless            | Wiegand Card Readers                | 20 |
| N890176          | Insertion Head Mounting Plate, Brass Finish. Allow 4 - 6 Weeks Lead Time for Ordering   | 74.55   | Wireless            | Accessories                         | 20 |
| N890182          | Key Head Mounting Plate, Chrome Finish. Allow 4 - 6 Weeks Lead Time for Ordering  | 45.91   | Wireless            | Accessories                         | 20 |
| N890190          | Swipe Head Mounting Plate: Allow 4 - 6 weeks lead time for ordering   | 37.30   | Wireless            | Accessories                         | 20 |
| ND50-BR-STD-2P   | Nice Duc Self-Adhesive Wiring Duct, Standard Size, Brown, Bulk Pack   | 371.62  | Sensors & Detectors | Nice-Duc Self-Adhesive (Bulk Packs) | 20 |
| ND50-OW-STD-2P   | Nice Duc Self-Adhesive Wiring Duct, Standard Size, Off-White, Bulk Pack   | 371.62  | Sensors & Detectors | Nice-Duc Self-Adhesive (Bulk Packs) | 20 |
| ND50-WH-STD-2P   | Nice Duc Self-Adhesive Wiring Duct, Standard Size, White, Bulk Pack   | 371.62  | Sensors & Detectors | Nice-Duc Self-Adhesive (Bulk Packs) | 3  |
| ND5-BE-STD-2P    | Nice Duc Self-Adhesive Wiring Duct, Standard Size, Beige  | 47.59   | Sensors & Detectors | Nice-Duc Self-Adhesive              | 3  |
| ND5-BR-MINI      | Nice Duc Self-Adhesive Wiring Duct, Mini Size, Brown  | 50.32   | Sensors & Detectors | Nice-Duc Self-Adhesive              | 3  |
| ND5-BR-STD-2P    | Nice Duc Self-Adhesive Wiring Duct, Standard Size, Brown  | 47.59   | Sensors & Detectors | Nice-Duc Self-Adhesive              | 3  |
| ND5-OW-MINI      | Nice Duc Self-Adhesive Wiring Duct, Mini Size, Off-White  | 50.32   | Sensors & Detectors | Nice-Duc Self-Adhesive              | 20 |
| ND5-OW-STD-2P    | Nice Duc Self-Adhesive Wiring Duct, Standard Size, Off-White  | 47.59   | Sensors & Detectors | Nice-Duc Self-Adhesive              | 3  |
| ND5-WH-MINI      | Nice Duc Self-Adhesive Wiring Duct, Mini Size, White  | 50.32   | Sensors & Detectors | Nice-Duc Self-Adhesive              | 3  |
| ND5-WH-STD-2P    | Nice Duc Self-Adhesive Wiring Duct, Standard Size, White  | 47.59   | Sensors & Detectors | Nice-Duc Self-Adhesive              | 3  |
| NS-10G-CBL-2M    | 10g copper sfp plus stacking cable - 2 meters   | 200.00  | IFS Transmission    | Network                             | 20 |
| NS-10G-CBL-50    | 10g copper sfp plus stacking cable - 0.5 meters   | 100.00  | IFS Transmission    | Network                             | 20 |
| NS2051-4P/1T     | 5-Port Fast Ethernet Industrial UNManaged Switch With 4-Port POE-AF (-40 To 75 Degree C)  | 550.00  | IFS Transmission    | Network                             | 3  |
| NS2052-8P-2C     | 8 Port Unmanaged POEat Industrial Switch with 2 SFP ports   | 758.00  | IFS Transmission    | Network                             | 3  |
| NS2503-24P/2C    | 24-Port Fast Ethernet POE-24AF/11AT Managed Switch With 2 GIGABIT TP/SFP Combo Uplink Ports (360W POE Budget)   | 2200.00 | IFS Transmission    | Network                             | 20 |
| NS2503-8P/2C     | 8-Port Fast Ethernet POE-AT Managed Switch With 2 GIGABIT TP/SFP Combo Uplink Ports (150W POE Budget)   | 990.00  | IFS Transmission    | Network                             | 20 |
| NS3050-8T        | Industrial 8-Port 10/100/1000BASE-T Unmanaged Ethernet Switch (-40-75 degrees C)  | 390.00  | IFS Transmission    | Network                             | 3  |
| NS3500-24T-4C    | 24 port Managed Switch with 4 SFP Ports   | 1140.00 | IFS Transmission    | Network                             | 3  |
| NS3500-28T-4S    | 28 Channel Gigabit Ethernet and 4 Gigabit SFP Ports   | 1190.00 | IFS Transmission    | Network                             | 3  |
| NS3502-8P-2S     | 8-port Gigabit PoE+ Managed Switch  | 930.00  | IFS Transmission    | Network                             | 3  |
| NS3502-8P-2T-2S  | IPV4/IPV6 L2+L4 Managed 8-Port 802.3at High Power PoE Gigabit Ethernet Switch + 2-Port 100/1000SFP + 2-Port 10/100/1000T RJ45 (200W)  | 930.00  | IFS Transmission    | Network                             | 3  |
| NS3503-16P-4C    | IPV6/IPV4, 16-Port Managed 60W Ultra PoE Gigabit Ethernet Switch + 4-Port Gigabit Combo TP/SFP  | 2200.00 | IFS Transmission    | Network                             | 3  |
| NS3550-24T/4S    | 24-Port GIGABIT Ethernet Industrial Managed Switch With 4 Shared SFP (-40 To 75 Degree C)   | 1990.00 | IFS Transmission    | Network                             | 20 |
| NS3560-2T-8S     | 8-Port SFP Gigabit Ethernet Managed Switch With 2 Gigabit RJ45 Ports  | 1400.00 | IFS Transmission    | Network                             | 3  |
| NS3560-8T-2S     | 8 port industrial gigabit managed switch  | 1500.00 | IFS Transmission    | Network                             | 20 |
| NS3562-16P-2T-2S | Industrial L2+ 16-Port 10/100/1000T 802.3at PoE + 2-Port 10/100/1000T + 2-Port 100/1000X SFP Managed Switch (-40-75 degrees C)  | 2900.00 | IFS Transmission    | Network                             | 3  |
| NS3562-8P-2S     | 8-Port Gigabit Ethernet POE-AT Industrial Managed Switch With 2 Gigabit SFP Ports (150W POE Budget)   | 1900.00 | IFS Transmission    | Network                             | 3  |
| NS3563-4P-1T-2S  | 4 Port Industrial POE Ultra Managed Switch  | 1198.00 | IFS Transmission    | Network                             | 3  |
| NS3562-8P-2S     | Industrial 8-Port 10/100/1000T 802.3at PoE + 2-Port 100/1000X SFP Wall-mount Managed Switch (-40-75 degrees C)  | 1640.00 | IFS Transmission    | Network                             | 3  |
| NS3601-24P/4S    | 24-Port Gigabit Ethernet POE-AF Managed Stackable Switch With 4 Shared SFP Ports (380W)   | 1990.00 | IFS Transmission    | Network                             | 20 |
| NS3702-24P-4S    | 24 Port Gigabit Ethernet and 4 Gigabit SFP Ports, PoE+ and L3 Routing   | 1930.00 | IFS Transmission    | Network                             | 3  |
| NS4702-24P-4S-4X | 24 Port Gigabit Ethernet, 4 Gig SFP Ports, 4 10Gig Ports, PoE+ and L2+ Routing  | 3000.00 | IFS Transmission    | Network                             | 3  |
| NS4702-24P-4X    | 24 Port POE-at Managed Switch with 4 Combo ports and LCD Display  | 3000.00 | IFS Transmission    | Network                             | 3  |
| NS4750-24S-4T-4X | 24 Port Gigabit SFP Switch, 4 10Gig Ports and L3 Routing  | 2200.00 | IFS Transmission    | Network                             | 20 |
| NS4802-24P-4S-2X | 24-port gigabit ethernet PoE-at managed stacking switch, 4 gig sfp ports, 2 10gige ports  | 3200.00 | IFS Transmission    | Network                             | 20 |
| NS-CBL-200       | Network Switch Stacking Cable - 200cm   | 60.00   | IFS Transmission    | Network                             | 20 |
| NS-CBL-50        | Network Switch Stacking Cable - 50cm  | 40.00   | IFS Transmission    | Network                             | 20 |
| NX-002           | X-Pand-a-Can for NX-4   | 34.31   | NetworkX            | Control Panel Accessories           | 3  |
| NX-003           | X-Pand-a-Can for NX-6, NX-8 and NX-8E   | 36.31   | NetworkX            | Control Panel Accessories           | 3  |
| NX-003-C         | UL Commercial Intrusion Enclosure   | 157.00  | NetworkX            | Control Panel Accessories           | 3  |
| NX-003-CB        | Comm Metal Enclosure (for NX-8/8E), w/Cam Lock, No Tamper, Includes Stand-Offs  | 171.34  | NetworkX            | Control Panel Accessories           | 20 |
| NX-005           | Tamper Switch and Bracket   | 7.83    | NetworkX            | Control Panel Accessories           | 3  |
| NX-005-C         | Tamper Switch and Bracket for Commercial Cabinet  | 7.83    | NetworkX            | Control Panel Accessories           | 20 |
| NX-007           | Set Of 5 Panic Button Cover-Up Labels for NX-148E Keypad  | 20.58   | NetworkX            | Control Accessories                 | 3  |
| NX-108E          | 8-Zone LED Keypad Original Design. 6.5" W X 4.0" H X 1.3" D, White  | 89.02   | NetworkX            | Keypads - LED                       | 3  |
| NX-116E          | 16-Zone LED Keypad Original Design. 6.5" W X 4.0" H X 1.3" D, White   | 94.88   | NetworkX            | Keypads - LED                       | 3  |
| NX-124E          | 24-Zone LED Keypad Original Design. 6.5" W X 4.0" H X 1.3" D, White   | 101.22  | NetworkX            | Keypads - LED                       | 3  |
| NX-1308E         | 8-Zone LED Keypad w/Door Traditional Design. 6.2" W X 5.3" H X 1.3" D. Swing-Down Removable Door Conceals Controls, White   | 94.88   | NetworkX            | Keypads - LED                       | 3  |
| NX-1316E         | 16-Zone LED Keypad w/Door Traditional Design. 6.2" W X 5.3" H X 1.3" D. Swing-Down Removable Door Conceals Controls, White  | 101.22  | NetworkX            | Keypads - LED                       | 3  |
| NX-1324E         | 24-Zone LED Keypad w/Door Traditional Design. 6.2" W X 5.3" H X 1.3" D. Swing-Down Removable Door Conceals Controls, White  | 107.08  | NetworkX            | Keypads - LED                       | 3  |
| NX-148E          | 192-Zone LCD Keypad w/Door 6.2" W X 5.3" H X 1.3" D. Swing-Down Removable Door Conceals Controls, White   | 198.77  | NetworkX            | Keypads - LCD                       | 3  |
| NX-148E-RF       | 192-Zone Prog LCD Keypad w/Int 48-Zone Wireless Receiver  | 244.71  | NetworkX            | Keypads - LED                       | 3  |
| NX-1508E         | 8-Zone LED Slimline Keypad w/Door Slimline Design. 3.1" W X 5.8" H X 1.3" D. Swing-Down Removable Door Conceals Controls. Includes Trim Piece, White  | 92.76   | NetworkX            | Keypads - LED                       | 3  |
| NX-1516E         | 16-Zone LED Slimline Keypad w/Door Slimline Design. 3.1" W X 5.8" H X 1.3" D. Swing-Down Removable Door Conceals Controls. Includes Trim Piece, White   | 99.20   | NetworkX            | Keypads - LED                       | 3  |
| NX-1700E         | Smart Reader. The NX-1700E is a cost-effective prox card reader/door control module that expands the capabilities of NetworkX control. Up to 15 readers can be connected to a NX-8 and 8E, up to 3 on NX-6, up to 2,500 feet away. Uses prox cards/keyfobs      | 289.40  | NetworkX            | Smart Reader Systems                | 3  |
| NX-1705E         | Smart Card  | 11.57   | NetworkX            | Smart Reader Systems                | 3  |
| NX-1706E         | Smart Fob   | 11.57   | NetworkX            | Smart Reader Systems                | 3  |
| NX-1710E         | Single Door Control Module. Enables NetworkX panels to interface with Wiegand readers. The NX-1710E supports up to two readers and one door. Panels support a max of 8 modules. Features include: event log, scheduling, flash memory, & on-board relay         | 219.95  | NetworkX            | Smart Reader Systems                | 3  |
| NX-1811E         | NetworkX Voice touchpad with intercom, White, Vertical  | 147.00  | NetworkX            | Keypads-LED                         | 3  |
| NX-1812E         | NetworkX Voice touchpad with intercom, Black, Vertical  | 147.00  | NetworkX            | Keypads-LED                         | 3  |
| NX-1813E         | NetworkX Voice touchpad with intercom, White, Horizontal  | 147.00  | NetworkX            | Keypads-LED                         | 3  |
| NX-1814E         | NetworkX Voice touchpad with intercom, Black, Horizontal  | 147.00  | NetworkX            | Keypads-LED                         | 3  |
| NX-1815E         | NetworkX Voice Keypad, 16 zone LED  | 105.00  | NetworkX            | Keypads-LED                         | 3  |
| NX-1820E         | NetworkX Touchscreen  | 220.50  | NetworkX            | Touchscreen                         | 3  |
| NX-200           | Zone Doubling Resistor Kit Allows Doubling of the Panel's On-Board Hardwire Capacity. Includes 100 3.74 K and 100 6.98 K Ohm Resistors  | 19.09   | NetworkX            | Control Panel Accessories           | 3  |
| NX-208E          | Two-Wire Smoke Sensor Expander Module the NX-208E is a Microprocessor Controlled 2-Wire Smoke Expander for the NX-6, NX-8, NX-8E, NX-8-CF and NX-8E-CF Control Panels. One NX-208E Module Can Be Added to the NX Control Panel w/a Maximum-Zone Count of 8-Zone | 144.00  | NetworkX            | Control Panel Peripherals           | 3  |

|                   |   |        |          |  |    |
|-------------------|---|--------|----------|--|----|
| NX-216            | 16-Zone Expander Module, NX Panels Microprocessor Controlled 8-16-Zone Hardwire Expander Module for NX Panels. Maximum-Zone Count of 48. Can Be Mounted Up to 2500' From the Control Panel  | 72.89  | NetworkX | Control Panel Peripherals                          | 3  |
| NX-216E           | 16-Zone Expander Module, NX-8E Microprocessor Controlled 8-16-Zone Hardwire Expander Module for the NX-8E. Maximum-Zone Count of 192. Can Be Mounted Up to 2500' From the Control Panel   | 129.74 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-2192E          | the Pinpoint Interface Card Attaches to the NX-8E Control Panel. Supports Up to 192 Addressable Devices On a Two-Mile Loop. Supports Two Class B Loops and One Class A Loop   | 115.65 | NetworkX | PinPoint Addressable Systems                       | 3  |
| NX-320E           | Smart Power Supply and Bus Extender Remote Power Supply. 3 Programmable Outputs and 1 Dedicated Bell Output. Allows a Longer Data Bus Wire Run and Gives More Power to the Panel (Panel Limits Apply)   | 119.51 | NetworkX | Control Panel Accessories                          | 3  |
| NX-4              | NX-4 Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately  | 79.84  | NetworkX | Control Panels                                     | 3  |
| NX-450            | SAW Door/Window Sensor. Protects Anything That Opens and Closes. Includes Terminal Block, White   | 68.69  | NetworkX | Wireless SAW Door/Window Sensor                    | 3  |
| NX-451            | SAW Door/Window Sensor, Brown   | 68.69  | NetworkX | Wireless SAW Door/Window Sensor                    | 3  |
| NX-452            | Slim Line Door/Window Sensor. Use In Applications Where Space is Limited, Such as Narrow Casements and Window Frames, White   | 85.85  | NetworkX | Wireless Crystal Slim Line Door/Window Sensor      | 20 |
| NX-453            | Slim Line Door/Window Sensor, Brown   | 85.85  | NetworkX | Wireless Crystal Slim Line Door/Window Sensor      | 20 |
| NX-458            | Recessed Micro Door/Window Sensor. Protects Doors and Windows Where the Sensor Must Be Concealed. Must Be Returned to GE Security for Battery Replacement, White  | 82.47  | NetworkX | Wireless Crystal Recessed Micro Door/Window Sensor | 20 |
| NX-460            | SAW Sensor Spacer, White, 20-Pack   | 12.64  | NetworkX | SAW Accessories                                    | 20 |
| NX-461            | SAW Sensor Spacer, Brown, 20-Pack   | 12.64  | NetworkX | SAW Accessories                                    | 20 |
| NX-462-25PKG      | SAW Sensor Magnet Spacer, White, 25-Pack  | 12.64  | NetworkX | SAW Accessories                                    | 20 |
| NX-464-10PKG      | SAW Door/Window Sensor Terminal Block. Terminal Block Included w/Sensor, 10-Pack  | 20.10  | NetworkX | SAW Accessories                                    | 3  |
| NX-470            | SAW 4-Button Keypad Touchpad Provides Portable Control of the Security System. LED Confirms RF Transmission. Recessed Buttons Help Prevent False Alarms. Light Control Capability. Includes Battery   | 54.60  | NetworkX | Wireless Keypad Touchpad                           | 20 |
| NX-474            | Crystal Micro Wristwatch Panic Button. A Wireless Device Used for Activating Medical Alarms. Can Be Worn On the Wrist Like a Watch, Clipped On a Belt, Used as a Pendant or Mounted On the Wall. Water-Resistant to 3 Feet. Battery Included                  | 87.26  | NetworkX | Panic  | 20 |
| NX-475            | Water-Resistant Pendant Panic Sensor. Allows a Person to Wear a Sensor That Can Activate a Panic Alarm. Can Be Worn Around Neck or Can Be Clipped to a Belt Or Purse. Recessed Panic Button Prevents False Alarms   | 84.74  | NetworkX | Panic  | 20 |
| NX-480            | Indoor SAW PIR Motion Sensor Provides Passive Infrared Detection Inside an Enclosed Structure. Two Sensitivity Settings. Small and Unobtrusive. 35' X 40' Coverage Area. Masking Kit Included. Optional Pet Alley Lens Available                              | 181.10 | NetworkX | Wireless Indoor SAW PIR Motion Sensor              | 20 |
| NX-481            | Indoor SAW PIR Pet Immune Motion Sensor Provides Passive Infrared Detection Inside an Enclosed Structure. Two Sensitivity Settings. Small and Unobtrusive. False Alarm Immunity for Pets Having a Combined Weight of Up to 40 Pounds. 35' X 40' Coverage Area | 167.14 | NetworkX | Wireless Indoor SAW PIR Motion Sensor              | 3  |
| NX-482            | AP750W Wireless PIR Motion Sensor Passive Infrared Detection Inside an Enclosed Structure. Coverage Area and Sensitivity Modes Are Field-Selectable. 33' Or 50' Coverage Area. Cover-Activated Tamper   | 194.21 | NetworkX | Wireless Crystal PIR Motion Sensor                 | 20 |
| NX-485            | PIR Pet Alley Lens/Mask Kit for NX-480, 3-Pack  | 18.98  | NetworkX | SAW and Crystal Accessory                          | 20 |
| NX-488            | ShatterPro Wireless Crystal Glassbreak Sensor. Responds to Frequencies Generated by Breaking Glass. 360° Room Coverage. Up to 20' Away. Pattern Recognition Technology Ignores Most False Alarm Sounds  | 163.65 | NetworkX | Wireless Crystal Glassbreak/Sound Motion Sensor    | 3  |
| NX-4-FP           | NX-4 Fastpack w/NX-1308E Keypad Fastpack Includes NX-4 Panel, NX-1308E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord  | 231.70 | NetworkX | Fastpacks  | 3  |
| NX-4-FP-12        | NX-4 Fastpack w/NX-1508E Keypad Fastpack Includes NX-4 Panel, NX-1508E Slimline LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord                                 | 238.96 | NetworkX | Fastpacks  | 20 |
| NX-4-FP-LM        | NX-4 Fastpack w/NX-1308E Keypad Less Motion Sensor Fastpack Includes NX-4 Panel, NX-1308E LED Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included                              | 199.22 | NetworkX | Fastpacks  | 20 |
| NX-4-KIT          | NX-4 Kit w/NX-108E Keypad and Transformer Kit Includes NX-4 Panel, NX-108E LED Keypad and 16.5VAC, 40VA Transformer   | 166.72 | NetworkX | Kits   | 3  |
| NX-4-KIT-12       | NX-4 Kit w/NX-1508E Keypad and Transformer Kit Includes NX-4 Panel, NX-1508E Slimline LED Keypad and 16.5VAC, 40VA Transformer  | 169.20 | NetworkX | Kits   | 20 |
| NX-4-KIT-4        | NX-4 Kit w/NX-1308E Keypad and Transformer Kit Includes NX-4 Panel, NX-1308E LED Keypad and 16.5VAC, 40VA Transformer   | 171.12 | NetworkX | Kits   | 20 |
| NX-4-KIT-7        | NX-4 Kit w/NX-148E Keypad and Transformer Kit Includes NX-4 Panel, NX-148E LCD Keypad and 16.5VAC, 40VA Transformer   | 266.26 | NetworkX | Kits   | 20 |
| NX-4-KIT-7-RF     | NX-4 Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer  | 317.28 | NetworkX | Kits   | 20 |
| NX-4-KIT-LX       | NX-4 Kit w/NX-108E Keypad Less Transformer Kit Includes NX-4 Panel and NX-108E LED Keypad. Transformer Not Included   | 160.00 | NetworkX | Kits   | 20 |
| NX-501E           | Mag Mount Antenna for the NX-591E-GSM   | 60.21  | NetworkX | Control Panel Peripherals                          | 20 |
| NX-507E           | Seven Relay Expander Module 7 Relay Outputs, 1 Open Collector Output and 8 X10 Outputs  | 128.04 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-508E           | 8-Zone Output Module 8 Open Collector Outputs and 8 X10 Outputs. Built-In Parallel Interface for Local Printouts  | 121.95 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-534E           | Two-WayVoice Module Allows A Central Station Operator to Monitor the Customer'S Premises for Listen-In Purposes or for Basic Two-WayVoice Communication. Includes Speaker and Microphone  | 107.08 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-534-WH         | NX-534 Wiring Harness w/12" Leads for NX-534  | 4.20   | NetworkX | Control Panel Peripherals                          | 20 |
| NX-540E           | "Operator II" Telephone Interface Module Converts Any Touch-Tone Telephone to a System Keypad and Allows System Functions to Be AccessedVia Telephone On Premises or Off-Site. ProvidesVoice Prompts  | 154.83 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-548E           | NetworkX NX-548E Receiver   | 106.43 | NetworkX | Expansion Modules                                  | 20 |
| NX-569            | NX-548E Receiver Enclosure Kit  | 25.41  | NetworkX | Expansion Modules                                  | 20 |
| NX-582E           | AES Long Range Radio Interface Module Microprocessor-Controlled AES Radio Interface. Allows Any or All Events to Be ReportedViaVarious AES Radio Modes  | 108.34 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-584E           | Home Automation Interface Module w/RS-232 Provides a Standard RS-232 Bi-Directional DB-9 Connector for Connection to a Home Automation Host System. Programmable Levels of Security. Selectable Baud Rate and Communication Protocol                          | 115.50 | NetworkX | Control Panel Accessories                          | 3  |
| NX-586E           | Quiklink Direct Connect. Allows a connection from a serial port on a computer to a NetworkX bus & provides a faster download of the NetworkX system, compared to using a modem. Also has the capability to store 4 panel accounts into its memory             | 101.45 | NetworkX | Control Panel Accessories                          | 3  |
| NX-587E           | Virtual Keypad Module the NX-587EVirtual Keypad Allows Any Remote System to Use RS-232 to Communicate w/a NetworkX Control Panel  | 127.34 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-588E           | Direct Link Programming, Flash Tool   | 126.00 | NetworkX | Control Panel Accessories                          | 3  |
| NX-590NE          | NX-590E Plus TCP/IP Internet Module   | 457.38 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-591NE-GSM      | NetworkX Wireless GSM Module 4G, Cellemetry   | 367.50 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-592E-GSM-ZX-AT | Network, AT&T GSM 3G Alarm.com Kit, w/Z-Wave  | 378.00 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-592E-GSM-ZX-RG | Network, ROGERS GSM 3G Alarm.com Kit, w/Z-Wave  | 378.00 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-592E-LTE-ZX-VZ | NetworkX Verizon LTE Alarm.com Kit, W/Z-Wave  | 378.00 | Wireless | Control Panel Peripherals                          | 3  |
| NX-595E           | NetworkX IP Communication Module  | 207.90 | NetworkX | Control Panel Peripherals                          | 3  |
| NX-6              | NX-6 Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately  | 107.74 | NetworkX | Control Panels                                     | 3  |
| NX-616-FP         | NX-6 Fastpack w/NX-1316E Keypad and Accessories. Fastpack Includes NX-6 Panel, NX-1316E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord                         | 275.30 | NetworkX | Fastpacks  | 20 |



|                  |  |         |         |   |    |
|------------------|--|---------|---------|---|----|
| NX-648-KIT       | NX-6 Kit w/NX-148E Keypad and Transformer Includes NX-6 Panel, NX-148E LCD Keypad, 16.5VAC, 40VA Transformer   | 297.66  | NetworX | Kits  | 20 |
| NX-650N          | Crystal Standard Door/Window Sensor, White   | 75.54   | NetworX | Wireless Crystal Standard Door/Window Sensor      | 20 |
| NX-651N          | Crystal Standard Door/Window Sensor, Brown   | 75.54   | NetworX | Wireless Crystal Standard Door/Window Sensor      | 20 |
| NX-656           | Glass Guard Crystal Sensor. Mounts Directly On Glass. 5' Sensitivity Radius. Adheres to Glass Being Protected. Built-In Terminal Strip, White  | 121.21  | NetworX | Crystal Glass Guard                               | 20 |
| NX-658           | Crystal Freeze Sensor. Detects Furnace Failure By Signaling the Panel When Air Temperature Falls Below 45° F. Monitors Up to 900 Sq. Ft, White   | 95.95   | NetworX | Crystal Environmental                             | 20 |
| NX-660-20PKG     | Crystal Sensor Spacer, White, 20-Pack  | 12.64   | NetworX | Crystal Sensor Accessories                        | 20 |
| NX-667           | Crystal Shock Sensor, White. Sensor has 3 main functions: detect the vibrations made by an intruder trying to break a window/door; detect a window/door opening; detect tamper situations. Includes internal shock detector & cover tamper | 115.23  | NetworX | Wireless Window Mount Crystal Shock Motion Sensor | 20 |
| NX-668           | Crystal Shock Sensor, Brown  | 138.26  | NetworX | Wireless Window Mount Crystal Shock Motion Sensor | 20 |
| NX-695           | SAW Water Sensor. Detects Water Leaks In Homes and Businesses. Consists of A Detector and a Transmitter  | 101.01  | NetworX | SAW Environmental                                 | 20 |
| NX-6-BO-FG       | NX-6 Board Only  | 104.71  | NetworX | Control Panels                                    | 3  |
| NX-6-FP          | NX-6 Fastpack w/NX-1308E Keypad Includes NX-6 Panel, NX-1308E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord                                | 254.04  | NetworX | Fastpacks   | 3  |
| NX-6-FP-1        | NX-6 Fastpack w/NX-108E Keypad Includes NX-6 Panel, NX-108E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord                                  | 248.92  | NetworX | Fastpacks   | 20 |
| NX-6-FP-12       | NX-6 Fastpack w/NX-1508E Keypad Fastpack Includes NX-6 Panel, NX-1508E Slimline LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord              | 286.88  | NetworX | Fastpacks   | 20 |
| NX-6-FP-13       | NX-6 Fastpack w/NX-1516E Keypad Fastpack Includes NX-6 Panel, NX-1516E Slimline LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord              | 292.76  | NetworX | Fastpacks   | 20 |
| NX-6-FP-4-LM     | NX-6 Fastpack w/NX-1308E Keypad Less Motion Sensor Includes NX-6 Panel, NX-1308E LED Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included                    | 239.38  | NetworX | Fastpacks   | 20 |
| NX-6-FP-7        | NX-6 Fastpack w/NX-148E Keypad Includes NX-6 Panel, NX-148E LCD Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord                                  | 383.94  | NetworX | Fastpacks   | 20 |
| NX-6-FP-7-RF     | NX-6 Fastpack w/NX-148E-RF LCD Keypad, T-0001 Transformer, Pi6000 PIR, B-1245 Battery  | 434.96  | NetworX | Kits  | 20 |
| NX-6-FP-LM       | NX-6 Fastpack w/NX-1308E Keypad Less Motion Sensor Includes NX-6 Panel, NX-108E LED Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included                     | 233.94  | NetworX | Fastpacks   | 20 |
| NX-6-KIT         | NX-6 Kit w/NX-108E Keypad Includes NX-6 Panel, NX-108E LED Keypad and 16.5VAC, 40VA Transformer  | 197.06  | NetworX | Kits  | 3  |
| NX-6-KIT-12      | NX-6 Kit w/NX-1508E Keypad and Transformer Includes NX-6 Panel, NX-1508E Slimline LED Keypad and 16.5VAC, 40VA Transformer   | 197.12  | NetworX | Kits  | 20 |
| NX-6-KIT-12-LX   | NX-6 Kit w/NX-1508E Keypad, Less Transformer. Includes NX-6 Panel and NX-1508E Slimline LED Keypad. Transformer Not Included   | 188.02  | NetworX | Kits  | 20 |
| NX-6-KIT-4       | NX-6 Kit w/NX-1308E Keypad and Transformer Includes NX-6 Panel, NX-1308E LED Keypad, 16.5VAC, 40VA Transformer   | 199.04  | NetworX | Kits  | 20 |
| NX-6-KIT-4-LX    | NX-6 Kit w/NX-1308E Keypad, Less Transformer Includes NX-6 Panel, NX-1308E LED Keypad. Transformer Not Included  | 188.02  | NetworX | Kits  | 20 |
| NX-6-KIT-7-RF    | NX-6 Fastpack w/NX-148E-RF LCD Keypad, T-0001 Transformer, Pi6000 PIR, B-1245 Battery  | 308.68  | NetworX | Kits  | 20 |
| NX-6-KIT-7-RF-LX | NX-6 Kit w/NX-148E-RF Keypad No Transformer  | 337.66  | NetworX | Kits  | 20 |
| NX-6-KIT-APT     | NX-6 Kit w/NX-108E Keypad and Apartment Software Includes NX-6 Panel w/Apartment Software, NX-108E LED Keypad and 16.5VAC, 40VA Transformer  | 197.06  | NetworX | Kits  | 20 |
| NX-6-KIT-LX      | NX-6 Kit w/NX-108E Keypad Less Transformer Includes NX-6 Panel and NX-108E LED Keypad. Transformer Not Included  | 190.36  | NetworX | Kits  | 20 |
| NX-700           | RF Sniffer Installation Tool Used to Determine if a Wireless Sensor is Transmitting  | 75.75   | NetworX | Wireless Accessory                                | 20 |
| NX-701           | Quik Bridge Supervised 1-Channel Receiver Enables the Use of Up to 2 Wireless Sensors (2 Per Channel) and/or Keychain Touchpads. Compatible w/SAW and Crystal Sensors  | 53.15   | NetworX | Receivers   | 20 |
| NX-702           | Quik Bridge Non-Supervised 2-Channel Receiver Enables the Use of Up to 4 Wireless Sensors (2 Per Channel) and/or Keychain Touchpads. Compatible w/SAW and Crystal Sensors  | 58.70   | NetworX | Quik Bridge Receiver                              | 20 |
| NX-707           | Repeater Kit 319.5, w/Crystal Transmitter  | 136.50  | NetworX | Repeater  | 20 |
| NX-8             | NX-8 Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately   | 153.78  | NetworX | Control Panels                                    | 3  |
| NX-816-FP        | NX-8 Fastpack w/NX-1316E Keypad. Includes NX-8 Panel, NX-1316E LED Keypad, Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord   | 328.94  | NetworX | Fastpacks   | 20 |
| NX-816-KIT       | NX-8 Kit w/NX-116E Keypad and Transformer Kit Includes NX-8 Panel, NX-116E LED Keypad, 16.5VAC, 40VA Transformer   | 248.90  | NetworX | Kits  | 20 |
| NX-824-KIT       | NX-8 Kit w/NX-124E Keypad and Transformer Kit Includes NX-8 Panel, NX-124E LED Keypad, 16.5VAC, 40VA Transformer   | 254.26  | NetworX | Kits  | 20 |
| NX-848E-KIT      | NX-8E Kit w/NX-148E Keypad and Transformer Kit Includes NX-8E Panel, NX-148E LCD Keypad, 16.5VAC, 50VA Transformer   | 406.80  | NetworX | Kits  | 3  |
| NX-848-FP        | NX-8 Fastpack w/NX-148E Keypad. Includes NX-8 Panel, NX-148E LCD Keypad, Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord   | 388.22  | NetworX | Fastpacks   | 20 |
| NX-848-KIT       | NX-8 Kit w/NX-148E Keypad and Transformer Kit Includes NX-8 Panel, NX-148E LCD Keypad, 16.5VAC, 40VA Transformer   | 327.06  | NetworX | Kits  | 3  |
| NX-848-KIT-LX    | NX-8 Kit w/NX-148E Keypad, Less Transformer. Kit Includes NX-8 Panel, NX-148E LCD Keypad. Transformer Not Included   | 316.04  | NetworX | Kits  | 20 |
| NX-8-BO-FG       | NX-8 Board Only  | 146.18  | NetworX | Control Panels                                    | 3  |
| NX-8-CB          | NX-8 Control Panel, Commercial BurglaryVersion Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately   | 269.02  | NetworX | Control Panels                                    | 20 |
| NX-8E            | NX-8E Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately  | 222.48  | NetworX | Control Panels                                    | 3  |
| NX-8E-BO-FG      | NX-8E Board Only   | 213.56  | NetworX | Control Panels                                    | 3  |
| NX-8E-CB-KIT-7   | NX-8E Kit w/NX-8E-BO-FG, NX-003-CB Enclosure, NX-148E LCD Keypad, T-0001 Transformer   | 488.54  | NetworX | Kits  | 3  |
| NX-8E-CB-KIT-VZ3 | NX-8E-CB Kit w/CDMA Modem, NX-148E-RF, NX-590NE, NX-216E, NX-507E, 16 Panics, 2 XFMRs  | 3565.80 | NetworX | Kits  | 20 |
| NX-8E-FP-7       | NX-8E Fastpack w/NX-148E Keypad Fastpack Includes NX-8E Panel, NX-148E LCD Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 50VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord                       | 498.68  | NetworX | Fastpacks   | 20 |
| NX-8E-FP-7-RF    | NX-8E Fastpack w/NX-148E-RF LCD Keypad, T-0001 Transformer, Pi6000 PIR, B-1245 Battery, 5-0001 Speaker, RJ Block and Cord  | 549.70  | NetworX | Fastpacks   | 20 |
| NX-8E-KIT-1820   | NX-8E Kit w/NX-1820E Keypad and Transformer. Kit Includes NX-8E Panel, NX-1820E Touch Screen Keypad, 16.5VAC, 40VA Transformer.  | 418.00  | NetworX | Kits  | 20 |
| NX-8E-KIT-7-RF   | NX-8E Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer  | 457.82  | NetworX | Kits  | 20 |
| NX-8-FP          | NX-8 Fastpack w/NX-1308E Keypad. Includes NX-8 Panel, NX-1308E LED Keypad, Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord   | 328.94  | NetworX | Fastpacks   | 20 |
| NX-8-FP-7-RF     | NX-8 Fastpack w/NX-148E-RF LCD Keypad, T-0001 Transformer, Pi6000 PIR, B-1245 Battery, 5-0001 Speaker, RJ Block and Cord   | 439.24  | NetworX | Fastpacks   | 3  |

|                           |  |         |                     |  |    |
|---------------------------|--|---------|---------------------|--|----|
| NX-8-IC                   | NX-8 Control Panel, Canada Approved Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately                      | 162.92  | NetworkX            | Control Panels   | 20 |
| NX-8-IC-FC                | NX-8 Control Panel, French Canadian. Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately                     | 161.12  | NetworkX            | Control Panels   | 20 |
| NX-8-KIT                  | NX-8 Kit w/NX-108E Keypad and Transformer. Kit Includes NX-8 Panel, NX-108E LED Keypad, 16.5VAC, 40VA Transformer                                      | 243.10  | NetworkX            | Kits   | 3  |
| NX-8-KIT-1820             | NX-8 Kit w/NX-1820E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1820E Touch Screen Keypad, 16.5VAC, 40VA Transformer.                          | 370.00  | NetworkX            | Kits   | 20 |
| NX-8-KIT-2-LX             | NX-8 Kit w/NX-116E Keypad Less Transformer. Kit Includes NX-8 Panel and NX-116E LED Keypad. Transformer Not Included                                   | 244.50  | NetworkX            | Kits   | 20 |
| NX-8-KIT-4                | NX-8 Kit w/NX-1308E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1308E LED Keypad, 16.5VAC, 40VA Transformer                                    | 261.52  | NetworkX            | Kits   | 20 |
| NX-8-KIT-4-LX             | NX-8 Kit w/NX-1308E Keypad, Less Transformer. Kit Includes NX-8 Panel and NX-1308E LED Keypad. Transformer Not Included                                | 308.12  | NetworkX            | Kits   | 20 |
| NX-8-KIT-5                | NX-8 Kit w/NX-1316E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1316E LED Keypad, 16.5VAC, 40VA Transformer                                    | 269.16  | NetworkX            | Kits   | 20 |
| NX-8-KIT-7-RF             | NX-8 Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer   | 378.08  | NetworkX            | Kits   | 3  |
| NX-8-KIT-7-RF-LX          | NX-8 Kit w/NX-148E-RF Keypad and No Transformer  | 367.06  | NetworkX            | Kits   | 20 |
| NX-8-KIT-LX               | NX-8 Kit w/NX-108E Keypad Less Transformer. Kit Includes NX-8 Panel and NX-108E LED Keypad. Transformer Not Included                                   | 236.40  | NetworkX            | Kits   | 20 |
| NX-CA-SL                  | Two Pack Card Slide Including Screws   | 1.41    | Network             | Control Panel Accessories  | 3  |
| NX-WALLPLATE-V-5PKG       | Wall Plate Cover for Vertical Keypad Retrofit, Compatible With NX-1820E, NX-1811E, NX-1812E, NX-1815E and UM-1820E Keypads                             | 31.50   | Network             | Keypad Accessories   | 3  |
| OH-NETREC-100             | OH Network Receiver License Software, 100  | 573.28  | NetworkX            | Osborne Hoffman  | 3  |
| OH-NETREC-1000            | OH Network Receiver License Software, 1000   | 1146.58 | NetworkX            | Osborne Hoffman  | 20 |
| OH-NETREC-SOFTWARE P-0003 | OH Network Receiver License Software, 10000  | 6945.75 | NetworkX            | Osborne Hoffman  | 20 |
| POC2052-4P-1CX            | Pre-Assembly for NX-8E Cable   | 34.57   | NetworkX            | Control Panel Accessories  | 3  |
| POC2502-16CXP-2T-2S       | 4 Port POC Unmanaged Switch Camera End   | 718.00  | IFS Transmission    | Network  | 3  |
|                           | 16-port bnc ip power over coax PoE-at managed switch plus 2 sfp and 2 tp gigabit uplink ports  | 3800.00 | IFS Transmission    | Network  | 20 |
| POC2502-8CXP-2T-2S        | 8-port bnc ip power over coax PoE-at managed switch plus 2 sfp and 2 tp gigabit uplink ports   | 2320.00 | IFS Transmission    | Network  | 20 |
| POC252-1CX-1P             | IP power over coax (camera end) media convertor with 1-port tp PoE-at  | 300.00  | IFS Transmission    | Network  | 20 |
| POC252-1CXP-1T            | ip power over coax (head end) media convertor, injects power over coax   | 300.00  | IFS Transmission    | Network  | 20 |
| POE201-EX                 | Fast Ethernet PoE-AF Extender  | 200.00  | IFS Transmission    | Network  | 3  |
| POE201-MS/4               | 4-Port Fast Ethernet/POE-AF Mid-Span Injector  | 250.00  | IFS Transmission    | Network  | 3  |
| POE302-EX                 | Gigabit Ethernet PoE-AT Extender   | 250.00  | IFS Transmission    | Network  | 3  |
| POE302-MS                 | Gigabit PoE-AT Mid-Span Injector   | 160.00  | IFS Transmission    | Network  | 20 |
| POE302-SP                 | Gigabit PoE-AT Splitter  | 150.00  | IFS Transmission    | Network  | 20 |
| POE303-EX-4P              | POE 60W extender with 4-Port PoE switch  | 440.00  | IFS Transmission    | Network  | 3  |
| POE303-MS                 | POE 60W Ultra Mid-Span injector  | 160.00  | IFS Transmission    | Network  | 3  |
| PS12VDC1.5A-U             | 12VDC@1.5A External Power Supply   | 40.00   | IFS Transmission    | UTP  | 20 |
| PS24VAC.6-US              | 120V/60HZ, 24VACCT@0.6A w/U.S. Plug  | 40.00   | IFS Transmission    | Power Supplies   | 20 |
| PS48VDC.38A-US            | 48VDC@380mA Wall-Mount Power Supply - Compatible w/UI Plugs Used in North America, Japan and Parts of China, SA  | 30.00   | IFS Transmission    | Power Supplies   | 3  |
| PS48VDC100W-DIN           | 48VDC 100W Power Supply With DIN rail Mount  | 130.00  | IFS Transmission    | Network Switch   | 3  |
| PS48VDC240W-DIN           | 48VDC 240W Power Supply With DIN rail Mount  | 290.00  | IFS Transmission    | Network Switch   | 3  |
| PS48VDC480W-DIN           | 48VDC 480W Power Supply With DIN rail Mount  | 620.00  | IFS Transmission    | Network Switch   | 3  |
| PS48VDC65W-US             | 48V DC 65W Power Supply  | 56.00   | IFS Transmission    | Network Switch   | 3  |
| PS48VDC72W-US             | 48VDC, 1.5A 72W Power Supply   | 60.00   | IFS Transmission    | Network Switch   | 20 |
| PS54VDC72W-US             | 54Vdc Power Adapter 115V/50Hz 72W w/US Plug  | 60.00   | IFS Transmission    | Network  | 3  |
| PS56VDC65W-US             | 56VDC, 65W Power Supply  | 56.00   | IFS Transmission    | Power Supplies   | 3  |
| PS56VDC72W-US             | 56 VDC, 1.28A 72W Power Supply   | 60.00   | IFS Transmission    | Network Switch   | 20 |
| PS5VDC25W                 | 5VDC 25W Power Supply  | 50.00   | IFS Transmission    | Network Switch   | 20 |
| PS5VDC2A-US               | 5VDC@2A Wall-Mount Power Supply - Compatible w/UI Plugs Used in North America, Japan and Parts of China, SA  | 30.00   | IFS Transmission    | Power Supplies   | 3  |
| PS-R3-230-07              | 230VAC Power Supply for R3 Rack, UL Approved   | 600.00  | IFS Transmission    | Power Supplies   | 20 |
| R1078-M                   | Mini-Max Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Brown, 1/2" Gap Size   | 14.62   | Sensors & Detectors | R1078 1" Mini-Max w/Leads  | 3  |
| R1078-N                   | Mini-Max Recessed Steel Door Contact w/Wire Leads, 1" Diameter, White, 1/2" Gap Size   | 14.62   | Sensors & Detectors | R1078 1" Mini-Max w/Leads  | 3  |
| R1125-N                   | Mini-Max Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size   | 3.15    | Sensors & Detectors | R1125 Series 3/8" Mini-Max Stubby w/Leads  | 3  |
| R1125T-N                  | Recessed Mini-Max Stubby Press Fit Terminal Contact, White, 1/2" Gap Size  | 7.81    | Sensors & Detectors | R1125T 3/8" Mini-Max Stubby Press Fit w/Terminals  | 3  |
| R1125TN-10PKG             | Recessed Stubby Contact, 3/8" Diameter, Terminals, Rare Earth Magnet, White. 10-Pack   | 78.04   | Sensors & Detectors | R1125T 3/8" Mini-Max Stubby Press Fit w/Terminals  | 20 |
| R1125TW-N                 | Recessed Mini-Max Stubby Press Fit Terminal Wide Gap Contact, White, 7/8" Gap Size   | 9.14    | Sensors & Detectors | R1125T 3/8" Mini-Max Stubby Press Fit w/Terminals  | 3  |
| R1125W-N                  | Mini-Max Recessed Stubby Press Fit Wide Gap Contact w/Wire Leads, 3/8" Diameter, White, 7/8" Gap Size  | 8.30    | Sensors & Detectors | R1125 Series 3/8" Mini-Max Stubby w/Leads  | 20 |
| R1225N-10PKG              | Mini-Max Recessed Stubby Press Fit Contact w/Leads, 3/8" Diameter, White, 1/2" Gap Size, 10-Pack   | 67.62   | Sensors & Detectors | R1225 3/8" Mini-Max Stubby Wing Fit w/Leads  | 3  |
| R3                        | 19" Rack Mount Card Cage, 14 Slots, 115VAC Input   | 1060.00 | IFS Transmission    | Rack Systems   | 3  |
| R3-230                    | 19" Rack Mount Card Cage, 14 Slots, 230VAC Input   | 1060.00 | IFS Transmission    | Rack Systems   | 3  |
| R3-BP                     | 1" Blank Panel for R3 Card Cage  | 40.00   | IFS Transmission    | Rack Systems   | 3  |
| R5812NT                   | ShatterPro 3 Glassbreak Sensor (Round Housing) form A. 3' - 35' Adjustable Range   | 58.78   | Sensors & Detectors | ShatterPro 3 Glassbreak Sensor (Round Housing) form A. 3' - 35' Adjustable Range                         | 3  |
| R5815NT                   | ShatterPro 3 Glassbreak Sensor w/Tamper (Round Housing) form C. Tamper Switch. 3' - 35' Adjustable Range   | 81.61   | Sensors & Detectors | ShatterPro 3 Glassbreak Sensor w/Tamper (Round Housing) form C. Tamper Switch. 3' - 35' Adjustable Range | 3  |
| RCR-50                    | Dual Tech motion sensor, Form C, up to 50 ft   | 101.49  | Sensors & Detectors | Motion Sensors   | 3  |
| RCR-C                     | Dual Tech motion sensor, Form C, up to 35 ft   | 101.41  | Sensors & Detectors | Motion Sensors   | 3  |
| RCR-PET                   | Dual Tech motion sensor, Form A, PI,35ft   | 91.37   | Sensors & Detectors | Motion Sensors   | 3  |
| RCR-REX-B                 | Request To Exit Dual Tech Sensor, Black  | 142.97  | Sensors & Detectors | Motion Sensors   | 3  |
| RCR-REX-W                 | Request To Exit Dual Tech Sensor, White  | 142.97  | Sensors & Detectors | Motion Sensors   | 3  |
| RCR-WP-W                  | Single Gang Wall Plate 2 1/4"x8 3/4", White  | 6.52    | Sensors & Detectors | Motion Sensors   | 3  |
| RK-BRKT                   | Mounting Brackets for 10 inch Net Switch   | 20.00   | IFS Transmission    | Network  | 20 |
| RS-3240                   | UltraSync Compatible, 1080p, NTSC/PAL, Wi-Fi, Outdoor Doorbell, D/N, H.264, Audio, 5m IR, 1.96mm @F2.2, doorbell wire, and 16GB Micro SD card Included | 298.00  | UltraSync           | Accessory  | 3  |
| S20-1SLC/A-20             | SFP-Port Fast 1 Fiber Mini GBIC Module SM TX1310Nm - 20km  | 270.00  | IFS Transmission    | Network  | 20 |
| S20-1SLC/B-20             | SFP-Port Fast 1 Fiber Mini GBIC Module SM TX1550Nm - 20km  | 270.00  | IFS Transmission    | Network  | 20 |
| S20-2MLC-2                | SFP-Port Fast 2 Fiber Mini GBIC Module MM 1310Nm - 20km  | 150.00  | IFS Transmission    | Network  | 3  |
| S20-2SLC-20               | SFP-Port Fast 2 Fiber Mini GBIC Module SM 1310Nm - 20km  | 190.00  | IFS Transmission    | Network  | 20 |
| S25-1MLC-A-2              | SFP-Port 100Base-FX Mini-GBIC Module 1 Fiber 2Km Multi-Mode 1300nm - A End   | 240.00  | IFS Transmission    | Network  | 3  |
| S25-1MLC-B-2              | SFP-Port 100Base-FX Mini-GBIC Module 1 Fiber 2Km Multi-Mode 1300nm - B End   | 240.00  | IFS Transmission    | Network  | 3  |
| S25-2MLC-2                | SFP-Port Fast 2 Fiber Mini GBIC Module High Temp MM 1310Nm - 2km   | 220.00  | IFS Transmission    | Network  | 3  |
| S25-2SLC-20               | SFP-Port Fast 2 Fiber Mini GBIC Module High Temp SM 1310Nm - 20km  | 260.00  | IFS Transmission    | Network  | 3  |
| S30-1SLC/A-10             | SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 10km TX 1310Nm  | 350.00  | IFS Transmission    | Network  | 20 |
| S30-1SLC/A-20             | SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 20km TX 1310Nm  | 410.00  | IFS Transmission    | Network  | 20 |
| S30-1SLC/A-60             | SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 60km TX 1310Nm  | 940.00  | IFS Transmission    | Network  | 20 |
| S30-1SLC/B-10             | SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 10km TX1550Nm   | 350.00  | IFS Transmission    | Network  | 20 |
| S30-1SLC/B-20             | SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 20km TX1550Nm   | 410.00  | IFS Transmission    | Network  | 20 |

|               |  |                                  |                            |    |
|---------------|--|----------------------------------|----------------------------|----|
| S30-1SLC/B-60 | SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 60km TX1550Nm         | 940.00 IFS Transmission          | Network                    | 20 |
| S30-2MLC      | SFP-Port Gigabit 2 Fiber Mini GBIC Module MM 850Nm - 550m            | 130.00 IFS Transmission          | Network                    | 3  |
| S30-2MLC-2    | SFP-Port Gigabit 2 Fiber Mini GBIC Module MM 1310Nm - 2km            | 190.00 IFS Transmission          | Network                    | 3  |
| S30-2SLC-10   | SFP-Port Gigabit 2 Fiber Mini GBIC Module SM 1310Nm - 10km           | 250.00 IFS Transmission          | Network                    | 3  |
| S30-2SLC-30   | SFP-Port Gigabit 2 Fiber Mini GBIC Module SM 1310Nm - 30km           | 480.00 IFS Transmission          | Network                    | 20 |
| S30-2SLC-70   | SFP-Port Gigabit 2 Fiber Mini GBIC Module SM 1310Nm - 70km           | 940.00 IFS Transmission          | Network                    | 20 |
| S30-RJ        | SFP-Port Gigabit Mini GBIC Module Copper RJ45                        | 150.00 IFS Transmission          | Network                    | 3  |
| S35-2MLC      | SFP-Port Gigabit 2 Fiber Mini GBIC Module MM High Temp 850Nm - 550m  | 220.00 IFS Transmission          | Network                    | 3  |
| S35-2SLC-10   | SFP-Port Gigabit 2 Fiber Mini GBIC Module SM High Temp 1310Nm - 10km | 340.00 IFS Transmission          | Network                    | 3  |
| S35-2SLC-30   | SFP-Port Gigabit 2 Fiber Mini GBIC Module SM High Temp 1310Nm - 30km | 560.00 IFS Transmission          | Network                    | 20 |
| S35-2SLC-70   | SFP-Port Gigabit 2 Fiber Mini GBIC Module SM High Temp 1310Nm - 70km | 1020.00 IFS Transmission         | Network                    | 20 |
| S40-2MLC      | 10G plugin SFP module, Multimode 300m                                | 260.00 IFS Transmission          | Network                    | 20 |
| S40-2SLC-10   | 10G plugin SFP module, Single Mode 10Km                              | 440.00 IFS Transmission          | Network                    | 20 |
| S700VR-EST    | MM - CCTV Video Rx, Can  | 343.76 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S700VR-RST    | MM - CCTV Video Rx, Rack   | 343.76 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S700VT-EST    | MM - CCTV Video Tx, Can  | 312.50 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S700VT-MST    | MM - CCTV Video Tx, Mini Can   | 281.26 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S700VT-RST    | MM - CCTV Video Tx, Rack   | 312.50 Fiber Optic Transmission  | Transmitters and Receivers | 20 |
| S700VT-TST    | MM - CCTV Video Tx, Tubular  | 250.00 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S701V2R-RST   | MM - Video, Hi-Performance, Rx, Rack, 2-Fiber                        | 817.50 Fiber Optic Transmission  | Transmitters and Receivers | 20 |
| S701V2T-RST   | MM - Video, Hi-Performance, Tx, Rack, 2-Fiber                        | 695.00 Fiber Optic Transmission  | Transmitters and Receivers | 20 |
| S701VR-EST    | MM - Video, Hi-Performance, Rx, Can                                  | 420.00 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S701VR-RST    | MM - Video, Hi-Performance, Rx, Rack                                 | 420.00 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S701VT-EST    | MM - Video, Hi-Performance, Tx, Can                                  | 350.00 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S701VT-RST    | MM - Video, Hi-Performance, Tx, Rack                                 | 350.00 Fiber Optic Transmission  | Transmitters and Receivers | 20 |
| S702VR-EST    | MM - CCTV Video, Rx, Can, 2-Fiber                                    | 687.50 Fiber Optic Transmission  | Transmitters and Receivers | 20 |
| S702VR-RST    | MM - CCTV Video, Rx, Rack, 2-Fiber                                   | 625.00 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S702VT-EST    | MM - CCTV Video, Tx, Can, 2-Fiber                                    | 562.50 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S702VT-RST    | MM - CCTV Video, Tx, Rack, 2-Fiber                                   | 562.50 Fiber Optic Transmission  | Transmitters and Receivers | 20 |
| S703VR-EST    | MM - 2-CH Video, Rx, Can   | 1062.50 Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S703VR-RST    | MM - 2-CH Video, Rx, Rack  | 1062.50 Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S703VT-EST    | MM - 2-CH Video, Tx, Can   | 1062.50 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S703VT-RST    | MM - 2-CH Video, Tx, Rack  | 1062.50 Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S704VR-EST    | 4-CH Video RX, MM, CAN   | 2200.00 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S704VR-RST    | MM - 4-CH Video Rx, Rack   | 2200.00 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S704VT-EST    | MM - 4-CH Video Tx, Can  | 2200.00 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S704VT-RST    | MM - 4-CH Video Tx, Rack   | 2200.00 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S707VR-ESTL   | MM - 4 CH Digital Video RX,CAN                                       | 1875.00 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S707VR-RSTL   | MM - 4-CH Digital Video RX, MM, Rack                                 | 1875.00 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S707VT-ESTL   | MM - 4-CH Digital Video TX, MM, CAN                                  | 1875.00 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S707VT-RSTL   | MM - 4-CH Digital Video TX, MM, Rack                                 | 1875.00 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S708VR-EST    | MM - 8CH Digital Video,RX,MM,CAN                                     | 4687.50 Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S708VR-ESTL   | MM - 8-CH Video, Digitally Processed, Rx, Can                        | 5000.00 Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S708VR-RST    | 8-CH Digital Video RX, MM, Rack                                      | 4687.50 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S708VR-RSTL   | MM - 8-CH Video, Digitally Processed, Rx, Rack                       | 5000.00 Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S708VT-EST    | 8-CH Digital Video TX, MM, CAN                                       | 4687.50 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S708VT-ESTL   | MM - 8-CH Video, Digitally Processed, Tx, Can                        | 6250.00 Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S708VT-RST    | 8-CH Digital Video TX, MM, Rack                                      | 4687.50 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S708VT-RSTL   | MM - 8-CH Video, Digitally Processed, Tx, Rack                       | 6250.00 Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S710D-EST2    | MPD Data TCVE, MM, CAN   | 312.50 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S710D-RST2    | MM - MPD Data, Tcvr, Rack, 2-Fiber                                   | 312.50 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S711D-EST2    | MM - MPD Data, Hi-Performance, Tcvr, Can, 2-Fiber                    | 443.76 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S711DR-EST1   | MM - MPD Data, Hi-Performance, Rx, Can                               | 912.50 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S711DR-RST1   | MM - MPD Data, Hi-Performance, Rx, Rack                              | 912.50 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S711D-RST2    | MM - MPD Data, Hi-Performance, Tcvr, Rack, 2-Fiber                   | 443.76 Fiber Optic Transmission  | Transmitters and Receivers | 20 |
| S711DT-EST1   | MM - MPD Data, Hi-Performance, Tx, Can                               | 912.50 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S711DT-RST1   | MM - MPD Data, Hi-Performance, Tx, Rack                              | 912.50 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S711F2FR-RST1 | MM - CASI F/2F Data, Rx, Rack  | 1100.00 Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S711F2F-RST2  | MM - CASI F/2F Data, Tcvr, Rack, 2-Fiber                             | 631.26 Fiber Optic Transmission  | Transmitters and Receivers | 3  |
| S711F2FT-RST1 | MM - CASI F/2F Data, Tx, Rack  | 1100.00 Fiber Optic Transmission | Transmitters and Receivers | 3  |

|               |   |         |                          |                            |    |
|---------------|---|---------|--------------------------|----------------------------|----|
| S714D-EST2    | 10/100Base-T/FL TCVR, MM, CAN   | 793.76  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S714D-RST2    | MM - 100Base-T Ethernet, Tcvr, Rack, 2-Fiber                          | 793.76  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S715DR-RST1   | MM - 2-Way 2-CH Data, Rx, Rack  | 1495.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S715DT-RST1   | 2CH,2Way Data,Contact TX,MM,1F,Rack                                   | 1495.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S730DVR-EST1  | MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can             | 1556.26 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S730DVR-EST2  | MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber    | 1218.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S730DVR-RST1  | MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack            | 1556.26 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S730DVR-RST2  | MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber   | 1218.76 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S730DVT-EST1  | Digital Video, MPD Data TX, MM, CAN                                   | 1556.26 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S730DVT-EST2  | MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber    | 1218.76 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S730DVT-RST1  | Digital Video, MPD Data TX, MM, Rack                                  | 1556.26 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S730DVT-RST2  | MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack, 2-Fiber   | 1218.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S731DV-PKG    | MM - Video and Return MPD Data, Tx/Rx, 2 Power Supplies, Kit          | 1918.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S731DVR-EST1  | MM - Video & Reverse MPD Data, Digitally Processed, Rx, Can           | 962.50  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S731DVR-EST2  | MM - Video & Reverse MPD Data, Digitally Processed, Rx, Can, 2-Fiber  | 737.50  | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S731DVR-RST1  | MM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack          | 962.50  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S731DVR-RST2  | MM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack, 2-Fiber | 737.50  | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S731DVT-EST1  | MM - Video & Reverse MPD Data, Digitally Processed, Tx, Can           | 962.50  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S731DVT-EST2  | MM - Video & Reverse MPD Data, Digitally Processed, Tx, Can, 2-Fiber  | 737.50  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S731DVT-RST1  | MM - Video & Reverse MPD Data, Digitally Processed, Tx, Rack          | 962.50  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S731DVT-RST2  | MM - Video & Reverse MPD Data, Digitally Processed, Tx, Rack, 2-Fiber | 737.50  | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S732DV-PKG    | MM - Video & 2-Way MPD Data, Tx/Rx, 2 Power Supplies, Kit             | 1991.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S732DVR-EST1  | MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can             | 1031.26 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S732DVR-EST2  | MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber    | 800.00  | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S732DVR-RST1  | MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack            | 1031.26 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S732DVR-RST2  | MM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber   | 800.00  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S732DVT-EST1  | MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can             | 1031.26 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S732DVT-EST2  | MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack, 2-Fiber   | 800.00  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S732DVT-RST1  | MM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack            | 1031.26 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S732DVT-RST2  | Digital Video, 2-Way MPD Data TX, MM, Rack                            | 800.00  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S733DVR-RST1  | MM - Video & 2-Way 2-CH MPD Data, Digitally Processed, Rx, Rack       | 1895.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S733DVT-RST1  | 1Way Video,2CH,2Way Data,Contact TX,MM,1F,Rack                        | 1895.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S734DVR-EST1  | 4CH Digital Video,MPD Data RX,MM,CAN                                  | 3743.76 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S734DVR-RST1  | MM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Rack       | 3743.76 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S734DVT-EST1  | MM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Can        | 4243.76 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S734DVT-RST1  | MM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Rack       | 4243.76 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S735DVR-RST   | MM - 8-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Rack       | 6562.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S735DVT-RST   | MM - 8-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Rack       | 7812.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S739DV-PKG    | MM - Video and 2-Way Up-The-Coax Data, Tx/Rx, 2 Power Supplies, Kit   | 1965.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S739DVR-EST1  | MM - Video with Up-The-Coax Data, Rx, Can                             | 987.50  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S739DVR-EST2  | MM - Video with Up-The-Coax Data, Rx, Can, 2-Fiber                    | 675.00  | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S739DVR-RST1  | MM - Video with Up-The-Coax Data, Rx, Rack                            | 987.50  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S739DVR-RST2  | MM - Video with Up-The-Coax Data, Rx, Rack, 2-Fiber                   | 675.00  | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S739DVT-EST1  | MM - Video with Up-The-Coax Data, Tx, Can                             | 987.50  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S739DVT-EST2  | MM - Video with Up-The-Coax Data, Tx, Can, 2-Fiber                    | 675.00  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S739DVT-RST1  | MM - Video with Up-The-Coax Data, Tx, Rack                            | 987.50  | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S739DVT-RST2  | MM - Video with Up-The-Coax Data, Tx, Rack, 2-Fiber                   | 675.00  | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S761DAVR-RST1 | MM - 1Way Video,1CH,2Way Audio,Data,Contact RX,MM,Rack                | 1620.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S761DAVT-RST1 | MM - 1Way Video,1CH,2Way Audio,Data,Contact TX,MM,Rack                | 1620.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S764DAVR-RST1 | MM - 1Way Video,2CH,2Way Audio,Data,Contact RX,MM,1F,Rack             | 1745.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S764DAVT-RST1 | 1Way Video,2CH,2Way Audio,Data,Contact TX,MM,1F,Rack                  | 1745.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7704VR-RST   | SM - 4-CH Video, Rx, Rack   | 3500.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7704VT-RST   | SM - 4-CH Video, Tx, Rack   | 3500.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7706VR-EST   | SM - Video, Hi-Performance, Digitally Processed, Rx, Can              | 1112.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |

|                |   |         |                          |                            |    |
|----------------|---|---------|--------------------------|----------------------------|----|
| S7706VR-RST    | SM - Video, Hi-Performance, Digitally Processed, Rx, Rack             | 1112.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7706VT-EST    | SM - Video, Hi-Performance, Digitally Processed, Tx, Can              | 1112.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7706VT-RST    | SM - Video, Hi-Performance, Digitally Processed, Tx, Rack             | 1112.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7707VR-EST    | SM - 4-CH Video, Digitally Processed, Rx, Can                         | 3118.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7707VR-RST    | SM - 4-CH Video, Digitally Processed, Rx, Rack                        | 3118.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7707VT-EST    | SM - 4-CH Video, Digitally Processed, Tx, Can                         | 3118.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7707VT-RST    | SM - 4-CH Video, Digitally Processed, Tx, Rack                        | 3118.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7708VR-EST    | 8-CH Digital Video RX,CAN   | 5243.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7708VR-RST    | SM - 8-CH Video, Digitally Processed, Rx, Rack                        | 5243.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7708VT-EST    | 8-CH Digital Video TX, CAN  | 5243.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7708VT-RST    | SM - 8-CH Video, Digitally Processed, Tx, Rack                        | 5243.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7711D-EST2    | SM - MPD Data, Hi-Performance, Tcvr, Can, 2-Fiber                     | 1112.50 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S7711DR-EST1   | SM - MPD Data, Hi-Performance, Rx, Can                                | 2412.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7711DR-RST1   | SM - MPD Data, Hi-Performance, Rx, Rack                               | 2412.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7711D-RST2    | SM - MPD Data, Hi-Performance, Tcvr, Rack, 2-Fiber                    | 1112.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7711DT-EFC1   | SM - MPD Data, Hi-Performance, Tx, Can                                | 4825.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7711DT-EST1   | SM - MPD Data, Hi-Performance, Tx, Can                                | 2412.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7711DT-RST1   | SM - MPD Data, Hi-Performance, Tx, Rack                               | 2412.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7711F2FR-RST1 | SM - CASI F/2F Data, Rx, Rack   | 2600.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7711F2FR-RST2 | SM - CASI F/2F Data, Tcvr, Rack, 2-Fiber                              | 1300.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7711F2FT-RST1 | CASI-RUSCO Data TX, SM, Rack  | 2600.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7712D-EST2    | SM - MPD Data Repeater, Can, 2-Fiber                                  | 2675.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7714D-EFC2    | SM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber                           | 1075.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7714D-EST2    | SM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber                           | 1075.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7714DR-RSC1   | SM - 100Base-T Ethernet, Rx, Rack                                     | 1650.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7714D-RST2    | SM - 100Base-T Ethernet, Tcvr, Rack, 2-Fiber                          | 1075.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7714DT-ESC1   | SM - 100Base-T Ethernet, Tx, Can                                      | 1650.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7717D-RFC2    | Digital Current Loop,TCVR,SM Rack,2-Fiber                             | 1300.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7730DVR-EST1  | SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can             | 3062.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7730DVR-EST2  | SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber    | 2437.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7730DVR-RST1  | SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack            | 3062.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7730DVR-RST2  | SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber   | 2437.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7730DVT-EST1  | SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can             | 3062.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7730DVT-EST2  | SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber    | 2437.50 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7731DVR-RFC2  | SM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack, 2-Fiber | 1875.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7731DVT-EFC1  | SM - Video & Reverse MPD Data, Digitally Processed, Tx, Can           | 2625.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7731DVT-EFC2  | SM - Video & Reverse MPD Data, Digitally Processed, Tx, Can, 2-Fiber  | 1875.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7731DVT-RFC1  | Digital Video, RETURN MPD Data TX, SM, Rack                           | 2625.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7731DVT-RFC2  | Digital Video, RETURN MPD Data TX, SM, Rack                           | 1875.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7732DVR-EFC2  | Video, 2-Way MPD Data RX, SM, CAN                                     | 2000.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7732DVR-EST1  | SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can             | 2750.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7732DVR-EST2  | SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber    | 2000.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7732DVR-RST1  | SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack            | 2750.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7732DVR-RST2  | SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber   | 2000.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7732DVT-EST1  | SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can             | 2750.00 | Fiber Optic Transmission | Transmitters and Receivers | 3  |
| S7732DVT-EST2  | SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber    | 2000.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7732DVT-RST1  | SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack            | 2750.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7733DVT-RFC2  | 1-Way Video,2-CH,2-Way Data,Contact TX,FC,SM,2F,Rack                  | 2495.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7734DVR-EFC1  | SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Can        | 4868.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7734DVR-EST1  | SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Can        | 4868.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7734DVR-RST1  | SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Rx, Rack       | 4868.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7734DVT-EST1  | SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Can        | 4868.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7734DVT-RST1  | SM - 4-CH Video & 2-Way MPD Data, Digitally Processed, Tx, Rack       | 4868.76 | Fiber Optic Transmission | Transmitters and Receivers | 20 |
| S7751DAR-RFC2  | SM - 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber   | 1995.00 | Fiber Optic Transmission | Transmitters and Receivers | 20 |

|                    |  |         |                          |   |    |
|--------------------|--|---------|--------------------------|---|----|
| S7751DAT-RFC2      | SM - 2-Way Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber  | 1995.00 | Fiber Optic Transmission | Transmitters and Receivers                              | 20 |
| S7754DAT-RFC2      | 2CH,2Way Audio,Data,Contact TX,FC,SM,2F,Rack   | 2412.50 | Fiber Optic Transmission | Transmitters and Receivers                              | 20 |
| S7761DAVR-RFC2     | SM - Video, 2-Way Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber   | 2256.26 | Fiber Optic Transmission | Transmitters and Receivers                              | 20 |
| S7764DAVR-RST2     | SM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Rx, Rack, 2-Fiber   | 2506.26 | Fiber Optic Transmission | Transmitters and Receivers                              | 20 |
| S7764DAVT-RST2     | SM - Video & 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber   | 2506.26 | Fiber Optic Transmission | Transmitters and Receivers                              | 20 |
| SB01               | Ceiling/Wall Mount Swivel Bracket for AP750, AP475, AP950AM  | 14.95   | Sensors & Detectors      | Brackets  | 3  |
| SC/FC-OA           | SC To FC Optical Adapter   | 20.00   | IFS Transmission         | KIT Series  | 20 |
| SC/LC-MM-FPC       | SC/LC Multi Mode Fiber Patch Cord  | 30.00   | IFS Transmission         | CBL Series  | 20 |
| SC/LC-SM-FPC       | SC/LC Single Mode Fiber Patch Cord   | 30.00   | IFS Transmission         | CBL Series  | 20 |
| SC/SC-OA           | SC to SC Optical Adapter   | 20.00   | IFS Transmission         | KIT Series  | 20 |
| SC/ST-OA           | SC to ST Optical Adapter   | 20.00   | IFS Transmission         | KIT Series  | 20 |
| SDX-135Z           | Wireless Smoke w/heat & freeze, Interconnected   | 144.02  | Wireless                 | Sensor  | 3  |
| SHS-L101           | 1/16 Inch (1.58mm) Spacer, 6 Pack, used with SHS-L200 Series Magnetic Contacts   | 112.20  | SENSORS & DETECTORS      | SHS-L2xx Series High Security Level 2                   | 3  |
| SHS-L200           | High Security Contact, Solid State, Closed Loop, 0 to 3/16 Inch Gap Size, UL Listed for High Security Level 2, ULC, 3 Feet Stainless Steel Armoured Cable-Left Exit                            | 571.89  | SENSORS & DETECTORS      | SHS-L2xx Series High Security Level 2                   | 3  |
| SHS-L201           | High Security Contact, Solid State, Closed Loop, 0 to 3/16 Inch Gap Size, UL Listed for High Security Level 2, ULC, 3 Feet Stainless Steel Armoured Cable-Right Exit                           | 571.89  | SENSORS & DETECTORS      | SHS-L2xx Series High Security Level 2                   | 3  |
| SHS-L202           | High Security Contact, Solid State, Closed Loop, 0 to 3/16 Inch Gap Size, UL Listed for High Security Level 2, ULC, Rear Wire Exit   | 566.60  | SENSORS & DETECTORS      | SHS-L2xx Series High Security Level 2                   | 3  |
| SI-ID              | Single Input Device, Addressable. The Addressable Single Input Device Connects a Single Non-Addressable Device to the NX-2192 Interface Card   | 46.28   | NetworX                  | PinPoint Addressable Systems                            | 3  |
| SLOT-PUNCH         | 043 LSP Slot Punch   | 325.50  | Topaz                    | Cards   | 20 |
| SLX-AD-T3          | FireFighter™ wireless audio detector used to monitor hardwired interconnected smoke detector alarm sounders to provide notification to control panel.  | 84.00   | Wireless                 | Smartline   | 3  |
| SM200-12PKG        | Smoke-in-a-Can. Canned Smoke for Functional Testing. Item Requires Ground Shipment, 12-Pack  | 135.58  | Fire                     | Accessories   | 3  |
| SM-EXT1            | Smoke-in-a-Can Extension Tube. Use w/SM-200 To Direct Smoke Flow   | 10.86   | Fire                     | Accessories   | 20 |
| SP-POE             | PoE 15.4W Splitter (IEEE 802.3af)  | 60.00   | IFS Transmission         | Network   | 20 |
| SPRES              | Rectangle Acoustic, Residential Applications   | 58.78   | Sensors & Detectors      | ShatterPro II Acoustic                                  | 3  |
| ST400              | Pry of Tamper EV100/400 Series   | 9.83    | Sensors & Detectors      | Motion Sensor   | 20 |
| T-0002             | 50VA Transformer for Commercial Fire Panels  | 37.49   | Sensors & Detectors      | Transformers  | 20 |
| TP-ADD-1DIP        | IPSDC truPortal 1-Door base kit  | 900.00  | TruPortal                | Control Panels  | 3  |
| TP-ADD-1DIP-BRD    | IPSDC board only   | 788.00  | TruPortal                | Control Panels  | 20 |
| TP-ADD-2D          | truPortal 2-Door Add-on kit. Consists of a truPortal 2-Door Interface Module installed in UL listed enclosure w/ 4 AMP power supply.   | 1095.90 | TruPortal                | Control Panel Accessories                               | 3  |
| TP-ADD-2D2R        | truPortal 2-Door Add-on kit with readers. Consists of a truPortal 2-Door Interface Module installed in UL listed enclosure w/ 4 AMP power supply. Includes 2 Readers.                          | 1479.46 | TruPortal                | Control Panel Accessories                               | 3  |
| TP-ADD-2D2R-M      | TruPortal 2 door/2 reader add on board, enclosure, qty. 2, 3MIL-R11030 mini mullion readers  | 1730.00 | TruPortal                | Control Panels  | 20 |
| TP-ADD-2D-BRD      | truPortal 2-Door Interface Module. Board only.   | 410.96  | TruPortal                | Control Panel Accessories                               | 3  |
| TP-ADD-4D          | truPortal 4-Door Add-on kit consists of a two truPortal 2-Door interface module installed in UL Listed enclosure with 4 AMP power supply   | 1900.00 | TruPortal                | Control Panels  | 3  |
| TP-ADD-IO          | truPortal I/O Expansion Add-on kit. Consists of a truPortal 16 input, 8 output I/O Expansion Module installed in a UL listed enclosure w/ 4 AMP power supply.                                  | 1150.68 | TruPortal                | Control Panel Accessories                               | 20 |
| TP-ADD-IO-BRD      | truPortal I/O Expansion Module. Board(s) only. 16 inputs and 8 relay output (consists of 2 separate but interconnected boards). For spare parts or for installation into an existing TP-SYS-2D | 410.96  | TruPortal                | Control Panel Accessories                               | 3  |
| TP-CASE            | truPortal Demo Case  | 852.06  | TruPortal                | Demo Kit  | 20 |
| TP-DEMO            | truPortal Demo Display   | 1627.40 | TruPortal                | Demo Kit  | 20 |
| TP-DEMOKIT         | truPortal Demo Kit   | 2479.46 | TruPortal                | Demo Kit  | 20 |
| TP-MEDIAKT         | Spare truPortal Software Tool Kit  | 34.00   | TruPortal                | Software  | 20 |
| TP-MFC-ISOM-50PK   | truPortal Credential - MIFARE ISO Cards 2750e Magstripe Gloss/Gloss - 50 pack  | 185.62  | TruPortal                | Readers & Cards   | 20 |
| TP-MFC-KF-LG-25PK  | truPortal Credential - MIFARE Keyfobs Epoxy Slender - truPortal Logo - 25 pack   | 205.48  | TruPortal                | Readers & Cards   | 20 |
| TP-MFC-KF-OG-25PK  | truPortal Credential - MIFARE Keyfobs Piano truPortal Orange - 25 pack   | 246.58  | TruPortal                | Readers & Cards   | 20 |
| TP-MFC-KF-RD-25PK  | truPortal Credential - MIFARE Keyfobs Piano Red - 25 pack  | 246.58  | TruPortal                | Readers & Cards   | 20 |
| TP-PRX-CLAM-50PK   | truPortal Credential - HID Proxcard II Clamshell Design Cards - 50 pack  | 220.50  | TruPortal                | Readers & Cards   | 3  |
| TP-PRX-ISO-50PK    | truPortal Credential - HID Prox ISO Cards - 50 pack  | 413.70  | TruPortal                | Readers & Cards   | 3  |
| TP-PRX-KF-50PK     | truPortal Credential - HID Prox Keyfobs - 50 pack  | 444.00  | TruPortal                | Readers & Cards   | 3  |
| TP-RDR-100A        | T-100 Reader. Standard pigtail. 3 Covers.  | 178.50  | TruPortal                | Readers & Cards   | 3  |
| TP-RDR-100B        | T-100 Reader. 3 Covers. 7-foot (2 meters) pigtail  | 198.50  | TruPortal                | Readers & Cards   | 3  |
| TP-RDR-200A        | T-200 Reader. Standard pigtail. 3 Covers.  | 210.00  | TruPortal                | Readers & Cards   | 3  |
| TP-RDR-200B        | T-200 Reader. 3 Covers. 7-foot (2 meters) pigtail  | 223.70  | TruPortal                | Readers & Cards   | 3  |
| TP-RDR-LRN         | Enrollment Reader  | 400.00  | TruPortal                | Readers & Cards   | 3  |
| TP-SYS-2D          | truPortal 2-Door base kit. Consists of a truPortal System Controller installed in UL listed enclosure w/ integrated power supply / standby battery charger.                                    | 1643.82 | TruPortal                | Control Panels  | 20 |
| TP-SYS-2D2R        | truPortal 2-Door base kit with readers. Consists of a TP-SYS-2D bundled w/ 2 readers and 5 credentials.  | 1990.00 | TruPortal                | Control Panels  | 20 |
| TP-SYS-2D2R-M      | TruPortal system 2 door/2 reader controller, enclosure, qty. 2, 3MIL-R11030 mini mullion readers, Quick start guide  | 2240.00 | TruPortal                | Control Panels  | 20 |
| TP-SYS-BRD         | truPortal System Controller. For spare parts only.   | 1369.86 | TruPortal                | Control Panels  | 3  |
| TP-WEM01-A         | Carrier Cor Thermostat with Home Kit   | 474.66  | Interactive Services     | Z-Wave Devices  | 20 |
| TPZ-CMS-2A0A-50PKG | Magnetic Stripe Card, Encoded and Numbered, GE Logo, 50-Pack   | 207.90  | Topaz                    | Cards   | 20 |
| TPZ-CPP2-1-50PKG   | Proxcard II (Clamshell Design) Cards, 50-Pack  | 220.50  | Topaz                    | Cards   | 3  |
| TPZ-CPP2-2-50PKG   | HID Prox Keyfob, 50-Pack   | 554.40  | Topaz                    | Cards   | 3  |
| TPZ-CPP2-5-50PKG   | Isoprox (PVX Door Badging) Cards, 50-Pack  | 413.70  | Topaz                    | Cards   | 3  |
| TPZ-IKE-2          | 16 Button Keypad w/LCD'S, Built-In Reader Interface  | 966.00  | Topaz                    | Readers   | 20 |
| TPZ-IKE-2L         | 16 Button Keypad w/LED'S & LCD'S, Built-In Reader Interface  | 993.30  | Topaz                    | Readers   | 20 |
| TPZ-RMS-10EXTD     | Magnetic Stripe Reader, Door Frame w/Wiegand Interface   | 455.70  | Topaz                    | Readers   | 20 |
| TPZ-RPP2-50        | Miniprox Reader 5" Read Range (HIF-MP5363)   | 342.30  | Topaz                    | Readers   | 20 |
| TPZ-RPP2-54        | Proxpro Readers, 9" Read Range (HID-PR5355G)   | 413.70  | Topaz                    | Readers   | 20 |
| TPZ-RPP2-55        | Proxpro Readers, 9" Read Range w/Keypad (HID-PK5355G)  | 676.20  | Topaz                    | Readers   | 20 |
| TPZ-RPP2-56        | Maxiprox Long Range Reader, 24" Read Range (HID-MX5373)  | 1295.70 | Topaz                    | Readers   | 20 |
| TPZ-RPP2-58        | Reader, Thinline II  | 304.50  | Topaz                    | Readers   | 20 |
| TPZ-RPP2-60        | Proxpoint Reader, 3" Read Range (HID-PP6005)   | 210.00  | Topaz                    | Readers   | 20 |
| TR3020WDM          | Touchtone Telephone Interface - Pots Transceiver, MM, 1 Fiber  | 2310.00 | IFS Transmission         | Touch-Tone Telephone Interface                          | 3  |
| TR3020WDM-R3       | Digitaltouchtone Telephone Interface-POTS Tcvr, 1 Fibre,1300nm Rack-mount  | 2310.00 | IFS Transmission         | Touch-Tone Telephone Interface                          | 20 |
| TR3030WDM          | TT Telephone 1550/1300 Laser   | 3690.00 | IFS Transmission         | Touch-Tone Telephone Interface                          | 20 |
| TR3030WDM-R3       | Touchtone Telephone Interface - Pots Transceiver, SM, 1 Fiber, Rack Mount  | 3690.00 | IFS Transmission         | Touch-Tone Telephone Interface                          | 20 |
| TS7-4T             | 4-Wire Photoelectric Smoke Detector, Remote Alarm/Trouble LED and Heat Sensors, 12/24VDC. Smoke/Heat Algorithms. Not Listed FM, 741UT w/702U Base  | 68.54   | Fire                     | TS7 Series Photoelectric, Head and Base Smoke Detectors | 20 |
| TT3020WDM          | Touchtone Telephone Interface - Pots Transceiver, MM, 1 Fiber  | 2310.00 | IFS Transmission         | Touch-Tone Telephone Interface                          | 3  |
| TT3020WDM-R3       | Touchtone Telephone Interface - Pots Transceiver, MM, 1 Fiber, Rack Mount  | 2310.00 | IFS Transmission         | Touch-Tone Telephone Interface                          | 20 |

|              |   |                               |                                |    |
|--------------|---|-------------------------------|--------------------------------|----|
| TT3030WDM    | TT Telephone 1300/1550 Laser  | 3690.00 IFS Transmission      | Touch-Tone Telephone Interface | 20 |
| TT3030WDM-R3 | Touchtone Telephone Interface - Pots Transceiver, SM, 1 Fiber, Rack Mount   | 3690.00 IFS Transmission      | Touch-Tone Telephone Interface | 20 |
| TVA-1101     | TruVision Covert Camera, 1.3MPx, WDR, Digital D/N, Single Lens, Audio, Alarm, SD/SHDC/SDXC Slot, Intelligence, PoE (802.3af) /12VDC, PAL  | 550.00 Network Fixed Cameras  | TruVision                      | 3  |
| TVA-3101     | TruVision Covert Camera, 1.3MPx, WDR, Digital D/N, Single Lens, Audio, Alarm, SD/SHDC/SDXC Slot, Intelligence, PoE (802.3af) /12VDC, NTSC   | 550.00 Network Fixed Cameras  | TruVision                      | 20 |
| TVB-1102     | TruVision 3.0MPX Open Std, Progressive Scan CMOS, Outdoor Bullet, True D/N, DWDR, 6mm fixed lens, 25m IR, ONVIF/PSIA, POE/12VDC, IP66, PAL  | 500.00 Network Fixed Cameras  | TruVision Dome Camera          | 20 |
| TVB-1201     | TruVision ip bullet camera, 1.3mpx , 2.8-12mm motor lens, wdr, true d/n, 30m ir, alarm, micro sd/sdxc slot, intelligence, poe (802.3-af) /12vdc, heater, ip66, pal  | 1100.00 Network Fixed Cameras | TruVision Box Camera           | 20 |
| TVB-2401     | TruVision hd-tv analog bullet camera, 720p, 3.6mm lens, true d/n, dwdr, 20m ir, hd-tv output, 12vdc, ip66, pal  | 70.00 Analog Fixed Cameras    | TruVision Camera               | 20 |
| TVB-2402     | TruVision hd-tv analog bullet camera, 720p, 2.8-12mm vf lens, true d/n, dwdr, 40m ir, 960h monitor or hd-tv selectable output, coax & button osd control, 12vdc/24vac, ip66, pal  | 190.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-2403     | TruVision HD-TVI analog bullet camera, 1080P, 3.6mm lens, True D/N, WDR, 20m IR, 960H monitor & HD-TVI dual-output, coax OSD control, 12VDC, IP66, PAL  | 160.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-2404     | TruVision HD-TVI analog bullet camera, 1080P, 2.8-12mm VF lens, True D/N, WDR, 40m IR, 960H monitor & HD-TVI dual-output, coax & button OSD control, 12VDC/24VAC, IP66, PAL   | 260.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-2405     | TruVision HD-TVI Bullet Camera, 1080P, 2.8-12mm Motor Lens, True D/N, WDR, 40M IR, 960H Monitor and TVI Dual Output, Coax and Button OSD Control, 12VDC/24VAC, IP66, PAL  | 280.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-2406     | TruVision HD-TVI Bullet Camera, 1080P, 5-50mm Motor Lens, True D/N, WDR, 100M IR, 960H Monitor and TVI Dual Output, Coax and Button OSD Control, 12VDC/24VAC, IP66, PAL   | 380.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-2407     | TRUVISION HD-TVI ANALOG BULLET CAMERA, 3MPX (USED W/3MPX OR HIGHER TVI RECORDERS), 3.6MM LENS, TRUE D/N, WDR, 20M IR, DUAL OUTPUT 960H MONITOR OR HD-TVI, COAX OSD CONTROL, 12VDC, IP66, PAL                              | 170.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-2408     | TRUVISION HD-TVI ANALOG BULLET CAMERA, 3MPX (USED W/3MPX OR HIGHER TVI RECORDERS), 2.8-12MM MOTORIZED LENS, TRUE D/N, WDR, 40M IR, DUAL OUTPUT 960H MONITOR OR HD-TVI, COAX & BUTTON OSD CONTROL, 12VDC/24VAC, IP66, PAL  | 300.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-2409     | TruVision HD-TVI Analog Bullet Camera, 5MPX (used w/5MPX or higher TVI recorders), 3.6mm Lens, True D/N, DWDR, 20m IR, HD-TVI Output, Coax OSD Control, 12VDC, IP67, PAL  | 180.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-2410     | TruVision HD-TVI Analog Bullet Camera, 5MPX (used w/5MPX or higher TVI recorders), 2.8-12mm Motorized Lens, True D/N, DWDR, 40m IR, HD-TVI Output, Coax & Button OSD Control, 12VDC/24VAC, IP67, PAL                      | 320.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-2G-AD    | TruVision Double Gang Box Adapter Plate (for fixed lens bullet or LWB wall mount)   | 30.00 Network Fixed Cameras   | TruVision IP Camera            | 20 |
| TVB-3101     | TruVision 1.3MPX Open Std, Progressive Scan CMOS, Outdoor Bullet, True D/N, DWDR, 6mm fixed lens, 25m IR, ONVIF/PSIA, POE/12VDC, IP66, NTSC   | 400.00 Network Fixed Cameras  | TruVision Dome Camera          | 3  |
| TVB-3102     | TruVision 3.0MPX Open Std, Progressive Scan CMOS, Outdoor Bullet, True D/N, DWDR, 6mm fixed lens, 25m IR, ONVIF/PSIA, POE/12VDC, IP66, NTSC   | 500.00 Network Fixed Cameras  | TruVision Dome Camera          | 3  |
| TVB-3103     | TruVision 1.3mpx open std, progressive scan cmos, outdoor bullet, true d/n, dwdr, 4mm fixed lens, 25m ir, onvif/psia, poe/12vdc, ip66, ntsc   | 400.00 Network Fixed Cameras  | TruVision Dome Camera          | 3  |
| TVB-3201     | TruVision IP Bullet Camera, 1.3mpx , 2.8-12mm Motorized Lens, WDR, True D/N, 30M IR, Alarm, Micro SD/SDXC Slot, Intelligence, PoE (802.3-af) /12VDC, Heater, IP66, NTSC   | 850.00 Network Fixed Cameras  | TruVision Box Camera           | 3  |
| TVB-3202     | TruVision ip bullet camera, 3.0mpx , 2.8-12mm motor lens, wdr, true d/n, 30m ir, alarm, micro sd/sdxc slot, intelligence, poe (802.3-af) /12vdc, heater, ip66, ntsc   | 1150.00 Network Fixed Cameras | TruVision Box Camera           | 3  |
| TVB-3203     | TruVision ip bullet camera, 3.0mpx , 8-32mm motor lens, wdr, true d/n, 50m ir, alarm, micro sd/sdxc slot, intelligence, poe (802.3-af) /12vdc, heater, ip66, ntsc   | 1550.00 Network Fixed Cameras | TruVision Box Camera           | 3  |
| TVB-4201     | TruVision bullet camera, 700TVL, 3.6mm lens, True D/N, 20m IR, 12VDC, IP66, NTSC  | 78.00 Analog Fixed Cameras    | TruVision Camera               | 3  |
| TVB-4202     | TruVision bullet camera, 700TVL, 6mm lens, True D/N, 20m IR, 12VDC, IP66, NTSC  | 78.00 Analog Fixed Cameras    | TruVision Camera               | 20 |
| TVB-4203     | TruVision bullet camera, 1280H sensor, 720TVL, 2.8-12mm VF lens, True D/N, 40m IR, 12VDC, IP66, NTSC  | 198.00 Analog Fixed Cameras   | TruVision Camera               | 3  |
| TVB-4401     | TruVision hd-tv analog bullet camera, 720p, 3.6mm lens, true d/n, dwdr, 20m ir, hd-tv output, 12vdc, ip66, ntsc   | 70.00 Analog Fixed Cameras    | TruVision Camera               | 3  |
| TVB-4402     | TruVision hd-tv analog bullet camera, 720p, 2.8-12mm vf lens, true d/n, dwdr, 40m ir, 960h monitor or hd-tv selectable output, coax & button osd control, 12vdc/24vac, ip66, ntsc   | 190.00 Analog Fixed Cameras   | TruVision Camera               | 3  |
| TVB-4403     | TruVision HD-TVI analog bullet camera, 1080P, 3.6mm lens, True D/N, WDR, 20m IR, 960H monitor & HD-TVI dual-output, coax OSD control, 12VDC, IP66, NTSC   | 160.00 Analog Fixed Cameras   | TruVision Camera               | 3  |
| TVB-4404     | TruVision HD-TVI analog bullet camera, 1080P, 2.8-12mm VF lens, True D/N, WDR, 40m IR, 960H monitor & HD-TVI dual-output, coax & button OSD control, 12VDC/24VAC, IP66, NTSC  | 260.00 Analog Fixed Cameras   | TruVision Camera               | 3  |
| TVB-4405     | TruVision HD-TVI Bullet Camera, 1080P, 2.8-12mm Motor Lens, True D/N, WDR, 40M IR, 960H Monitor and TVI Dual Output, Coax and Button OSD Control, 12VDC/24VAC, IP66, NTSC   | 280.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-4406     | TruVision HD-TVI Bullet Camera, 1080P, 5-50mm Motor Lens, True D/N, WDR, 100M IR, 960H Monitor and TVI Dual Output, Coax and Button OSD Control, 12VDC/24VAC, IP66, NTSC  | 380.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-4407     | TRUVISION HD-TVI ANALOG BULLET CAMERA, 3MPX (USED W/3MPX OR HIGHER TVI RECORDERS), 3.6MM LENS, TRUE D/N, WDR, 20M IR, DUAL OUTPUT 960H MONITOR OR HD-TVI, COAX OSD CONTROL, 12VDC, IP66, NTSC                             | 170.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-4408     | TRUVISION HD-TVI ANALOG BULLET CAMERA, 3MPX (USED W/3MPX OR HIGHER TVI RECORDERS), 2.8-12MM MOTORIZED LENS, TRUE D/N, WDR, 40M IR, DUAL OUTPUT 960H MONITOR OR HD-TVI, COAX & BUTTON OSD CONTROL, 12VDC/24VAC, IP66, NTSC | 300.00 Analog Fixed Cameras   | TruVision Camera               | 20 |
| TVB-4409     | TruVision HD-TVI Analog Bullet Camera, 5MPX (used w/5MPX or higher TVI recorders), 3.6mm Lens, True D/N, DWDR, 20m IR, HD-TVI Output, Coax OSD Control, 12VDC, IP67, NTSC   | 180.00 Analog Fixed Cameras   | TruVision Camera               | 3  |
| TVB-4410     | TruVision HD-TVI Analog Bullet Camera, 5MPX (used w/5MPX or higher TVI recorders), 2.8-12mm Motorized Lens, True D/N, DWDR, 40m IR, HD-TVI Output, Coax & Button OSD Control, 12VDC/24VAC, IP67, NTSC                     | 320.00 Analog Fixed Cameras   | TruVision Camera               | 3  |
| TVB-5301     | TruVision IP Fixed Lens Bullet, 2MPx, 4mm, True D/N, WDR, 25M IR, PoE (802.3-af)/12VDC, IP66, Gray  | 300.00 Network Fixed Cameras  | TruVision Bullet Camera        | 20 |
| TVB-5302     | TruVision IP Fixed Lens Bullet, 4MPx, 4mm, True D/N, WDR, 25M IR, PoE (802.3-af)/12VDC, IP66, Gray  | 320.00 Network Fixed Cameras  | TruVision Bullet Camera        | 20 |
| TVB-5305     | TruVision IP VF Bullet Camera, 2MPx, 2.8-12mm Motorized, True D/N, WDR, 30M IR, Audio, Alarm, Micro SD/SDHC/SDXC Slot, IP67, PoE (802.3-af)/12VDC   | 650.00 Network Fixed Cameras  | TruVision Bullet Camera        | 20 |
| TVB-5306     | TruVision IP VF Bullet Camera, 4MPx, 2.8-12mm Motorized, True D/N, WDR, 30M IR, Audio, Alarm, Micro SD/SDHC/SDXC Slot, IP67, PoE (802.3-af)/12VDC   | 730.00 Network Fixed Cameras  | TruVision Bullet Camera        | 20 |
| TVB-5401     | TRUVISION IP BULLET CAMERA, H.265/H.264, 2.0MPX , 2.8-12MM MOTORIZED LENS, SUPER LOW LIGHT, WDR, TRUE D/N, 50M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AF) /12VDC, HEATER, IP66               | 1170.00 Network Fixed Cameras | TruVision Box Camera           | 20 |
| TVB-5402     | TRUVISION IP BULLET CAMERA, H.265/H.264, 2.0MPX , 8-32MM MOTORIZED LENS, SUPER LOW LIGHT, WDR, TRUE D/N, 80M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AF) /12VDC, HEATER, IP66                 | 1220.00 Network Fixed Cameras | TruVision Box Camera           | 20 |
| TVB-5403     | TRUVISION IP BULLET CAMERA, H.265/H.264, 3.0MPX , 2.8-12MM MOTORIZED LENS, WDR, TRUE D/N, 50M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AF) /12VDC, HEATER, IP66                                | 1290.00 Network Fixed Cameras | TruVision Box Camera           | 20 |
| TVB-5404     | TRUVISION IP BULLET CAMERA, H.265/H.264, 3.0MPX , 8-32MM MOTORIZED LENS, WDR, TRUE D/N, 80M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AF) /12VDC, HEATER, IP66                                  | 1350.00 Network Fixed Cameras | TruVision Box Camera           | 20 |

|                 |  |         |                       |                         |    |
|-----------------|--|---------|-----------------------|-------------------------|----|
| TVB-5405        | TRUVISION IP BULLET CAMERA, H.265/H.264, 5.0MPX, 2.8-12MM MOTORIZED LENS, WDR, TRUE D/N, 50M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AF) /12VDC, HEATER, IP66          | 1440.00 | Network Fixed Cameras | TruVision Box Camera    | 20 |
| TVB-5501        | TruVision 3MPX, H.265/H.264, Low Light IP Fixed Lens Bullet Camera, 4mm, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67  | 390.00  | Network Fixed Cameras | TruVision IP Camera     | 20 |
| TVB-5502        | TruVision 8MPX/4K, H.265/H.264, IP Fixed Lens Bullet Camera, 4mm, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67   | 620.00  | Network Fixed Cameras | TruVision IP Camera     | 20 |
| TVB-5701        | TRUVISION IP THERMAL BULLET CAMERA, OUTDOOR, 15MM LENS,3D DNR, H.265/ H.264, ONVIF/PSIA, SDHC CARD SLOT, POE+/12VDC/24VAC  | 5000.00 | Network Fixed Cameras | TruVision Bullet Camera | 20 |
| TVB-5702        | TRUVISION IP THERMAL BULLET CAMERA, OUTDOOR, 35MM LENS,3D DNR, H.265/ H.264, ONVIF/PSIA, SDHC CARD SLOT, POE+/12VDC/24VAC  | 6400.00 | Network Fixed Cameras | TruVision Bullet Camera | 20 |
| TVB-5801        | TruVision Stainless Steel Housing, w/ 2MPX, Super Low Light IP VF Lens Box Camera, H.265, H.264, 3.8-16mm, True D/N, WDR, 50M IR, Micro SD/SDHC/SDXC Slot, 24 VAC, IP67                            | 3400.00 | Network Fixed Cameras | TruVision IP Camera     | 20 |
| TVB-5802        | TruVision Stainless Steel Housing, w/ 2MPX, Super Low Light IP VF Lens Box Camera, H.265, H.264, 11-40mm, True D/N, WDR, 100M IR, Micro SD/SDHC/SDXC Slot, 24 VAC, IP67                            | 3600.00 | Network Fixed Cameras | TruVision IP Camera     | 20 |
| TVB-8101        | TruVision, 1080p, NTSC/PAL, Wi-Fi, Outdoor Bullet, Gray, True D/N, H.264, PSIA/ONVIF/CGI, 20m IR, 4mm fixed lens, PoE/12VDC  | 220.00  | Network Fixed Cameras | TruVision               | 3  |
| TVB-BB1         | TruVision Bullet Camera Back Box (for fixed lens bullet)   | 30.00   | Network Fixed Cameras | TruVision IP Camera     | 20 |
| TVB-WBS         | TruVision Box Camera Housing (Bullet Camera) Wall Mount, Stainless Steel   | 300.00  | Network Fixed Cameras | TruVision Mount         | 20 |
| TVC-2401        | TruVision HD-TVI Box Camera, 1080P, C/CS Lens, True D/N, WDR, 960H Monitor and TVI Dual Output, TVI and Button OSD Control, 12VDC/24VAC, PAL   | 240.00  | Analog Fixed Cameras  | TruVision Camera        | 20 |
| TVC-3201        | TruVision ip box camera, 1.3mpx, wdr, true d/n, auto back focus, audio, alarm, micro sd/sdxc slot, intelligence, poe (802.3-af) /12vdc/24vac, nisc   | 650.00  | Network Fixed Cameras | TruVision Box Camera    | 3  |
| TVC-3202        | TruVision ip box camera, 3.0mpx, wdr, true d/n, auto back focus, audio, alarm, micro sd/sdxc slot, intelligence, poe (802.3-af) /12vdc/24vac, nisc   | 900.00  | Network Fixed Cameras | TruVision Box Camera    | 3  |
| TVC-4401        | TruVision HD-TVI Box Camera, 1080P, C/CS Lens, True D/N, WDR, 960H Monitor and TVI Dual Output, TVI and Button OSD Control, 12VDC/24VAC, NTSC  | 240.00  | Analog Fixed Cameras  | TruVision Camera        | 20 |
| TVC-5120-1-N    | TruVision 550TVL Color Box Camera, True D/N, 12VDC, Ntsc   | 150.00  | Analog Fixed Cameras  | TruVision               | 20 |
| TVC-5125BE-3-N  | TruVision 550TVL Color Bullet, Outdoor, True D/N, IR LEDs, 3.6mm Fixed, 12VDC, NTSC  | 150.00  | Analog Fixed Cameras  | TruVision               | 20 |
| TVC-5401        | TRUVISION IP BOX CAMERA, H.265/H.264, 2.0MPX, SUPER LOW LIGHT, WDR, TRUE D/N, AUTO BACK FOCUS, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AF) /12VDC/24VAC                    | 900.00  | Network Fixed Cameras | TruVision Box Camera    | 20 |
| TVC-5402        | TRUVISION IP BOX CAMERA, H.265/H.264, 3.0MPX, WDR, TRUE D/N, AUTO BACK FOCUS, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AF) /12VDC/24VAC                                     | 970.00  | Network Fixed Cameras | TruVision Box Camera    | 20 |
| TVC-5403        | TRUVISION IP BOX CAMERA, H.265/H.264, 5.0MPX, DWDR, TRUE D/N, AUTO BACK FOCUS, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AF) /12VDC/24VAC                                    | 1080.00 | Network Fixed Cameras | TruVision Box Camera    | 20 |
| TVC-6110-1-N    | TruVision 600TVL Color Box Camera, ELEC D/N, 12VDC, NTSC   | 240.00  | Analog Fixed Cameras  | TruVision               | 20 |
| TVC-M2-WM       | TruVision Box Camera Wall Mount  | 20.00   | Network Fixed Cameras | TruVision Camera        | 20 |
| TVC-M5220-1-N   | TruVision 5.0MPX Open Std, 1/2.5" Progressive Scan CMOS Traditional Box Camera, True Day/Night, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC  | 1450.00 | Network Fixed Cameras | TruVision Box Camera    | 20 |
| TVC-M-WM        | TruVision, Indoor/Outdoor Box Camera Wall Mount for Box Cams or TVC-OH Series Clamshell Housings   | 36.00   | Network Fixed Cameras | TruVision Mount         | 20 |
| TVC-OH2-H       | TruVision Box Camera Outdoor Housing with Heater and Wall Mount  | 220.00  | Network Fixed Cameras | TruVision Camera        | 20 |
| TVC-PIR2-HR     | TruVision Covert Motion Detector (Non-Functioning) 550 TVL Color, 0.4 Lux, 2.8mm Lens, 12VDC Only  | 318.00  | Analog Fixed Cameras  | TruVision               | 3  |
| TVC-RCM-HR      | TruVision Specialty Rugged Corner Mount, 550 TVL Color, 0.4 Lux, 2.8mm Lens, 12VDC, Vandal Resistant   | 378.00  | Analog Fixed Cameras  | TruVision               | 3  |
| TVC-SDC2-HR     | TruVision Covert Smoke Detector (Non-Functioning) 550 TVL Color, 0.4 Lux, 2.8mm Lens, 12VDC Only   | 318.00  | Analog Fixed Cameras  | TruVision               | 3  |
| TVC-SDC2-MODULE | Add-On Covert TruVision Camera Module for Smoke Detector Housings 550 TVL Color, 0.4 Lux, 2.8mm Lens, 12VDC  | 258.00  | Analog Fixed Cameras  | TruVision               | 3  |
| TVD-1201        | TruVision IP mini dome camera, 1.3MPX, 2.8-12mm VF lens, WDR, true D/N, 30m IR, audio, alarm, SD/SHDC slot, intelligence, POE (803.af) /12VDC, IP66, IK10, PAL                                     | 900.00  | Network Fixed Cameras | TruVision Box Camera    | 20 |
| TVD-1202        | TruVision IP mini dome camera, 3.0MPX, 2.8-12mm VF lens, WDR, true D/N, 30m IR, audio, alarm, SD/SHDC slot, intelligence, POE (803.af) /12VDC, IP66, IK10, PAL                                     | 1250.00 | Network Fixed Cameras | TruVision Box Camera    | 20 |
| TVD-2401        | TruVision hd-tvi analog dome camera, 720p, 2.8mm lens, true d/n, dwdr, 20m ir, hd-tvi output, 12vdc, ip66, plastic, pal  | 70.00   | Analog Fixed Cameras  | TruVision Camera        | 20 |
| TVD-2402        | TruVision hd-tvi analog dome camera, 720p, 2.8-12mm vf lens, true d/n, dwdr, 40m ir, 960h monitor or hd-tvi selectable output, coax & button osd control, 12vdc/24vac, ip66, ik10, pal             | 220.00  | Analog Fixed Cameras  | TruVision Camera        | 20 |
| TVD-2403        | TruVision HD-TVI analog dome camera, 1080P, 2.8mm lens, True D/N, WDR, 20m IR, 960H monitor & HD-TVI dual-output, coax OSD control, 12VDC, IP66, plastic, PAL                                      | 160.00  | Analog Fixed Cameras  | TruVision Camera        | 20 |
| TVD-2404        | TruVision HD-TVI analog dome camera, 1080P, 2.8-12mm VF lens, True D/N, WDR, 40m IR, 960H monitor & HD-TVI dual-output, coax & button OSD control, 12VDC/24VAC, IP66, IK10, PAL                    | 270.00  | Analog Fixed Cameras  | TruVision Camera        | 20 |
| TVD-2405        | TruVision HD-TVI Dome Camera, 1080P, 2.8-12mm Motor Lens, True D/N, WDR, 40M IR, 960H Monitor and TVI Dual Output, Coax and Button OSD Control, 12VDC/24VAC, IP66, IK10, PAL                       | 300.00  | Analog Fixed Cameras  | TruVision Camera        | 20 |
| TVD-2406        | TruVision HD-TVI Dome Camera, 5MPX (used w/5MPX or higher TVI recorders), 2.8-12mm Motorized Lens, True D/N, DWDR, 40m IR, HD-TVI Output, Coax & Button OSD Control, 12VDC/24VAC, IP67, IK10, PAL  | 340.00  | Analog Fixed Cameras  | TruVision Camera        | 20 |
| TVD-3101        | TruVision 1.3MPX Open Std, Progressive Scan CMOS, Indoor Mini Dome, True D/N, DWDR, 2.8mm fixed lens, BNC out, ONVIF/PSIA, POE only, NTSC  | 350.00  | Network Fixed Cameras | TruVision Dome Camera   | 20 |
| TVD-3102        | TruVision 3.0MPX Open Std, Progressive Scan CMOS, Indoor Mini Dome, True D/N, DWDR, 2.8mm fixed lens, BNC out, ONVIF/PSIA, POE only, NTSC  | 450.00  | Network Fixed Cameras | TruVision Dome Camera   | 20 |
| TVD-3106        | TruVision IP mini dome, 3.0MPX, true D/N, 2.8mm fixed lens, DWDR, 10m IR, IP66, POE (803.af) /12VDC, BNC, NTSC   | 450.00  | Network Fixed Cameras | TruVision Dome Camera   | 3  |
| TVD-3202        | TruVision ip mini dome camera, 3.0mpx, 2.8-12mm vf lens, wdr, true d/n, 30m ir, alarm, sd/shdc slot, intelligence, poe (803.af) /12vdc, ip66, ik10, nisc   | 1250.00 | Network Fixed Cameras | TruVision Box Camera    | 3  |
| TVD-3203        | TruVision ip outdoor dome camera, 1.3mpx, 2.8-12mm motor lens, wdr, true d/n, 30m ir, alarm, sd/shdc slot, intelligence, poe (803.af) /24vac, heater, ip66, ik10, nisc                             | 900.00  | Network Fixed Cameras | TruVision Box Camera    | 3  |
| TVD-3205        | TruVision ip outdoor dome camera, 3.0mpx, 8-32mm motor lens, wdr, true d/n, 50m ir, alarm, sd/shdc slot, intelligence, poe (803.af) /24vac, heater, ip66, ik10, nisc                               | 1550.00 | Network Fixed Cameras | TruVision Box Camera    | 3  |
| TVD-4202        | TruVision dome camera, 1280H sensor, 720TVL, 2.8-12mm VF lens, True D/N, 3-axis, 40m IR, OSD, 12VDC /24VAC, IP66, IK10, NTSC   | 198.00  | Analog Fixed Cameras  | TruVision Camera        | 3  |
| TVD-4401        | TruVision hd-tvi analog dome camera, 720p, 2.8mm lens, true d/n, dwdr, 20m ir, hd-tvi output, 12vdc, ip66, plastic, nisc   | 70.00   | Analog Fixed Cameras  | TruVision Camera        | 3  |
| TVD-4402        | TruVision HD-TVI analog dome camera, 720P, 2.8-12mm VF lens, True D/N, DWDR, 40m IR, 960H monitor or HD-TVI selectable output, coax & button OSD control, 12VDC/24VAC, IP66, IK10, NTSC            | 220.00  | Analog Fixed Cameras  | TruVision Camera        | 3  |
| TVD-4403        | TruVision HD-TVI analog dome camera, 1080P, 2.8mm lens, True D/N, WDR, 20m IR, 960H monitor & HD-TVI dual-output, coax OSD control, 12VDC, IP66, plastic, NTSC                                     | 160.00  | Analog Fixed Cameras  | TruVision Camera        | 3  |
| TVD-4404        | TruVision HD-TVI analog dome camera, 1080P, 2.8-12mm VF lens, True D/N, WDR, 40m IR, 960H monitor & HD-TVI dual-output, coax & button OSD control, 12VDC/24VAC, IP66, IK10, NTSC                   | 270.00  | Analog Fixed Cameras  | TruVision Camera        | 3  |
| TVD-4405        | TruVision HD-TVI Dome Camera, 1080P, 2.8-12mm Motor Lens, True D/N, WDR, 40M IR, 960H Monitor and TVI Dual Output, Coax and Button OSD Control, 12VDC/24VAC, IP66, IK10, NTSC                      | 300.00  | Analog Fixed Cameras  | TruVision Camera        | 20 |
| TVD-4406        | TruVision HD-TVI Dome Camera, 5MPX (used w/5MPX or higher TVI recorders), 2.8-12mm Motorized Lens, True D/N, DWDR, 40m IR, HD-TVI Output, Coax & Button OSD Control, 12VDC/24VAC, IP67, IK10, NTSC | 340.00  | Analog Fixed Cameras  | TruVision Camera        | 3  |
| TVD-5110-3-N    | TruVision 550TVL Color Dome, Indoor, Elec D/N, 3.6mm Fixed, 12VDC, NTSC  | 100.00  | Analog Fixed Cameras  | TruVision               | 20 |



|                 |   |         |                       |                       |    |
|-----------------|---|---------|-----------------------|-----------------------|----|
| TVD-5125TE-3-N  | TruVision 550TVL Color Turret Dome, Outdoor, True D/N, IR Leds, 3.6mm Fixed, 12VDC, NTSC  | 150.00  | Analog Fixed Cameras  | TruVision             | 20 |
| TVD-5301        | TruVision IP Fixed Lens Dome, 2MPx, 2.8mm, True D/N, WDR, 15M IR, Audio, Alarm, Micro SD/SDHC/SDXC Slot, IP66, IK8, PoE (802.3-af)/12VDC, Aux Output 12VDC/50ma, BNC, Gray  | 300.00  | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-5302        | TruVision IP Fixed Lens Dome, 4MPx, 2.8mm, True D/N, WDR, 15M IR, Audio, Alarm, Micro SD/SDHC/SDXC Slot, IP66, IK8, PoE (802.3-af)/12VDC, Aux Output 12VDC/50ma, BNC, Gray  | 330.00  | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-5305        | TruVision IP VF Lens Dome Camera, 2MPx, 2.8-12mm motorized, True D/N, WDR, 30M IR, Audio, Alarm, Micro SD/SDHC/SDXC slot, IP67, IK10, PoE (802.3-af)/12VDC  | 650.00  | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-5306        | TruVision IP VF Lens Dome Camera, 4MPx, 2.8-12mm motorized, True D/N, WDR, 30M IR, Audio, Alarm, Micro SD/SDHC/SDXC slot, IP67, IK10, PoE (802.3-af)/12VDC  | 690.00  | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-5401        | TRUVISION IP MINI DOME CAMERA, H.265/H.264, 2.0MPX, 2.8-12MM MOTORIZED LENS, SUPER LOW LIGHT, WDR, TRUE D/N, 30M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AT) /12VDC, INDOOR, IK10           | 1080.00 | Network Fixed Cameras | TruVision Box Camera  | 20 |
| TVD-5402        | TRUVISION IP MINI DOME CAMERA, H.265/H.264, 3.0MPX, 2.8-12MM MOTORIZED LENS, WDR, TRUE D/N, 30M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AT) /12VDC, INDOOR, IK10                            | 1150.00 | Network Fixed Cameras | TruVision Box Camera  | 20 |
| TVD-5403        | TRUVISION IP MINI DOME CAMERA, H.265/H.264, 5.0MPX , 2.8-12MM MOTORVDF LENS, DWDR, TRUE D/N, 30M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AT) /12VDC, INDOOR, IK10                           | 1240.00 | Network Fixed Cameras | TruVision Box Camera  | 20 |
| TVD-5404        | TRUVISION IP OUTDOOR DOME CAMERA, H.265/H.264, 2.0MPX , 2.8-12MM MOTORIZED LENS, SUPER LOW LIGHT, WDR, TRUE D/N, 30M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AT) /12VDC, HEATER, IP66, IK10 | 1350.00 | Network Fixed Cameras | TruVision Box Camera  | 20 |
| TVD-5405        | TRUVISION IP OUTDOOR DOME CAMERA, 2.0MPX , 8-32MM MOTORIZED LENS, SUPER LOW LIGHT, WDR, TRUE D/N, 50M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AT) /12VDC, HEATER, IP66, IK10                | 1420.00 | Network Fixed Cameras | TruVision Box Camera  | 20 |
| TVD-5406        | TRUVISION IP OUTDOOR DOME CAMERA, H.265/H.264, 3.0MPX , 2.8-12MM MOTORIZED LENS, WDR, TRUE D/N, 30M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AT) /12VDC, HEATER, IP66, IK10                  | 1240.00 | Network Fixed Cameras | TruVision Box Camera  | 20 |
| TVD-5407        | TRUVISION IP OUTDOOR DOME CAMERA, H.265/H.264, 3.0MPX , 8-32MM MOTORIZED LENS, WDR, TRUE D/N, 50M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AT) /12VDC, HEATER, IP66, IK10                    | 1330.00 | Network Fixed Cameras | TruVision Box Camera  | 20 |
| TVD-5408        | TRUVISION IP OUTDOOR MINI DOME CAMERA, H.265/H.264, 5.0MPX , 2.8-12MM MOTORIZED LENS, DWDR, TRUE D/N, 30M IR, AUDIO, ALARM, BNC, MICRO SD/SHDC SLOT, INTELLIGENCE, POE (802.3-AT) /12VDC, HEATER, IP66, IK10            | 1440.00 | Network Fixed Cameras | TruVision Box Camera  | 20 |
| TVD-5501        | TruVision 3MPx, H.265/H.264, Low Light IP Fixed Lens Dome Camera, 2.8mm, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, Audio, I/Os, PoE (802.3-af)/12VDC, IP67, IK10  | 410.00  | Network Fixed Cameras | TruVision IP Camera   | 20 |
| TVD-5502        | TruVision 8MPx/4K, H.265/H.264, IP Fixed Lens Dome Camera, 2.8mm, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, Audio, I/Os, PoE (802.3-af)/12VDC, IP67, IK10   | 630.00  | Network Fixed Cameras | TruVision IP Camera   | 20 |
| TVD-5801        | TruVision 2MPx, Stainless Steel Dome, H.265, H.264, 2.8-12mm Motorized Lens, Super Low Light, H.265, H.264, True D/N, WDR, 30M IR, Audio, Alarm, Micro SD/SDHC/SDXC Slot, PoE(802.3-af) /12VDC, IP67                    | 3000.00 | Network Fixed Cameras | TruVision IP Dome     | 20 |
| TVD-6125VE-2-P  | TruVision 600TVL Color Outdoor/Indoor, True D/N, IR LEDS, Vandal, VF 2.8-12mm, 24VAC/12VDC, PAL   | 260.00  | Analog Fixed Cameras  | TruVision             | 20 |
| TVD-7125VE-2-N  | TruVision 700TV/960h, rugged mini dome, true d/n, ir, v/ 2.8 - 12mm, 24vac/12vdc, nts   | 360.00  | Analog Fixed Cameras  | TruVision             | 20 |
| TVD-BB1         | TruVision dome back box (use w/plastic dome)  | 30.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-BB3         | TruVision dome back box (use with and TVD-6/7 Series Analog Domes, IP Indoor VF domes; IP outdoor VF domes)   | 30.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-BB3A        | TruVision dome angled back box (use with and TVD-6/7 Series Analog Domes, IP Indoor VF domes; IP outdoor VF domes)  | 30.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-BHS-1B      | TruVision IP Wedge Bubble & Housing Spare, Clear, Metal, Housing, Mic Hole, Black   | 26.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BHS-1BP     | TruVision IP Wedge Bubble & Housing Spare, Clear, Plastic Housing, WiFi Version, Mic Hole, Black  | 20.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BHS-1G      | TruVision IP Wedge Bubble & Housing Spare, Clear, Metal Housing, Mic Hole, Gray   | 26.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BHS-1GP     | TruVision IP Wedge Bubble & Housing Spare, Clear, Plastic Housing, WiFi Version, Mic Hole, Gray   | 20.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BHS-1W      | TruVision IP Wedge Bubble & Housing Spare, Clear, Metal Housing, Mic Hole, White  | 26.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BHS-1WP     | TruVision IP Wedge Bubble & Housing Spare, Clear, Plastic Housing, WiFi Version, Mic Hole, White  | 20.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BS-1C       | TruVision Wedge Bubble Spare, Clear   | 14.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BS-1S       | TruVision Wedge Bubble Spare, Smoked  | 8.50    | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BS-2C       | TruVision Plastic Mini Dome Bubble Spare, Clear   | 16.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BS-2S       | TruVision Plastic Mini Dome Bubble Spare, Smoked  | 11.50   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BS-3C       | TruVision Mini Dome Bubble Spare for IP VF and TVD-6/7 Series Analog VF, Clear  | 18.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BS-3S       | TruVision Mini Dome Bubble Spare for IP VF and TVD-6/7 Series Analog VF, Smoked   | 12.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BS-5C       | TruVision Mini Dome Bubble Spare for IP 12/32 Motor Lens, 22/42 and 24/44 Series Analog VF, Clear   | 30.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-BS-5S       | TruVision Mini Dome Bubble Spare for IP 12/32 Motor Lens, 22/42 and 24/44 Series Analog VF, Smoked  | 32.00   | Network Fixed Cameras | TruVision Dome Camera | 20 |
| TVD-CB2         | TruVision Dome 2-Inch Cup Base, Requires TVD-M2-WEBM (Use w/TVD Low Profile Wedge Mini Domes; TVD-SNB; TVD-PPB)   | 30.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-CB3         | TruVision Dome 3-Inch Cup Base (Use w/UVDF and TVD-6 Series Analog Domes, Indoor TVD-IP; TVD-SNB; TVD-PPB)  | 30.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-CB5A        | TruVision integrated dome 5-inch cup base (use w/ tv ip outdoor dome cameras; tvd-snb; tvd-ppb)   | 30.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-LWB-1       | TruVision Dome Bracket, L-Shape, (used with Analog/IP Wedge and Analog/HD/IP plastic dome cameras)  | 30.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-LWB-2       | TruVision Dome Bracket, L-Shape (used with TVD-6/7 and TVD-22/42 Series Analog VF Domes, TVD-24/44 Series HD Analog VF Domes, and TVD-11/31 and TVD-12/32 Series IP VF domes)   | 30.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-LWB-AD      | TruVision LWB Bracket Adapter to TVD-SNB-BB Back Box  | 30.00   | Analog Fixed Cameras  | TruVision Dome        | 3  |
| TVD-LWB-S       | Dome Camera Wall Mount Shield (used with TVD-LWB-1 or TVD-LWB-2)  | 30.00   | Network Fixed Cameras | TruVision Camera      | 20 |
| TVD-M2-FM       | TruVision Flush Mount   | 30.00   | Network Fixed Cameras | TruVision Dome Camera | 3  |
| TVD-M2-PNDT     | TruVision Indoor Pendant Mount for TruVision Open Std Series Domes  | 70.00   | Network Fixed Cameras | TruVision Dome Camera | 3  |
| TVD-M2-WEBM     | TruVision Electrical Box Adapter for TruVision Open Std Low Profile Mini Domes  | 8.00    | Network Fixed Cameras | TruVision Dome Camera | 3  |
| TVD-M2-WM       | TruVision Wall Mount  | 50.00   | Network Fixed Cameras | TruVision Dome Camera | 3  |
| TVD-M5225E-3M-N | TruVision 5.0MPX IP Open STD, Progressive Scan CMOS Outdoor Vandal Dome, True D/N, 3.5-9mm Motorized AI, IR LED, ONVIF/PSIA, NTSC Out, PoE/PoE+24VAC, Micro SD Card Slot, Heater  | 2000.00 | Network Fixed Cameras | TruVision Dome Camera | 3  |
| TVD-M-CMA       | corner mount adapter  | 54.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-M-FM        | TruVision, Dome Indoor In-Ceiling Mount (Flush) for TVD-M2110-2-N Series Domes Only   | 56.00   | Network Fixed Cameras | TruVision Mount       | 20 |
| TVD-M-PMA       | TruVision, Pole Mount Adaptor for TVD-M-OWM Only  | 46.00   | Network Fixed Cameras | TruVision Mount       | 3  |
| TVD-M-PNDT      | TruVision, Indoor Pendant Mount (50cm Long) for TVD-M2110-2-N Series Domes Only   | 84.00   | Network Fixed Cameras | TruVision Mount       | 20 |
| TVD-M-WM        | TruVision, Indoor Wall Mount for TVD-M2110-2-N Series Domes Only  | 80.00   | Network Fixed Cameras | TruVision Mount       | 20 |
| TVD-PPB         | TruVision Dome Pendant-Mount Bracket (Use with TVD-CB5, TVD-CB3, TVD-CB2)   | 60.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-SNB         | TruVision Dome Swan Neck Bracket (Use with TVD-CB5, TVD-CB3, TVD-CB2)   | 50.00   | Analog Fixed Cameras  | TruVision             | 3  |
| TVD-SNB-BB      | back box for tvb-snb swan neck bracket, 4 directional conduit, indoor/outdoor   | 60.00   | Analog Fixed Cameras  | TRUVISION             | 3  |
| TVD-VFM         | TruVision VF Dome Flush Mount (for Analog and TVI)  | 40.00   | Analog Fixed Cameras  | TruVision Dome        | 20 |
| TVD-WBS         | TruVision Dome Wall Mount, Stainless Steel  | 700.00  | Network Fixed Cameras | TruVision Mount       | 20 |
| TVE-110         | TruVision IP Encoder, 1 channel, 960H, Audio, Alarm, RS-485, PoE (802.3-af) /12VDC, Compact   | 340.00  | Network Fixed Cameras | TruVision Encoders    | 3  |
| TVE-1610        | TruVision IP Encoder, 16 channel, 960H, Audio, Alarm, RS-485, 12VDC, 19 inch, Rack Mount  | 1800.00 | Network Fixed Cameras | TruVision Encoders    | 20 |
| TVE-400         | TruVision Encoder 4-Ch Analog To IP   | 698.00  | Network Fixed Cameras | TruVision Encoders    | 20 |

|               |  |         |                       |                                      |    |
|---------------|--|---------|-----------------------|--------------------------------------|----|
| TVE-410       | TruVision IP Encoder, 4 channel, 960H, Audio, Alarm, RS-485, PoE (802.3-af) /12VDC, Compact  | 570.00  | Network Fixed Cameras | TruVision Encoders                   | 3  |
| TVE-810       | TruVision IP Encoder, 8 channel, 960H, Audio, Alarm, RS-485, 12VDC, Desktop  | 1000.00 | Network Fixed Cameras | TruVision Encoders                   | 3  |
| TVE-DEC11     | TruVision IP Decoder, 2 ch at 5MPx or 4 ch at 1080P or 8 ch at 720P or 16 ch at 960H on 1 output, BNC, VGA, HDMI, Audio, Alarm, 12VDC  | 1300.00 | Network Fixed Cameras | TruVision Encoders                   | 20 |
| TVE-RMB       | TruVision Encoder Rack Mount Bracket (used with TVE-110/410/810)   | 40.00   | Network Fixed Cameras | TruVision Encoders                   | 3  |
| TVF-1101      | TruVision 360/180 degree ip dome, 3.0mp, wdr, 1.19mm fisheye lens, true d/n, 10m ir, 2 way audio (built-in mic & speaker), sd/shdc slot, poe (802.3-af) /12vdc, pal              | 1020.00 | Network Fixed Cameras | TRUVISION                            | 20 |
| TVF-1102      | TruVision 360/180 degree ip dome, 3.0mp, wdr, 1.19mm fisheye lens, true d/n, 10m ir, 2 way audio (built-in mic & speaker), sd/shdc slot, poe (802.3-af) /12vdc, ip66, ik10, pal  | 1020.00 | Network Fixed Cameras | TRUVISION                            | 20 |
| TVF-1103      | TruVision 360/180 degree ip dome, 6.0mp, dwdr, 1.27mm fisheye lens, true d/n, 10m ir, 2 way audio (built-in mic & speaker), sd/shdc slot, poe (802.3-af) /12vdc, pal             | 1320.00 | Network Fixed Cameras | TRUVISION                            | 20 |
| TVF-1104      | TruVision 360/180 degree ip dome, 6.0mp, dwdr, 1.27mm fisheye lens, true d/n, 10m ir, 2 way audio (built-in mic & speaker), sd/shdc slot, poe (802.3-af) /12vdc, ip66, ik10, pal | 1320.00 | Network Fixed Cameras | TRUVISION                            | 20 |
| TVF-3101      | TruVision 360/180 degree ip dome, 3.0mp, wdr, 1.19mm fisheye lens, true d/n, 10m ir, 2 way audio (built-in mic & speaker), sd/shdc slot, poe (802.3-af) /12vdc, nts              | 1020.00 | Network Fixed Cameras | TRUVISION                            | 3  |
| TVF-3102      | TruVision 360/180 degree ip dome, 3.0mp, wdr, 1.19mm fisheye lens, true d/n, 10m ir, 2 way audio (built-in mic & speaker), sd/shdc slot, poe (802.3-af) /12vdc, ip66, ik10, nts  | 1020.00 | Network Fixed Cameras | TRUVISION                            | 3  |
| TVF-3103      | TruVision 360/180 degree ip dome, 6.0mp, dwdr, 1.27mm fisheye lens, true d/n, 10m ir, 2 way audio (built-in mic & speaker), sd/shdc slot, poe (802.3-af) /12vdc, nts             | 1320.00 | Network Fixed Cameras | TRUVISION                            | 3  |
| TVF-3104      | TruVision 360/180 degree ip dome, 6.0mp, dwdr, 1.27mm fisheye lens, true d/n, 10m ir, 2 way audio (built-in mic & speaker), sd/shdc slot, poe (802.3-af) /12vdc, ip66, ik10, nts | 1320.00 | Network Fixed Cameras | TRUVISION                            | 3  |
| TVF-BBM       | TruVision 360 degree camera round back box, conduit ports, gang box compatible, metal, indoor & outdoor  | 30.00   | Network Fixed Cameras | TRUVISION                            | 3  |
| TVF-CBM       | TruVision 360 degree camera cup base (use with TVD-PPB for pendant mount or TVD-SNB for wall mount)  | 30.00   | Network Fixed Cameras | TRUVISION                            | 3  |
| TVF-WBM       | TruVision 360 degree Camera round angled back box, conduit ports, gang box compatible, metal, indoor & outdoor   | 30.00   | Network Fixed Cameras | TRUVISION                            | 3  |
| TVJ-JBS       | TruVision Junction Box, Stainless Steel  | 400.00  | Network Fixed Cameras | TruVision Mount                      | 20 |
| TKV-400USB    | TruVision USB keypad joystick for Navigator  | 1400.00 | Digital Recording     | Keypad                               | 20 |
| TKV-400-USB   | TruVision USB keypad joystick for Navigator  | 1400.00 | Digital Recording     | Keypad                               | 20 |
| TKV-800       | TruVisionIP keypad, 4- axis joystick, touch panel, one channel LCD display, audio in/out, mouse control, IP and POE /12VDC   | 1700.00 | Digital Recording     | KEYPAD                               | 3  |
| TVL-001       | TruVision 1.3 - 3MPX Lens, 2.7 - 12mm VF, F1.2, CS Mount, 1/2.7 inch, CS, Auto Iris, IR Sensitive, for 1.3 - 3MPX Box Cameras  | 200.00  | Network Fixed Cameras | TruVision Lens                       | 20 |
| TVL-002       | TruVision 1.3 - 3MPX Lens, 5 - 50mm VF, F1.7, CS Mount, 1/2.7 inch, CS, Auto Iris, IR Sensitive, for 1.3 - 3MPX Box Cameras  | 260.00  | Network Fixed Cameras | TruVision Lens                       | 20 |
| TVL-003       | TruVision 8MPX Lens, 3.8 - 16mm VF, F1.5, CS, IR Sensitive, for 4 - 8MPX Box Cameras   | 320.00  | Network Fixed Cameras | TruVision Lens                       | 20 |
| TVL-004       | TruVision 8MPX Lens, 11 - 40mm VF, F1.5, CS, IR Sensitive, for 4 - 8MPX Box Cameras  | 450.00  | Network Fixed Cameras | TruVision Lens                       | 20 |
| TVL-0101      | TruVision Covert Lens, 1.3MPX, Pinhole, 3.7mm, 2M Cable  | 150.00  | Network Fixed Cameras | TruVision                            | 3  |
| TVL-0102      | TruVision Covert Lens, 1.3MPX, L-shape, 3.7mm, 2M Cable  | 150.00  | Network Fixed Cameras | TruVision                            | 3  |
| TVL-0103      | TruVision Covert Lens, 1.3MPX, Cylinder, 4mm, 2M Cable   | 150.00  | Network Fixed Cameras | TruVision                            | 3  |
| TVL-0104      | TruVision Covert Lens, 1.3MPX, Pinhole, 3.7mm, 8M Cable  | 170.00  | Network Fixed Cameras | TruVision                            | 3  |
| TVL-0105      | TruVision Covert Lens, 1.3MPX, L-shape, 3.7mm, 8M Cable  | 170.00  | Network Fixed Cameras | TruVision                            | 3  |
| TVL-0106      | TruVision Covert Lens, 1.3MPX, Cylinder, 4mm, 8M Cable   | 170.00  | Network Fixed Cameras | TruVision                            | 20 |
| TVL-0107      | TruVision Covert Lens, 1.3MPX, L-shape, 2mm, 2M Cable  | 150.00  | Network Fixed Cameras | TruVision                            | 20 |
| TVL-0108      | TruVision Covert Lens, 1.3MPX, Cylinder, 2mm, 2M Cable   | 150.00  | Network Fixed Cameras | TruVision                            | 3  |
| TVL-0109      | TruVision Covert Lens, 1.3MPX, L-shape, 2.0mm, 8M Cable  | 170.00  | Network Fixed Cameras | TruVision                            | 3  |
| TVL-0110      | TruVision Covert Lens, 1.3MPX, Cylinder, 2.0mm, 8M Cable   | 170.00  | Network Fixed Cameras | TruVision                            | 20 |
| TVM-1701      | TruVision 17 inch led, vga, hdmi, bnc, audio, 1280x1024  | 618.00  | Monitors              | TruVision and Ultraview LCD Monitors | 3  |
| TVM-1901      | TruVision 19 inch led, vga, hdmi, bnc, audio, 1280x1024  | 718.00  | Monitors              | TruVision and Ultraview LCD Monitors | 3  |
| TVM-2002      | TruVision™ LED 20" Class Full HD Monitor, HDMI/VGA/BNC   | 398.00  | Monitors              | TruVision                            | 3  |
| TVM-2150      | TruVision 21,5 inch led, vga, hdmi, bnc, audio, full hd, 1920x1080   | 798.00  | Monitors              | TruVision and Ultraview LCD Monitors | 3  |
| TVM-2202      | TruVision™ LED 22" Class Full HD Monitor, HDMI/VGA/BNC   | 498.00  | Monitors              | TruVision                            | 3  |
| TVM-2212      | TruVision™ LED 22" Class Full HD Monitor, HDMI/VGA   | 358.00  | Monitors              | TruVision                            | 3  |
| TVM-2402      | TruVision™ LED 24" Class Full HD Monitor, HDMI/VGA/BNC   | 598.00  | Monitors              | TruVision                            | 3  |
| TVM-2700      | TruVision 27 inch led, vga, s-video, dvi, hdmi, bnc, audio, full hd, 1920x1080   | 1658.00 | Monitors              | TruVision and Ultraview LCD Monitors | 3  |
| TVM-2702      | TruVision™ LED 27" Class Full HD Monitor, HDMI/VGA/BNC   | 698.00  | Monitors              | TruVision                            | 3  |
| TVM-3200      | TruVision 32 inch led, vga, s-video, dvi, hdmi, bnc, audio, full hd, 1920x1080   | 2198.00 | Monitors              | TruVision and Ultraview LCD Monitors | 3  |
| TVM-3202      | TruVision™ LED 32" Class Full HD Monitor, HDMI/VGA/BNC   | 798.00  | Monitors              | TruVision                            | 3  |
| TVM-4002      | TruVision™ LED 40" Class Full HD Monitor, HDMI/VGA/BNC   | 1198.00 | Monitors              | TruVision                            | 3  |
| TVM-4200      | TruVision 42 inch led, vga, s-video, dvi, hdmi, bnc, audio, full hd, 1920x1080   | 2898.00 | Monitors              | TruVision and Ultraview LCD Monitors | 3  |
| TVM-CM        | TruVision Ceiling Mount Adapter For TVM (17", 19", 22") and UVM (26", 32", 42") LCDS   | 390.00  | Analog Fixed Cameras  | TruVision Accessories                | 20 |
| TVM-RM        | TruVision Rack Mount Adapter For TVM-1700 and TVM-1900 LCDS  | 100.00  | Analog Fixed Cameras  | TruVision Accessories                | 20 |
| TVM-UWM       | TruVision Wall Mount Adapter For TVM-2600, TVM3200 and TVM4200 LCDS  | 200.00  | Analog Fixed Cameras  | TruVision Accessories                | 3  |
| TVN-1004CS-1T | TruVision NVR 10, 4 channels, 4 channel POE switch, 20 Mbps, 1TB   | 1030.00 | Digital Recording     | TruVision NVRs                       | 3  |
| TVN-1004CS-2T | TruVision NVR10, 4 channels, 4 channel POE switch, 20 Mbps, 2TB  | 1210.00 | Digital Recording     | TruVision NVRs                       | 3  |
| TVN-1004CS-PS | TVN-1004-CS,Power supply,Spare part  | 98.00   | Digital Recording     | Spare Parts                          | 20 |
| TVN-1004-KB4  | IP HD PLUG-AND-PLAY POE SURVEILLANCE BUNDLE. CONTAINS 1- 4-CHANNEL REAL-TIME 4-POE PORT HD NVR WITH 1TB AND 4 INDOOR-OUTDOOR HD 2 MPXL IR BULLET CAMERAS                         | 1238.00 | Digital Recording     | TruVision NVRs                       | 20 |
| TVN-1004-KT1  | IP HD PLUG-AND-PLAY POE SURVEILLANCE BUNDLE. CONTAINS 1- 4-CHANNEL REAL-TIME 4-POE PORT HD NVR WITH 1TB AND 4 INDOOR-OUTDOOR HD 2 MPXL IR TURRET CAMERAS                         | 1318.00 | Digital Recording     | TruVision NVRs                       | 20 |
| TVN-1004-KW4  | IP HD PLUG-AND-PLAY POE SURVEILLANCE BUNDLE. CONTAINS 1- 4-CHANNEL REAL-TIME 4-POE PORT HD NVR WITH 2TB AND 4 INDOOR-OUTDOOR HD 2 MPXL IR WEDGE CAMERAS                          | 1338.00 | Digital Recording     | TruVision NVRs                       | 20 |
| TVN-1008-KB4  | IP HD PLUG-AND-PLAY POE SURVEILLANCE BUNDLE. CONTAINS 1- 8-CHANNEL REAL-TIME 8-POE PORT HD NVR WITH 2TB AND 4 INDOOR-OUTDOOR HD 2 MPXL IR BULLET CAMERAS                         | 1378.00 | Digital Recording     | TruVision NVRs                       | 20 |
| TVN-1008-KT1  | IP HD PLUG-AND-PLAY POE SURVEILLANCE BUNDLE. CONTAINS 1- 8-CHANNEL REAL-TIME 8-POE PORT HD NVR WITH 2TB AND 4 INDOOR-OUTDOOR HD 2 MPXL IR TURRET CAMERAS                         | 1458.00 | Digital Recording     | TruVision NVRs                       | 20 |
| TVN-1008-KW4  | IP HD PLUG-AND-PLAY POE SURVEILLANCE BUNDLE. CONTAINS 1- 8-CHANNEL REAL-TIME 8-POE PORT HD NVR WITH 4TB AND 4 INDOOR-OUTDOOR HD 2 MPXL IR WEDGE CAMERAS                          | 1478.00 | Digital Recording     | TruVision NVRs                       | 20 |
| TVN-1008-KW5  | IP HD PLUG-AND-PLAY POE SURVEILLANCE BUNDLE. CONTAINS 1- 8-CHANNEL REAL-TIME 8-POE PORT HD NVR WITH 2TB AND 6 INDOOR-OUTDOOR HD 2 MPXL IR WEDGE CAMERAS                          | 1998.00 | Digital Recording     | TruVision NVRs                       | 20 |
| TVN-1008-KW6  | IP HD PLUG-AND-PLAY POE SURVEILLANCE BUNDLE. CONTAINS 1- 8-CHANNEL REAL-TIME 8-POE PORT HD NVR WITH 2TB AND 4 INDOOR-OUTDOOR HD 4 MPXL IR WEDGE CAMERAS                          | 1678.00 | Digital Recording     | TruVision NVRs                       | 20 |
| TVN-1008S-2T  | TruVision NVR 10, 8 channels, 8 channel POE switch, 40 Mbps, 2TB   | 1390.00 | Digital Recording     | TruVision NVRs                       | 3  |
| TVN-1008S-4T  | TruVision NVR 10, 8 channels, 8 channel POE switch, 40 Mbps, 4TB   | 1570.00 | Digital Recording     | TruVision NVRs                       | 3  |
| TVN-1016S-3T  | TruVision NVR 10, 16 channels, 8 channel POE switch, 80 Mbps, 3TB  | 1750.00 | Digital Recording     | TruVision NVRs                       | 3  |
| TVN-1016S-6T  | TruVision NVR 10, 16 channels, 8 channel POE switch, 80 Mbps, 6TB  | 2200.00 | Digital Recording     | TruVision NVRs                       | 3  |
| TVN-1104CS-1T | TruVision NVR 11, 4 channels, 4 channel PoE switch, 40 Mbps, 1TB   | 600.00  | Digital Recording     | TruVision NVRs                       | 20 |
| TVN-1104CS-2T | TruVision NVR 11, 4 channels, 4 channel PoE switch, 40 Mbps, 2TB   | 750.00  | Digital Recording     | TruVision NVRs                       | 20 |
| TVN-1108S-2T  | TruVision NVR 11, 8 channels, 8 channel PoE switch, 80 Mbps, 2TB   | 990.00  | Digital Recording     | TruVision NVRs                       | 20 |

|                 |   |          |                   |                         |    |
|-----------------|---|----------|-------------------|-------------------------|----|
| TVN-1108S-4T    | TruVision NVR 11, 8 channels, 8 channel PoE switch, 80 Mbps, 4TB  | 1160.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-1116S-2T    | TruVision NVR 11, 16 channels, 16 channel PoE switch,160 Mbps, 2TB  | 1200.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-1116S-4T    | TruVision NVR 11, 16 channels, 16 channel PoE switch,160 Mbps, 4TB  | 1450.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-1116S-6T    | TruVision NVR 11, 16 channels, 16 channel PoE switch,160 Mbps, 6TB  | 1880.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-20XX-HDD-2T | TruVision NVR, HDD expansion kit, 2TB storage   | 700.00   | Digital Recording | TruVision NVRs          | 3  |
| TVN-2108-2T     | TruVision NVR 21, 8 Channels, 2 TB Storage  | 2712.00  | Digital Recording | NVR                     | 20 |
| TVN-2108-4T     | TruVision NVR 21, 8 Channels, 4 TB Storage  | 3192.00  | Digital Recording | NVR                     | 20 |
| TVN-2108-8T     | TruVision NVR 21, 8 Channels, 8 TB Storage  | 4152.00  | Digital Recording | NVR                     | 20 |
| TVN-2108P-4T    | TruVision NVR 21P, 8 channels, 4 TB storage   | 3990.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2108P-8T    | TruVision NVR 21P, 8 channels, 8 TB storage   | 5190.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2108S-2T    | TruVision nvr 21, 8 channels,8 poe ports, 2 tb storage  | 3190.00  | Digital Recording | TruVision DVRs          | 20 |
| TVN-2108S-4T    | TruVision nvr 21, 8 channels,8 poe ports, 4 tb storage  | 3990.00  | Digital Recording | TruVision DVRs          | 20 |
| TVN-2108S-8T    | TruVision nvr 21, 8 channels,8 poe ports,8 tb storage   | 5190.00  | Digital Recording | TruVision DVRs          | 20 |
| TVN-2116-2T     | TruVision NVR 21, 16 Channels, 2 TB Storage   | 3512.00  | Digital Recording | NVR                     | 20 |
| TVN-2116-4T     | TruVision NVR 21, 16 Channels, 4 TB Storage   | 3992.00  | Digital Recording | NVR                     | 20 |
| TVN-2116-8T     | TruVision NVR 21, 16 Channels, 8 TB Storage   | 4952.00  | Digital Recording | NVR                     | 20 |
| TVN-2116P-12T   | TruVision NVR 21P, 16 channels, 12 TB storage   | 7390.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2116P-16T   | TruVision NVR 21P, 16 channels, 16 TB storage   | 8590.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2116P-2T    | TruVision NVR 21P, 16 channels, 2 TB storage  | 4390.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2116P-4T    | TruVision NVR 21P, 16 channels, 4 TB storage  | 4990.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2116P-8T    | TruVision NVR 21P, 16 channels, 8 TB storage  | 6190.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2116S-16T   | TruVision nvr 21, 16 channels,16 poe ports,16 tb storage  | 8590.00  | Digital Recording | TruVision DVRs          | 20 |
| TVN-2116S-2T    | TruVision nvr 21, 16 channels,16 poe ports,2 tb storage   | 3800.00  | Digital Recording | TruVision DVRs          | 20 |
| TVN-2116S-4T    | TruVision nvr 21, 16 channels,16 poe ports,4 tb storage   | 4990.00  | Digital Recording | TruVision DVRs          | 20 |
| TVN-2116S-8T    | TruVision nvr 21, 16 channels,16 poe ports, 8 tb storage  | 6190.00  | Digital Recording | TruVision DVRs          | 20 |
| TVN-2132P-12T   | TruVision NVR 21P, 32 channels, 12 TB storage   | 9700.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2132P-16T   | TruVision NVR 21P, 32 channels, 16 TB storage   | 10900.00 | Digital Recording | TruVision NVRs          | 20 |
| TVN-2132P-24T   | TruVision NVR 21p, 32 channels, 24 TB storage   | 12100.00 | Digital Recording | TruVision DVRs          | 20 |
| TVN-2132P-32T   | TruVision NVR 21p, 32 channels, 32 TB storage   | 13200.00 | Digital Recording | TruVision DVRs          | 20 |
| TVN-2132P-4T    | TruVision NVR 21P, 32 channels, 4 TB storage  | 7300.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2132P-8T    | TruVision NVR 21P, 32 channels, 8 TB storage  | 8500.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2208-12T    | TRUVISION NVR 22, H.265, 8 CHANNEL IP, 12TB   | 5152.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2208-4T     | TRUVISION NVR 22, H.265, 8 CHANNEL IP, 4TB  | 3192.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2208-8T     | TRUVISION NVR 22, H.265, 8 CHANNEL IP, 8TB  | 4152.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2208S-12T   | TRUVISION NVR 22, H.265, 8 CHANNEL IP, 8 CHANNEL POE, 12TB  | 6190.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2208S-4T    | TRUVISION NVR 22, H.265, 8 CHANNEL IP, 8 CHANNEL POE, 4TB   | 3990.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2208S-8T    | TRUVISION NVR 22, H.265, 8 CHANNEL IP, 8 CHANNEL POE, 8TB   | 5190.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2216-16T    | TRUVISION NVR 22, H.265, 16 CHANNEL IP, 16TB  | 6950.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2216-4T     | TRUVISION NVR 22, H.265, 16 CHANNEL IP, 4TB   | 3992.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2216-8T     | TRUVISION NVR 22, H.265, 16 CHANNEL IP, 8TB   | 4952.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2216P-12T   | TRUVISION NVR 22, H.265, 16 CHANNEL IP, 2U, 12TB  | 7390.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2216P-24T   | TRUVISION NVR 22, H.265, 16 CHANNEL IP, 2U, 24TB  | 9990.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2216P-6T    | TRUVISION NVR 22, H.265, 16 CHANNEL IP, 2U, 6TB   | 6400.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2216S-12T   | TRUVISION NVR 22, H.265, 16 CHANNEL IP, 16 CHANNEL POE, 12TB  | 7010.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2216S-24T   | TRUVISION NVR 22, H.265, 16 CHANNEL IP, 16 CHANNEL POE, 24TB  | 7990.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2216S-4T    | TRUVISION NVR 22, H.265, 16 CHANNEL IP, 16 CHANNEL POE, 4TB   | 4990.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2216S-8T    | TRUVISION NVR 22, H.265, 16 CHANNEL IP, 16 CHANNEL POE, 8TB   | 6190.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2232P-12T   | TRUVISION NVR 22, H.265, 32 CHANNEL IP, 2U, 12TB  | 9990.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2232P-24T   | TRUVISION NVR 22, H.265, 32 CHANNEL IP, 2U, 24TB  | 12100.00 | Digital Recording | TruVision NVRs          | 20 |
| TVN-2232P-48T   | TRUVISION NVR 22, H.265, 32 CHANNEL IP, 2U, 48TB  | 17600.00 | Digital Recording | TruVision NVRs          | 20 |
| TVN-2232P-6T    | TRUVISION NVR 22, H.265, 32 CHANNEL IP, 2U, 6TB   | 7200.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-2HDD-4TB    | TruVision nvr, hdd expansion kit, quan 2-2tb hdd's  | 2200.00  | Digital Recording | TruVision DVRs          | 3  |
| TVN-2HDD-8TB    | TruVision nvr, hdd expansion kit, quan 2-4tb hdd's  | 4400.00  | Digital Recording | TruVision DVRs          | 3  |
| TVN-7001-16T    | TruVision NVR 70, 128 channels, 3u, 16TB  | 8800.00  | Digital Recording | TruVision NVR           | 3  |
| TVN-7001-32T    | TruVision NVR 70, 128 channels, 3u, 32TB  | 13400.00 | Digital Recording | TruVision NVR           | 3  |
| TVN-7001-48T    | TruVision NVR 70, 400 Mbps, 3u, 48TB  | 15705.00 | Digital Recording | TruVision NVR           | 3  |
| TVN-7001-64T    | TruVision NVR 70, 128 channels, 3u, 64TB  | 18000.00 | Digital Recording | TruVision NVR           | 3  |
| TVN-7001-96T    | TruVision NVR 70, 400 Mbps, 3u, 96TB  | 22000.00 | Digital Recording | TruVision NVR           | 3  |
| TVN-7001-FAN    | TruVision NVR 70, spare part, fan   | 150.00   | Digital Recording | TruVision NVR           | 3  |
| TVN-7001-PS     | TruVision NVR 70, spare part, internal power supply   | 400.00   | Digital Recording | TruVision NVR           | 3  |
| TVN-7001R-16T   | TruVision NVR 70, raid, 400 Mbps, 3u, 16TB  | 11440.00 | Digital Recording | TruVision NVR           | 3  |
| TVN-7001R-32T   | TruVision NVR 70, raid, 400 Mbps, 3u, 32TB  | 17420.00 | Digital Recording | TruVision NVR           | 3  |
| TVN-7001R-48T   | TruVision NVR 70, raid, 400 Mbps, 3u, 48TB  | 20416.50 | Digital Recording | TruVision NVR           | 3  |
| TVN-7001R-64T   | TruVision NVR 70, raid, 400 Mbps, 3u, 64TB  | 23400.00 | Digital Recording | TruVision NVR           | 3  |
| TVN-7101-16T    | TruVision NVR 71, 576 Mbps, 3U, 16TB  | 8800.00  | Digital Recording | TruVision NVRs          | 3  |
| TVN-7101-32T    | TruVision NVR 71, 576 Mbps, 3U, 32TB  | 13400.00 | Digital Recording | TruVision NVRs          | 3  |
| TVN-7101-48T    | TruVision NVR 71, 576 Mbps, 3U, 48TB  | 15706.00 | Digital Recording | TruVision NVRs          | 3  |
| TVN-7101-64T    | TruVision NVR 71, 576 Mbps, 3U, 64TB  | 18000.00 | Digital Recording | TruVision NVRs          | 3  |
| TVN-7101-96T    | TruVision NVR 71, 576 Mbps, 3U, 96TB  | 22000.00 | Digital Recording | TruVision NVRs          | 3  |
| TVN-7101-FAN    | TruVision NVR 71, spare part, fan   | 150.00   | Digital Recording | TruVision NVRs          | 20 |
| TVN-7101-PS     | TruVision NVR 71, spare part, internal power supply   | 400.00   | Digital Recording | TruVision NVRs          | 20 |
| TVN-7101R-16T   | TruVision NVR 71, RAID, 576 Mbps, 3U, 16TB  | 11440.00 | Digital Recording | TruVision NVRs          | 3  |
| TVN-7101R-32T   | TruVision NVR 71, RAID, 576 Mbps, 3U, 32TB  | 17420.00 | Digital Recording | TruVision NVRs          | 3  |
| TVN-7101R-48T   | TruVision NVR 71, RAID, 576 Mbps, 3U, 48TB  | 20416.00 | Digital Recording | TruVision NVRs          | 3  |
| TVN-7101R-96T   | TruVision NVR 71, RAID, 576 Mbps, 3U, 96TB  | 25000.00 | Digital Recording | TruVision NVRs          | 3  |
| TVNAV-LIC       | TRUVISION NAVIGATOR LICENSE UNLOCKS GLOBAL ADVANCED FEATURES IN VERSIONS 7.X  | 1198.00  | Digital Recording | TruVision SW            | 20 |
| TVN-HDD-4TB     | TruVision NVR, HDD Expansion Kit, 4TB Storage   | 1100.00  | Digital Recording | TruVision NVRs          | 3  |
| TVN-HDD-6TB     | TruVision recorder HDD expansion kit, 6TB   | 1500.00  | Digital Recording | TruVision NVR           | 3  |
| TVN-HDD-8TB     | TruVision NVR, HDD expansion kit,8TB storage  | 1700.00  | Digital Recording | TruVision NVRs          | 20 |
| TVN-HDDR-4TB    | TruVision recorder HDD expansion kit, 4TB raid  | 1190.00  | Digital Recording | TruVision NVR           | 3  |
| TVN-HDDR-6TB    | TruVision NVR, RAID HDD expansion kit,6TB storage   | 1590.00  | Digital Recording | TruVision NVRs          | 20 |
| TVP-1104        | TruVision 2.0 MPX, 20X optical zoom, PTZ Dome, Pendant Outdoor, Progressive Scan CMOS, True D/N, DWDR, H.264, ONVIF/PSIA, Micro SD slot, IP66, POEplus/24VAC, PAL       | 2600.00  | PTZ Cameras       | TruVision IP PTZ        | 20 |
| TVP-1105        | TruVision 2.0 MPX, PTZ Dome, 20X optical zoom, Surface Mount Indoor, Progressive Scan CMOS, True D/N, DWDR, H.264, ONVIF/PSIA, Micro SD slot, IP54, POEplus/24VAC, PAL  | 2600.00  | PTZ Cameras       | TruVision IP PTZ        | 20 |
| TVP-1106        | TruVision 2.0 MPX, PTZ Dome, 20X optical zoom, Flush Mount Indoor, Progressive Scan CMOS, True D/N, DWDR, H.264, ONVIF/PSIA, Micro SD slot, IP54, POEplus/24VAC, PAL    | 2600.00  | PTZ Cameras       | TruVision IP PTZ        | 20 |
| TVP-1122        | TruVision 2MPX, IP IR PTZ Dome, 30X Optical Zoom, Pendant/Wall Mount Outdoor, True D/N, DWDR, H.264, ONVIF/PSIA, 150M, SD/SDHC Slot, PoE Plus/24VAC, PAL                | 4000.00  | PTZ Cameras       | TruVision IP PTZ Camera | 20 |
| TVP-2401        | TruVision HD-TVI PTZ Dome, 1080P, 30X, DWDR, Wall Mount, Dual Output 960H Monitor & TVI,TV/RS485/RS422 Control, 24VAC, IK10, IP66, PAL                                  | 1150.00  | PTZ Cameras       | TruVision PTZ           | 20 |
| TVP-2402        | TruVision HD-TVI PTZ Dome, 1080P, 30X, DWDR, Surface/Flush Mount, Dual Output 960H Monitor & TVI, TV/RS485/RS422 Control, 24VAC, IK10, IP54, PAL                        | 1150.00  | PTZ Cameras       | TruVision PTZ           | 20 |
| TVP-2403        | TRUVISION HD-TVI IR PTZ DOME, 1080P, 30X, DWDR, 150M IR, PENDANT/WALL MOUNT, DUAL OUTPUT 960H MONITOR & TVI, TV/RS485/RS422 CONTROL, 24VAC, PAL                         | 1350.00  | PTZ Cameras       | TruVision PTZ           | 20 |
| TVP-3104        | TruVision 2.0 MPX, PTZ Dome, 20X optical zoom, Pendant Outdoor, Progressive Scan CMOS, True D/N, DWDR, H.264, ONVIF/PSIA, Micro SD slot, IP66, POEplus/24VAC, NTSC      | 2600.00  | PTZ Cameras       | TruVision IP PTZ        | 3  |
| TVP-3105        | TruVision 2.0 MPX, PTZ Dome, 20X optical zoom, Surface Mount Indoor, Progressive Scan CMOS, True D/N, DWDR, H.264, ONVIF/PSIA, Micro SD slot, IP54, POEplus/24VAC, NTSC | 2600.00  | PTZ Cameras       | TruVision IP PTZ        | 20 |

|                 |   |         |                       |                         |    |
|-----------------|---|---------|-----------------------|-------------------------|----|
| TVP-3106        | TruVision 2.0 MPX, PTZ Dome, 20X optical zoom, Flush Mount Indoor, Progressive Scan CMOS, True D/N, DWDR, H.264, ONVIF/PSIA, Micro SD slot, IP54, PoEplus/24VAC, NTSC                                       | 2600.00 | PTZ Cameras           | TruVision IP PTZ        | 20 |
| TVP-3122        | TruVision 2MPX, IP IR PTZ Dome, 30X Optical Zoom, Pendant/Wall Mount Outdoor, True D/N, DWDR, H.264, ONVIF/PSIA, 150M, SD/SDHC Slot, PoE Plus/24VAC, NTSC   | 4000.00 | PTZ Cameras           | TruVision IP PTZ Camera | 20 |
| TVP-4106        | TruVision PTZ camera, 36x, 700tvl, d/n, dwdr, flush mount, 24vac, ip54, nts   | 1000.00 | PTZ Cameras           | TruVision IP PTZ        | 3  |
| TVP-4401        | TruVision HD-TVI PTZ Dome, 1080P, 30X, DWDR, Wall Mount, Dual Output 960H Monitor & TVI,TV/RS485/RS422 Control, 24VAC, IK10, IP66, NTSC   | 1150.00 | PTZ Cameras           | TruVision PTZ           | 20 |
| TVP-4402        | TruVision HD-TVI PTZ Dome, 1080P, 30X, DWDR, Surface/Flush Mount, Dual Output 960H Monitor & TVI, TV/RS485/RS422 Control, 24VAC, IK10, IP54, NTSC   | 1150.00 | PTZ Cameras           | TruVision PTZ           | 20 |
| TVP-4403        | TRUVISION HD-TVI IR PTZ DOME, 1080P, 30X, DWDR, 150M IR, PENDANT/WALL MOUNT, DUAL OUTPUT 960H MONITOR & TVI, TV/RS485/RS422 CONTROL, 24VAC, NTSC  | 1350.00 | PTZ Cameras           | TruVision PTZ           | 20 |
| TVP-5101        | TruVision 2 MPx, Compact IP PTZ, 4X optical zoom, 350 degree pan, H265, H.264, Indoor, Surface Mount, True D/N, DWDR, 20m IR, Audio, Alarm, micro SD/SDHC/SDXC slot, PoE/12VDC                              | 500.00  | PTZ Cameras           | TruVision IP PTZ        | 20 |
| TVP-5102        | TruVision 2 MPx, Compact IP PTZ, 20X optical zoom, H.265, H.264, Outdoor, Pendant/Wall Mount, True D/N, WDR, 150m IR, Audio, Alarm, micro SD/SDHC/SDXC slot, Hi-PoE (Max 32W)/24VAC, IP66                   | 1600.00 | PTZ Cameras           | TruVision IP PTZ        | 20 |
| TVP-5103        | TruVision 3 MPx, Compact IP PTZ, 20X optical zoom, H265, H.264, Outdoor, Surface Mount, True D/N, WDR, 50m IR, Audio, Alarm, micro SD/SDHC/SDXC slot, PoE+/12VDC, IP66                                      | 1800.00 | PTZ Cameras           | TruVision IP PTZ        | 20 |
| TVP-5104        | TruVision 2 MPx, IP PTZ, 25X optical zoom, H.265, H.264, Outdoor, Pendant/Wall Mount, Super Low Light, True D/N, WDR, Audio, Alarm, micro SD/SDHC/SDXC slot, Hi-PoE (Max 60W) /24VAC, IP67, IK10            | 2800.00 | PTZ Cameras           | TruVision IP PTZ        | 20 |
| TVP-5105        | TruVision 2 MPx, IP PTZ, 36X optical zoom, H.265, H.264, Outdoor, Pendant/Wall Mount, Super Low Light, True D/N, WDR, 200m IR, Audio, Alarm, micro SD/SDHC/SDXC slot, Hi-PoE (Max 60W)/24VAC, IP66, IK10    | 4200.00 | PTZ Cameras           | TruVision IP PTZ        | 20 |
| TVP-5201        | TruVision 2 MPx, Stainless Steel PTZ, 23X Optical Zoom, Pendant/Wall Mount, Super Low Light, H.264, True D/N, WDR, Alarm, Audio, Micro SD/SDHC/SDXC slot, Hi-PoE (Max. 60W)/24VAC, IP67, IK10, Junction Box | 5400.00 | PTZ Cameras           | TruVision IP PTZ        | 20 |
| TVP-BS-5CV      | PTZ Bubble Spare, Clear Surface/Flush Mount, 5 inch   | 68.00   | PTZ Cameras           | TruVision PTZ Dome      | 20 |
| TVP-BS-5S       | PTZ Bubble Spare, Smoked Surface/Flush Mount, 5 inch  | 34.00   | PTZ Cameras           | TruVision PTZ Dome      | 20 |
| TVP-BS-6CV      | PTZ Bubble Spare, Clear Pendant/Wall Mount, 6 inch  | 76.00   | PTZ Cameras           | TruVision PTZ Dome      | 20 |
| TVP-BS-6S       | PTZ Bubble Spare, Smoked Pendant/Wall Mount, 6 inch   | 40.00   | PTZ Cameras           | TruVision PTZ Dome      | 20 |
| TVP-CBB         | TruVision Compact PTZ Back Box  | 50.00   | PTZ Cameras           | TruVision IP PTZ Mount  | 20 |
| TVP-CBBWM       | TruVision Compact Cup Base PTZ Wall Mount   | 80.00   | PTZ Cameras           | TruVision IP PTZ Mount  | 20 |
| TVP-CFM         | TruVision Compact PTZ Flush Mount   | 50.00   | PTZ Cameras           | TruVision IP PTZ Mount  | 20 |
| TVP-CWM         | TruVision Compact PTZ Indoor Wall Mount, Plastic  | 70.00   | PTZ Cameras           | TruVision IP PTZ Mount  | 20 |
| TVP-PAS         | TruVision PTZ Pendant Mount, Stainless Steel  | 400.00  | PTZ Cameras           | TruVision IP PTZ Mount  | 20 |
| TVP-01-24AC     | TruVision 1-Channel 4 Amp Fused Outdoor Power Supply, 24VAC, NTSC   | 200.00  | PTZ Cameras           | Power Supplies          | 3  |
| TVP-16-12DC     | TruVision 16-Channel 18.5 Amp Fused Power Supply, 12VDC, NTSC   | 330.00  | Analog Fixed Cameras  | Power Supplies          | 3  |
| TVP-4-12DC      | TruVision 4-Channel 5.3 Amp Fused Power Supply, 12VDC, NTSC   | 170.00  | Analog Fixed Cameras  | Power Supplies          | 3  |
| TVP-8-12DC      | TruVision Power 8-Channel 8 Amp Fused Power Supply, 12VDC, NTSC   | 220.00  | Analog Fixed Cameras  | Power Supplies          | 3  |
| TVP-WBS         | TruVision PTZ Wall Mount, Stainless Steel   | 400.00  | PTZ Cameras           | TruVision IP PTZ Mount  | 20 |
| TVP-WMB         | TruVision PTZ Wall Mount  | 110.00  | PTZ Cameras           | Mounting Accessories    | 20 |
| TVP-WM-CM       | TruVision PTZ corner mount adapter (use with TVP-WMB wall mount)  | 40.00   | PTZ Cameras           | Mounting Accessories    | 20 |
| TVP-WM-PM       | TruVision PTZ pole mount adapter (use with TVP-WMB wall mount)  | 40.00   | PTZ Cameras           | Mounting Accessories    | 20 |
| TVQ-8101        | TruVision, 1080p, NTSC/PAL, Wi-Fi, Indoor Desktop, White, True D/N, H.264, PSIA/ONVIF/CGI, Audio, 10m IR, 2.0mm @F2.0, PoE/12VDC  | 220.00  | Network Fixed Cameras | TruVision               | 3  |
| TVR-1204CHD-1T  | TruVision dvr 12hd compact,1080p hd h.264, 4 channels 1tb storage   | 610.00  | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1204CHD-2T  | TruVision dvr 12hd compact,1080p hd h.264, 4 channels 2tb storage   | 910.00  | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1204CHD-4T  | TruVision dvr 12hd compact,1080p hd h.264, 4 channels 4tb storage   | 1060.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1204CHD-KW1 | HD-TVI Analog Surveillance Bundle. Contains 1- 4-Channel DVR with 1TB and 4- Indoor/Outdoor 1080P IR Wedge Cameras  | 850.00  | Digital Recording     | TruVision DVRs          | 20 |
| TVR-1204HD-KB1  | HD-TVI analog surveillance bundle. contains 1- 4-channel dvr with 1tb and 4- indoor-outdoor 720p ir bullet cameras  | 540.00  | Digital Recording     | TruVision DVRs          | 20 |
| TVR-1204HD-KB5  | HD-TVI analog surveillance bundle. contains 1 x 4-channel compact hybrid-HD DVR w/1TB and 4 indoor-outdoor 1080p IR bullet cameras  | 800.00  | Digital Recording     | TruVision DVRs          | 20 |
| TVR-1204HD-KB6  | HD-TVI analog surveillance bundle. contains 1 x 4-channel compact hybrid-HD DVR w/2TB and 4 indoor-outdoor 1080p IR bullet cameras  | 900.00  | Digital Recording     | TruVision DVRs          | 20 |
| TVR-1208HD-1T   | TRUVISION DVR 12HD,1080P HD H.264, 8 CHANNELS 1TB STORAGE   | 920.00  | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1208HD-2T   | TruVision dvr 12hd,1080p hd h.264, 8 channels 2tb storage   | 1150.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1208HD-4T   | TruVision dvr 12hd,1080p hd h.264, 8 channels 4tb storage   | 1390.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1208HD-8T   | TruVision dvr 12hd,1080p hd h.264, 8 channels 8tb storage   | 2050.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-1208HD-KB1  | HD-TVI analog surveillance bundle. contains 1- 8-channel dvr with 2tb and 4- indoor-outdoor 1080p ir bullet cameras   | 1000.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-1216HD-1T   | TruVision dvr 12hd,1080p hd h.264, 16 channels 1tb storage  | 1250.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1216HD-2T   | TruVision dvr 12hd,1080p hd h.264, 16 channels 2tb storage  | 1380.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1216HD-4T   | TruVision dvr 12hd,1080p hd h.264, 16 channels 4tb storage  | 1840.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1216HD-8T   | TruVision dvr 12hd,1080p hd h.264, 16 channels 8tb storage  | 2400.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1504CHD-1T  | TRUVISION DVR 15HD HYBRID 3-5MPx HD, 4 CHANNELS 1TB STORAGE   | 610.00  | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1504CHD-2T  | TRUVISION DVR 15HD HYBRID 3-5MPx HD, 4 CHANNELS 2TB STORAGE   | 910.00  | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1504CHD-4T  | TRUVISION DVR 15HD HYBRID 3-5MPx HD, 4 CHANNELS 4TB STORAGE   | 1060.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1504-KB1    | HD-TVI ANALOG SURVEILLANCE BUNDLE. CONTAINS 1- 4-CHANNEL DVR WITH 1TB AND 4- INDOOR-OUTDOOR 3Mpx IR BULLET CAMERAS 3.6mm LENS   | 900.00  | Digital Recording     | TruVision DVR           | 20 |
| TVR-1504-KT1    | HD-TVI ANALOG SURVEILLANCE BUNDLE. CONTAINS 1- 4-CHANNEL DVR WITH 1TB AND 4- INDOOR-OUTDOOR 3Mpx IR TURRET CAMERAS 2.8 mm LENS  | 900.00  | Digital Recording     | TruVision DVR           | 20 |
| TVR-1508HD-2T   | TRUVISION DVR 15HD HYBRID 3-5MPx HD, 8 CHANNELS 2TB STORAGE   | 1150.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1508HD-4T   | TRUVISION DVR 15HD HYBRID 3-5MPx HD, 8 CHANNELS 4TB STORAGE   | 1390.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1508HD-8T   | TRUVISION DVR 15HD HYBRID 3-5MPx HD, 8 CHANNELS 8TB STORAGE   | 2050.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1508-KB1    | HD-TVI ANALOG SURVEILLANCE BUNDLE. CONTAINS 1-8-CHANNEL DVR WITH 2TB AND 4- INDOOR-OUTDOOR 3Mpx IR BULLET CAMERAS 3.6mm LENS  | 1160.00 | Digital Recording     | TruVision DVR           | 20 |
| TVR-1508-KT1    | HD-TVI ANALOG SURVEILLANCE BUNDLE. CONTAINS 1- 8-CHANNEL DVR WITH 2TB AND 4- INDOOR-OUTDOOR 3Mpx IR TURRET CAMERAS 2.8 mm LENS  | 1160.00 | Digital Recording     | TruVision DVR           | 20 |
| TVR-1516HD-12T  | TRUVISION DVR 15HD HYBRID 3-5MPx HD, 16 CHANNELS 12TB STORAGE   | 3100.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1516HD-2T   | TRUVISION DVR 15HD HYBRID 3-5MPx HD, 16 CHANNELS 2TB STORAGE  | 1380.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1516HD-4T   | TRUVISION DVR 15HD HYBRID 3-5MPx HD, 16 CHANNELS 4TB STORAGE  | 1840.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1516HD-8T   | TRUVISION DVR 15HD HYBRID 3-5MPx HD, 16 CHANNELS 8TB STORAGE  | 2400.00 | Digital Recording     | TruVision DVRs          | 3  |
| TVR-1X-PS       | TruVision dvr 10/11/12, spare part,power supply   | 98.00   | Digital Recording     | Spare Parts             | 3  |
| TVR-4408HD-12T  | TruVision HD DVR 44, 1080P H.264, 8 CH, 12TB storage  | 3350.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4408HD-2T   | TruVision HD DVR 44 1080P, H.264, 8 CH, 2TB storage   | 1648.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4408HD-4T   | TruVision HD DVR 44, 1080P H.264, 8 CH, 4TB storage   | 2095.20 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4408HD-8T   | TruVision HD DVR 44, 1080P H.264, 8 CH, 8TB storage   | 2650.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4416HD-16T  | TruVision HD DVR 44, 1080P H.264, 16 CH, 16TB storage   | 4300.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4416HD-2T   | TruVision HD DVR 44, 1080P H.264, 16 CH, 2TB storage  | 2008.80 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4416HD-4T   | TruVision HD DVR 44, H.264, 16 CH, 4TB storage  | 2440.80 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4416HD-8T   | TruVision HD DVR 44, 1080P H.264, 16 CH, 8TB storage  | 3304.80 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4508HD-2T   | TRUVISION DVR 45HD,8 CHANNEL,DUAL NIC,5MPx ANALOG,4MPx IP, 2TB  | 1648.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4508HD-4T   | TRUVISION DVR 45HD,8 CHANNEL,DUAL NIC,5MPx ANALOG,4MPx IP, 4TB  | 2094.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4508HD-8T   | TRUVISION DVR 45HD,8 CHANNEL,DUAL NIC,5MPx ANALOG,4MPx IP, 8TB  | 2650.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4516HD-12T  | TRUVISION DVR 45HD,16 CHANNEL,DUAL NIC,5MPx ANALOG,4MPx IP, 12TB  | 3998.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4516HD-16T  | TRUVISION DVR 45HD,16 CHANNEL,DUAL NIC,5MPx ANALOG,4MPx IP, 16TB  | 4700.00 | Digital Recording     | TruVision DVRs          | 20 |
| TVR-4516HD-2T   | TRUVISION DVR 45HD,16 CHANNEL,DUAL NIC,5MPx ANALOG,4MPx IP, 2TB   | 2008.00 | Digital Recording     | TruVision DVRs          | 20 |

|               |   |                              |                              |    |
|---------------|---|------------------------------|------------------------------|----|
| TVR-4516HD-4T | TRUVISION DVR 45HD,16 CHANNEL,DUAL NIC,5MPx ANALOG,4MPx IP, 4TB   | 2440.00 Digital Recording    | TruVision DVRs               | 20 |
| TVR-4516HD-8T | TRUVISION DVR 45HD,16 CHANNEL,DUAL NIC,5MPx ANALOG,4MPx IP, 8TB   | 3304.00 Digital Recording    | TruVision DVRs               | 20 |
| TVR-60-VL     | TruVision DVR 60, Spare Part, Video Looping Cable (x16 BNC)   | 58.00 Digital Recording      | TruVision DVR 60 Spare Parts | 20 |
| TVR-MOUSE-1   | TruVision DVR 60, Spare Part, USB Mouse   | 98.00 Digital Recording      | TruVision DVR 60 Spare Parts | 20 |
| TVR-REMOTE-1  | TruVision DVR 60, Spare Part, IR Remote Control w/Batteries   | 98.00 Digital Recording      | TruVision DVR 60 Spare Parts | 20 |
| TVR-RK-1      | TruVision DVR 60, Rack Mount w/Screws   | 98.00 Digital Recording      | TruVision DVR 60 Accessory   | 20 |
| TVT-2401      | TRUVISION HD-TVI ANALOG TURRET CAMERA, 3MPX (USED W/3MPX OR HIGHER TVI RECORDERS), 2.8MM LENS, TRUE D/N, WDR, 20M IR, DUAL OUTPUT 960H MONITOR OR HD-TVI, COAX OSD CONTROL, 12VDC, IP66, PAL                        | 160.00 Analog Fixed Cameras  | TruVision Camera             | 20 |
| TVT-2402      | TRUVISION HD-TVI ANALOG TURRET CAMERA, 3MPX (USED W/3MPX OR HIGHER TVI RECORDERS), 2.8-12MM MOTORIZED LENS, TRUE D/N, WDR, 40M IR, DUAL OUTPUT 960H MONITOR OR HD-TVI, COAX & BUTTON OSD CONTROL, 12VDC, IP66, PAL  | 260.00 Analog Fixed Cameras  | TruVision Camera             | 20 |
| TVT-2403      | TruVision HD-TVI Analog Turret Camera, 5MPX (used w/5MPX or higher TVI recorders), 2.8mm Lens, True D/N, DWDR, 20m IR, HD-TVI Output, Coax OSD Control, 12VDC, IP67, PAL  | 180.00 Analog Fixed Cameras  | TruVision Camera             | 20 |
| TVT-2404      | TruVision HD-TVI Analog Turret Camera, 5MPX (used w/5MPX or higher TVI recorders), 2.8-12mm Motorized Lens, True D/N, DWDR, 40m IR, HD-TVI Output, Coax & Button OSD Control, 12VDC, IP67, PAL                      | 280.00 Analog Fixed Cameras  | TruVision Camera             | 20 |
| TVT-4201      | TruVision turret camera, 700TVL, 3.6mm lens, True D/N, 20m IR, 12VDC, IP66, NTSC  | 78.00 Analog Fixed Cameras   | TruVision Camera             | 3  |
| TVT-4202      | TruVision turret camera, 1280H sensor, 720TVL, 2.8-12mm VF lens, True D/N, 40m IR, 12VDC, IP66, NTSC  | 198.00 Analog Fixed Cameras  | TruVision Camera             | 3  |
| TVT-4401      | TRUVISION HD-TVI ANALOG TURRET CAMERA, 3MPX (USED W/3MPX OR HIGHER TVI RECORDERS), 2.8MM LENS, TRUE D/N, WDR, 20M IR, DUAL OUTPUT 960H MONITOR OR HD-TVI, COAX OSD CONTROL, 12VDC, IP66, NTSC                       | 160.00 Analog Fixed Cameras  | TruVision Camera             | 20 |
| TVT-4402      | TRUVISION HD-TVI ANALOG TURRET CAMERA, 3MPX (USED W/3MPX OR HIGHER TVI RECORDERS), 2.8-12MM MOTORIZED LENS, TRUE D/N, WDR, 40M IR, DUAL OUTPUT 960H MONITOR OR HD-TVI, COAX & BUTTON OSD CONTROL, 12VDC, IP66, NTSC | 260.00 Analog Fixed Cameras  | TruVision Camera             | 20 |
| TVT-4403      | TruVision HD-TVI Analog Turret Camera, 5MPX (used w/5MPX or higher TVI recorders), 2.8mm Lens, True D/N, DWDR, 20m IR, HD-TVI Output, Coax OSD Control, 12VDC, IP67, NTSC   | 180.00 Analog Fixed Cameras  | TruVision Camera             | 3  |
| TVT-4404      | TruVision HD-TVI Analog Turret Camera, 5MPX (used w/5MPX or higher TVI recorders), 2.8-12mm Motorized Lens, True D/N, DWDR, 40m IR, HD-TVI Output, Coax & Button OSD Control, 12VDC, IP67, NTSC                     | 280.00 Analog Fixed Cameras  | TruVision Camera             | 3  |
| TVT-5301      | TruVision IR Fixed Lens Turret, 2MPx, True D/N, WDR, 30M IR, 2.8mm, PoE (802.3-af)/12VDC, IP66, Gray  | 330.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVT-5302      | TruVision IR Fixed Lens Turret, 2MPx, True D/N, WDR, 30M IR, 2.8mm, PoE (802.3-af)/12VDC, IP66, White   | 330.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVT-5303      | TruVision IR Fixed Lens Turret, 2MPx, True D/N, WDR, 30M IR, 2.8mm, PoE (802.3-af)/12VDC, IP66, Black   | 330.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVT-5304      | TruVision IR Fixed Lens Turret, 4MPx, True D/N, WDR, 30M IR, 2.8mm, PoE (802.3-af)/12VDC, IP66, Gray  | 350.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVT-5305      | TruVision IR Fixed Lens Turret, 4MPx, True D/N, WDR, 30M IR, 2.8mm, PoE (802.3-af)/12VDC, IP66, White   | 350.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVT-5306      | TruVision IR Fixed Lens Turret, 4MPx, True D/N, WDR, 30M IR, 2.8mm, PoE (802.3-af)/12VDC, IP66, Black   | 350.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVT-5307      | TruVision IR Fixed Lens Turret, 4MPx, True D/N, WDR, 30M IR, 4mm, PoE (802.3-af)/12VDC, IP66, White   | 350.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVT-5501      | TruVision 3MPx, H.265/H.264, Low Light IP Fixed Lens Turret Camera, 4mm, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67   | 390.00 Network Fixed Cameras | TruVision IP Camera          | 20 |
| TVT-5502      | TruVision 8MPx/4K, H.265/H.264, IP Fixed Lens Turret Camera, 4mm, True D/N, WDR, 30M IR, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP67  | 640.00 Network Fixed Cameras | TruVision IP Camera          | 20 |
| TVW-1101      | TruVision 1.3MPX Open Std, Progressive Scan CMOS Low Profile Mini Dome Camera, True D/N, DWDR, 2.8mm fixed lens, 10m IR, Micro SD Slot, ONVIF/PSIA, POE/12VDC, IP66, PAL  | 400.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVW-1102      | TruVision 3.0MPX Open Std, Progressive Scan CMOS Low Profile Mini Dome Camera, True D/N, DWDR, 2.8mm fixed lens, 10m IR, Micro SD Slot, ONVIF/PSIA, POE/12VDC, IP66, PAL  | 500.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVW-1103      | TruVision IP Wedge Camera, 1.3MPx, WiFi, 2.8mm fixed lens, DWDR, True D/N, 10M IR, SD/SHDC slot, PoE (802.3-af)/12VDC, corrosion resistant, IP66, IK8, audio, gray housing, PAL                                     | 460.00 Network Fixed Cameras | TruVision Domes              | 20 |
| TVW-1104      | TruVision IP Wedge Camera, 1.3MPx, WiFi, 2.8mm fixed lens, DWDR, True D/N, 10M IR, SD/SHDC slot, PoE (802.3-af)/12VDC, corrosion resistant, IP66, IK8, audio, white housing, PAL                                    | 460.00 Network Fixed Cameras | TruVision Domes              | 20 |
| TVW-1105      | TruVision IP Wedge Camera, 3.0mpx, WiFi, 2.8mm fixed lens, DWDR, True D/N, 10M IR, SD/SHDC slot, PoE (802.3-af)/12VDC, corrosion resistant, IP66, IK8, audio, gray housing, PAL                                     | 560.00 Network Fixed Cameras | TruVision Domes              | 20 |
| TVW-1106      | TruVision IP Wedge Camera, 3.0MPx, WiFi, 2.8mm fixed lens, DWDR, True D/N, 10M IR, SD/SHDC slot, PoE (802.3-af)/12VDC, corrosion resistant, IP66, IK8, audio, white housing, PAL                                    | 560.00 Network Fixed Cameras | TruVision Domes              | 20 |
| TVW-1116      | TruVision IP Wedge Camera, 3.0MPx, WiFi, 6mm fixed lens, DWDR, True D/N, 10M IR, SD/SHDC slot, PoE (802.3-af)/12VDC, corrosion resistant, IP66, IK8, audio, white housing, PAL                                      | 560.00 Network Fixed Cameras | TruVision Domes              | 20 |
| TVW-1130      | TruVision Panoramic View Wedge Camera, 3MP, Wi-Fi, 1.6mm Lens, DWDR, Digital D/N, Audio, Alarm, Micro SD/SDXC Slot, PoE (802.3-AF) /12VDC, IP66, IK8, PAL   | 600.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVW-2101      | TruVision wedge camera, 700 tvl, 2.8mm fixed lens, true d/n, dwdr, 10m ir range, 12vdc, ip66, ik-7, pal   | 118.00 Analog Fixed Cameras  | TruVision                    | 20 |
| TVW-2401      | TruVision HD-TVI Wedge Camera, 1080P, 2.8mm Lens, True D/N, WDR, 10M IR, TVI Output, TVI & Button OSD Control, 12VDC, IP66, IK8, PAL  | 180.00 Analog Fixed Cameras  | TruVision Camera             | 20 |
| TVW-2G-AD     | TruVision Double Gang Box Adapter Plate for Wedge Cameras   | 20.00 Network Fixed Cameras  | TruVision Mount              | 20 |
| TVW-3101      | TruVision 1.3MPX Open Std, Progressive Scan CMOS Low Profile Mini Dome Camera, True D/N, DWDR, 2.8mm fixed lens, 10m IR, Micro SD Slot, ONVIF/PSIA, POE/12VDC, IP66, NTSC   | 400.00 Network Fixed Cameras | TruVision Dome Camera        | 3  |
| TVW-3102      | TruVision 3.0MPX Open Std, Progressive Scan CMOS Low Profile Mini Dome Camera, True D/N, DWDR, 2.8mm fixed lens, 10m IR, Micro SD Slot, ONVIF/PSIA, POE/12VDC, IP66, NTSC   | 500.00 Network Fixed Cameras | TruVision Dome Camera        | 3  |
| TVW-3103      | TruVision IP Wedge Camera, 1.3MPx, WiFi, 2.8mm fixed lens, DWDR, True D/N, 10M IR, SD/SHDC slot, PoE (802.3-af)/12VDC, corrosion resistant, IP66, IK8, audio, gray housing, NTSC                                    | 460.00 Network Fixed Cameras | TruVision Domes              | 20 |
| TVW-3104      | TruVision IP Wedge Camera, 1.3MPx, WiFi, 2.8mm fixed lens, DWDR, True D/N, 10M IR, SD/SHDC slot, PoE (802.3-af)/12VDC, corrosion resistant, IP66, IK8, audio, white housing, NTSC                                   | 460.00 Network Fixed Cameras | TruVision Domes              | 20 |
| TVW-3105      | TruVision IP Wedge Camera, 3.0MPx, WiFi, 2.8mm fixed lens, DWDR, True D/N, 10M IR, SD/SHDC slot, PoE (802.3-af)/12VDC, corrosion resistant, IP66, IK8, audio, gray housing, NTSC                                    | 560.00 Network Fixed Cameras | TruVision Domes              | 20 |
| TVW-3106      | TruVision IP Wedge Camera, 3.0MPx, WiFi, 2.8mm fixed lens, DWDR, True D/N, 10M IR, SD/SHDC slot, PoE (802.3-af)/12VDC, corrosion resistant, IP66, IK8, audio, white housing, NTSC                                   | 560.00 Network Fixed Cameras | TruVision Domes              | 20 |
| TVW-3116      | TruVision IP Wedge Camera, 3.0MPx, WiFi, 6mm fixed lens, DWDR, True D/N, 10M IR, SD/SHDC slot, PoE (802.3-af)/12VDC, corrosion resistant, IP66, IK8, audio, white housing, NTSC                                     | 560.00 Network Fixed Cameras | TruVision Domes              | 20 |
| TVW-3119      | TruVision 1.3MPx IP Wedge Camera, True D/N, H.264, PSIA/ONVIF/CGI, 10M IR, 2.8mm, PoE/12VDC, IP66, IK08, Black, NTSC  | 400.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVW-3130      | TruVision Panoramic View Wedge Camera, 3MP, Wi-Fi, 1.6mm Lens, DWDR, Digital D/N, Audio, Alarm, Micro SD/SDXC Slot, PoE (802.3-AF) /12VDC, IP66, IK8, NTSC  | 600.00 Network Fixed Cameras | TruVision Dome Camera        | 20 |
| TVW-4101      | TruVision Wedge Camera, 700 TVL, 2.8mm fixed lens, True D/N, DWDR, 10m IR range, 12VDC, IP66, IK-7, NTSC  | 118.00 Analog Fixed Cameras  | TruVision                    | 20 |

|                    |  |         |                       |   |    |
|--------------------|--|---------|-----------------------|---|----|
| TVW-4401           | TruVision HD-TVI Wedge Camera, 1080P, 2.8mm Lens, True D/N, WDR, 10M IR, TVI Output, TVI & Button OSD Control, 12VDC, IP66, IK8, NTSC                          | 180.00  | Analog Fixed Cameras  | TruVision Camera  | 3  |
| TVW-5301           | TruVision Wedge Fixed Lens, 2MPx, True D/N, WDR, 2mm, Built-in Mic, Audio, Alarm, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP66, IK8, Gray               | 400.00  | Network Fixed Cameras | TruVision Dome Camera   | 20 |
| TVW-5302           | TruVision IR Wedge Fixed Lens, 2MPx, True D/N, WDR, 10M IR, 2.8mm, Built-in Mic, Audio, Alarm, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP66, IK8, Gray  | 430.00  | Network Fixed Cameras | TruVision Dome Camera   | 20 |
| TVW-5303           | TruVision IR Wedge Fixed Lens, 2MPx, True D/N, WDR, 10M IR, 2.8mm, Built-in Mic, Audio, Alarm, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP66, IK8, White | 430.00  | Network Fixed Cameras | TruVision Dome Camera   | 20 |
| TVW-5304           | TruVision IR Wedge Fixed Lens, 2MPx, True D/N, WDR, 10M IR, 2.8mm, Built-in Mic, Audio, Alarm, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP66, IK8, Black | 430.00  | Network Fixed Cameras | TruVision Dome Camera   | 20 |
| TVW-5305           | TruVision IR Wedge Fixed Lens, 4MPx, True D/N, WDR, 10M IR, 2.8mm, Built-in Mic, Audio, Alarm, Micro SD/SDHC/SDXC Slot, PoE (802.3-af)/12VDC, IP66, IK8, Gray  | 480.00  | Network Fixed Cameras | TruVision Dome Camera   | 20 |
| TVW-AWB-1          | TruVision Outdoor Angled Back Box for Wedge Cameras  | 60.00   | Network Fixed Cameras | TruVision Mount   | 20 |
| TVW-AWB-2          | TruVision Indoor Angled Back Box for Wedge Cameras   | 40.00   | Network Fixed Cameras | TruVision Mount   | 3  |
| TVW-DVM            | TruVision Dual View Mount for Wedge Cameras (used with TVD-PPB)  | 100.00  | Network Fixed Cameras | TruVision Mount   | 3  |
| TX-1012-01-1       | VE Micro DWS, White, 319.5MHz  | 31.65   | Wireless              | Wireless Crystal Micro Door/Window Sensor   | 3  |
| TX-1012-01-1-25PKG | VE Micro DWS, White, 319.5MHz, 25 Pk   | 791.18  | Wireless              | Wireless Crystal Micro Door/Window Sensor   | 3  |
| TX-1012-01-3       | VE Micro DWS, Brown, 319.5MHz  | 31.65   | Wireless              | Wireless Crystal Micro Door/Window Sensor   | 3  |
| TX-2810-01-4       | Outdoor PIR, Wireless 33/66/98ft Selectable  | 375.90  | Sensors & Detectors   | Outdoor PIR   | 3  |
| TX-4200-01-1       | Personal panic device, White   | 87.26   | Wireless              | Wireless Panic Sensor   | 3  |
| TX-4200-01-2       | Personal panic device, Black   | 87.26   | Wireless              | Wireless Panic Sensor   | 3  |
| TX-6010-01-1       | Supervised Wireless Smoke, Residential UL217 Transmitter   | 144.02  | Wireless              | Wireless Smoke Sensor   | 3  |
| TX-6310-01-1       | Wireless Carbon Monoxide Alarm   | 198.45  | Wireless              | Carbon Monoxide Detection   | 3  |
| TX-E101            | 4-Button Chrome Wireless Keypad, 319.5MHz  | 38.83   | Wireless              | Keypad  | 3  |
| TX-E111            | 2-Button Wireless Keypad, 319.5MHz   | 68.69   | Wireless              | Keypads   | 3  |
| TX-E121            | Command Button, Wireless Scene and Automation Trigger, 319.5MHz  | 52.60   | Wireless              | Wireless Sensors  | 3  |
| TX-E201            | Door/Window Sensor, 319.5MHz   | 31.65   | Wireless              | Door/Window Sensor  | 3  |
| TX-E221            | Recessed Door/Window Sensor, 319.5MHz  | 48.91   | Wireless              | Recessed Door/Window Sensor, 319.5MHz   | 3  |
| TX-E231            | Door/Window Sensor With External Contact Input, 319.5MHz   | 41.71   | Wireless              | Door/Window Sensor  | 3  |
| TX-E401            | Garage/Tilt Sensor, 319.5MHz   | 51.79   | Wireless              | Garage/Tilt   | 3  |
| TX-E611            | Flood and Freeze Sensor, 319.5MHz  | 74.80   | Wireless              | Environmental   | 3  |
| TX-E721            | Pet Immune Motion Detector, 319.5MHz   | 71.93   | WIRELESS              | Sensors   | 3  |
| UL-UPS-24V         | UL 24V, 2.5A Battery Backup, Power Supply  | 606.70  | Topaz                 | Controllers   | 20 |
| USBUP              | NetworX, USB upgrade tool  | 94.50   | Networx               | Control Panel Accessories   | 20 |
| UVD-IP-XP4DNR-VA9  | UltraViewIP XP4 WDR True Day/Night Rugged Dome Camera, NTSC 540TVL, H.264 SVC, 9-22 MM AI IR Corrected, POE/12VDC/24VAC  | 1350.00 | Network Fixed Cameras | UltraView IP  | 20 |
| UX-TOUCH01         | UltraSync 7" Secondary TouchScreen, WiFi, Wall Mount   | 268.00  | UltraSync             | Accessory   | 3  |
| V7010WDMA          | Bi-directional Video, "A" End  | 1720.00 | IFS Transmission      | Bi-directional Video w/Sync for R5  | 20 |
| V7010WDMB-R3       | Bi-directional Video, "B" End, Rack Mount  | 1720.00 | IFS Transmission      | Bi-directional Video w/Sync for R5  | 20 |
| VAD7010A           | FM Video Transceiver / Audio Transceiver / Data Transceiver, MM, 2 Fibers, "A" End   | 1980.00 | IFS Transmission      | FM Video Bi-directional Video, Audio & Data Transmission                                | 20 |
| VAD7010B           | 2 Way FM (Video Plus Audio Plus Data) MM Fiber   | 1980.00 | IFS Transmission      | FM Video Bi-directional Video, Audio & Data Transmission                                | 20 |
| VAD7010B-R3        | 2 Way FM (Video Plus Audio Plus Data) MM   | 1980.00 | IFS Transmission      | FM Video Bi-directional Video, Audio & Data Transmission                                | 20 |
| VADR14130WDM       | Video Receiver / 2 Channel Data Transceiver / 2 Channel Audio Transceiver + Sync, SM, 1 Fiber  | 5270.00 | IFS Transmission      | Digitally Encoded Video w/2 Bi-directional Audio & 2 Bi-directional Data Channels, Sync | 20 |
| VADT14130WDM       | Video Transmitter / 2 Channel Data Transceiver / 2 Channel Audio Transceiver + Sync, SM, 1 Fiber   | 5270.00 | IFS Transmission      | Digitally Encoded Video w/2 Bi-directional Audio & 2 Bi-directional Data Channels, Sync | 20 |
| VAR14120           | Digital Video and Stereo Audio Rx, MM, 1 Fiber   | 3800.00 | IFS Transmission      | Digitally Encoded Video w/Stereo Audio Transmission                                     | 20 |
| VAT14120           | Digital Video and Stereo Audio Tx, MM, 1 Fiber   | 3800.00 | IFS Transmission      | Digitally Encoded Video w/Stereo Audio Transmission                                     | 20 |
| VDR14120WDM        | Digital Video Receiver / Data Transceiver, MM Laser, 1 Fiber   | 2770.00 | IFS Transmission      | Digitally Encoded Video w/2-Way Data Transmission                                       | 20 |
| VDR14120WDM-R3     | Digital Video Receiver / Data Transceiver, MM Laser, 1 Fiber, Rack Mount   | 2770.00 | IFS Transmission      | Digitally Encoded Video w/2-Way Data Transmission                                       | 20 |
| VDR14130WDM        | Digital Video Receiver / Data Transceiver, SM Laser, 1 Fiber   | 3950.00 | IFS Transmission      | Digitally Encoded Video w/2-Way Data Transmission                                       | 20 |
| VDR14130WDM-R3     | Digital Video Receiver / Data Transceiver, SM Laser, 1 Fiber, Rack Mount   | 3950.00 | IFS Transmission      | Digitally Encoded Video w/2-Way Data Transmission                                       | 20 |
| VDR1505WDM         | Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber  | 1580.00 | IFS Transmission      | Digital Video w/Up-the-Coax Transmission  | 20 |
| VDR1505WDM-R3      | Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount  | 1580.00 | IFS Transmission      | Digital Video w/Up-the-Coax Transmission  | 20 |
| VDR1535WDM         | Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber  | 1980.00 | IFS Transmission      | Digital Video w/Up-the-Coax Transmission  | 20 |
| VDR1535WDM-R3      | Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount  | 1980.00 | IFS Transmission      | Digital Video w/Up-the-Coax Transmission  | 20 |
| VDR1535WDM-R3-B    | Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount, Battery Backup  | 2130.00 | IFS Transmission      | Digital Video w/Up-the-Coax Transmission  | 20 |
| VDT14120WDM        | Digital Video Transmitter / Data Transceiver, MM Laser, 1 Fiber  | 2770.00 | IFS Transmission      | Digitally Encoded Video w/2-Way Data Transmission                                       | 3  |
| VDT14120WDM-R3     | Digital Video Transmitter / Data Transceiver, MM Laser, 1 Fiber, Rack Mount  | 2770.00 | IFS Transmission      | Digitally Encoded Video w/2-Way Data Transmission                                       | 20 |
| VDT14130WDM        | Digital Video Transmitter / Data Transceiver, SM Laser, 1 Fiber  | 3950.00 | IFS Transmission      | Digitally Encoded Video w/2-Way Data Transmission                                       | 3  |
| VDT14130WDM-R3     | DIG VID XTMR Plus 1 CH Data 2 WayS,1300/1550 NM SM 1 Fiber Rack  | 3950.00 | IFS Transmission      | Digitally Encoded Video w/2-Way Data Transmission                                       | 20 |
| VDT1505WDM         | Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber  | 1580.00 | IFS Transmission      | Digital Video w/Up-the-Coax Transmission  | 20 |
| VDT1505WDM-R3      | Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber, Rack Mount  | 1580.00 | IFS Transmission      | Digital Video w/Up-the-Coax Transmission  | 20 |
| VDT1535WDM         | Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber  | 1980.00 | IFS Transmission      | Digital Video w/Up-the-Coax Transmission  | 20 |
| VDT1535WDM-R3      | Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber, Rack Mount  | 1980.00 | IFS Transmission      | Digital Video w/Up-the-Coax Transmission  | 20 |
| VDT1535WDM-R3-B    | Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber, Rack Mount, Battery Backup  | 2130.00 | IFS Transmission      | Digital Video w/Up-the-Coax Transmission  | 20 |
| VE1120             | PIR, V2E, 20m, 11C   | 88.20   | Sensors & Detectors   | Motion Sensor   | 3  |
| VE710              | VE710 Laser Alignment Tool   | 100.80  | Sensors & Detectors   | Accessory   | 20 |
| VE735              | 200ft Mirror Optic PIR, 11 Curtain, NC Relay PIR with Mem - V2E Tech   | 231.00  | Sensors & Detectors   | Motion Sensor   | 3  |
| VE736              | 60M PIR, 11 CURT, NO+NC  | 272.58  | Sensors & Detectors   | Motion Sensor   | 20 |
| VIC5211M           | Audio Intercom Transceiver / Video Receiver / CC, MM, 1 Fiber, Master  | 1580.00 | IFS Transmission      | Aliphone Video Intercom Systems   | 20 |

|                 |  |          |                  |   |    |
|-----------------|--|----------|------------------|---|----|
| VIC5211M-R3     | Audio Intercom Transceiver / Video Receiver / CC, MM, 1 Fiber, Master, Rack Mount            | 1580.00  | IFS Transmission | Aliphone Video Intercom Systems   | 20 |
| VIC5211R        | Audio Intercom Transceiver / Video Transmitter / CC, MM, 1 Fiber, Remote                     | 1580.00  | IFS Transmission | Aliphone Video Intercom Systems   | 3  |
| VR1000          | Video Receiver - Manual Gain, MM   | 330.00   | IFS Transmission | Fixed Camera Video Transmission   | 3  |
| VR1001          | Dual Video Receiver - Manual Gain, MM  | 600.00   | IFS Transmission | Fixed Camera Video Transmission   | 3  |
| VR1001-R3       | Dual Video Receiver - Manual Gain, MM, Rack Mount  | 600.00   | IFS Transmission | Fixed Camera Video Transmission   | 3  |
| VR1100          | Video Receiver - Automatic Gain Control, MM  | 560.00   | IFS Transmission | Fixed Camera Video Transmission   | 3  |
| VR1100CC        | Video Receiver - Automatic Gain Control, MM, Contact Closure                                 | 760.00   | IFS Transmission | Fixed Camera Video Transmission   | 20 |
| VR1100CC-R3     | Video Receiver - Automatic Gain Control, MM, Contact Closure, Rack Mount                     | 760.00   | IFS Transmission | Fixed Camera Video Transmission   | 20 |
| VR1100-R3       | Video Receiver - Automatic Gain Control, MM, Rack Mount                                      | 560.00   | IFS Transmission | Fixed Camera Video Transmission   | 3  |
| VR1410WDM       | Video REC Plus Current Loop XTMR,AGC, MM, 1 Fiber  | 1100.00  | IFS Transmission | Digitally Encoded Fixed Camera Video Transmission                                 | 20 |
| VR14120         | 10 BIT Digital Video RECEIVER 1300 NM MM   | 1060.00  | IFS Transmission | Digitally Encoded Fixed Camera Video Transmission                                 | 20 |
| VR1500          | Video Receiver / Data Transmitter, MM, 2 Fibers  | 860.00   | IFS Transmission | Video w/1-Way Data Transmission   | 3  |
| VR1500-R3       | Video Receiver / Data Transmitter, MM, 2 Fibers, Rack Mount                                  | 860.00   | IFS Transmission | Video w/1-Way Data Transmission   | 20 |
| VR1500WDM       | Video Receiver / Data Transmitter, MM, 1 Fiber   | 1060.00  | IFS Transmission | Video w/1-Way Data Transmission   | 3  |
| VR1500WDM-CC    | Video Receiver / Data Transmitter, MM, 1 Fiber, Contact Closure                              | 1250.00  | IFS Transmission | Video w/1-Way Data Transmission   | 20 |
| VR1500WDMCC-R3  | VID RX / AGC Plus Data TX Plus CC  | 1250.00  | IFS Transmission | Video w/1-Way Data Transmission   | 20 |
| VR1500WDM-CC-R3 | Video Receiver / Data Transmitter, MM, 1 Fiber, Contact Closure, Rack Mount                  | 1250.00  | IFS Transmission | Video w/1-Way Data Transmission   | 20 |
| VR1500WDM-R3    | Video Receiver / Data Transmitter, MM, 1 Fiber, Rack Mount                                   | 1060.00  | IFS Transmission | Video w/1-Way Data Transmission   | 3  |
| VR1505          | Video Receiver / Data Transmitter, Up-the-Coax, MM, 2 Fibers                                 | 700.00   | IFS Transmission | Video w/Up-the-Coax Transmission  | 20 |
| VR1505-R3       | Video Receiver / Data Transmitter, Up-the-Coax, MM, 2 Fibers, Rack Mount                     | 700.00   | IFS Transmission | Video w/Up-the-Coax Transmission  | 20 |
| VR1505WDM       | Video Receiver / Data Transmitter, Up-the-Coax, MM, 1 Fiber                                  | 1060.00  | IFS Transmission | Video w/Up-the-Coax Transmission  | 3  |
| VR1505WDM-R3    | Up the Coax, PROTEUS, 1 Fiber  | 1060.00  | IFS Transmission | Video w/Up-the-Coax Transmission  | 20 |
| VR1520WDM       | Video Receiver / Data Transmitter, MM, 1 Fiber   | 1190.00  | IFS Transmission | Video w/1-Way Data Transmission   | 20 |
| VR1520WDM-R3    | Video Receiver / Data Transmitter, MM, 1 Fiber, Rack Mount                                   | 1190.00  | IFS Transmission | Video w/1-Way Data Transmission   | 20 |
| VR1530WDM       | Video Receiver / Data Transmitter, SM, 1 Fiber   | 1450.00  | IFS Transmission | Video w/1-Way Data Transmission   | 20 |
| VR1530WDM-R3    | Video Receiver / Data Transmitter, SM, 1 Fiber, Rack Mount                                   | 1450.00  | IFS Transmission | Video w/1-Way Data Transmission   | 20 |
| VR1910          | FM Video Receiver / Data Transceiver, MM, 2 Fibers   | 930.00   | IFS Transmission | FM Video w/2-Way Data Transmission  | 3  |
| VR1910-R3       | FM Video Receiver / Data Transceiver, MM, 2 Fibers, Rack Mount                               | 930.00   | IFS Transmission | FM Video w/2-Way Data Transmission  | 20 |
| VR1910WDM       | FM Video Receiver / Data Transceiver, MM, 1 Fiber  | 1450.00  | IFS Transmission | FM Video w/2-Way Data Transmission  | 3  |
| VR1910WDM-R3    | FM Video Receiver / Data Transceiver, MM, 1 Fiber, Rack Mount                                | 1450.00  | IFS Transmission | FM Video w/2-Way Data Transmission  | 3  |
| VR1920WDM       | FM Video Receiver / Data Transceiver, MM Laser, 1 Fiber                                      | 1580.00  | IFS Transmission | FM Video w/2-Way Data Transmission  | 20 |
| VR1920WDM-R3    | FM Video Receiver / Data Transceiver, MM Laser, 1 Fiber, Rack Mount                          | 1580.00  | IFS Transmission | FM Video w/2-Way Data Transmission  | 20 |
| VR1930WDM       | FM Video Receiver / Data Transceiver, SM Laser, 1 Fiber                                      | 1850.00  | IFS Transmission | FM Video w/2-Way Data Transmission  | 20 |
| VR1930WDM-R3    | FM Video Receiver / Data Transceiver, SM Laser, 1 Fiber, Rack Mount                          | 1850.00  | IFS Transmission | FM Video w/2-Way Data Transmission  | 3  |
| VR2010          | 2 Channel FM Video Receiver, MM, 1 Fiber   | 1450.00  | IFS Transmission | 2 Channel FM Video Multiplexer  | 20 |
| VR2010-R3       | 2 Channel FM Video Receiver, MM, 1 Fiber, Rack Mount   | 1450.00  | IFS Transmission | 2 Channel FM Video Multiplexer  | 20 |
| VR2100          | Dual Video Receiver - Automatic Gain Control, MM   | 1060.00  | IFS Transmission | Fixed Camera Video Transmission   | 20 |
| VR2100-R3       | Dual Video Receiver - Automatic Gain Control, MM, Rack Mount                                 | 1060.00  | IFS Transmission | Fixed Camera Video Transmission   | 3  |
| VR4010-R3       | FM Video Receiver, MM, 1 Fiber, Rack Mount   | 860.00   | IFS Transmission | FM Fixed Camera Video Transmission  | 20 |
| VR4030-R3       | FM Video Receiver, SM Or MM, 1 Fiber, Rack Mount   | 1190.00  | IFS Transmission | FM Fixed Camera Video Transmission  | 20 |
| VR4330-R3       | 3 Channel FM Video Receiver, 1300Nm, 3 Fibers, Rack Mount                                    | 3290.00  | IFS Transmission | 3 Channel FM Video Transmission   | 20 |
| VR6010          | 4 Channel FM Video Receiver, MM, 1 Fiber   | 2110.00  | IFS Transmission | 4 Channel FM Video Multiplexer  | 3  |
| VR6010-DRDT     | 4 Channel Video Receiver Data Transceiver  | 4280.00  | IFS Transmission | 4 Channel FM Video Multiplexer w/Bi-directional Data                              | 20 |
| VR6010-DRDT-R3  | 4 Channel Video Receiver Data Transceiver, Rack Mount  | 4280.00  | IFS Transmission | 4 Channel FM Video Multiplexer w/Bi-directional Data                              | 20 |
| VR6010-R3       | 4 Channel FM Video Receiver, MM, 1 Fiber, Rack Mount   | 2110.00  | IFS Transmission | 4 Channel FM Video Multiplexer  | 3  |
| VR71230-R3      | 12 Channel Digital Video Receiver, SM, 1 Fiber, Rack Mount                                   | 11850.00 | IFS Transmission | 12 Channel Digitally Encoded Video Multiplexer                                    | 20 |
| VR71620-R3      | 16 Channel Digital Video Receiver, MM, 1 Fiber, Rack Mount                                   | 13160.00 | IFS Transmission | 16 Channel Digitally Encoded Video Multiplexer                                    | 20 |
| VR7220          | 2 Channel Digital Video REC  | 1980.00  | IFS Transmission | 2 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VR7220-2DRDT    | 2 Channel Digital Video Receiver / 2 Channel Data Transceiver, MM Laser, 1 Fiber             | 3160.00  | IFS Transmission | 2 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VR7220-2DRDT-R3 | 2 Channel Digital Video Receiver / 2 Channel Data Transceiver, MM Laser, 1 Fiber, Rack Mount | 3160.00  | IFS Transmission | 2 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VR7220-R3       | 2 Channel Digital Video Receiver, MM, 1 Fiber, Rack Mount                                    | 1980.00  | IFS Transmission | 2 Channel Digitally Encoded Video Multiplexer                                     | 20 |

|                 |  |                          |   |    |
|-----------------|--|--------------------------|---|----|
| VR7230-2DRDT    | 2 Channel Digital Video Receiver / 2 Channel Data Transceiver, SM Laser, 1 Fiber             | 3560.00 IFS Transmission | 2 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VR7230-2DRDT-R3 | 2 Channel Digital Video Receiver / 2 Channel Data Transceiver, SM Laser, 1 Fiber, Rack Mount | 3560.00 IFS Transmission | 2 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 3  |
| VR7420          | 4 Channel Digital Video Receiver, MM Laser, 1 Fiber  | 2900.00 IFS Transmission | 4 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VR7420-2DRDT    | 4 Channel Digital Video Receiver / 2 Channel Data Transceiver, MM Laser, 1 Fiber             | 6190.00 IFS Transmission | 4 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VR7420-2DRDT-R3 | 4 Channel Digital Video Receiver / 2 Channel Data Transceiver, MM Laser, 1 Fiber, Rack Mount | 6190.00 IFS Transmission | 4 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 3  |
| VR7420-R3       | 4 Channel Digital Video Receiver, MM Laser, 1 Fiber, Rack Mount                              | 2900.00 IFS Transmission | 4 Channel Digitally Encoded Video Multiplexer                                     | 3  |
| VR7430          | 4 Channel Digital Video Receiver, SM Laser, 1 Fiber  | 3560.00 IFS Transmission | 4 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VR7430-2DRDT    | 4 Channel Digital Video Receiver / 2 Channel Data Transceiver, SM Laser, 1 Fiber             | 7240.00 IFS Transmission | 4 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VR7430-2DRDT-R3 | 4 Channel Digital Video Receiver / 2 Channel Data Transceiver, SM Laser, 1 Fiber, Rack Mount | 7240.00 IFS Transmission | 4 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 3  |
| VR7430-R3       | 4CH Digital Video Rx,SM,1Fiber,Rack-mount  | 3560.00 IFS Transmission | 4 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VR7820          | 8 Channel Digital Video Receiver, MM Laser, 1 Fiber  | 5270.00 IFS Transmission | 8 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VR7820-2DRDT    | 8 Channel Digital Receiver / 2 Channel Data Transceiver, MM Laser, 1 Fiber                   | 6980.00 IFS Transmission | 8 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VR7820-2DRDT-R3 | 8 Channel Digital Receiver / 2 Channel Data Transceiver, MM Laser, 1 Fiber, Rack Mount       | 6980.00 IFS Transmission | 8 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VR7820-R3       | 8 Channel Digital Video Receiver, MM Laser, 1 Fiber, Rack Mount                              | 5270.00 IFS Transmission | 8 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VR7830          | 8 Channel Digital Video Receiver, SM Laser, 1 Fiber  | 7900.00 IFS Transmission | 8 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VR7830-2DRDT    | 8 Channel Digital Receiver / 2 Channel Data Transceiver, SM Laser, 1 Fiber                   | 9220.00 IFS Transmission | 8 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VR7830-2DRDT-R3 | 8 Channel Digital Receiver / 2 Channel Data Transceiver, SM Laser, 1 Fiber, Rack Mount       | 9220.00 IFS Transmission | 8 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VR7830-R3       | 8 Channel Digital Video Receiver, SM Laser, 1 Fiber, Rack Mount                              | 7900.00 IFS Transmission | 8 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VR9930WDM-R3    | FM Video Receiver / Data Transceiver (FSK) SM Laser, Db25, 1 Fiber, Rack Mount               | 3950.00 IFS Transmission | FM Video w/2-Way FSK-Encoded Data Transmission (w/DB24 Data Connector)            | 20 |
| VT1000AC        | Video Transmitter, MM, 24VAC Isolated  | 470.00 IFS Transmission  | Fixed Camera Video Transmission   | 20 |
| VT1001          | Dual Video Transmitter, MM   | 600.00 IFS Transmission  | Fixed Camera Video Transmission   | 3  |
| VT1001-R3       | Dual Video Transmitter, MM, Rack Mount   | 600.00 IFS Transmission  | Fixed Camera Video Transmission   | 3  |
| VT1101M         | Mini Video Transmitter, MM   | 330.00 IFS Transmission  | Fixed Camera Video Transmission   | 3  |
| VT1101M-AC      | Mini Video Transmitter, MM, 24VAC  | 400.00 IFS Transmission  | Fixed Camera Video Transmission   | 3  |
| VT1500          | Video Transmitter / Data Receiver, MM, 2 Fibers  | 700.00 IFS Transmission  | Video w/1-Way Data Transmission   | 3  |
| VT1500-R3       | Video Transmitter / Data Receiver, MM, 2 Fibers, Rack Mount                                  | 700.00 IFS Transmission  | Video w/1-Way Data Transmission   | 20 |
| VT1500WDM       | Video Transmitter / Data Receiver, MM, 1 Fiber   | 1060.00 IFS Transmission | Video w/1-Way Data Transmission   | 3  |
| VT1500WDM-PELCO | Video Transmitter / Data Receiver, MM, 1 Fiber, Pelco Spectra III                            | 1060.00 IFS Transmission | Integrated Camera Dome Fiber Optic Modules  | 3  |
| VT1500WDM-R3    | Video Transmitter / Data Receiver, MM, 1 Fiber, Rack Mount                                   | 1060.00 IFS Transmission | Video w/1-Way Data Transmission   | 3  |
| VT1505          | Video Transmitter / Data Receiver, Up-the-Coax, MM, 2 Fibers                                 | 700.00 IFS Transmission  | Video w/Up-the-Coax Transmission  | 3  |
| VT1505WDM       | Video Transmitter / Data Receiver, Up-the-Coax, MM, 1 Fiber                                  | 1060.00 IFS Transmission | Video w/Up-the-Coax Transmission  | 3  |
| VT1505WDM-R3    | Video Transmitter / Data Receiver, Up-the-Coax, MM, 1 Fiber, Rack Mount                      | 1060.00 IFS Transmission | Video w/Up-the-Coax Transmission  | 3  |
| VT1520WDM       | Video Transmitter / Data Receiver, MM, 1 Fiber   | 1190.00 IFS Transmission | Video w/1-Way Data Transmission   | 20 |
| VT1530WDM       | Video Transmitter / Data Receiver, SM, 1 Fiber   | 1450.00 IFS Transmission | Video w/1-Way Data Transmission   | 3  |
| VT1530WDM-R3    | Video Transmitter / Data Receiver, SM, 1 Fiber, Rack Mount                                   | 1450.00 IFS Transmission | Video w/1-Way Data Transmission   | 20 |
| VT1910          | FM Video Transmitter / Data Transceiver, MM, 2 Fibers  | 930.00 IFS Transmission  | FM Video w/2-Way Data Transmission  | 3  |
| VT1910-R3       | FM Video Transmitter / Data Transceiver, MM, 2 Fibers, Rack Mount                            | 930.00 IFS Transmission  | FM Video w/2-Way Data Transmission  | 20 |
| VT1910WDM       | FM Video Transmitter / Data Transceiver, MM, 1 Fiber   | 1450.00 IFS Transmission | FM Video w/2-Way Data Transmission  | 3  |
| VT1910WDM-R3    | FM Video XTMR Plus 2 Way Data  | 1450.00 IFS Transmission | FM Video w/2-Way Data Transmission  | 20 |
| VT1920WDM       | FM Video Transmitter / Data Transceiver, MM Laser, 1 Fiber                                   | 1580.00 IFS Transmission | FM Video w/2-Way Data Transmission  | 20 |
| VT1930WDM       | FM Video Transmitter / Data Transceiver, SM Laser, 1 Fiber                                   | 1850.00 IFS Transmission | FM Video w/2-Way Data Transmission  | 3  |
| VT1930WDM-R3    | FM Video Transmitter / Data Transceiver, SM Laser, 1 Fiber, Rack Mount                       | 1850.00 IFS Transmission | FM Video w/2-Way Data Transmission  | 20 |
| VT2010          | 2 Channel FM Video Transmitter, MM, 1 Fiber  | 1450.00 IFS Transmission | 2 Channel FM Video Multiplexer  | 3  |
| VT4010          | FM Video Transmitter, MM, 1 Fiber  | 860.00 IFS Transmission  | FM Fixed Camera Video Transmission  | 20 |
| VT4010M         | FM Mini Video Transmitter, MM, 1 Fiber   | 860.00 IFS Transmission  | FM Fixed Camera Video Transmission  | 20 |



|                   |   |         |                     |   |    |
|-------------------|---|---------|---------------------|---|----|
| VT4020-R3         | FM Video Transmitter, MM, 1 Fiber, LD, Rack Mount   | 1060.00 | IFS Transmission    | FM Fixed Camera Video Transmission  | 20 |
| VT4025-R3         | FM Video Transmitter, SM, 1 Fiber, Rack Mount   | 1320.00 | IFS Transmission    | FM Fixed Camera Video Transmission  | 20 |
| VT4030M           | FM Mini Video Transmitter, SM Laser, 1 Fiber  | 1580.00 | IFS Transmission    | FM Fixed Camera Video Transmission  | 20 |
| VT6010            | 4 Channel FM Video Transmitter, MM, 1 Fiber   | 2110.00 | IFS Transmission    | 4 Channel FM Video Multiplexer  | 3  |
| VT6010-DRDT       | 4-Channel Video Multiplexer with Bi-Directional data  | 4280.00 | IFS Transmission    | 4 Channel FM Video Multiplexer w/Bi-directional Data                              | 3  |
| VT6010-DRDT-R3    | 4-Channel Video Multiplexer with Bi-Directional data rack                                       | 4280.00 | IFS Transmission    | 4 Channel FM Video Multiplexer w/Bi-directional Data                              | 20 |
| VT610P            | Handheld Tester for Use When Testing Devices Mounted on Steel                                   | 185.01  | Sensors & Detectors | Accessories   | 20 |
| VT7220            | 2 Channel Digital Video Transmitter, MM Laser, 1 Fiber  | 1980.00 | IFS Transmission    | 2 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VT7220-2DRDT      | 2 Channel Digital Video Transmitter / 2 Channel Data Transceiver, MM Laser, 1 Fiber             | 3160.00 | IFS Transmission    | 2 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 3  |
| VT7220-2DRDT-R3   | 2 Channel Digital Video Transmitter / 2 Channel Data Transceiver, MM Laser, 1 Fiber, Rack Mount | 3160.00 | IFS Transmission    | 2 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VT7230            | 2 Channel Digital Video Transmitter, SM Laser, 1 Fiber  | 2640.00 | IFS Transmission    | 2 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VT7230-2DRDT      | 2 Channel Digital Video Transmitter / 2 Channel Data Transceiver, SM Laser, 1 Fiber             | 3560.00 | IFS Transmission    | 2 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 3  |
| VT7230-2DRDT-R3   | 2 CH DIG Video XTMR Plus 2 Data   | 3560.00 | IFS Transmission    | 2 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VT7230-R3         | RC)2 Channel DIG. Video XTMR 1300 NM Laser SM Rack  | 2640.00 | IFS Transmission    | 2 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VT7420            | 4 Channel Digital Video Transmitter, MM Laser, 1 Fiber  | 2900.00 | IFS Transmission    | 4 Channel Digitally Encoded Video Multiplexer                                     | 3  |
| VT7420-2DRDT      | 4 Channel Digital Video Transmitter / 2 Channel Data Transceiver, MM Laser, 1 Fiber             | 6190.00 | IFS Transmission    | 4 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 3  |
| VT7420-2DRDT-R3   | 4 Channel Digital Video Transmitter / 2 Channel Data Transceiver, MM Laser, 1 Fiber, Rack Mount | 6190.00 | IFS Transmission    | 4 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VT7420-R3         | 4 Channel Digital Video XTMR  | 2900.00 | IFS Transmission    | 4 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VT7430            | 4 Channel Digital Video Transmitter, SM Laser, 1 Fiber  | 3560.00 | IFS Transmission    | 4 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VT7430-2DRDT      | 4 Channel Digital Video Transmitter / 2 Channel Data Transceiver, SM Laser, 1 Fiber             | 7240.00 | IFS Transmission    | 4 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 3  |
| VT7430-2DRDT-R3   | 4 CH DIG Video Plus 2 Data BOTH   | 7240.00 | IFS Transmission    | 4 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VT7430-R3         | 4 Channel Digital Video Transmitter, SM Laser, 1 Fiber, Rack Mount                              | 3560.00 | IFS Transmission    | 4 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VT7800D-R3        | 8 Channel Digital Video Transmitter, Rack Mount   | 9220.00 | IFS Transmission    | 8 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VT7820            | 8 Channel Digital Video Transmitter, MM Laser, 1 Fiber  | 5270.00 | IFS Transmission    | 8 Channel Digitally Encoded Video Multiplexer                                     | 3  |
| VT7820-2DRDT      | 8 Channel Digital Video Transmitter / 2 Channel Data Transceiver, MM Laser, 1 Fiber             | 6980.00 | IFS Transmission    | 8 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 3  |
| VT7820-2DRDT-R3   | 8 Channel Digital Video Transmitter / 2 Channel Data Transceiver, MM Laser, 1 Fiber, Rack Mount | 6980.00 | IFS Transmission    | 8 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VT7820-R3         | 8 Channel Digital Video Transmitter, MM Laser, 1 Fiber, Rack Mount                              | 5270.00 | IFS Transmission    | 8 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VT7830            | 8 Channel Digital Video Transmitter, SM Laser, 1 Fiber  | 7900.00 | IFS Transmission    | 8 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VT7830-2DRDT      | 8 Channel Digital Video Transmitter / 2 Channel Data Transceiver, SM Laser, 1 Fiber             | 9220.00 | IFS Transmission    | 8 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 3  |
| VT7830-2DRDT-R3   | 8 Channel Digital Video Transmitter / 2 Channel Data Transceiver, SM Laser, 1 Fiber, Rack Mount | 9220.00 | IFS Transmission    | 8 Channel Digitally Encoded Video Multiplexer w/2 Channels of Bi-directional Data | 20 |
| VT7830-R3         | 8 Channel Digital Video Transmitter, SM Laser, 1 Fiber, Rack Mount                              | 7900.00 | IFS Transmission    | 8 Channel Digitally Encoded Video Multiplexer                                     | 20 |
| VT930WDM          | FM Video Transmitter / Data Transceiver (FSK) SM Laser, Db25, 1 Fiber                           | 3950.00 | IFS Transmission    | FM Video w/2-Way FSK-Encoded Data Transmission (w/DB24 Data Connector)            | 20 |
| WMC251-1W-1T-300  | 300mbps 803-22b/g/n, 2.4ghz, outdoor ip55, wlan ap, built in 14dbi antenna                      | 300.00  | IFS Transmission    | Network   | 20 |
| WMC251-1W-2T-150  | 150mbps 803-22b/g/n, 2.4ghz, outdoor ip55, wlan ap 12dbi patch antenna, optional rf             | 240.00  | IFS Transmission    | Network   | 20 |
| WMC252-1W-1T-300  | 300mbps 803-22b/g/n, 5ghz, outdoor ip55, wlan ap, built in 14dbi antenna                        | 320.00  | IFS Transmission    | Network   | 20 |
| WMC303-1W-1T-1200 | 1200mbps 802.11ac dual band ceiling mount wireless access point                                 | 340.00  | IFS Transmission    | Network   | 20 |
| WS300             | High Security Cable, 100' Roll  | 98.70   | Sensors & Detectors | Accessories   | 20 |
| WST-100           | 4-Button Chrome Wireless Keyfob, 433MHz   | 36.98   | Wireless            | Sensors   | 3  |
| WST-102           | 4-Button Chrome Wireless Keyfob, 345MHz   | 36.98   | Wireless            | Sensors   | 3  |
| WST-200           | Door/Window Sensor, 433MHz  | 30.14   | Wireless            | Sensors   | 3  |
| WST-212           | DWS With Bypass Button, 345MHz  | 30.14   | Wireless            | Sensors   | 3  |
| WST-220           | Recessed Door/Window Sensor, 433MHz   | 46.58   | Wireless            | Sensors   | 3  |
| WST-222           | Recessed Door/Window Sensor, 345MHz   | 46.58   | Wireless            | Sensors   | 3  |
| WST-232           | DWS With External Contact Input, 345MHz   | 39.72   | Wireless            | Sensors   | 3  |
| WST-302           | Shock Sensor, 345MHz  | 46.58   | Wireless            | Sensors   | 3  |
| WST-400           | Tilt Sensor, 433MHz   | 49.32   | Wireless            | Sensors   | 3  |
| WST-402           | Tilt Sensor, 345MHz   | 49.32   | Wireless            | Sensors   | 3  |
| WST-600           | FireFighter™ Combination Smoke/Co Alarm Audio Detector, 433MHz DSC                              | 80.00   | Wireless            | Sensors   | 3  |
| WST-612           | Flood and Freeze Sensor, 345MHz   | 71.24   | Wireless            | Sensors   | 3  |

|                   |   |                              |                |    |
|-------------------|---|------------------------------|----------------|----|
| WST-702           | PIR Motion Detector, 345MHz                                       | 68.50 Wireless               | Sensors        | 3  |
| WST-802           | Hardwire to Wireless 8 Zone Module, 345MHz                        | 82.20 Wireless               | Sensors        | 3  |
| YV2.1X2.8SR4A-SA2 | Megapixel 1/3" 2.8-6mm F1.3, Day/Night Auto Iris DC, IR Corrected | 320.00 Network Fixed Cameras | TruVision Lens | 20 |
| YV2.8X2.8SA-2     | Megapixel 1/3" 2.8-8mm F1.2, Manual Iris                          | 156.00 Network Fixed Cameras | TruVision Lens | 20 |
| YV2.8X2.8SA-SA2   | Megapixel 1/3" 2.8-8mm F1.2, Auto Iris DC                         | 176.00 Network Fixed Cameras | TruVision Lens | 20 |